

STATE	STATE PROJECT REFERENCE NO.	SHEET NO.	TOTAL SHEETS
N.C.	17BP.14.R.66	1	9

**STATE OF NORTH CAROLINA
DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
GEOTECHNICAL ENGINEERING UNIT**

**STRUCTURE
SUBSURFACE INVESTIGATION**

PROJ. REFERENCE NO. 17BP.14.R.66 F.A. PROJ. n/a
 COUNTY JACKSON
 PROJECT DESCRIPTION Bridge 310 on SR 1709 across Cane Creek

CONTENTS

SHEET	DESCRIPTION
1	TITLE SHEET
2, 2A	LEGEND
3	SITE PLAN
4-9	BORING LOGS

PERSONNEL

B. Worley, PG

B. Smith

J. Bare

J. Gentry

INVESTIGATED BY B. Worley, PG

CHECKED BY D. Dewey, PE

SUBMITTED BY Summit Design and Engineering

DATE JUNE, 2012

CAUTION NOTICE

THE SUBSURFACE INFORMATION AND THE SUBSURFACE INVESTIGATION ON WHICH IT IS BASED WERE MADE FOR THE PURPOSE OF PREPARING THE SCOPE OF WORK TO BE INCLUDED IN THE REQUEST FOR PROPOSAL. THE VARIOUS FIELD BORING LOGS, ROCK CORES, AND SOIL TEST DATA AVAILABLE MAY BE REVIEWED OR INSPECTED IN RALEIGH BY CONTACTING THE N.C. DEPARTMENT OF TRANSPORTATION, GEOTECHNICAL ENGINEERING UNIT AT (919) 701-6850. THE SUBSURFACE PLANS AND REPORTS, FIELD BORING LOGS, ROCK CORES, AND SOIL TEST DATA ARE NOT PART OF THE CONTRACT.

SOIL AND ROCK BOUNDARIES WITHIN A BOREHOLE ARE BASED ON GEOTECHNICAL INTERPRETATION UNLESS ENCOUNTERED IN A SAMPLE. INTERPRETED BOUNDARIES MAY NOT NECESSARILY REFLECT ACTUAL SUBSURFACE CONDITIONS BETWEEN SAMPLED STRATA, AND BOREHOLE INFORMATION MAY NOT NECESSARILY REFLECT ACTUAL SUBSURFACE CONDITIONS BETWEEN BORINGS. THE LABORATORY SAMPLE DATA AND THE IN SITU UN-PLACED TEST DATA CAN BE RELIED ON ONLY TO THE DEGREE OF RELIABILITY INHERENT IN THE STANDARD TEST METHOD. THE OBSERVED WATER LEVELS OR SOIL MOISTURE CONDITIONS INDICATED IN THE SUBSURFACE INVESTIGATIONS ARE AS RECORDED AT THE TIME OF THE INVESTIGATION. THESE WATER LEVELS OR SOIL MOISTURE CONDITIONS MAY VARY CONSIDERABLY WITH TIME ACCORDING TO CLIMATIC CONDITIONS INCLUDING TEMPERATURES, PRECIPITATION, AND WIND, AS WELL AS OTHER NON-CLIMATIC FACTORS.

THE DEPARTMENT DOES NOT WARRANT OR GUARANTEE THE SUFFICIENCY OR ACCURACY OF THE INVESTIGATION MADE, OR OPINION OF THE DEPARTMENT AS TO THE TYPE OF MATERIALS AND CONDITIONS TO BE ENCOUNTERED. THE BIDDER OR CONTRACTOR IS CAUTIONED TO MAKE SUCH INDEPENDENT SUBSURFACE INVESTIGATIONS AS HE DEEMS NECESSARY TO SATISFY HIMSELF AS TO CONDITIONS TO BE ENCOUNTERED ON THE PROJECT. THE CONTRACTOR SHALL HAVE NO CLAIM FOR ADDITIONAL COMPENSATION OR FOR AN EXTENSION OF TIME FOR ANY REASON RESULTING FROM THE ACTUAL CONDITIONS ENCOUNTERED AT THE SITE DIFFERING FROM THOSE INDICATED IN THE SUBSURFACE INFORMATION.

NOTE - THE INFORMATION CONTAINED HEREIN IS NOT IMPLIED OR GUARANTEED BY THE N.C. DEPARTMENT OF TRANSPORTATION AS BEING ACCURATE NOR IS IT CONSIDERED TO BE PART OF THE PLANS, SPECIFICATIONS, OR CONTRACT FOR THE PROJECT.

NOTE - BY HAVING REQUESTED THIS INFORMATION THE CONTRACTOR SPECIFICALLY WAIVES ANY CLAIMS FOR INCREASED COMPENSATION OR EXTENSION OF TIME BASED ON DIFFERENCES BETWEEN THE CONDITIONS INDICATED HEREIN AND THE ACTUAL CONDITIONS AT THE PROJECT SITE.

DRAWN BY: B. Worley, PG








Bradley D. Worley

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
GEOTECHNICAL ENGINEERING UNIT
SOIL AND ROCK LEGEND, TERMS, SYMBOLS, AND ABBREVIATIONS

SOIL DESCRIPTION				GRADATION			
SOIL IS CONSIDERED TO BE THE UNCONSOLIDATED, SEMI-CONSOLIDATED, OR WEATHERED EARTH MATERIALS THAT CAN BE PENETRATED WITH A CONTINUOUS FLIGHT POWER AUGER, AND YIELD LESS THAN 100 BLOWS PER FOOT ACCORDING TO STANDARD PENETRATION TEST (AASHTO T266, ASTM D-1586). SOIL CLASSIFICATION IS BASED ON THE AASHTO SYSTEM. BASIC DESCRIPTIONS GENERALLY SHALL INCLUDE: CONSISTENCY, COLOR, TEXTURE, MOISTURE, AASHTO CLASSIFICATION, AND OTHER PERTINENT FACTORS SUCH AS MINERALOGICAL COMPOSITION, ANGULARITY, STRUCTURE, PLASTICITY, ETC. EXAMPLE: <i>VERY STIFF, GRANULY CLAY, MUST WITH INTERBEDDED FINE SAND LAYERS, HIGH PLASTIC, A-7-6</i>				WELL GRADED - INDICATES A GOOD REPRESENTATION OF PARTICLE SIZES FROM FINE TO COARSE. UNIFORM - INDICATES THAT SOIL PARTICLES ARE ALL APPROXIMATELY THE SAME SIZE (ALSO POORLY GRADED) DUAL GRADED - INDICATES A MIXTURE OF UNIFORM PARTICLES OF TWO OR MORE SIZES.			
THE ANGULARITY OR ROUNDNESS OF SOIL GRAINS IS DESIGNATED BY THE TERMS ANGULAR, SUBANGULAR, SUBROUND, OR ROUNDED.				MINERALOGICAL COMPOSITION			
MINERAL NAMES SUCH AS QUARTZ, FELDSPAR, MICA, TALC, KAOLIN, ETC. ARE USED IN DESCRIPTIONS WHENEVER THEY ARE CONSIDERED OF SIGNIFICANCE.				COMPRESSIBILITY			
SLIGHTLY COMPRESSIBLE MODERATELY COMPRESSIBLE HIGHLY COMPRESSIBLE				LIQUID LIMIT LESS THAN 31 LIQUID LIMIT EQUAL TO 31-50 LIQUID LIMIT GREATER THAN 50			
PERCENTAGE OF MATERIAL				GROUND WATER			
ORGANIC MATERIAL GRANULAR SOILS SILT - CLAY SOILS OTHER MATERIAL				WATER LEVEL IN BORE HOLE IMMEDIATELY AFTER DRILLING STATIC WATER LEVEL AFTER 24 HOURS PERCHED WATER, SATURATED ZONE, OR WATER BEARING STRATA SPRING OR SEEP			
TRACE OF ORGANIC MATTER 2 - 3% LITTLE ORGANIC MATTER 3 - 5% MODERATELY ORGANIC 5 - 10% HIGHLY ORGANIC >10%				TRACE 1 - 10% LITTLE 10 - 20% SOME 20 - 35% HIGHLY 35% AND ABOVE			
SOIL LEGEND AND AASHTO CLASSIFICATION				MISCELLANEOUS SYMBOLS			
GENERAL CLASS.	GRANULAR MATERIALS (≤ 35% PASSING #200)	SILT-CLAY MATERIALS (> 35% PASSING #200)	ORGANIC MATERIALS	ROADWAY EMBANKMENT (RE) WITH SOIL DESCRIPTION	TEST BORING	TEST BORING W/ CORE	TEST BORING SPT N-VALUE
GROUP CLASS.	A-1, A-1.5, A-2, A-2.5, A-3, A-3.5, A-4, A-4.5, A-5, A-5.5, A-6, A-6.5, A-7, A-7.5, A-7.5 (A-7.5), A-8, A-8.5, A-9, A-9.5, A-10	A-1, A-2, A-3, A-4, A-5, A-6, A-7, A-8, A-9, A-10	A-1, A-2, A-3, A-4, A-5, A-6, A-7, A-8, A-9, A-10	SOIL SYMBOL	ALGER BORING	CORE BORING	MONITORING WELL
SYMBOL	[Symbol]	[Symbol]	[Symbol]	ARTIFICIAL FILL (AF) OTHER THAN ROADWAY EMBANKMENT	PIEZOMETER INSTALLATION	SLOPE INDICATOR INSTALLATION	CONE PENETROMETER TEST
% PASSING	10, 20, 40, 60, 100	10, 20, 40, 60, 100	10, 20, 40, 60, 100	INFERRED SOIL BOUNDARY	INFERRED ROCK LINE	ALLUVIAL SOIL BOUNDARY	DIP & DIP DIRECTION OF ROCK STRUCTURES
LIQUID LIMIT PLASTIC INDEX	6, 10, 12, 15, 18, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100	6, 10, 12, 15, 18, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100	6, 10, 12, 15, 18, 20, 25, 30, 35, 40, 45, 50, 55, 60, 65, 70, 75, 80, 85, 90, 95, 100	25°/25'	SOUNDING ROD		
GROUP INDEX	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50	0, 1, 2, 3, 4, 5, 6, 7, 8, 9, 10, 11, 12, 13, 14, 15, 16, 17, 18, 19, 20, 21, 22, 23, 24, 25, 26, 27, 28, 29, 30, 31, 32, 33, 34, 35, 36, 37, 38, 39, 40, 41, 42, 43, 44, 45, 46, 47, 48, 49, 50				
USUAL TYPES OF MAJOR MATERIALS	STONE GRAVEL AND SAND, FINE SAND, SILTY OR CLAYEY GRAVEL AND SAND, SILTY SOILS, CLAYEY SOILS						
GENERATING AS A SUBGRADE	EXCELLENT TO GOOD	FAIR TO POOR	FAIR TO POOR, POOR, UNSUITABLE				
PI OF A-7-5 SUBGROUP IS ≤ LL - 30 ; PI OF A-7-6 SUBGROUP IS > LL - 30				CONSISTENCY OR DENSENESS			
PRIMARY SOIL TYPE	COMPACTNESS OR CONSISTENCY	RANGE OF STANDARD PENETRATION RESISTANCE (N-VALUE)	RANGE OF UNCONFINED COMPRESSIVE STRENGTH (TONS/FT ²)				
GENERALLY GRANULAR MATERIAL (NON-COHESIVE)	VERY LOOSE, LOOSE, MEDIUM DENSE, DENSE, VERY DENSE	<4, 4 TO 10, 10 TO 30, 30 TO 50, >52	N/A				
GENERALLY SILT-CLAY MATERIAL (COHESIVE)	VERY SOFT, SOFT, MEDIUM STIFF, STIFF, VERY STIFF, HARD	<2, 2 TO 4, 4 TO 8, 8 TO 15, 15 TO 30, >32	<0.25, 0.25 TO 0.50, 0.5 TO 1.0, 1 TO 2, 2 TO 4, >4				
TEXTURE OR GRAIN SIZE				ABBREVIATIONS			
U.S. STD. SIEVE SIZE OPENING (MM)	4, 4.75, 10, 20, 40, 60, 100, 200, 250, 425			AR - AUGER REFUSAL	MED. - MEDIUM	VST - VANE SHEAR TEST	
BOULDER (BLDR.)	COBBLE (COBB.)	GRAVEL (GR.)	COARSE SAND (CS.SD.)	FINE SAND (F.SD.)	SILT (SL.)	CLAY (CL.)	WEA. - WEATHERED
GRAIN SIZE	MM 25, 47.5, 75, 100, 150, 200, 250, 425						UNIT WEIGHT
SOIL MOISTURE - CORRELATION OF TERMS				EQUIPMENT USED ON SUBJECT PROJECT			
SOIL MOISTURE SCALE (ATTERBERG LIMITS)	FIELD MOISTURE DESCRIPTION	GUIDE FOR FIELD MOISTURE DESCRIPTION	DRILL UNITS:	ADVANCING TOOLS:	HAMMER TYPE:	CORE SIZE:	HAND TOOLS:
LL - LIQUID LIMIT	SATURATED - (SAT)	USUALLY LIQUID; VERY WET, USUALLY FROM BELOW THE GROUND WATER TABLE	<input type="checkbox"/> MOBILE B	<input type="checkbox"/> CLAY BITS	<input checked="" type="checkbox"/> AUTOMATIC <input type="checkbox"/> MANUAL	<input type="checkbox"/> B	<input type="checkbox"/> POST HOLE DIGGER
PL - PLASTIC LIMIT	WET (W)	SEMISOLID; REQUIRES DRYING TO ATTAIN OPTIMUM MOISTURE	<input type="checkbox"/> BK-51	<input type="checkbox"/> 6" CONTINUOUS FLIGHT AUGER		<input type="checkbox"/> N	<input type="checkbox"/> HAND AUGER
OM - OPTIMUM MOISTURE	MOIST (M)	SOLID; AT OR NEAR OPTIMUM MOISTURE	<input type="checkbox"/> CME-45C	<input type="checkbox"/> 8" HOLLOW AUGERS		<input type="checkbox"/> H	<input type="checkbox"/> SOUNDING ROD
SL - SHRINKAGE LIMIT	DRY (D)	REQUIRES ADDITIONAL WATER TO ATTAIN OPTIMUM MOISTURE	<input type="checkbox"/> CME-55B	<input type="checkbox"/> HARD FACED FINGER BITS			<input type="checkbox"/> VANE SHEAR TEST
PLASTICITY				DRILL UNITS:			
NONPLASTIC	PLASTICITY INDEX (PI)	DRY STRENGTH	<input type="checkbox"/> PORTABLE MOIST	<input checked="" type="checkbox"/> CASING <input checked="" type="checkbox"/> W/ ADVANCER			
LOW PLASTICITY	0-5	VERY LOW	<input type="checkbox"/> TRICONE	<input checked="" type="checkbox"/> TRICONE ? 1/2" - TUNG. CARB.			
MED. PLASTICITY	6-15	SLIGHT	<input type="checkbox"/> CORE BIT				
HIGH PLASTICITY	16-25	MEDIUM					
COLOR				EQUIPMENT USED ON SUBJECT PROJECT			
DESCRIPTIONS MAY INCLUDE COLOR OR COLOR COMBINATIONS (TAN, RED, YELLOW-BROWN, BLUE-GRAY). MODIFIERS SUCH AS LIGHT, DARK, STREAKED, ETC. ARE USED TO DESCRIBE APPEARANCE.				DRILL UNITS:			
				<input checked="" type="checkbox"/> Deidrich D-50			


**NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
GEOTECHNICAL ENGINEERING UNIT
SOIL AND ROCK LEGEND, TERMS, SYMBOLS, AND ABBREVIATIONS**

ROCK DESCRIPTION		TERMS AND DEFINITIONS			
<p>HARD ROCK IS NON-COASTAL PLAIN MATERIAL THAT IF TESTED, WOULD YIELD SPT REFUSAL AN INFERRED ROCK LINE INDICATES THE LEVEL AT WHICH NON-COASTAL PLAIN MATERIAL WOULD YIELD SPT REFUSAL. SPT REFUSAL IS PENETRATION BY A SPLIT SPOON SAMPLER EQUAL TO OR LESS THAN 2.1 FOOT PER 60 BLOWS. IN NON-COASTAL PLAIN MATERIAL, THE TRANSITION BETWEEN SOIL AND ROCK IS OFTEN REPRESENTED BY A ZONE OF WEATHERED ROCK. ROCK MATERIALS ARE TYPICALLY DIVIDED AS FOLLOWS:</p>		<p>ALLUVIUM (ALLOVJ) - SOILS THAT HAVE BEEN TRANSPORTED BY WATER. AQUIFER - A WATER BEARING FORMATION OR STRATA. ARENACEOUS - APPLIED TO ROCKS THAT HAVE BEEN DERIVED FROM SAND OR THAT CONTAIN SAND. ARGILLACEOUS - APPLIED TO ALL ROCKS OR SUBSTANCES COMPOSED OF CLAY MINERALS, OR HAVING A NOTABLE PROPORTION OF CLAY IN THEIR COMPOSITION, AS SHALE, SLATE, ETC. ARTESIAN - GROUND WATER THAT IS UNDER SUFFICIENT PRESSURE TO RISE ABOVE THE LEVEL AT WHICH IT IS ENCOUNTERED, BUT WHICH DOES NOT NECESSARILY RISE TO OR ABOVE THE GROUND SURFACE. CALCAREOUS (CALCJ) - SOILS THAT CONTAIN APPRECIABLE AMOUNTS OF CALCIUM CARBONATE. COLLUVIUM - ROCK FRAGMENTS MIXED WITH SOIL, DEPOSITED BY GRAVITY ON SLOPE OR AT BOTTOM OF SLOPE. CORE RECOVERY (RECV) - TOTAL LENGTH OF ALL MATERIAL RECOVERED IN THE CORE BARREL DIVIDED BY TOTAL LENGTH OF CORE RUN AND EXPRESSED AS A PERCENTAGE. DIP - A TABULAR BODY OF IGNEOUS ROCK THAT CUTS ACROSS THE STRUCTURE OF ADJACENT ROCKS OR CUTS MASSIVE ROCK. DIP - THE ANGLE AT WHICH A STRATUM OR ANY PLANAR FEATURE IS INCLINED FROM THE HORIZONTAL. DIP DIRECTION (DIP DIR) - THE DIRECTION OR BEARING OF THE HORIZONTAL TRACE OF THE LINE OF DIP, MEASURED CLOCKWISE FROM NORTH. FACIL - A FRACTURE OR FRACTURE ZONE ALONG WHICH THERE HAS BEEN DISPLACEMENT OF THE SIDES RELATIVE TO ONE ANOTHER PARALLEL TO THE FRACTURE. FISSILE - A PROPERTY OF SPLITTING ALONG CLOSELY SPACED PARALLEL PLANES. FLOAT - ROCK FRAGMENTS ON SURFACE NEAR THEIR ORIGINAL POSITION AND DISLOGGED FROM PARENT MATERIAL. FLOOD PLAIN (FP) - LAND BORDERING A STREAM, BUILT OF SEDIMENTS DEPOSITED BY THE STREAM. FORMATION (FMJ) - A MAPPABLE GEOLOGIC UNIT THAT CAN BE RECOGNIZED AND TRACED IN THE FIELD. JOINT - FRACTURE IN ROCK ALONG WHICH NO APPRECIABLE MOVEMENT HAS OCCURRED. LEDGE - A SHELF-LIKE RIDGE OR PROJECTION OF ROCK WHOSE THICKNESS IS SMALL COMPARED TO ITS LATERAL EXTENT. LENS - A BODY OF SOIL OR ROCK THAT THINS OUT IN ONE OR MORE DIRECTIONS. MOTTLED (MOTJ) - IRREGULARLY MARKED WITH SPOTS OF DIFFERENT COLORS, MOTTLING IN SOILS USUALLY INDICATES POOR AERATION AND LACK OF GOOD DRAINAGE. PERCHED WATER - WATER MAINTAINED ABOVE THE NORMAL GROUND WATER LEVEL BY THE PRESENCE OF AN INTERVENING IMPERVIOUS STRATUM. RESIDUAL (RESJ) SOIL - SOIL FORMED IN PLACE BY THE WEATHERING OF ROCK. ROCK QUALITY DESIGNATION (RQD) - A MEASURE OF ROCK QUALITY DESCRIBED BY TOTAL LENGTH OF ROCK SEGMENTS EQUAL TO OR GREATER THAN 4 INCHES DIVIDED BY THE TOTAL LENGTH OF CORE RUN AND EXPRESSED AS A PERCENTAGE. SAPROLITE (SAPJ) - RESIDUAL SOIL THAT RETAINS THE RELIC STRUCTURE OR FABRIC OF THE PARENT ROCK. SOIL - AN INTRUSIVE BODY OF IGNEOUS ROCK OF APPROXIMATELY UNIFORM THICKNESS AND RELATIVELY THIN COMPARED WITH ITS LATERAL EXTENT, THAT HAS BEEN EMPLACED PARALLEL TO THE BEDDING OR SCHISTOSITY OF THE INTRUSED ROCKS. SLICKENSIDE - POLISHED AND STRIATED SURFACE THAT RESULTS FROM FRICTION ALONG A FAULT OR SLIP PLANE. STANDARD PENETRATION TEST (PENETRATION RESISTANCE) (SPT) - NUMBER OF BLOWS IN OR BY FOOT. A 140 LB. HAMMER FALLING 30 INCHES REQUIRED TO PRODUCE A PENETRATION OF 1 FOOT INTO SOIL WITH A 2 INCH OUTSIDE DIAMETER SPLIT SPOON SAMPLER. SPT REFUSAL IS PENETRATION EQUAL TO OR LESS THAN 2.1 FOOT PER 60 BLOWS. STRATA CORE RECOVERY (SRECV) - TOTAL LENGTH OF STRATA MATERIAL RECOVERED DIVIDED BY TOTAL LENGTH OF STRATUM AND EXPRESSED AS A PERCENTAGE. STRATA ROCK QUALITY DESIGNATION (SRQD) - A MEASURE OF ROCK QUALITY DESCRIBED BY TOTAL LENGTH OF ROCK SEGMENTS WITHIN A STRATUM EQUAL TO OR GREATER THAN 4 INCHES DIVIDED BY THE TOTAL LENGTH OF STRATA AND EXPRESSED AS A PERCENTAGE. TOPSOIL (TSJ) - SURFACE SOILS USUALLY CONTAINING ORGANIC MATTER.</p>			
<p>WEATHERED ROCK (WR)</p>		<p>NON-COASTAL PLAIN MATERIAL THAT WOULD YIELD SPT N VALUES > 100 BLOWS PER FOOT IF TESTED.</p>	<p>CRYSTALLINE ROCK (CR)</p>		<p>FINE TO COARSE GRAIN IGNEOUS AND METAMORPHIC ROCK THAT WOULD YIELD SPT REFUSAL IF TESTED. ROCK TYPE INCLUDES GRANITE, GNEISS, GABBRO, SCHIST, ETC.</p>
<p>NON-CRYSTALLINE ROCK (NCR)</p>		<p>FINE TO COARSE GRAIN METAMORPHIC AND NON-COASTAL PLAIN SEDIMENTARY ROCK THAT WOULD YIELD SPT REFUSAL IF TESTED. ROCK TYPE INCLUDES PHYLLITE, SLATE, SANDSTONE, ETC.</p>	<p>COASTAL PLAIN SEDIMENTARY ROCK (CP)</p>		<p>COASTAL PLAIN SEDIMENTS CEMENTED INTO ROCK, BUT MAY NOT YIELD SPT REFUSAL. ROCK TYPE INCLUDES LIMESTONE, SANDSTONE, CEMENTED SHELL BEDS, ETC.</p>
WEATHERING					
<p>FRESH</p>		<p>ROCK FRESH, CRYSTALS BRIGHT, FEW JOINTS MAY SHOW SLIGHT STAINING. ROCK RINGS UNDER HAMMER IF CRYSTALLINE.</p>	<p>VERY SLIGHT (V SLJ)</p>		<p>ROCK GENERALLY FRESH, JOINTS STAINED, SOME JOINTS MAY SHOW THIN CLAY COATINGS IF OPEN. CRYSTALS ON A BROKEN SPECIMEN FACE SHINE BRIGHTLY. ROCK RINGS UNDER HAMMER BLOWS IF OF A CRYSTALLINE NATURE.</p>
<p>SLIGHT (SLJ)</p>		<p>ROCK GENERALLY FRESH, JOINTS STAINED AND DISCOLORATION EXTENDS INTO ROCK UP TO 1 INCH. OPEN JOINTS MAY CONTAIN CLAY. IN GRANITOID ROCKS SOME OCCASIONAL FELDSPAR CRYSTALS ARE DULL AND DISCOLORED. CRYSTALLINE ROCKS RING UNDER HAMMER BLOWS.</p>	<p>MODERATE (MODJ)</p>		<p>SIGNIFICANT PORTIONS OF ROCK SHOW DISCOLORATION AND WEATHERING EFFECTS. IN GRANITOID ROCKS, MOST FELDSPARS ARE DULL AND DISCOLORED, SOME SHOW CLAY. ROCK HAS DULL SOUND UNDER HAMMER BLOWS AND SHOWS SIGNIFICANT LOSS OF STRENGTH AS COMPARED WITH FRESH ROCK.</p>
<p>MODERATELY SEVERE (MODJ SEVJ)</p>		<p>ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. IN GRANITOID ROCKS, ALL FELDSPARS DULL AND DISCOLORED AND A MAJORITY SHOW KAOLINIZATION. ROCK SHOWS SEVERE LOSS OF STRENGTH AND CAN BE EXCAVATED WITH A GEOLOGIST'S PICK. ROCK GIVES 'CLUNK' SOUND WHEN STRUCK. <u>IF TESTED, WOULD YIELD SPT REFUSAL</u></p>	<p>SEVERE (SEVJ)</p>		<p>ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. ROCK FABRIC CLEAR AND EVIDENT BUT REDUCED IN STRENGTH TO STRONG SOIL. IN GRANITOID ROCKS ALL FELDSPARS ARE KAOLINIZED TO SOME EXTENT. SOME FRAGMENTS OF STRONG ROCK USUALLY REMAIN. <u>IF TESTED, YIELDS SPT N VALUES > 100 BPF</u></p>
<p>VERY SEVERE (V SEVJ)</p>		<p>ALL ROCK EXCEPT QUARTZ DISCOLORED OR STAINED. ROCK FABRIC ELEMENTS ARE DISCERNIBLE BUT THE MASS IS EFFECTIVELY REDUCED TO SOIL STATUS, WITH ONLY FRAGMENTS OF STRONG ROCK REMAINING. SAPROLITE IS AN EXAMPLE OF ROCK WEATHERED TO A DEGREE SUCH THAT ONLY MINOR VESTIGES OF THE ORIGINAL ROCK FABRIC REMAIN. <u>IF TESTED, YIELDS SPT N VALUES < 100 BPF</u></p>	<p>COMPLETE</p>		<p>ROCK REDUCED TO SOIL. ROCK FABRIC NOT DISCERNIBLE, OR DISCERNIBLE ONLY IN SMALL AND SCATTERED CONCENTRATIONS. QUARTZ MAY BE PRESENT AS DICES OR STRINGS. SAPROLITE IS ALSO AN EXAMPLE.</p>
ROCK HARDNESS					
<p>VERY HARD</p>		<p>CANNOT BE SCRATCHED BY KNIFE OR SHARP PICK. BREAKING OF HAND SPECIMENS REQUIRES SEVERAL HARD BLOWS OF THE GEOLOGIST'S PICK.</p>	<p>HARD</p>		<p>CAN BE SCRATCHED BY KNIFE OR PICK ONLY WITH DIFFICULTY. HARD HAMMER BLOWS REQUIRED TO DETACH HAND SPECIMEN.</p>
<p>MODERATELY HARD</p>		<p>CAN BE SCRATCHED BY KNIFE OR PICK. GOUGES OR GROOVES TO 0.25 INCHES DEEP CAN BE EXCAVATED BY HARD BLOW OF A GEOLOGIST'S PICK. HAND SPECIMENS CAN BE DETACHED BY MODERATE BLOWS.</p>	<p>MEDIUM HARD</p>		<p>CAN BE GROOVED OR GOUGED 0.25 INCHES DEEP BY FIRM PRESSURE OF KNIFE OR PICK POINT. CAN BE EXCAVATED IN SMALL CHIPS TO PIECES 1 INCH MAXIMUM SIZE BY HARD BLOWS OF THE POINT OF A GEOLOGIST'S PICK.</p>
<p>SOFT</p>		<p>CAN BE GROOVED OR GOUGED READILY BY KNIFE OR PICK. CAN BE EXCAVATED IN FRAGMENTS FROM CHIPS TO SEVERAL INCHES IN SIZE BY MODERATE BLOWS OF A PICK POINT. SMALL, THIN PIECES CAN BE BROKEN BY FINGER PRESSURE.</p>	<p>VERY SOFT</p>		<p>CAN BE CARVED WITH KNIFE. CAN BE EXCAVATED READILY WITH POINT OF PICK. PIECES 1 INCH OR MORE IN THICKNESS CAN BE BROKEN BY FINGER PRESSURE. CAN BE SCRATCHED READILY BY FINGER NAIL.</p>
FRACTURE SPACING		BEDDING			
<p>TERM</p>	<p>SPACING</p>	<p>TERM</p>	<p>THICKNESS</p>		
<p>VERY WIDE</p>	<p>MORE THAN 10 FEET</p>	<p>VERY THICKLY BEDDED</p>	<p>> 4 FEET</p>		
<p>WIDE</p>	<p>3 TO 10 FEET</p>	<p>THICKLY BEDDED</p>	<p>1.5 - 4 FEET</p>		
<p>MODERATELY CLOSE</p>	<p>1 TO 3 FEET</p>	<p>THINLY BEDDED</p>	<p>0.16 - 1.5 FEET</p>		
<p>CLOSE</p>	<p>0.16 TO 1 FEET</p>	<p>VERY THINLY BEDDED</p>	<p>0.03 - 0.16 FEET</p>		
<p>VERY CLOSE</p>	<p>LESS THAN 0.16 FEET</p>	<p>THICKLY LAMINATED</p>	<p>0.008 - 0.03 FEET</p>		
		<p>THINLY LAMINATED</p>	<p>< 0.008 FEET</p>		
INDURATION					
<p>FOR SEDIMENTARY ROCKS, INDURATION IS THE HARDENING OF THE MATERIAL BY CEMENTING, HEAT, PRESSURE, ETC.</p>					
<p>FRAGILE</p>		<p>RUBBING WITH FINGER FREES NUMEROUS GRAINS; GENTLE BLOW BY HAMMER DISINTEGRATES SAMPLE.</p>			
<p>MODERATELY INDURATED</p>		<p>GRAINS CAN BE SEPARATED FROM SAMPLE WITH STEEL PROBE; BREAKS EASILY WHEN HIT WITH HAMMER.</p>			
<p>INDURATED</p>		<p>GRAINS ARE DIFFICULT TO SEPARATE WITH STEEL PROBE; DIFFICULT TO BREAK WITH HAMMER.</p>			
<p>EXTREMELY INDURATED</p>		<p>SHARP HAMMER BLOWS REQUIRED TO BREAK SAMPLE; SAMPLE BREAKS ACROSS GRAINS.</p>			
		<p>BENCH MARK: BM #1</p>			
		<p>N 604819</p>			
		<p>E 756141</p>	<p>ELEVATION: 2202.74 FT.</p>		
<p>NOTES:</p>					

SITE PLAN

Bridge 310, Jackson Co.

STATE	STATE PROJECT REFERENCE NO.	SHEET	TOTAL
N.C.	17BP.14.R.66	1	9



SCALE 30:1



NCDOT GEOTECHNICAL ENGINEERING UNIT

BORELOG REPORT

WBS 17BP.14.R.66	TIP 17BP.14.R.66	COUNTY JACKSON	GEOLOGIST Brad Worley
SITE DESCRIPTION Bridge # 310 on SR 1709 across Cane Creek			GROUND WTR (ft)
BORING NO. EB1-A	STATION N/A	OFFSET N/A	ALIGNMENT N/A
COLLAR ELEV. 2,198.0 ft	TOTAL DEPTH 46.8 ft	NORTHING 604,844	EASTING 756,099
DRILL RIG/HAMMER EFF./DATE SUM0093 DIETRICH D-50 82% 07/22/2011		DRILL METHOD NW Casing w/ Advancer	HAMMER TYPE Automatic
DRILLER Jacob Bare	START DATE 03/20/12	COMP. DATE 03/20/12	SURFACE WATER DEPTH N/A

ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP. NO.	LOG	SOIL AND ROCK DESCRIPTION	DEPTH (ft)			
			0.5ft	0.5ft	0.5ft	0	25	50	75	100							
2200														2 198.0	GROUND SURFACE	0.0	
2195	2,192.7	5.3	1	1	1										ROADWAY EMBANKMENT orange-brown, SANDY SILT (A-4)		
2190	2,187.7	10.3	22	29	14									2 189.5	COLLUVIAL brown to dark brown and black, SILTY COARSE SAND with gravel and cobbles. (A-2-4)	8.5	
2185	2,182.7	15.3	8	3	11												
2180	2,177.7	20.3	3	3	5									2 179.0	RESIDUAL tan-brown to orange-brown, micaceous, saprolitic SANDY SILT (A-4)	19.0	
2175	2,172.7	25.3	10	14	13												
2170	2,167.7	30.3	11	13	13												
2165	2,162.7	35.3	3	19	19												
2160	2,157.7	40.3	20	26	26												
2155	2,152.7	45.3	19	81/0	2									2 154.0	WEATHERED ROCK (Gneiss)	44.0	
	2,151.3	46.7	60/0	1										2 151.3	CRYSTALLINE ROCK (Gneiss)	46.7	
														2 151.2	Boring Terminated with Standard Penetration Test Refusal at Elevation 2,151.2 ft in Crystalline Rock (Gneiss)		

NCDOT BORE SINGLE BRIDGE # 310 JACKSON COUNTY GINT G.P.J. NC DOT GDT 6/18/12



NCDOT GEOTECHNICAL ENGINEERING UNIT

BORELOG REPORT

WBS 17BP 14 R.66	TIP 17BP 14 R.66	COUNTY JACKSON	GEOLOGIST Brad Worley
SITE DESCRIPTION Bridge # 310 on SR 1709 across Cane Creek			GROUND WTR (ft)
BORING NO. EB1-B	STATION N/A	OFFSET N/A	ALIGNMENT N/A
COLLAR ELEV. 2,199.2 ft	TOTAL DEPTH 38.3 ft	NORTHING 604,860	EASTING 756,130
DRILL RIG/HAMMER EFF./DATE SUM0093 DIEDRICH D-50 82% 07/22/2011		DRILL METHOD NW Casing w/ Advancer	HAMMER TYPE Automatic
DRILLER Jacob Bare	START DATE 03/19/12	COMP. DATE 03/19/12	SURFACE WATER DEPTH N/A

ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP NO.	MOI	LOG	SOIL AND ROCK DESCRIPTION			
			0.5ft	0.5ft	0.5ft	0	25	50	75	100				ELEV (ft)	DEPTH (ft)		
2200															2 199.2	GROUND SURFACE	0.0
2195	2 194.3	4.9	7	15	12											COLLUVIAL brown, orange-brown, and gray. SILTY COARSE SAND with gravel and cobbles (A-2-4)	
2190	2 189.3	9.9	22	24	17												
2185	2 184.3	14.9	14	15	12												
2180	2 179.3	19.9	3	9	11										2 181.7	RESIDUAL brown, tan-brown, and orange-brown, micaceous, saprolitic SANDY SILT (A-4)	17.5
2175	2 174.3	24.9	5	8	12												
2170	2 169.3	29.9	3	9	12										2 167.2	WEATHERED ROCK (Gneiss)	32.0
2165	2 164.3	34.9	84	16/0.1													
	2 160.9	38.3	60/0.0												2 160.9	CRYSTALLINE ROCK (Gneiss) Boring Terminated with Standard Penetration Test Refusal at Elevation 2,160.9 ft on Crystalline Rock (Gneiss)	38.3

NCDOT BORE SINGLE BRIDGE # 310 JACKSON COUNTY GINT.GPJ NC_DOT_GDT 5/18/12



NCDOT GEOTECHNICAL ENGINEERING UNIT

BORELOG REPORT

WBS 17BP.14.R.66		TIP 17BP.14.R.66		COUNTY JACKSON		GEOLOGIST Brad Worley											
SITE DESCRIPTION Bridge # 310 on SR 1709 across Cane Creek							GROUND WTR (ft)										
BORING NO. EB2-A		STATION N/A		OFFSET N/A		ALIGNMENT N/A		0 HR. N/A									
COLLAR ELEV. 2,200.8 ft		TOTAL DEPTH 29.7 ft		NORTHING 604,886		EASTING 756,116		24 HR. Dry									
DRILL RIG/HAMMER EFF./DATE SUM0093 DIEDRICH D-50 82% 07/22/2011				DRILL METHOD NW Casing w/ Advancer		HAMMER TYPE Automatic											
DRILLER Jacob Bare		START DATE 03/20/12		COMP. DATE 03/20/12		SURFACE WATER DEPTH N/A											
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP NO.	LOG MOI	LOG G	SOIL AND ROCK DESCRIPTION			
			0.5ft	0.5ft	0.5ft	0	25	50	75	100				ELEV (ft)	DEPTH (ft)		
2205																	
															2 200.8	GROUND SURFACE	0.0
																ROADWAY EMBANKMENT orange-brown, SILTY SAND (A-2-4)	
2195	2,195.7	5.1	1	1	1										2 192.3		8.5
																COLLUVIAL brown to black, SILTY COARSE SAND with some mica (A-2-4)	
2190	2,190.7	10.1	7	6	15												
2185	2,185.7	15.1	11	12	18												
2180	2,180.7	20.1	18	18	8										2 177.8		23.0
																RESIDUAL black-brown, micaceous, saprolitic SANDY SILT (A-4)	
2175	2,175.7	25.1	3	9	7										2 171.7		29.1
															2 171.1		29.7
	2,171.7	29.1	60/0.1			50/0.1										CRYSTALLINE ROCK (Gneiss) Boring Terminated with Standard Penetration Test Refusal at Elevation 2,171.1 ft in Crystalline Rock (Gneiss)	

NCDOT BORE SINGLE BRIDGE # 310 JACKSON COUNTY GINT GP.J NC_DOT_GDT_6/19/12



NCDOT GEOTECHNICAL ENGINEERING UNIT BORELOG REPORT

WBS 17BP 14 R 66		TIP 17BP 14 R 66		COUNTY JACKSON		GEOLOGIST Brad Worley											
SITE DESCRIPTION Bridge # 310 on SR 1709 across Cane Creek							GROUND WTR (ft)										
BORING NO. EB2-B		STATION N/A		OFFSET N/A		ALIGNMENT N/A											
COLLAR ELEV. 2,201.4 ft		TOTAL DEPTH 48.2 ft		NORTHING 604,898		EASTING 756,133											
DRILL RIG/HAMMER EFF./DATE SUM0093 DIEDRICH D-50 82% 07/22/2011		DRILL METHOD NW Casing w/ Advancer		HAMMER TYPE Automatic													
DRILLER Jacob Bare		START DATE 03/19/12		COMP. DATE 03/19/12		SURFACE WATER DEPTH N/A											
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP NO.	LOG MOI	L O G	SOIL AND ROCK DESCRIPTION			
			0.5ft	0.5ft	0.5ft	0	25	50	75	100				ELEV (ft)	DEPTH (ft)		
2205															2,201.4	0.0	GROUND SURFACE
2200																	ROADWAY EMBANKMENT orange-brown, SILTY SAND (A-2-4)
2195	2,196.2	5.2	3	2	2										2,192.9	8.5	COLLUVIAL dark brown to black, SILTY COARSE SAND with cobbles (A-2-4)
2190	2,191.2	10.2	6	12	17												
2185	2,186.2	15.2	1	2	2										2,186.9	14.5	RESIDUAL orange to gray, saprolitic CLAYEY SILT (A-5)
2180	2,181.2	20.2	6	7	8										2,183.9	17.5	tan to black-gray and gray-brown, micaceous, saprolitic SILTY SAND (A-2-4)
2175	2,176.2	25.2	17	31	19												
2170	2,171.2	30.2	20	18	23										2,172.3	29.1	brown, micaceous, saprolitic SANDY SILT (A-4)
2165	2,166.2	35.2	38	50	28												
2160	2,161.2	40.2	31	39	45												
2155	2,156.2	45.2	100/0.3												2,156.4	45.0	WEATHERED ROCK (Gneiss)
	2,153.3	48.1	60/0.1												2,153.3	48.1	CRYSTALLINE ROCK (Gneiss)
																	Boring Terminated with Standard Penetration Test Refusal at Elevation 2,153.2 ft in Crystalline Rock (Gneiss)

NCDOT BORE SINGLE BRIDGE # 310 JACKSON COUNTY GINT.GPJ NC_DOT_GDT 6/18/12



**NCDOT GEOTECHNICAL ENGINEERING UNIT
BORELOG REPORT**

WBS 17BP.14.R.66		TIP 17BP.14.R.66		COUNTY JACKSON		GEOLOGIST Brett Smith											
SITE DESCRIPTION Bridge # 310 on SR 1709 across Cane Creek							GROUND WTR (ft)										
BORING NO. RET-1		STATION N/A		OFFSET N/A		ALIGNMENT N/A											
COLLAR ELEV. 2,186.0 ft		TOTAL DEPTH 21.5 ft		NORTHING 604,758		EASTING 755,981											
0 HR. N/A		24 HR. Dry															
DRILL RIG/HAMMER EFF./DATE SUM0093 DIEDRICH D-50 82% 07/22/2011				DRILL METHOD NW Casing w/ Advancer		HAMMER TYPE Automatic											
DRILLER Jacob Bare		START DATE 03/20/12		COMP. DATE 03/20/12		SURFACE WATER DEPTH N/A											
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP NO	LOG MOI	L O G	SOIL AND ROCK DESCRIPTION			
			0.5ft	0.5ft	0.5ft	0	25	50	75	100				ELEV (ft)	DEPTH (ft)		
2190																	
2185															2,186.0	0.0	GROUND SURFACE
																	COLLUVIAL
																	brown to orange-brown, SAND AND ROCK FRAGMENTS (A-1-a)
2180	2,181.0	5.0	13	25	12										2,178.5	7.5	RESIDUAL
																	orange-brown, saprolitic SANDY CLAY with trace rock fragments (A-6)
2175	2,176.0	10.0	34	39	17										2,173.5	12.5	WEATHERED ROCK
																	(Gneiss)
2170	2,171.0	15.0	46	54/0.4											2,168.5	17.5	RESIDUAL
																	orange-brown, saprolitic, micaceous SANDY SILT (A-4)
2165	2,166.0	20.0	35	15	17										2,164.5	21.5	Boring Terminated at Elevation 2,164.5 ft in Residual (saprolitic, micaceous SANDY SILT)

NCDOT BORE SINGLE BRIDGE # 310 JACKSON COUNTY GINT GPJ NC_DOT_GDT_6/18/12



NCDOT GEOTECHNICAL ENGINEERING UNIT

BORELOG REPORT

WBS 17BP.14.R.66		TIP 17BP.14.R.66		COUNTY JACKSON		GEOLOGIST Brett Smith										
SITE DESCRIPTION Bridge # 310 on SR 1709 across Cane Creek							GROUND WTR (ft)									
BORING NO. RET-2		STATION N/A		OFFSET N/A		ALIGNMENT N/A	0 HR. N/A									
COLLAR ELEV. 2,203.9 ft		TOTAL DEPTH 30.8 ft		NORTHING 604,776		EASTING 756,084	24 HR. FIAD									
DRILL RIG/HAMMER EFF./DATE SUM0093 DIEDRICH D-50 82% 07/22/2011				DRILL METHOD NW Casing w/ Advancer		HAMMER TYPE Automatic										
DRILLER Jacob Bare		START DATE 03/22/10		COMP. DATE 03/22/12		SURFACE WATER DEPTH N/A										
ELEV (ft)	DRIVE ELEV (ft)	DEPTH (ft)	BLOW COUNT			BLOWS PER FOOT					SAMP NO	MOI	LOG	SOIL AND ROCK DESCRIPTION		
			0.5ft	0.5ft	0.5ft	0	25	50	75	100				ELEV (ft)	DEPTH (ft)	
2205															2,203.9	GROUND SURFACE 0.0
2200	2,199.0	4.3	1	1	1										2,197.1	COLLUVIAL brown, SILTY CLAY with rock fragments (A-7) 6.8
2195	2,194.0	9.3	2	3	2										2,192.1	RESIDUAL brown to orange-brown, micaceous CLAYEY SILT (A-5) 11.8
2190	2,189.0	14.3	2	5	8										2,192.1	RESIDUAL brown, orange-brown, and black, micaceous SANDY SILT (A-4) 11.8
2185	2,184.0	19.3	4	6	8											
2180	2,179.0	24.3	35	55	43										2,177.1	RESIDUAL brown, white, and orange-brown, FINE TO COARSE SAND with rock fragments (A-1-b) 26.8
2175	2,174.0	29.3	32	25	14										2,173.1	RESIDUAL brown, white, and orange-brown, FINE TO COARSE SAND with rock fragments (A-1-b) 30.8
																Boring Terminated at Elevation 2,173.1 ft in Residual (FINE TO COARSE SAND) Harder drilling encountered around 22 feet

NCDOT BORE SINGLE BRIDGE # 310 JACKSON COUNTY GINT GPJ NC DOT GDT 6/18/12