


BORING LOGS AND SUBSURFACE INFORMATION AVAILABLE FROM NCDOT GEOTECHNICAL ENGINEERING UNIT UPON REQUEST


GEOTECHNICAL ENGINEER	ENGINEER
SIGNATURE	SIGNATURE
DATE	DATE



GENERAL LAYOUT

NOT TO SCALE

NOTES: 1) SEE "ROCK SLOPE MATERIALS" SPECIAL PROVISION FOR "TYPE 2" WIRE MESH



QUANTITIES	
WIRE MESH	260 ± SY.
ANCHORS FOR WIRE MESH	2610 ± LF.
(87 ANCHORS X 30' AVG.)	

UNTENSIONED ANCHORS

- NOTES: 1) TYPICALLY ANCHORED AT 20° INCLINED ANGLE
 2) ANCHORS TO EMBED IN 5' OF WEATHERED ROCK OR HARD ROCK
 3) SELF DRILLING/GROUTING ANCHORS MAY BE UTILIZED PENDING REVIEW BY ENGINEER

PROJECT NO.: R-5518 43352.3.1
 HAYWOOD COUNTY
 STATION: _____
 SHEET OF _____

GEOTECHNICAL ENGINEERING UNIT

EASTERN REGIONAL OFFICE
 WESTERN REGIONAL OFFICE
 CONTRACT OFFICE

STATE OF NORTH CAROLINA
 DEPARTMENT OF TRANSPORTATION
 RALEIGH

BOULDER WALL REPAIR WILDCAT RUN MAGGIE VALLEY MESH AND ANCHOR INSTALLATION					
REVISIONS					
NO.	BY	DATE	NO.	BY	DATE
1			3		
2			4		

SHEET NO. _____
 TOTAL SHEETS _____



NOT TO SCALE


PROJECT REFERENCE NO. SHEET

R-5518 _43352.3.1 _

SITE PLAN - BORINGS


BORING LOGS AND SUBSURFACE INFORMATION AVAILABLE FROM NCDOT GEOTECHNICAL ENGINEERING UNIT UPON REQUEST






PROJECT REFERENCE NO.	SHEET
R-5518 _43352.3.1	
SITE PLAN - SECTIONS	

BORING LOGS AND SUBSURFACE INFORMATION AVAILABLE FROM NCDOT GEOTECHNICAL ENGINEERING UNIT UPON REQUEST



SECTION THROUGH B-1 AND B-5



SECTION THROUGH B-3 AND B-4