


25-JUL-2018 15:47 G:\PROJECTS\JONES\SR 1115 Pipe Replacement\SR1115_PSH1.dgn \$\$\$\$USERNAME\$\$\$\$ 09/08/99

PROJECT: 2SP.20521.2 / 2SP.20521.3 CONTRACT: DB00440



Vicinity Map
See Sheet 1A For Index of Sheets


STATE OF NORTH CAROLINA
DIVISION OF HIGHWAYS

JONES COUNTY


LOCATION: INTERSECTION OF SR 1115 AND SR 1116

TYPE OF WORK: GRADING, PAVING AND DRAINAGE

STATE	STATE PROJECT REFERENCE NO.	SHEET NO.	TOTAL SHEETS
N.C.	2SP.20521.2 2SP.20521.3	1	17



GRAPHIC SCALES



PROJECT LENGTH

LENGTH PROJECT 2SP.20521.2 = 0.028 MILES
LENGTH PROJECT 2SP.20521.3 = 0.028 MILES
TOTAL PROJECT LENGTH = 0.056 MILES

Prepared in the Office of:
DIVISION OF HIGHWAYS
1034 W.H. Smith Blvd. Greenville, NC 27858

2018 STANDARD SPECIFICATIONS

RIGHT OF WAY DATE:
MAY 2018

LETTING DATE:
AUGUST 2018

JEFFREY D. CABANISS, PE
PROJECT ENGINEER



LANG JONES
PROJECT DESIGN ENGINEER

HYDRAULICS ENGINEER

DocuSigned by:
Jeffrey D. Cabaniss
SIGNATURE: 7/26/2018 P.E.

ROADWAY DESIGN
ENGINEER

DocuSigned by:
Jeffrey D. Cabaniss
SIGNATURE: 7/26/2018 P.E.



25 JUL 2016 5:47 PM
C:\PROJECTS\SR 1115 Pipe Replacement\SR1115_PSH1A.dgn
S:\SERIALS\160501

8/17/99

REVISIONS

PROJECT REFERENCE NO.
2SP.20521.2 2SP.20521.3

SHEET NO.
1A

STATE OF NORTH CAROLINA
DIVISION OF HIGHWAYS

INDEX OF SHEETS

1 TITLE SHEET

1A INDEX OF SHEETS, GENERAL NOTES, STANDARD DRAWINGS

1B CONVENTIONAL SYMBOLS

2 TYPICAL SECTIONS

3 SUMMARY OF QUANTITIES

3A SUMMARY OF EARTHWORK

4-5 PLANSHEET

TMP1-TMP2 TRAFFIC MARKING PLANS

EC1-EC4 EROSION CONTROL

X1A CROSS SECTION SUMMARY

X1-2 CROSS SECTION SHEET

GENERAL NOTES:

2018 SPECIFICATIONS
EFFECTIVE: 01-16-2018

2018 ROADWAY ENGLISH STANDARD DRAWINGS

The following Roadway Standards as appear in "Roadway Standard Drawings" Highway Design Branch - N. C. Department of Transportation - Raleigh, N. C., Dated January 16, 2018 are applicable to this project and by reference hereby are considered a part of these plans:

STD.NO. TITLE

DIVISION 2 - EARTHWORK

200.2 METHOD OF CLEARING - METHOD II

225.02 GUIDE FOR GRADING SUBGRADE - SECONDARY AND LOCAL

DIVISION 16 - EROSION CONTROL

1605.01 TEMPORARY SILT FENCE

SUBSURFACE PLANS:

NO SUBSURFACE PLANS ARE AVAILABLE ON THIS PROJECT. THE CONTRACTOR SHOULD MAKE HIS OWN INVESTIGATION AS TO THE SUBSURFACE CONDITIONS.

GRADING AND SURFACING OR RESURFACING AND WIDENING:

THE GRADE LINES SHOWN DENOTE THE FINISHED ELEVATION OF THE PROPOSED SURFACING AT GRADE POINTS SHOWN ON THE TYPICAL SECTIONS. WHERE NO GRADE LINES ARE SHOWN, THE PROFILES SHOWN DENOTE THE TOP ELEVATION OF THE EXISTING PAVEMENT ALONG THE CENTER LINE OF SURVEY ON WHICH THE PROPOSED RESURFACING WILL BE PLACED. GRADE LINES MAY BE ADJUSTED BY THE ENGINEER IN ORDER TO SECURE A PROPER TIE-IN.

GRADING:

THE GRADE LINES SHOWN DENOTE THE FINISHED ELEVATION OF THE PROPOSED OR FUTURE SURFACING AT GRADE POINTS SHOWN ON THE TYPICAL SECTIONS. GRADE LINES MAY BE ADJUSTED AT THEIR BEGINNING AND ENDING AND AT STRUCTURES AS DIRECTED BY THE ENGINEER IN ORDER TO SECURE A PROPER TIE-IN.

SIDE ROADS:

THE CONTRACTOR WILL BE REQUIRED TO DO ALL NECESSARY WORK TO PROVIDE SUITABLE CONNECTIONS WITH ALL ROADS, STREETS, AND DRIVES ENTERING THIS PROJECT. THIS WORK WILL BE PAID FOR AT THE CONTRACT UNIT PRICE FOR THE PARTICULAR ITEMS INVOLVED.

UTILITIES:

RELOCATION OF EXISTING UTILITIES WILL BE DONE BY OTHERS.

OWNERS:
JONES COUNTY WATER CORP.
CENTURYLINK

CONVENTIONAL PLAN SHEET SYMBOLS

BOUNDARIES AND PROPERTY:

State Line	
County Line	
Township Line	
City Line	
Reservation Line	
Property Line	
Existing Iron Pin	
Computed Property Corner	
Property Monument	
Parcel/Sequence Number	
Existing Fence Line	
Proposed Woven Wire Fence	
Proposed Chain Link Fence	
Proposed Barbed Wire Fence	
Existing Wetland Boundary	
Proposed Wetland Boundary	
Existing Endangered Animal Boundary	
Existing Endangered Plant Boundary	
Existing Historic Property Boundary	
Known Contamination Area: Soil	
Potential Contamination Area: Soil	
Known Contamination Area: Water	
Potential Contamination Area: Water	
Contaminated Site: Known or Potential	

BUILDINGS AND OTHER CULTURE:

Gas Pump Vent or U/G Tank Cap	
Sign	
Well	
Small Mine	
Foundation	
Area Outline	
Cemetery	
Building	
School	
Church	
Dam	

HYDROLOGY:

Stream or Body of Water	
Hydro, Pool or Reservoir	
Jurisdictional Stream	
Buffer Zone 1	
Buffer Zone 2	
Flow Arrow	
Disappearing Stream	
Spring	
Wetland	
Proposed Lateral, Tail, Head Ditch	
False Sump	

RAILROADS:

Standard Gauge	
RR Signal Milepost	
Switch	
RR Abandoned	
RR Dismantled	

RIGHT OF WAY & PROJECT CONTROL:

Secondary Horiz and Vert Control Point	
Primary Horiz Control Point	
Primary Horiz and Vert Control Point	
Exist Permanent Easment Pin and Cap	
New Permanent Easement Pin and Cap	
Vertical Benchmark	
Existing Right of Way Marker	
Existing Right of Way Line	
New Right of Way Line	
New Right of Way Line with Pin and Cap	
New Right of Way Line with Concrete or Granite R/W Marker	
New Control of Access Line with Concrete C/A Marker	
Existing Control of Access	
New Control of Access	
Existing Easement Line	
New Temporary Construction Easement	
New Temporary Drainage Easement	
New Permanent Drainage Easement	
New Permanent Drainage / Utility Easement	
New Permanent Utility Easement	
New Temporary Utility Easement	
New Aerial Utility Easement	

ROADS AND RELATED FEATURES:

Existing Edge of Pavement	
Existing Curb	
Proposed Slope Stakes Cut	
Proposed Slope Stakes Fill	
Proposed Curb Ramp	
Existing Metal Guardrail	
Proposed Guardrail	
Existing Cable Guiderail	
Proposed Cable Guiderail	
Equality Symbol	
Pavement Removal	

VEGETATION:

Single Tree	
Single Shrub	

*S.U.E. = Subsurface Utility Engineering

Hedge	
Woods Line	
Orchard	
Vineyard	

EXISTING STRUCTURES:

MAJOR:	
Bridge, Tunnel or Box Culvert	
Bridge Wing Wall, Head Wall and End Wall	
MINOR:	
Head and End Wall	
Pipe Culvert	
Footbridge	
Drainage Box: Catch Basin, DI or JB	
Paved Ditch Gutter	
Storm Sewer Manhole	
Storm Sewer	

UTILITIES:

POWER:	
Existing Power Pole	
Proposed Power Pole	
Existing Joint Use Pole	
Proposed Joint Use Pole	
Power Manhole	
Power Line Tower	
Power Transformer	
U/G Power Cable Hand Hole	
H-Frame Pole	
U/G Power Line LOS B (S.U.E.*)	
U/G Power Line LOS C (S.U.E.*)	
U/G Power Line LOS D (S.U.E.*)	

TELEPHONE:

Existing Telephone Pole	
Proposed Telephone Pole	
Telephone Manhole	
Telephone Pedestal	
Telephone Cell Tower	
U/G Telephone Cable Hand Hole	
U/G Telephone Cable LOS B (S.U.E.*)	
U/G Telephone Cable LOS C (S.U.E.*)	
U/G Telephone Cable LOS D (S.U.E.*)	
U/G Telephone Conduit LOS B (S.U.E.*)	
U/G Telephone Conduit LOS C (S.U.E.*)	
U/G Telephone Conduit LOS D (S.U.E.*)	
U/G Fiber Optics Cable LOS B (S.U.E.*)	
U/G Fiber Optics Cable LOS C (S.U.E.*)	
U/G Fiber Optics Cable LOS D (S.U.E.*)	

WATER:

Water Manhole	
Water Meter	
Water Valve	
Water Hydrant	
U/G Water Line LOS B (S.U.E.*)	
U/G Water Line LOS C (S.U.E.*)	
U/G Water Line LOS D (S.U.E.*)	
Above Ground Water Line	

TV:

TV Pedestal	
TV Tower	
U/G TV Cable Hand Hole	
U/G TV Cable LOS B (S.U.E.*)	
U/G TV Cable LOS C (S.U.E.*)	
U/G TV Cable LOS D (S.U.E.*)	
U/G Fiber Optic Cable LOS B (S.U.E.*)	
U/G Fiber Optic Cable LOS C (S.U.E.*)	
U/G Fiber Optic Cable LOS D (S.U.E.*)	

GAS:

Gas Valve	
Gas Meter	
U/G Gas Line LOS B (S.U.E.*)	
U/G Gas Line LOS C (S.U.E.*)	
U/G Gas Line LOS D (S.U.E.*)	
Above Ground Gas Line	

SANITARY SEWER:

Sanitary Sewer Manhole	
Sanitary Sewer Cleanout	
U/G Sanitary Sewer Line	
Above Ground Sanitary Sewer	
SS Forced Main Line LOS B (S.U.E.*)	
SS Forced Main Line LOS C (S.U.E.*)	
SS Forced Main Line LOS D (S.U.E.*)	

MISCELLANEOUS:

Utility Pole	
Utility Pole with Base	
Utility Located Object	
Utility Traffic Signal Box	
Utility Unknown U/G Line LOS B (S.U.E.*)	
U/G Tank; Water, Gas, Oil	
Underground Storage Tank, Approx. Loc.	
A/G Tank; Water, Gas, Oil	
Geoenvironmental Boring	
U/G Test Hole LOS A (S.U.E.*)	
Abandoned According to Utility Records	
End of Information	


8/17/99

REVISIONS





25-JUL-2016 5:48 PM C:\Users\SR 1115 Pipe Replacement\SR1115_PSH2.dgn
S:\SE\SR1115_PSH2.dgn



C1	PROP. APPROX. 1.5" ASPHALT CONCRETE SURFACE COURSE TYPE S9.5B, AT AN AVERAGE RATE OF 165 LBS. PER SQ.YD.
E1	PROP. APPROX. 5" ASPHALT CONCRETE BASE COURSE, TYPE B25.0C, AT AN AVERAGE RATE OF 570 LBS. PER SQ. YD.
J	VARIABLE DEPTH AGGREGATE BASE COURSE
J1	#57 WASHED STONE
T	EARTH MATERIAL.
U	EXISTING PAVEMENT.
V	GEOTEXTILE FOR PAVEMENT STABILIZATION
V1	GEOTEXTILE FOR SOIL STABILIZATION

NOTE: PAVEMENT EDGE SLOPES ARE 1:1 UNLESS SHOWN OTHERWISE.



USE TYPICAL SECTION #1
-L- 10+45.05 TO 11+93.80
-Y- 12+00.00 TO 13+50.00



PROJECT REFERENCE NO.	SHEET NO.
2SP.20521.2 2SP.20521.3	2
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER
	
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	

REVISIONS

8/17/99

25-JUL-2008 5:48 PM
SR 1115 Pipe Replacement.dgn
SR 1115 Pipe Replacement.dgn

PROJECT REFERENCE NO.	SHEET NO.
2SP.20521.2 2SP.20521.3	3

STATE OF NORTH CAROLINA
DIVISION OF HIGHWAYS

SUMMARY OF QUANTITIES

ITEM	SECT	QUANTITY	UNIT	ITEM DESCRIPTION
1	800	1	LS	MOBILIZATION
2	801	1	LS	CONSTRUCTION SURVEYING
3	226	1	LS	GRADING
4	340	48	LF	PIPE REMOVAL
5	SP	1	LS	1 @ 95"X67" ALUMINUM PIPE WITH HEADWALLS
6	SP	1	LS	2 @ 73"X55" ALUMINUM PIPE WITH HEADWALLS
7	SP	350	TON	*57 STONE
8	SP	540	SY	GEOTEXTILE FOR PAVEMENT STABILIZATION
9	520	1,000	TON	AGGREGATE BASE COURSE
10	610	150	TON	ASPHALT CONC BASE COURSE,TYPE B25.0C
11	610	50	TON	ASPHALT CONC SURFACE COURSE,TYPE S9.5B
12	620	12	TON	ASPHALT BINDER FOR PLANT MIX
13	876	400	SY	GEOTEXTILE FOR SOIL STABILIZATION
14	1605	400	LF	TEMPORARY SILT FENCE
15	1660	0.5	ACRE	SEEDING AND MULCHING
16	1661	50	LB	SEED FOR REPAIR SEEDING
17	1661	0.2	TON	FERTILIZER FOR REPAIR SEEDING
18	SP	50	LF	COIR FIBER WATTLE
19	SP	100	SY	COIR FIBER MATTING
20	SP	200	LF	IMPERVIOUS DIKE
21	SP	6	EA	RESPONSE FOR EROSION CONTROL
22	SP	1	LS	DEWATERING

STATE OF NORTH CAROLINA
DIVISION OF HIGHWAYS

LIST OF PIPES, ENDWALLS, ETC.

STATION	LOCATION (LRT OR CL)	STRUCTURE NO.		TOP ELEVATION	INVERT ELEVATION	INVERT ELEVATION	SLOPE CRITICAL	CLASS III R.C. PIPE OR ALUMINIZED C.S. PIPE, TYPE 1R OR HDPE PIPE, TYPE S OR D														10 GA. 3" X 1" CORR. ALUM. PIPE WITH 2' WIDE BANDS AND 2' FLAT GASKETS	8 GA. 3" X 1" CORR. ALUM. PIPE WITH 2' WIDE BANDS AND 2' FLAT GASKETS	REMARKS	
								15"	18"	24"	30"	36"	42"	48"	54"	60"	66"	72"	78"		73" X 55" WHW				95" X 67" WHW
																				PIPE REMOVAL					
SIZE		FROM	TO																						
THICKNESS OR GAUGE																									
-L- 11+19.10	CL	1			33.73	33.73															68'			1 @ 54'	
-L- 10+84.21	CL	2																			48'				PIPE REMOVAL
-Y- 12+70.92	CL	3			32.68	32.68															102'		2 @ 41'		
TOTALS																					218'		82'	54'	

NOTE: Invert Elevations are for Bid Purposes only and shall not be used for project construction stakeout.
See "Standard Specifications For Roads and Structures, Section 300-5".

SUMMARY OF EARTHWORK
IN CUBIC YARDS

LOCATION	UNCLASSIFIED EXCAVATION	STRUCTURE EXCAVATION	UNDERCUT	EMBT + %	BORROW	WASTE
-L- 10+45.05 - 11+93.80	91	666	0	0	0	200
-Y- 12+00.00 - 13+50.00	66	777	0	23	0	400
SUB TOTAL	157	1443	0	23	0	600
SAY	160	1445	0	25	0	600

PAVEMENT REMOVAL SUMMARY
IN SQUARE YARDS

LINE	STATION - STATION	LOCATION	REMOVAL (SY)
-L-	10+45.05 - 11+93.80	CL	369
-Y-	12+00.00 - 13+50.00	CL	382
TOTAL			751
SAY			760

NOTE:

APPROXIMATE QUANTITIES ONLY. UNCLASSIFIED EXCAVATION,
UNCLASSIFIED STRUCTURE EXCAVATION, BORROW EXCAVATION,
FINE GRADING, CLEARING AND GRUBBING AND REMOVAL OF
EXISTING PAVEMENT.

REVISIONS


8/17/99

25-JUL-2018 5:48 PM C:\P\2018\SR 1115 Pipe Replacement\SR1115_PSH4.dgn
SR 1115 (POLE POCOSIN ROAD)
SR 1116 (WHITE OAK RIVER RD)
SR 1115 (POLE POCOSIN ROAD)

PARCEL NO.	PROPERTY OWNER NAME	LOCATION	TOTAL PARCEL AREA (ACRES)	AREA TO BE (CONST. EASEMENT) (ACRES)	AREA TO BE (R/W) (ACRES)	PARCEL AREA REMAINING (ACRES)
1	RIGGS, BRENT A	LT	100.73	0.00		100.73
2	PARKER, RICHARD JR	LT	225.09	0.09		225.00

RIGHT OF WAY AREA SUMMARY

COMPLETE STRUCTURE # 3 BEFORE BEGINNING STRUCTURE # 1





GRID COORDINATES
ALIGNMENT & CONTROL NOTES



CP #1	N 437,262.4760 E 2,518,304.0570	ELEVATION = 40.45
CP #2	N 437,548.6640 E 2,518,248.4990	ELEVATION = 41.43
CP #3	N 437,909.6840 E 2,518,310.2580	ELEVATION = 42.30
-L- POT 10+00.00	N 437,271.1012 E 2,518,183.6963	
-L- POT 13+00.00	N 437,780.3370 E 2,518,273.3290	
-Y- POT 10+00.00	N 437,302.0780 E 2,518,023.3440	
-Y- POT 13+76.07	N 437,230.7480 E 2,518,392.5860	

PROJECT REFERENCE NO. 2SP.20521.2 - 2SP. 20521.3	SHEET NO. 4
R/W SHEET NO.	
ROADWAY DESIGN ENGINEER JEFFREY D. CABANIS 034398 7/26/2018	HYDRAULICS ENGINEER JEFFREY D. CABANIS 034398 7/26/2018
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED	

5/14/99

25-JUL-2008 15:48 C:\CS\SR 1115 Pipe Replacement\SR1115_PSH5.dgn
43366 USER NAME: JDB

PROJECT REFERENCE NO. 2SP.20521.2/2SP.20521.3		SHEET NO. 5
ROADWAY DESIGN ENGINEER	HYDRAULICS ENGINEER	
		
DOCUMENT NOT CONSIDERED FINAL UNLESS ALL SIGNATURES COMPLETED		



STATE OF NORTH CAROLINA
DIVISION OF HIGHWAYS

TRANSPORTATION MANAGEMENT PLAN

JONES COUNTY



INDEX OF SHEETS

SHEET NO.	TITLE
TMP-1	TITLE SHEET WITH VICINITY MAP & INDEX OF SHEETS, LIST OF APPLICABLE ROADWAY STANDARD DRAWINGS, AND LEGEND.
TMP-2	PROJECT NOTES, DETOUR AND PLANS.

ROADWAY STANDARD DRAWINGS

THE FOLLOWING ROADWAY STANDARDS AS APPEAR IN "ROADWAY STANDARD DRAWINGS"-HIGHWAY DESIGN BRANCH-N.C. DEPARTMENT OF TRANSPORTATION - RALEIGH, N.C. DATED JANUARY 2018 ARE APPLICABLE TO THIS PROJECT AND BY REFERENCE HEREBY ARE CONSIDERED A PART OF THESE PLANS:

STD. NO.	TITLE
1101.03 (SHT. 1 OF 9)	TEMPORARY ROAD CLOSURES
1101.11	TRAFFIC CONTROL DESIGN TABLES
1110.01	STATIONARY WORK ZONE SIGNS

LEGEND

GENERAL


- DIRECTION OF TRAFFIC FLOW
- DIRECTION OF PEDESTRIAN TRAFFIC FLOW
- NORTH ARROW
- PROPOSED PVMT.
- EXIST. PVMT.
- WORK AREA

TRAFFIC CONTROL DEVICES

- BARRICADE (TYPE III)



N.C.D.O.T. WORK ZONE TRAFFIC CONTROL 1037 WH SMITH BLVD, GREENVILLE, NC 27834 PHONE: (252) 439-2840 FAX: (252) 830-3352	
JEFFREY D. CABANISS, PE	TRAFFIC ENGINEER
JEFFREY D. CABANISS, PE	TRAFFIC CONTROL PROJECT ENGINEER
LANG JONES	TRAFFIC CONTROL PROJECT DESIGN ENGINEER
LANG JONES	TRAFFIC CONTROL DESIGN ENGINEER



APPROVED:	DATE: 7/26/2018
SEAL	

25-JUL-2018 15:48
G:\PROJECTS\JONES\SR 1115 Pipe Replacement\SR1115_tmpl.dgn
\$\$\$\$\$USERNAME\$\$\$\$\$

GENERAL NOTES


IMPLEMENT TRAFFIC CONTROL IN ACCORDANCE WITH THE ROADWAY STANDARD DRAWINGS LISTED ON TMP-1.

CHANGES MAY BE REQUIRED WHEN PHYSICAL DIMENSIONS IN THE DETAIL DRAWINGS, STANDARD DETAILS AND ROADWAY DETAILS ARE NOT ATTAINABLE TO MEET FIELD CONDITIONS, OR RESULT IN DUPLICATE, OR UNDESIRED OVERLAPPING OF DEVICES. MODIFICATION MAY INCLUDE: MOVING, SUPPLEMENTING, COVERING OR REMOVAL OF DEVICES, AS DIRECTED BY THE ENGINEER.

STATE FORCES WILL INSTALL AND MAINTAIN THE PROJECT DETOUR AND THE TYPE III BARRICADES AT THE PROJECT LIMITS.
STATE FORCES WILL INSTALL PAINT AND MARKERS ON THE FINISHED PROJECT.
CALL JEFFREY DUNNING AT 252-830-3493 FOR COORDINATION.

COMPLETE STRUCTURE # 3 BEFORE BEGINNING STRUCTURE # 1


-L- POT Sta.13+00.00




TYPE III BARRICADE




PROJ. REFERENCE NO.	SHEET NO.
2SP.20521.2	TMP-2
2SP.20521.3	TMP-2



TYPE III BARRICADE



TYPE III BARRICADE



TYPE III BARRICADE

APPROVED: *Jeffrey D. Cabanis*


DATE: 7/26/2018

SEAL

DOCUMENT NOT CONSIDERED FINAL
UNLESS ALL SIGNATURES COMPLETED




DocuSigned by:
Jeffrey D. Cabanis
F0380268C4F84DD

NORTH CAROLINA
PROFESSIONAL
SEAL
034398
ENGINEER
JEFFREY D. CABANIS




25-JUL-2018 15:48
PROJECTS\CONSTRUCTION\115_Pipe Replacement\SR1115.ec1.dgn
USER NAME

PROJECT: 2SP.20521.2. – 2SP.20521.3



DIVISION TWO DDC UNIT
DIVISION OF HIGHWAYS
STATE OF NORTH CAROLINA



THESE EROSION AND SEDIMENT CONTROL PLANS COMPLY
WITH THE REGULATIONS SET FORTH BY THE
NCG-010000 GENERAL CONSTRUCTION PERMIT EFFECTIVE AUGUST 1, 2016
ISSUED BY THE NORTH CAROLINA DEPARTMENT OF ENVIRONMENT AND
NATURAL RESOURCES DIVISION OF WATER QUALITY.

2018 STANDARD SPECIFICATIONS

Prepared in the Office of:
DIVISION 2 DDC
1037 WH SMITH BLVD
GREENVILLE, NC 27834

Timothy Pinkham
Level III
Certification #3510

Roadway Standard Drawings

The following roadway english standards as appear in "Roadway Standard Drawings"- Roadway Design Unit - N. C. Department of Transportation - Raleigh, N. C., dated January 2018 and the latest revision thereto are applicable to this project and by reference hereby are considered a part of these plans.

1604.01	Railroad Erosion Control Detail	1632.01	Rock Inlet Sediment Trap Type A
1605.01	Temporary Silt Fence	1632.02	Rock Inlet Sediment Trap Type B
1606.01	Special Sediment Control Fence	1632.03	Rock Inlet Sediment Trap Type C
1607.01	Gravel Construction Entrance	1633.01	Temporary Rock Silt Check Type A
1622.01	Temporary Berms and Slope Drains	1633.02	Temporary Rock Silt Check Type B
1630.01	Riser Basin	1634.01	Temporary Rock Sediment Dam Type A
1630.02	Silt Basin Type B	1634.02	Temporary Rock Sediment Dam Type B
1630.03	Temporary Silt Ditch	1635.01	Rock Pipe Inlet Sediment Trap Type A
1630.04	Stilling Basin	1635.02	Rock Pipe Inlet Sediment Trap Type B
1630.05	Temporary Diversion	1640.01	Coir Fiber Baffle
1630.06	Special Stilling Basin	1645.01	Temporary Stream Crossing
1631.01	Matting Installation		

STATE	STATE PROJECT REFERENCE NO.	SHEET NO.	TOTAL SHEETS
N.C.	2SP.20521.2 - SP.20521.3	EC-1	4
STATE PROJ. NO.	F.A. PROJ. NO.	DESCRIPTION	

EROSION AND SEDIMENT CONTROL MEASURES

Std. #	Description	Symbol
1630.03	Temporary Silt Ditch.....	TD
1630.05	Temporary Diversion.....	TD
1605.01	Temporary Silt Fence.....	III III III
1606.01	Special Sediment Control Fence.....	▲▲▲▲▲
1622.01	Temporary Berms and Slope Drains.....	TD
1630.02	Silt Basin Type B.....	TD
1633.01	Temporary Rock Silt Check Type-A.....	TD
	Temporary Rock Silt Check Type-A with Matting and Polyacrylamide (PAM).....	TD
1633.02	Temporary Rock Silt Check Type-B.....	TD
	Wattle / Coir Fiber Wattle.....	TD
	Wattle / Coir Fiber Wattle with Polyacrylamide (PAM).....	TD
1634.01	Temporary Rock Sediment Dam Type-A.....	TD
1634.02	Temporary Rock Sediment Dam Type-B.....	TD
1635.01	Rock Pipe Inlet Sediment Trap Type-A.....	TD
1635.02	Rock Pipe Inlet Sediment Trap Type-B.....	TD
1630.04	Stilling Basin.....	TD
1630.06	Special Stilling Basin.....	TD
	Rock Inlet Sediment Trap:	
1632.01	Type A.....	A
1632.02	Type B.....	B
1632.03	Type C.....	C
	Skimmer Basin.....	TD
	Tiered Skimmer Basin.....	TD
	Infiltration Basin.....	TD

THIS PROJECT CONTAINS
EROSION CONTROL PLANS
FOR CLEARING AND
GRUBBING PHASE OF
CONSTRUCTION.


THIS PROJECT HAS
BEEN DESIGNED TO
SENSITIVE WATERSHED
STANDARDS.

**NOTE: COIR FIBER MATTING,
PLACED AS DIRECTED BY ENGINEER**

PERMIT: NWP3

Pipe Installation Schedule

1. *Install erosion control devices per plans, including impervious dikes, silt bag and turbidity curtain (if needed).*
2. *Remove material and existing pipe while limiting, as much as possible, material and sediment from entering the stream and/or escaping from the project.*
3. *Prepare pipe foundation while taking care to limit material and sediment from entering the stream and/or escaping from the project. Imbed the pipe invert in accordance with the permit. If needed, bedding materials will be clean stone (especially in Trout and High Quality Waters).*
4. *Place new pipe and compact fill.*
5. *Install slope protection on outlet and inlet ends of pipe according to the permit drawing prior to removing the impervious dikes and pumping operation. Also, complete installation of erosion control measures and perform maintenance as needed on existing measures.*
6. *Establish permanent vegetation as soon as possible. Matting with nylon mesh cannot be used within 25' of the stream bank.*




REVISIONS



8/17/99

25-JUL-2018 15:48
C:\PROJECTS\JONES\SR 1115 Pipe Replacement\SR1115-ec2.dgn
\$\$\$\$\$USERNAME\$\$\$\$\$


COIR FIBER WATTLE DETAIL



ISOMETRIC VIEW



- NOTES:
- USE MINIMUM 18 IN. DIAMETER COIR FIBER (COCONUT FIBER) WATTLE.
 - USE 2 FT. WOODEN STAKES WITH A 2 IN. BY 2 IN. NOMINAL CROSS SECTION.
 - ONLY INSTALL WATTLE(S) TO A HEIGHT IN DITCH SO FLOW WILL NOT WASH AROUND WATTLE AND SCOUR DITCH SLOPES AND AS DIRECTED.
 - INSTALL A MINIMUM OF 2 UPSLOPE STAKES AND 4 DOWNSLOPE STAKES AT AN ANGLE TO WEDGE WATTLE TO BOTTOM OF DITCH.
 - PROVIDE STAPLES MADE OF 0.125 IN. DIAMETER STEEL WIRE FORMED INTO A U SHAPE NOT LESS THAN 12" IN LENGTH.
 - INSTALL STAPLES APPROXIMATELY EVERY 1 LINEAR FOOT ON BOTH SIDES OF WATTLE AND AT EACH END TO SECURE IT TO THE SOIL.
 - INSTALL MATTING IN ACCORDANCE WITH SECTION 1631 OF THE STANDARD SPECIFICATIONS.



STATE OF
NORTH CAROLINA
DEPT. OF TRANSPORTATION
DIVISION OF HIGHWAYS
RALEIGH, N.C.


ENGLISH STANDARD DRAWING FOR
TEMPORARY SILT FENCE

SHEET 1 OF 1
1605.01


STATE OF
NORTH CAROLINA
DEPT. OF TRANSPORTATION
DIVISION OF HIGHWAYS
RALEIGH, N.C.

ENGLISH STANDARD DRAWING FOR
TEMPORARY SILT FENCE

SHEET 1 OF 1
1605.01



- NOTES
- USE WIRE A MINIMUM OF 32" IN WIDTH AND WITH A MINIMUM OF 6 LINE WIRES WITH 12" STAY SPACING.
 - USE FILTER FABRIC A MINIMUM OF 36" IN WIDTH AND FASTEN ADEQUATELY TO THE WIRE AS DIRECTED BY THE ENGINEER.
 - PROVIDE 5'-0" STEEL POST OF THE SELF-FASTENER ANGLE STEEL TYPE.



DIVISION OF HIGHWAYS
STATE OF NORTH CAROLINA

SOIL STABILIZATION TIMEFRAMES

SITE DESCRIPTION	STABILIZATION TIME	TIMEFRAME EXCEPTIONS
PERIMETER DIKES, SWALES, DITCHES AND SLOPES	7 DAYS	NONE
HIGH QUALITY WATER (HQW) ZONES	7 DAYS	NONE
SLOPES STEEPER THAN 3:1	7 DAYS	IF SLOPES ARE 10’ OR LESS IN LENGTH AND ARE NOT STEEPER THAN 2:1, 14 DAYS ARE ALLOWED.
SLOPES 3:1 OR FLATTER	14 DAYS	7 DAYS FOR SLOPES GREATER THAN 50’ IN LENGTH.
ALL OTHER AREAS WITH SLOPES FLATTER THAN 4:1	14 DAYS	NONE, EXCEPT FOR PERIMETERS AND HQW ZONES.

CROSS-SECTION SUMMARY
IN CUBIC YARDS

LOCATION (-L-)	EXCAVATION	UNDERCUT	EMBANKMENT
10 + 45.05	0	0	0
10 + 89.57	31	0	0
11 + 07.85	12	151	0
11 + 19.10	7	179	0
11 + 30.35	7	180	0
11 + 49.28	12	156	0
11 + 93.80	22	0	0
TOTAL	91	666	0
LOCATION (-Y-)	EXCAVATION	UNDERCUT	EMBANKMENT
12 + 00.00	0	0	0
12 + 37.45	22	0	0
12 + 57.42	8	176	2
12 + 70.92	5	221	5
12 + 84.42	5	214	7
13 + 04.69	8	166	6
13 + 50.00	18	0	3
TOTAL	66	777	23

NOTE: EMBANKMENT COLUMN DOES NOT INCLUDE BACKFILL FOR UNDERCUT.

NOTE:
APPROXIMATE QUANTITIES ONLY. UNCLASSIFIED EXCAVATION, BORROW EXCAVATION, FINE GRADING, CLEARING AND GRUBBING AND REMOVAL OF EXISTING PAVEMENT WILL BE PAID FOR AT THE CONTRACT LUMP SUM PRICE FOR "GRADING."

