



ROY COOPER
Governor

MICHAEL L. HOLDER
Acting Secretary

January 20, 2017

SUBJECT: ADDENDUM 2 FOR DE00164, W-5205S, Roadway Improvements on SR 1006 (Old Stage Rd) from NC 42 to Johnston County Line in Wake County, WBS Elements: 2017CPT.05.18.20921.1, etc.

MEMORANDUM TO PROSPECTIVE BIDDERS AND MEETING ATTENDEES


The Trenching for Base Course (SP6 R79AR) provision was omitted from the subject proposal. Please incorporate the attached provision into the proposal.

The Department would also like to clarify that the site on NC 42 has borrow material available for use on Map 1, Old Stage Road, as needed. This site will NOT be allowed to be used as a waste site for the Contractor and will not be available for providing borrow to Maps 2-4.

Please note that an .ebs amendment file has been provided for use with electronic bidding. If you are submitting a paper bid please indicate receipt and acknowledgment of this document by signing receipt of Addendum #2 on the ADDENDUM(S) form. This form is found toward the back of the bid proposal. This information will also be posted electronically.

If you have additional questions prior to bid opening, feel free to call me at (919) 220-4600.

Sincerely,

DocuSigned by:


DC37CF11AF7C4B3...
Jennifer A. Evans, PE
Local Projects Manager

cc: B. Tharrington
C. Hinnant
B. Sloan
M. Biedell
D. McNeal



TRENCHING FOR BASE COURSE:

(7-1-95) (Rev.1-19-16)

610

SP6 R79AR

Perform all trenching necessary to place the asphalt concrete base course widening in accordance with the typical sections, at locations shown on the sketch maps, and as directed by the Engineer.

Perform the trenching for the base course on the same day that the base course is to be placed. If the base course cannot be placed on the same day the trench section is excavated, backfill the trench with earth material and compact it to the satisfaction of the Engineer. Once the trench is open, perform backfilling and re-opening of the trench at no cost to the Department.

The Contractor will be restricted to widening one side of the project at a time unless otherwise permitted by the Engineer. In widening, operate equipment and conduct operations in the same direction as the flow of traffic.

Compact the asphalt concrete base course in the widened areas using means and methods acceptable to the Engineer. Density testing will be performed in accordance with Section 10.3.4 of the *HMA/QMS Manual*.

Place the excavated material from trenching operation on the adjacent shoulder area as directed by the Engineer. Cut adequate weep holes in the excavated material to provide for adequate drainage as directed by the Engineer. Remove all excavated material from all drives to provide ingress and egress to abutting properties and from in front of mailboxes and paper boxes. Saw a neat edge and remove all asphalt and/or concrete driveways, and existing asphalt widening, as directed by the Engineer, to the width of the widening and dispose of any excavated concrete or asphalt materials. Properly reconnect driveways.

Upon completion of the paving operation, backfill the trench to the satisfaction of the Engineer. Properly dispose of any excess material remaining after this operation.

No direct payment will be made for trenching, sawing, and removal of driveways, depositing material on shoulder area, backfilling trench, or removal of spoil material, as the cost of this work shall be included in the bid unit price per ton for *Asphalt Concrete Base Course, Type ____*.