

**Section 545**

**SECTION 545  
INCIDENTAL STONE BASE**

**545-1 DESCRIPTION**

Perform the work covered by this section including, but not limited to, furnishing, hauling, placing and shaping a graded stone material for use in driveways, temporary maintenance of traffic, adjacent to mailboxes, beneath traffic island, median covers and at any other locations, other than use as a part of any base course on which pavement is to be placed; shaping; tamping when required; maintaining the base; and disposing of any surplus stockpiled material.

**545-2 MATERIALS**

Use stone, gravel or recycled concrete for the graded stone material which is well graded from the 1 1/2" through the No. 200 sieve sizes in accordance with Article 1006. The LL of the recycled concrete is raised 5 points to no more than 35.

**545-3 GRADATION SAMPLING, TESTING AND ACCEPTANCE**

Acceptance of the graded stone material will be made by visual inspection and approval by the Engineer as being satisfactory for the purpose intended before its use. No sampling or testing of the graded stone material will be performed.

**545-4 PLACING AND SHAPING STONE**

Spread the stone material uniformly over the area required and then shape and dress to the satisfaction of the Engineer.

Uniformly spread, grade to the required depth and firmly tamp the stone material beneath traffic island and median covers. If the Contractor desires, the surface of the stone material may be covered with a sufficient amount of fine material to facilitate grading and shaping.

**545-5 MAINTENANCE**

Maintain the stone material until final acceptance of the project by reshaping and by the addition of incidental stone base material when directed by the Engineer.

Maintain all stone material beneath traffic islands and median covers in satisfactory condition until the covers are placed.

**545-6 MEASUREMENT AND PAYMENT**

*Incidental Stone Base* will be measured and paid at the contract unit price per ton that has been stockpiled or incorporated into the completed and accepted work. This quantity will be measured as provided for in Article 520-11. Incidental stone base which has been stockpiled will not be measured more than one time.

Payment will be made under:

<b>Pay Item</b>	<b>Pay Unit</b>
Incidental Stone Base	Ton