

NCDOT Prioritization 3.0 Project Summary

SPOT ID: H090005-D	Mode: Highway		
US-64			
From/Cross Street: East of the Hiwassee R	iver Specific Improvement Ty	pe: 1 - Widen Existing Roadway	
To: East of NC 175	Project Category: Statewide Mobility		
Length: 3.94	TIP#: A-0011D	TIP#: A-0011D	
Fully Funded in Draft STIP? No	Cost to NCDOT:	\$29,500,000	

Description:

Widen to Multi-Lanes.

Division(s): Division 14 MPOS(s)/RPO(s): Southwestern RPO County(s): CLAY



Statewide Mobility Total Score: 12.9

Quanitative Score		Division Engineer Local Input Points	MPO/RPO Local Input Points
Congestion (V/C) (30%) Safety (10%) Economic Competitiveness (10%) Multimodal + [Freight & Military] (20%) [Travel Time] Benefit/Cost (30%) Totals: Weight: 100% Weighted Score:	25.25 49.44 0.44 1.58 0.08	N/A	N/A

Regional Impact Total Score: 0

Quanitative Score		Division Engineer Local Input Points	MPO/RPO Local Input Points
[Travel Time] Benefit/Cost (25%) Accessibility / Connectivity (10%) Congestion (V/C) (25%) Safety (10%) Totals: Weight: 70% Weighted Score	0.08 21.89 25.25 49.44 e: 13.46	Percent: 15% Points:	Percent: 15% Points:

Division Needs Total Score: 0

Quantitative Score		Division Engineer Local Input Points	MPO/RPO Local Input Points
Congestion (V/C) (20%) Safety (10%) [Travel Time] Benefit/Cost (20%) Totals: Weight: 50% Weighted Score	25.25 49.44 0.08	Percent: 25% Points:	Percent: 25% Points:

Project Data *

Existing Cross-Section:	
Speed Limit:	5 5
Length (miles);	3.94
Facility Type:	Two Lane Highway
Access Control:	None
Functional Classification:	Minor Arterial
Terrain Type:	Rolling
Lane Width:	10
Paved Shoulder Width:	1
Roadway has Curb & Gutter?	No
Volume (AADT):	5 963.95
Capacity:	15651.85
Volume/Capacity Ratio:	0. 38
% Autos:	95%
% Trucks:	5‰
Truck Volume:	316.41
Crash Density:	47.21
Crash Severity:	65.74
Critical Crash Rate:	3 5.39
Crash Frequency:	0
Severity Index:	0
County Tier Designation:	1
Non-Interstate STRAHNET Route?	No
Average Commuting Time:	22
Existing Median Type (for Cost Estimation):	Undivided
Pavement Condition Rating:	9 9
Actual Congested Speed:	47.03
Travel Time Index:	1. 17

Project Benefits			
Project Cross-Section:	4A - 4 Lane Divided (46' Depressed Median) with Paved Shoulders		
Speed Limit:	5 5		
Length (miles):	3. 94		
Facility Type:	Multi-Lane Highway		
Access Control:	Partial		
Functional Classification:	Major Collector		
TerrainType:	Rolling		
DOT Design Lane Width:	12		
DOT Design Paved Shoulder Width:	2		
Travel Time Savings for 30 Years (Total):	100077.12		
Travel Time Savings for 30 Years (Autos):	94767.67		
Travel Time Savings for 30 Years (Trucks):	5 309.45		
Long-Term Employment:	2		
% Change in Economy:	6. 7E-06		
Provides Direct Connection to Transportation Terminal?	No		
Does project upgrade how the roadway functions?	Yes		
In CTP or LRTP?	No		
CTP/LRTP Name:			
CTP/LRTP Completion Year:			
Submitted by:	Division 14		

* Data reflects calculations which include weighted averages (where applicable) and represent raw output from the Department's SPOT Online tool and associated databases.

Project Ownership

Division				
Division	Percent	Regional Impact	Division Needs	
Division 14	100%	0	0	
	0%	0	0	
	0%	0	0	
TOTAL Division Points		0	0	

MPO/RPO

MPO/RPO	Percent	Regional Impact	Division Needs
Southwestern RPO	100%		