



NCDOT Prioritization 3.0 Project Summary

SPOT ID: H111255

Mode: Highway

Status: Submitted

NC-241

From/Cross Street: SR 1115 (Bob Stroud Rd) End of Existing 4 Lanes

Specific Improvement Type: 6 - Widen Existing Roadway and Construct Part on New Location

To: NC 24 (East and West of Beulaville)

Project Category: Regional Impact

Length: 14.96

TIP#:

Fully Funded in Draft STIP? No

Cost to NCDOT: \$133,884,000

Description:


Upgrade NC 11, NC 241, and NC 24 to Multi-Lanes on Partial New Location. Project includes Bypass of Pink Hill, Improving 241 South, and a Beulaville Bypass North of town from SR 1962 West of Beulaville to SR 1720 East of Beulaville.

Division(s): Division 3, Division 2

County(s): DUPLIN, LENOIR

MPOS(s)/RPO(s): East Carolina RPO

Project Location



Statewide Mobility Total Score: 0

Quantitative Score	Division Engineer Local Input Points	MPO/RPO Local Input Points
	N/A	N/A
Totals: Weight: 0% Weighted Score: 0		

Regional Impact Total Score: 26.57

Quantitative Score	Division Engineer Local Input Points	MPO/RPO Local Input Points
Safety (25%) 50.85	Percent: 15% Points: 0	Percent: 15% Points: 89
Multimodal + [Freight & Military] (25%) 2.03		
[Travel Time] Benefit/Cost (20%) 0.00		
Totals: Weight: 70% Weighted Score: 13.22		

Division Needs Total Score: 13.69

Quantitative Score	Division Engineer Local Input Points	MPO/RPO Local Input Points
Congestion (V/C) (20%) 16.56	Percent: 25% Points: 0	Percent: 25% Points: 0
Safety (20%) 50.85		
Multimodal + [Freight & Military] (10%) 2.03		
Totals: Weight: 50% Weighted Score: 13.69		

Project Data ***Existing Conditions**

Existing Cross-Section:	
Speed Limit:	52
Length (miles):	11.6
Facility Type:	Two Lane Highway
Access Control:	None
Functional Classification:	Major Collector
Terrain Type:	Level
Lane Width:	11
Paved Shoulder Width:	0
Roadway has Curb & Gutter?	No
Volume (AADT):	4546.44
Capacity:	18502.54
Volume/Capacity Ratio:	0.25
% Autos:	91%
% Trucks:	9%
Truck Volume:	405.08
Crash Density:	61.84
Crash Severity:	43.4
Critical Crash Rate:	47.33
Crash Frequency:	0
Severity Index:	0
County Tier Designation:	2
Non-Interstate STRAHNET Route?	No
Average Commuting Time:	27
Existing Median Type (for Cost Estimation):	Undivided
Pavement Condition Rating:	79
Actual Congested Speed:	9.06
Travel Time Index:	1.03

Project Benefits

Project Cross-Section:	4A - 4 Lane Divided (46' Depressed Median) with Paved Shoulders
Speed Limit:	50
Length (miles):	14.96
Facility Type:	Arterial
Access Control:	Partial
Functional Classification:	Major Collector
Terrain Type:	Level
DOT Design Lane Width:	12
DOT Design Paved Shoulder Width:	2
Travel Time Savings for 30 Years (Total):	-9612530.7
Travel Time Savings for 30 Years (Autos):	-8756075.44
Travel Time Savings for 30 Years (Trucks):	-856455.26
Long-Term Employment:	
% Change in Economy:	
Provides Direct Connection to Transportation Terminal?	No
Does project upgrade how the roadway functions?	No
In CTP or LRTP?	No
CTP/LRTP Name:	
CTP/LRTP Completion Year:	
Submitted by:	Division 2

* Data reflects calculations which include weighted averages (where applicable) and represent raw output from the Department's SPOT On!ine tool and associated databases.

Project Ownership

Division

Division	Percent	Regional Impact	Division Needs
Division 3	79%	0	0
Division 2	21%	0	0
	0%	0	0
TOTAL Division Points		0	0

MPO/RPO

MPO/RPO	Percent	Regional Impact	Division Needs
East Carolina RPO	100%	89	0
	0%	0	0
	0%	0	0
TOTAL MPO/RPO Points		89	0

Project Cost and Source

Construction Cost:	\$94,620,000	TIP Unit
Right-of-Way Cost:	\$35,057,000	Cost Estimation Tool
Utilities Cost:	\$4,207,000	Cost Estimation Tool
Total Project Cost:	\$133,884,000	
Other Funding:	\$0	None
Cost to NCDOT :	\$133,884,000	