



NCDOT Prioritization 3.0 Project Summary

SPOT ID: H141231

Mode: Highway

Status: Submitted

US-76 (Oleander Drive)

From/Cross Street: US117/NC132 (College Road)

Specific Improvement Type: 7 - Upgrade At-grade Intersection to Interchange or Grade Separation

To:

Project Category: Statewide Mobility

Length: 2

TIP#:

Fully Funded in Draft STIP? No

Cost to NCDOT: \$25,110,000

Description:


Convert at-grade intersection to a SPUI

Division(s): Division 3

County(s): NEW HANOVER

MPOS(s)/RPO(s): Wilmington Urban Area MPO

Project Location



Sources: Esri, DeLorme, NAVTEQ, USGS, NRCAN, METI, IPC, TomTom

Statewide Mobility Total Score: 69.91

Quantitative Score	Division Engineer Local Input Points	MPO/RPO Local Input Points
[Travel Time] Benefit/Cost (30%) 57.12 Congestion (V/C) (30%) 90.15 Multimodal + [Freight & Military] (20%) 36.96 Safety (10%) 83.35 Economic Competitiveness (10%) 100.00	N/A	N/A
Totals: Weight: 100% Weighted Score: 69.91		

Regional Impact Total Score: 0

Quantitative Score	Division Engineer Local Input Points	MPO/RPO Local Input Points
Safety (25%) 83.35 Multimodal + [Freight & Military] (25%) 36.96 [Travel Time] Benefit/Cost (20%) 57.12	Percent: 15% Points:	Percent: 15% Points:
Totals: Weight: 70% Weighted Score: 41.5		

Division Needs Total Score: 0

Quantitative Score	Division Engineer Local Input Points	MPO/RPO Local Input Points
Safety (20%) 83.35 Congestion (V/C) (20%) 90.15 Multimodal + [Freight & Military] (10%) 36.96	Percent: 25% Points:	Percent: 25% Points:
Totals: Weight: 50% Weighted Score: 38.4		

Project Data ***Existing Conditions**

Existing Cross-Section:	
Speed Limit:	45
Length (miles);	2
Facility Type:	Arterial
Access Control:	None
Functional Classification:	Other Principal Arterial
Terrain Type:	Level
Lane Width:	12
Paved Shoulder Width:	0
Roadway has Curb & Gutter?	Yes
Volume (AADT):	66960.33
Capacity:	63400
Volume/Capacity Ratio:	1.06
% Autos:	97%
% Trucks:	3%
Truck Volume:	2111.89
Crash Density:	0
Crash Severity:	0
Critical Crash Rate:	0
Crash Frequency:	100
Severity Index:	66.7
County Tier Designation:	3
Non-Interstate STRAHNET Route?	Yes
Average Commuting Time:	17
Existing Median Type (for Cost Estimation):	TWLTL
Pavement Condition Rating:	65
Actual Congested Speed:	0
Travel Time Index:	

Project Benefits

Project Cross-Section:	
Speed Limit:	45
Length (miles):	2
Facility Type:	Arterial
Access Control:	Partial
Functional Classification:	Other Principal Arterial
TerrainType:	Level
DOT Design Lane Width:	12
DOT Design Paved Shoulder Width:	4
Travel Time Savings for 30 Years (Total):	64354000
Travel Time Savings for 30 Years (Autos):	62324312.47
Travel Time Savings for 30 Years (Trucks):	2029687.53
Long-Term Employment:	1030.22
% Change in Economy:	0.00137815
Provides Direct Connection to Transportation Terminal?	No
Does project upgrade how the roadway functions?	Yes
In CTP or LRTP?	No
CTP/LRTP Name:	
CTP/LRTP Completion Year:	
Submitted by:	Wilmington Urban Area MPO

* Data reflects calculations which include weighted averages (where applicable) and represent raw output from the Department's SPOT On!ine tool and associated databases.

Project Ownership

Division

Division	Percent	Regional Impact	Division Needs
Division 3	100%	0	0
	0%	0	0
	0%	0	0
TOTAL Division Points		0	0

MPO/RPO

MPO/RPO	Percent	Regional Impact	Division Needs
Wilmington Urban Area MPO	100%	0	0
	0%	0	0
	0%	0	0
TOTAL MPO/RPO Points		0	0

Project Cost and Source

Construction Cost:	\$20,250,000	Cost Estimation Tool
Right-of-Way Cost:	\$4,860,000	Cost Estimation Tool
Utilities Cost:	\$0	Cost Estimation Tool
Total Project Cost:	\$25,110,000	
Other Funding:	\$0	None
Cost to NCDOT :	\$25,110,000	