

ASHE COUNTY COMPREHENSIVE TRANSPORTATION PLAN
May 2023

Highway Recommendations

Highway Class:	Congestion	Access Management	Modernization	Other (Safety, etc.)	Bridge/Intersection					
Map ID	Local ID	Improvement Type	Recommendation Name	Limits	Length in Miles	Modes	Description	Identified Need		
1	ASHE20001-H	Modernization	US 221 BUS, NC 88, South Main St Highway Recommendation	From: N Sixth Ave To: US 221 Bus/S Main st (Yamaha)	1.72	H,B,P	Replace with Road Diet (3 lanes with bicycle and pedestrian facilities)	Highway Recommendation		
2	ASHE20002-H	Modernization	US 221 BUS, S Main St Highway Recommendation	From: US221 Bus/S Main st (Yamaha) To: Hospital Ave (SR-1664)	0.76	H,B	Replace with Road Diet (3 lanes with bicycle and pedestrian facilities)	Highway Recommendation		
3	ASHE20003-H	Modernization	US 221 BUS, NC Hwy 194 Highway Recommendation	From: Hamilton St To: Beaver Creek School Rd (SR 1248)	1.27	H,B,P	Replace with Road Diet (3 lanes with bicycle and pedestrian facilities)	Highway Recommendation		
4	ASHE40004-H	Congestion	Mount Jefferson Rd Highway Recommendation	From: Walmart To: Lowes Dr	0.19	H,P	Widen to three-lanes	Congestion		
5	ASHE30005-H	Modernization	NC Hwy 163 Highway Recommendation	From: 750 Feet From US-221 To: NC-16	8.95	H,M	Substandard roadway less than 12 foot lanes 2 ft shoulders	Highway Recommendation		
6	ASHE30006-H	Modernization	NC Hwy 194 Highway Recommendation	From: E 5th St To: NC 88	1.28	H	Substandard roadway less than 12 foot lanes 2 ft shoulders	Highway Recommendation		
7	ASHE30007-H	Modernization	NC Hwy 194 Highway Recommendation	From: NC 88/NC 194 in Warrentonville To: NC 88/NC 194	3.77	H,M	Substandard roadway less than 12 foot lanes 2 ft shoulders	Highway Recommendation		
8	ASHE30008-H	Modernization	NC Hwy 194 Highway Recommendation	From: NC 88/NC 194 in Warrentonville To: Patton Rd (1380) in Lansing	3.26	H,M	Substandard roadway less than 12 foot lanes 2 ft shoulders	Highway Recommendation		
9	ASHE30011-H	Modernization	NC Hwy 194 Highway Recommendation	From: Patton Rd (SR 1380) To: A St	0.25	B	Substandard roadway less than 12 foot lanes 2 ft shoulders	Highway Recommendation		
10	ASHE30012-H	Modernization	NC Hwy 194 Highway Recommendation	From: A St To: South Big Horse Creek Rd (SR-1353)	0.21	B,P	Substandard roadway less than 12 foot lanes 2 ft shoulders	Highway Recommendation		
11	ASHE30009-H	Modernization	NC Hwy 194 Highway Recommendation	From: South Big Horse Creek Rd (SR 1353) To: Helton Creek Rd (SR-1370)	4.82	H,M,P	Substandard roadway less than 12 foot lanes 2 ft shoulders	Highway Recommendation		
12	ASHE30010-H	Modernization	NC Hwy 194 Highway Recommendation	From: Old Helton School Rd (SR-1669) To: Virginia State Line	4.55	H	Substandard roadway less than 12 foot lanes 2 ft shoulders	Highway Recommendation		
13	ASHE40011-H	Modernization	Helton Creek Rd Highway Recommendation	From: NC 194 To: Virginia State Line	2.26	H	Substandard roadway less than 12 foot lanes 2 ft shoulders	Highway Recommendation		
14	R-2915	Congestion	US Hwy 221 Highway Recommendation	From: East Main St (US 221 BUS) To: S Jefferson Ave (US 221 BUS)	3.56	H	Widen to four lanes, divided	Congestion		
15	ASHE30013-H	Modernization	NC Hwy 194 Highway Recommendation	From: Watauga County To: US-221	7.21	H,B	Substandard roadway less than 12 foot lanes 2 ft shoulders	Highway Recommendation		
16	ASHE40014-H	Modernization	Railroad Grade Rd Highway Recommendation	From: Cranberry Springs Rd (SR-1100) To: US-221	7.02	H,M	Substandard roadway less than 12 foot lanes 2 ft shoulders	Highway Recommendation		
17	ASHE40015-H	Modernization	Idlewild Rd Highway Recommendation	From: NC 163 To: US 221	7.27	H,M	Substandard roadway less than 12 foot lanes 2 ft shoulders	Highway Recommendation		
18	ASHE40016-H	Modernization	Old Highway 16 Highway Recommendation	From: North Main St (SR-1573) To: Deep Ford Rd (SR-1501)	3.45	H	Substandard roadway less than 12 foot lanes 2 ft shoulders	Highway Recommendation		
19	ASHE40017-H	Modernization	Old Hwy 16 Highway Recommendation	From: Deep Ford Rd (SR 1501) To: NC-16	3.13	H	Substandard roadway less than 12 foot lanes 2 ft shoulders	Highway Recommendation		
20	ASHE30018-H	Modernization	NC Hwy 16 North Highway Recommendation	From: US 221 To: Virginia State Line	12.21	H,M	Substandard roadway less than 12 foot lanes 2 ft shoulders	Highway Recommendation		
21	ASHE20019-H	Modernization	US Hwy 221 North Highway Recommendation	From: US 221/NC-16 To: Alleghany County Line	9.72	H	Substandard roadway less than 12 foot lanes 2 ft shoulders	Highway Recommendation		
22	ASHE30020-H	Modernization	NC Hwy 88 East Highway Recommendation	From: NC 16 To: Alleghany County	9.87	H	Substandard roadway less than 12 foot lanes 2 ft shoulders	Highway Recommendation		
23	ASHE30021-H	Modernization	NC Hwy 16 South Highway Recommendation	From: River Front Dr. (SR-1158) To: NC-88	2.37	H	Substandard roadway less than 12 foot lanes 2 ft shoulders	Highway Recommendation		
24	ASHE20022-H	Modernization	S. Jefferson Ave (US 221 BUS) Recommendation	From: US-221 To: Beaver Creek School Road	0.14	H,B,P	Improve roadway/turns near Beaver Creek School Road	Highway Recommendation		
25	ASHE40023-H	Modernization	Deep Ford Rd Highway Recommendation	From: Old Hwy 16 (SR 1573) To: NC 194	3.93	H	Substandard roadway less than 12 foot lanes 2 ft shoulders	Highway Recommendation		
26	ASHE30024-H	Modernization	NC Hwy 88 West Highway Recommendation	From: Watauga County Line To: NC-194	18.88	H	Highway Recommendation	Highway Recommendation		
27	ASHE40024-H	Congestion	NC 88 and Mt. Jefferson Road (SR 1149) Connector	From: NC 88 To: Mount Jefferson Road (SR 1149)	0.81		NC 88 and Mount Jefferson Road connector bypass	Mobility		

ASHE COUNTY COMPREHENSIVE TRANSPORTATION PLAN
 May 2023

Bicycle and Pedestrian Recommendations

Bike/Ped Class:	Bicycle	Pedestrian	Bike and Ped	Multiuse Path	Bike/Ped Bridge	* Denotes Highway Incidental			
Map ID	Local ID	Improvement Type	Recommendation Name	Limits	Length in Miles	Modes	Description	Identified Need	
1*	ASHE20002-H	Bicycle	US 221 BUS, S Main St Highway Recommendation	From: US 221 Bus/S Main st (Yamaha) To: Hospital Ave (SR-1664)	0.76	H,B	Replace with Road Diet (3 lanes with bicycle and pedestrian facilities)	Highway Recommendation	
2*	ASHE20001-H	Bicycle	US 221 BUS, NC 88, South Main St Highway Recommendation	From: N Sixth Ave To: US 221 Bus/S Main st (Yamaha)	1.72	H,B,P	Replace with Road Diet (3 lanes with bicycle and pedestrian facilities)	Highway Recommendation	
3*	ASHE20001-H	Bike and Ped	US 221 BUS, NC 88, South Main St Highway Recommendation	From: N Sixth Ave To: US 221 Bus/S Main st (Yamaha)	1.72	H,B,P	Replace with Road Diet (3 lanes with bicycle and pedestrian facilities)	Highway Recommendation	
4	ASHE50024-P	Pedestrian	Campus Dr. Sidewalk Proposal	From: Mount Jefferson Road To: Ashe County High School	0.26	P	Campus Dr sidewalk to connect to Mount Jefferson Road	Provide safety for high school students to walk to Walmart	
5	ASHE40024-P	Pedestrian	Mount Jefferson Rd Pedestrian Recommendation	From: Ashe County High School Dr (SR-1283) To: Walmart	0.31	P	Sidewalk Recommendation	Multimodal Connectivity	
5	ASHE40004-H	Pedestrian	Mount Jefferson Rd Highway Recommendation	From: Walmart To: Lowes Dr	0.19	P	Widen to three-lanes	Congestion	
6	ASHE50005-B	Bicycle	E Main, N. Sixth Ave Bicycle Recommendation	From: East Main/ US 221 BUS To: US 221 BUS	0.27	B	Bicycle Recommendation	Multimodal Connectivity	
7	ASHE20006-BP	Bike and Ped	US 221 BUS, East Main St Bicycle and Pedestrian Recommendation	From: Hospital Ave (SR 1664) To: US-221/NC-16	0.98	B,P	Added to busy shopping section	Multimodal Connectivity	
8	ASHE30007-BP	Bike and Ped	NC Hwy 88 West Bicycle and Pedestrian Recommendation	From: WM J B Blevins Dr. To: McConnell St	0.44	B,P	Added to connect to future Ag Center	Multimodal Connectivity	
9	ASHE40008-P	Pedestrian	North Main St Pedestrian Recommendation	From: 1200 Feet From US 221 BUS To: Ashe Park Rd (SR-1511)	0.65	P	Sidewalk Recommendation	Multimodal Connectivity	
10	ASHE40009-BP	Bike and Ped	North Main St Bicycle and Pedestrian Recommendation	From: US 221 To: 275 Feet From US 221	0.24	B,P	Added to connect to future Ag Center	Multimodal Connectivity	
11	ASHE50010-P	Pedestrian	McConnell St Pedestrian Recommendation	From: NC 88 To: US 221 BUS	0.4	P	Sidewalk Recommendation	Multimodal Connectivity	
12	ASHE50011-P	Pedestrian	Martin St Pedestrian Recommendation	From: North Main St To: Martin St.	0.82	P	Sidewalk Recommendation	Multimodal Connectivity	
13	ASHE50012-P	Pedestrian	Ashe St Pedestrian Recommendation	From: US 221 BUS To: Martin St.	0.24	P	Sidewalk Recommendation	Multimodal Connectivity	
14	ASHE50013-BP	Bike and Ped	Northwest Dr Bicycle and Pedestrian Recommendation	From: NC 88 To: DEAD-END	0.45	B,P	Added to connect to future Ag Center	Multimodal Connectivity	
15	ASHE00014-M	Multiuse Path	US 221 Multiuse Path	From: South St To: Existing Multiuse Path	0.12	M	Multiuse Path Recommendation	Multimodal Connectivity	
16	ASHE40015-P	Pedestrian	Hospital Ave Pedestrian Recommendation	From: US 221 To: Hospital Entrance	0.12	P	Sidewalk Recommendation	Multimodal Connectivity	
17	ASHE50016-P	Pedestrian	Government Cir Pedestrian Recommendation	From: US-221 To: US-221	0.36	P	Sidewalk Recommendation	Multimodal Connectivity	
18	ASHE50017-P	Pedestrian	Badger St Pedestrian Recommendation	From: US-221 BUS To: 600 Feet From Taylor St	0.25	P	Sidewalk Recommendation	Multimodal Connectivity	
19	ASHE40019-B	Bicycle	Mount Jefferson Rd Bicycle Recommendation	From: US-221 To: US-221 BUS	0.44	B	Bicycle Recommendation	Multimodal Connectivity	
20	ASHE40042-B	Bicycle	Mount Jefferson Road (SR-1149) Bike Lane Recommendation	From: Mount Jefferson Rd (SR 1149) To: Mt. Jefferson State Park Rd	0.49	B	Bicycle Recommendation	Multimodal Connectivity	
21	ASHE50022-P	Pedestrian	W Second St Pedestrian Recommendation	From: US-221 BUS To: College Ave	0.13	P	Sidewalk Recommendation	Multimodal Connectivity	
22	ASHE50023-P	Pedestrian	W. Main St, S. Church Ave, & Park Rd Pedestrian Recommendation	From: US-221 BUS To: Library Dr.	0.5	P	Sidewalk Recommendation	Multimodal Connectivity	
23*	ASHE20003-H	Bike and Ped	US 221 BUS, NC Hwy 194 Highway Recommendation	From: Hamilton St To: Beaver Creek School Rd (SR 1248)	1.27	H,B,P	Replace with Road Diet (3 lanes with bicycle and pedestrian facilities)	Highway Recommendation	
24*	ASHE20022-H	Bicycle	S. Jefferson Ave (US 221 BUS) Recommendation	From: US-221 To: Beaver Creek School Road	0.14	H,B,P	Improve roadway/turns near Beaver Creek School Road	Highway Recommendation	
25	ASHE40026-B	Bicycle	East Buck Mountain Bicycle Lane	From: Ray Taylor Rd. To: US-221 BUS	0.9	B	East Buck Mountain Rd. Bicycle Lane Recommendation	Multimodal Connection	
26	ASHE40027-B	Bicycle	Ray Taylor Road Bicycle Lane	From: Beaver Creek School Rd. To: East Buck Mountain Rd.	0.86	B	Ray Rd. Bicycle Lane Recommendation	Multimodal Connection	
27	ASHE40027-P	Bike and Ped	Beaver Creek School Rd Pedestrian Recommendation	From: US-221 BUS To: Ray Taylor Rd. (SR-1133)	0.59	B,P	Road Diet - Three lane plus sidewalk and bikeways	Multimodal Connectivity	
28*	ASHE30005-H	Multiuse Path	NC Hwy 163 Highway Recommendation	From: 750 Feet From US-221 To: NC-16	9.37	H,M	Substandard roadway less than 12 foot lanes 2 ft shoulders	Highway Recommendation	
28*	ASHE00029-M	Multiuse Path	NC Hwy 16 South Multiuse Path Recommendation	From: NC-194 To: 750 Feet from NC-194	0.14	H,M			

ASHE COUNTY COMPREHENSIVE TRANSPORTATION PLAN
May 2023

29	ASHE00030-M	Multiuse Path	US Hwy 221 Multiuse Path Recommendation	From: NC-194 To: NC-163	3.73	B	Multiuse Path Recommendation	Multimodal Connectivity
30	ASHE00031-M	Multiuse Path	US 221 Multiuse Path Recommendation	From Watauga County To: NC 194	7.75	B	Multiuse Path Recommendation	Multimodal Connectivity
31	ASHE00032-M	Multiuse Path	Todd Railroad Grade Rd Bicycle Recommendation	From: Railroad Grade Rd (SR 1106) To: NC 194	4.12	B	Multiuse Path Recommendation	Multimodal Connectivity
32*	ASHE40014-H	Multiuse Path	Railroad Grade Rd Highway Recommendation	From: Cranberry Springs Rd (SR-1100) To: US-221	7.02	H,M	Substandard roadway less than 12 foot lanes 2 ft shoulders	Highway Recommendation
33*	ASHE40015-H	Multiuse Path	Idlewild Rd Highway Recommendation	From: NC 163 To: US 221	7.27	H,M	Substandard roadway less than 12 foot lanes 2 ft shoulders	Highway Recommendation
34	ASHE40035-B	Bicycle	Dogget Rd Bicycle Recommendation	From: NC 88 To: US 221 BUS	0.96	B	Bicycle Recommendation	Multimodal Connectivity
35*	ASHE30007-H	Multiuse Path	NC Hwy 194 Highway Recommendation	From: NC 88/NC 194 in Warrensville To: NC 88/NC 194	3.77	H,M	Substandard roadway less than 12 foot lanes 2 ft shoulders	Highway Recommendation
36*	ASHE30008-H	Multiuse Path	NC Hwy 194 Highway Recommendation	From: NC 88/NC 194 in Warrensville To: Patton Rd (1380) in Lansing	3.26	H,M	Substandard roadway less than 12 foot lanes 2 ft shoulders	Highway Recommendation
37*	ASHE30011-H	Bicycle	NC Hwy 194 Highway Recommendation	From: Patton Rd (SR 1380) To: A St	0.25	B	Substandard roadway less than 12 foot lanes 2 ft shoulders	Highway Recommendation
38*	ASHE30012-H	Bike and Ped	NC Hwy 194 Highway Recommendation	From: A St To: South Big Horse Creek Rd (SR-1353)	0.21	B,P	Substandard roadway less than 12 foot lanes 2 ft shoulders	Highway Recommendation
39	ASHE00038-M	Multiuse Path	US Hwy 221 Multiuse Path Recommendation	From: US 221 To: NC88	1.31	B	Multiuse Path Recommendation	Multimodal Connectivity
40*	ASHE30018-H	Multiuse Path	NC Hwy 16 North Highway Recommendation	From: US 221 To: Virginia State Line	12.21	H,M	Substandard roadway less than 12 foot lanes 2 ft shoulders	Highway Recommendation
41	ASHE20040-BP	Bike and Ped	US 221 BUS, E Second St Bicycle Recommendation	From: 0.2 miles north of Dogget Rd (SR 1153) To: US 221 BUS, NC 194, North Jefferson st	0.2	B,P	Road Diet - Three lane plus sidewalk and bikeways	Multimodal Connectivity
42	ASHE40041-B	Bicycle	Friendship Baptist Church Rd Bicycle Recommendation	From: US 221, NC 16 To: Family Central Enterprise Corporation	1.47	B	Bicycle Recommendation	Multimodal Connectivity
43*	ASHE30013-H	Bicycle	NC Hwy 194 Highway Recommendation	From: Watauga County To: US-221	7.21	H,B	Substandard roadway less than 12 foot lanes 2 ft shoulders	Highway Recommendation
44	ASHE00015-M	Multiuse Path	NC 88 Multiuse Path	From: NC 194 To: Dogget Road (SR 1153)	0.41	M	Multiuse Path Recommendation	Multimodal Connectivity
45*	ASHE30009-H	Pedestrian	NC Hwy 194 Highway Recommendation	From: South Big Horse Creek Rd (SR 1353) To: Helton Creek Rd (SR-1370)	0.3	H,M,P	Substandard roadway less than 12 foot lanes 2 ft shoulders	Highway Recommendation
46	ASHE30001-P	Pedestrian	NC 194 Sidewalk Connector	From: NC-194 To: E Street	0.01	P	Per Lansing Moves Plan. Five foot sidewalk along NC 194	Connect to existing network
47	ASHE50006-B	Bicycle	Lansing E Street Bike Lane	From: NC 194 To: NC 194	0.18	B	Per Lansing Moves Plan - One-way East bound shared street. Widen roadway to 14 feet, convert to one-way Eastbound traffic, shared street signing and treatments.	To help establish a network and connect major destinations within Lansing.
48	ASHE00016-M	Multiuse Path	LPCCA to E Street on road Multiuse Path Proposal	From: Es Street To: Piney Creek Road	0.13	H,M	Per Lansing Moves plan. Connect E Street via 10' on road multiuse path to Lost Province Center for the Cultural Arts.	Safely connect the LPCCA to E Street
49	ASHE00017-M	Multiuse Path	LPCCA to E Street Offroad Multiuse Path Proposal	From: E Street To: LPCCA	0.13	M	Per Lansing Moves plan. Connect E Street via 10' offroad multiuse path to Lost Province Center for the Cultural Arts around the American Legion Baseball Field.	Safely connect the American Legion Ballfield and the Lost Province Center for Cultural Arts with E Street.
50	ASHE00018-M	Multiuse Path	American Legion Ballfield Alternate Multiuse Path	From: Multiuse path proposal To: around American Legion Ballfield	0.13	M	Per Lansing Moves plan. Alternate 10' multiuse path option around American Legion Ballfield	Alternate multiuse path connection
51	ASHE00019-M	Multiuse Path	Creeper Trail Park and E Street Access Multiuse Path	From: Creeper Trail Park To: E Street	0.08	M	Per Lansing Moves Plan. Provide access from Creeper Trail Park to E Street via 10' Multiuse Path. Upgrade crossing to all way stop.	Provide safe access to Creeper Trail Park from E Street.
52	ASHE00020-M	Multiuse Path	Depot St and Creeper Trail Park Multiuse Path	From: Creeper Trail Park To: Depot St	0.15	M	Per Lansing Moves plan. Connect Creeper Trail Park to Depot St. Alignment options A and B. 10' multiuse path from Creeper Trail Park to along Depot St.	Connect Lansing Creeper Trail Park to Fire Department
53	ASHE00021-M	Multiuse Path	Fire Department Multiuse Path	From: NC 194 To: Walking Path	0.05	M	Per Lansing Moves plan. Connect to walking trails via a multiuse path from NC 194 to behind the Lansing Fire Department.	Provide safe access to walking trails.
54	ASHE00022-M	Multiuse Path	Neighborhood Multiuse Path Connector	From NC 194 To: A Street	0.05	M	Per Lansing Moves plan. Convert closed road to multiuse path connector to A Street.	Connection for NC 194 to B Street.

ASHE COUNTY COMPREHENSIVE TRANSPORTATION PLAN

May 2023

Public Transportation and Rail Recommendations

Public Transit/Rail Class:	Urban Bus Corridor	Regional Bus Corridor	Rural Bus Corridor	Fixed Guideway				
Amtrak/Freight Route	Park and Ride or Multimodal, Amtrak/Light Rail Station or Intermodal Terminal * Denotes Highway Incidental							
Map ID	Local ID	Improvement Type	Recommendation Name	Limits	Length in Miles	Modes	Description	Identified Need
1	ASHE30001-T	Rural Bus Corridor	NC 88, AEV Ln, Northwest Dr Ag Center Transit Recommendation	From: NC 88 To: AEV Ln To: Northwest Dr	0.89	T	Ag Center Transit Connection	Multimodal Connectivity
2	ASHE40002-T	Rural Bus Corridor	North Main St Ag Center Transit Recommendation	From US 221 BUS To: 1250 Feet From US 221 BUS	0.24	T	Alternate Ag Center Transit Connection	Multimodal Connectivity