

**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section (ft)	lanes	ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)
	I-85	Mecklenburg Co - Bruton Smith Blvd (SR 2894)	Concord	0.5	48	4D	340	65	114700	105000	186700	152000	143000	8-A	340	F	Sta	
	I-85	Bruton Smith Blvd (SR 2894) - Poplar Tent Rd (SR 1394)	Concord	2.9	48	4D	340	65	114700	88000	167200	127700	143000	8-A	340	F	Sta	
	I-85	Poplar Tent Rd (SR 1394) - George Liles Pkwy (SR 2894)	Concord	1.9	48	4D	340	65	114700	84000	155500	122900	143000	8-A	340	F	Sta	
	I-85	George Liles Pkwy (SR 2894) - NC 73	Concord	1.5	48	4D	290	65	114700	79000	159700	123200	143000	8-A	290	F	Sta	
I-3802 A	I-85	NC 73 - US 29	Concord	2.9	48	4D	290	65	56300	79000	151000	128000	143000	8-A	300	F	Sta	
I-3802 A	I-85	US 29 - Centergrove Rd (SR 2114)	Concord	2.7	48	4D	310	65	56300	71000	115000	126700	143000	8-A	310	F	Sta	
I-3802 A	I-85	Centergrove Rd (SR 2114) - Lane St (SR 2180)	Kannapolis	1.4	48	4D	290	65	56300	75000	106400	128200	143000	8-A	300	F	Sta	
I-3802B	I-85	Lane St (SR 2180) - Rowan County	Cabarrus County	0.4	48	4D	290	65	56300	69000	92800	122800	114700	8-A	300	F	Sta	
I-3802B	I-85	Cabarrus County - Old Beatty Ford Rd (SR 1221)	Rowan County	1.7	48	4D	290	65	56300	69000	89200	122800	114700	8-A	300	F	Sta	
I-3802B	I-85	Old Beatty Ford Rd (SR 1221) - NC 152	Rowan County	3.4	48	4D	290	65	56300	69000	89200	115300	114700	8-A	300	F	Sta	
I-3802B	I-85	NC 152 - US 29	China Grove	0.6	96	6D	290	65	114700	68000	89800	116400	114700	8-A	300	F	Sta	
	I-85	US 29 - NC 152 Bypass	Rowan County	1.0	96	8D	290	65	114700	73000	94000	110400	114700	8-A	290	F	Sta	
	I-85	NC 152 Bypass - Airport Pkwy	Rowan County	2.6	96	8D	350	65	114700	75000	94800	111100	114700	8-A	350	F	Sta	
	I-85	Airport Pkwy - US 70 (Jake Alexander Blvd)	Rowan County	1.5	96	8D	350	65	114700	75000	98700	106500	114700	8-A	350	F	Sta	
	I-85	US 70 (Jake Alexander Blvd) - US 52 (Innes St)	Salisbury	1.7	96	8D	330	65	114700	69000	101100	100900	114700	8-A	330	F	Sta	
	I-85	US 52 (Innes St) - Bringle Ferry Rd (SR 1002)	Salisbury	0.8	96	8D	390	65	114700	67000	99900	95100	114700	8-A	390	F	Sta	
	I-85	Bringle Ferry Rd (SR 1002) - US 52 Bypass	Rowan County	1.5	96	8D	460	65	114700	65000	89300	92200	114700	8-A	460	F	Sta	
	I-85	US 52 Bypass - Long Ferry Rd (SR 2120)	Rowan County	1.5	96	8D	360	65	114700	63000	88800	94500	114700	8-A	360	F	Sta	
	I-85	Long Ferry Rd (SR 2120) - Davidson Co	Rowan County	1.8	48	4D	260	65	56300	63000	89700	95600	114700	8-A	300	F	Sta	
CR-000X-H	US 29 (Concord Pkwy)	Mecklenburg Co - Caldwell Road Ext (SR 1302)	Harrisburg	0.5	90	6D	120	50	59900	22000	38000	29500	59900	6-B	150	B	Reg	
CR-000X-H	US 29 (Concord Pkwy)	Caldwell Road Ext (SR 1302)- Morehead Road (SR 1300)	Harrisburg	0.3	90	6D	160	50	59900	22000	38000	31900	59900	6-B	150	B	Reg	
CR-000X-H	US 29 (Concord Pkwy)	Morehead Rd (SR 1300)- Bruton Smith Blvd (SR 2894)	Concord	0.3	90	6D	160	50	59900	25000	37200	37800	59900	6-B	150	B	Reg	
CR-000X-H	US 29 (Concord Pkwy)	Bruton Smith Blvd (SR 2894) - Rocky River	Concord	0.9	72	6D	160	50	59900	28000	40300	41800	59900	6-B	150	B	Reg	
CR-000X-H	US 29 (Concord Pkwy)	Rocky River - Pitts School Rd (SR 1305)	Concord	0.7	60	4D	120	55	40000	27000	33900	40300	59900	6-B	150	B	Reg	
CR-000X-H	US 29 (Concord Pkwy)	Pitts School Rd (SR 1305)- George Liles Pkwy (SR 1310)	Concord	1.3	60	4D	140	55	40000	25000	25700	36200	59900	6-B	150	B	Reg	

**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section (ft)	lanes	ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)
CR-000X-H	US 29 (Concord Pkwy)	George Liles Pkwy (SR 1310)- Rock Hill Church Rd (SR 1414)	Concord	2.0	60	4D	140	55	40000	30000	37200	39500	59900	6-B	150	B	Reg	
CR-000X-H	US 29 (Concord Pkwy)	Rock Hill Church Rd (SR 1414)- Cabarrus Ave (SR 1002)	Concord	0.3	60	4D	120	45	35100	38000	50100	38000	59900	6-B	150	B	Reg	
CR-000X-H	US 29 (Concord Pkwy)	Cabarrus Ave (SR 1002)- US 601	Concord	0.3	60	4D	120	45	35100	20000	44200	36900	59900	6-B	150	B	Reg	
CR-000X-H	US 29 (Concord Pkwy)	US 601 - Weddington Rd Ext (SR 1431)	Concord	0.2	60	4D	120	45	35100	33000	37100	45200	66000	6-B	150	B	Reg	
CR-000X-H	US 29 (Concord Pkwy)	Weddington Rd Ext (SR 1431) - Poplar Tent Rd (SR 1394)	Concord	0.8	60	4D	120	45	35100	34000	36100	51000	66000	6-B	150	B	Reg	
CR-000X-H	US 29 (Concord Pkwy)	Poplar Tent Rd (SR 1394)- Central Dr	Concord	0.9	60	4D	120	45	35100	35000	37100	49500	66000	6-B	150	B	Reg	
CR-000X-H	US 29 (Concord Pkwy)	Central Dr - NC 73 (Davidson Hwy)	Concord	0.4	72	4D	120	45	35100	23000	28400	32500	66000	6-B	150	B	Reg	
CR-000X-H	US 29 (Concord Pkwy)	NC 73 (Davidson Hwy) - NC 73 (Davidson Dr)	Concord	0.3	72	4D	120	45	35100	35000	37500	59100	66000	6-B	150	B	Reg	
CR-000X-H	US 29 (Concord Pkwy)	NC 73 (Davidson Dr) - Church St (SR 2287)	Concord	0.2	72	4D	120	45	35100	26000	30700	44000	66000	6-B	150	B	Reg	
CR-000X-H	US 29 (Concord Pkwy)	Church St (SR 2287) - Main St (SR 1008)	Concord	0.5	65	4D	120	45	35100	37000	49000	47700	66000	6-B	150	B	Reg	
CR-000X-H	US 29 (Concord Pkwy)	Main St (SR 1008) - I-85 S	Concord	0.5	60	4D	120	35	28100	36000	32900	43800	66000	6-B	150	B	Reg	
CR-000X-H	US 29 (Cannon Blvd)	I-85 - Dakota St	Kannapolis	1.5	70	4D	100	45	35100	24000	21900	26700	35100	4-D	110	B	Reg	
CR-000X-H	US 29 (Cannon Blvd)	Dakota St - NC 3 (Dale Earnhardt Blvd)	Kannapolis	0.6	70	4D	100	45	35100	22000	31100	23600	35100	4-D	110	B	Reg	
CR-000X-H	US 29 (Cannon Blvd)	NC 3 (Dale Earnhardt Blvd) - Lane St (SR 2000)	Kannapolis	1.9	60	4D	100	45	35100	20000	23600	21800	35100	4-D	110	B	Reg	
CR-000X-H	US 29 (Cannon Blvd)	Lane St (SR 2000)- Rowan Co	Kannapolis	0.2	60	4D	100	45	35100	17000	21200	20000	35100	4-D	110	B	Reg	
CR-000X-H	US 29 (Cannon Blvd)	Cabarrus Co- 22nd St (SR 1254)	Kannapolis	1.4	60	4D	100	45	35100	16000	19600	16900	35100	4-D	110	B	Reg	
CR-000X-H	US 29 (Cannon Blvd)	22nd St (SR 1254)- Chapel St (SR 1464)	Kannapolis	0.4	60	4D	100	45	35100	15000	22100	13700	35100	4-D	110	B	Reg	
CR-000X-H	US 29 (Cannon Blvd)	Chapel St (SR 1464)- Ryder Ave (SR 1210)	Landis	0.7	60	4D	100	45	35100	11000	15300	10000	35100	4-C	120	B	Reg	
CR-000X-H	US 29 (Cannon Blvd)	Ryder Ave (SR 1210) - Bostian Rd (SR 1221)	Landis	0.6	60	4D	100	55	40000	11000	14300	10000	40000	4-E	135	B	Reg	
CR-000X-H	S. US 29	Bostian Rd (SR 1221) - NC 152 W	China Grove	1.7	60	4D	100	55	40000	14000	16700	12800	40000	4-B	100	B	Reg	
CR-000X-H	S. US 29	NC 152 W - NC 152 E	China Grove	0.6	60	4D	100	55	40000	16000	12700	14500	40000	4-B	100	B	Reg	
	US 29 (Main St)	NC 152 E- NC 152 Bypass (SR 1505)	Rowan County	1.5	60	4D	100	55	40000	10000	11800	10300	40000	5-A	100	Maj	Reg	
	US 29 (Main St)	NC 152 Bypass (SR 1505) - Webb Rd (SR 1500)	Rowan County	0.9	60	5	100	55	40000	10000	9600	14200	40000	5-A	100	Maj	Reg	
	US 29 (Main St)	Webb Rd (SR 1500) - Cedar Springs Rd Ext (SR 1560)	Rowan County	1.6	60	5	100	55	40000	12000	12900	15200	40000	5-A	100	Maj	Reg	
	US 29 (Main St)	Cedar Springs Rd Ext (SR 1560) - US 70 (Jake Alexander Blvd)	Salisbury	2.4	60	5	100	35	28100	14000	16600	12600	28100	5-A	100	Maj	Reg	
	US 29 (Main St)	US 70 (Jake Alexander Blvd) - NC 150 (Mooresville Hwy)	Salisbury	0.5	44	4	100	35	28100	8400	9800	8900	28100	(1)	100	Maj	Reg	
	US 29 (Main St)	NC 150 (Mooresville Hwy) - Crawford St	Salisbury	0.7	36	2	50	35	28100	7900	8900	7800	28100	2-E	50	Maj	Reg	
	US 29 (Main St)	Crawford St - Fisher St	Salisbury	0.6	50	4	80-90	35	28100	7500	12100	7500	28100	(1)	80-90	Maj	Reg	
	US 29 (Main St)	Fisher St - W Innes St (SR 2200)	Salisbury	0.1	66	4	100	20	25400	6900	9700	6900	25400	(1)	100	Maj	Reg	

(1) Existing Four-lane undivided urban section with curb and gutter

**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section		ROW	Speed Limit	Existing Capacity	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity	Cross-Section				ROW
	<b>US 29 (Main St)</b>	W Innes St (SR 2200) - 17th St	Salisbury	1.6	50	4	100	35	28100	6500	11100	6300	28100	(1)	100	Maj	Reg	
	<b>US 29 (Salisbury Ave)</b>	17th St - 8th St	Spencer	0.7	50	4	60	35	28100	6800	9300	5200	28100	(1)	60	Maj	Reg	
	<b>US 29 (Salisbury Ave)</b>	8th St. - 3rd St.	Spencer	0.4	50	4	60	35	28100	6800	18600	5300	28100	(1)	60	Maj	Reg	
	<b>US 29 (Salisbury Ave)</b>	3rd St. - Jake Alexander Blvd N	Spencer	1.1	48	4	60	35	28100	6400	9300	5300	28100	3-B	60	Maj	Reg	
	<b>US 29 (Salisbury Ave)</b>	Jake Alexander Blvd N - Davidson Co	Spencer	2.2	42	4	100	55	40000	6000	4800	7500	40000	3-B	100	Maj	Reg	
	<b>US 52</b>	Stanly Co - Rowan Co	Cabarrus County	1.1	24	2	60	55	15100	6700	10400	5200	15100	2-A	60	Maj	Reg	
CR-000X-H	<b>US 52</b>	Cabarrus Co - Old Beatty Ford Rd (SR 1221)	Rowan County	0.5	28	2	60	55	15100	6700	10400	21500	36600	<b>4-D</b>	<b>110</b>	<b>B</b>	Sta	
CR-000X-H	<b>US 52</b>	Old Beatty Ford Rd (SR 1221) - Old US 80 (SR 2350)	Rowan County	2.1	28	2	60	55	15100	6900	12000	24100	36600	<b>4-D</b>	<b>110</b>	<b>B</b>	Sta	
CR-000X-H	<b>US 52</b>	Old US 80 (SR 2350) - Sides Rd (SR 2340)	Rowan County	2.5	28	2	60	45	14600	7900	12500	21500	36600	<b>4-D</b>	<b>110</b>	<b>B</b>	Sta	
	<b>US 52</b>	Sides Rd (SR 2340) - Emanual Church Rd (SR 2338)	Rockwell	1.2	38	2	60	45	12700	8200	11600	6400	12700	2-B	60	Maj	Reg	
	<b>US 52</b>	Emanual Church Rd (SR 2338) - NC 152 Ext	Rockwell	0.4	38	3	60	45	12700	9500	15700	7500	12700	3-B	60	Maj	Reg	
	<b>US 52</b>	NC 152 Ext - Salisbury St (SR 2344)	Rockwell	0.3	38	3	60	35	12700	11000	14000	7100	11100	2-C	60	Maj	Reg	
	<b>US 52</b>	Salisbury St (SR 2344) - Wilcoy Rd (SR 2325)	Rockwell	0.6	28	3	60	35	11600	12000	15300	7700	11600	3-B	60	Maj	Reg	
	<b>US 52</b>	Wilcoy Rd (SR 2325) - Stone Rd (SR 2315)	Rockwell	1.2	28	2	60	45	12700	12000	14500	11200	12700	2-B	60	Maj	Reg	
	<b>US 52</b>	Stone Rd (SR 2315) - Granite Quarry City Limits	Rowan County	1.0	28	2	60	45	12700	13000	15900	12700	12700	2-B	60	Maj	Reg	
	<b>US 52 (Salisbury Ave)</b>	Granite Quarry City Limits - Brown Acres Rd (SR 2381)	Granite Quarry	0.4	28	2	60	45	12200	12000	15600	12300	12200	2-B	60	Maj	Reg	
	<b>US 52 (Salisbury Ave)</b>	Brown Acres Rd (SR 2381) - Dunns Mountain Rd (SR 2131)	Granite Quarry	1.1	28	2	100	45	12200	13000	15100	11100	12200	2-B	100	Maj	Reg	
	<b>US 52 (Salisbury Ave)</b>	Dunns Mountain Rd (SR 2131) - Dunns Mountain Church Rd (SR 2126)	Granite Quarry	2.9	42	3	100	35	12700	14000	18000	11000	12700	3-B	100	Maj	Reg	
	<b>US 52 (Salisbury Ave)</b>	Dunns Mountain Church Rd (SR 2126) - Salisbury City Limits	Granite Quarry	0.3	52	4D	100	35	22200	15000	17300	22000	22200	(1)	100	Maj	Reg	
	<b>US 52 (Innes St)</b>	Salisbury City Limits - Jake Alexander Blvd (SR 1007)	Salisbury	0.5	52	4D	60	45	24600	15000	17300	22500	24600	(1)	60	Maj	Reg	
	<b>US 52 (Innes St)</b>	Jake Alexander Blvd (SR 1007) - Stokes Ferry Rd (SR 1004)	Salisbury	0.7	52	4D	60	45	24600	12000	17000	23100	24600	4-C	60	Maj	Reg	
	<b>US 52 (Innes St)</b>	Stokes Ferry Rd (SR 1004) - I-85	Salisbury	0.3	52	4D	60	45	24600	25000	22200	24000	24600	4-C	60	Maj	Reg	
		Concurrent with I-85																
CR-000X-H	<b>US 52 Bypass (Misenheimer)</b>	Stanly Co - Rowan Co	Cabarrus County	1.1	-	-	-	-	-	-	-	16000	28100	<b>4-D</b>	<b>110</b>	<b>B</b>	Sta	
CR-000X-H	<b>US 52 Bypass (Rockwell)</b>	US 52 S - Sides Rd (SR 2340)	Rockwell	0.4	20	2	60	55	12000	-	-	17700	45200	<b>4-E</b>	<b>135</b>	<b>B</b>	Sta	
CR-000X-H	<b>US 52 Bypass (Rockwell)</b>	Sides Rd (SR 2340) - Sides Rd (SR 2344)	Rockwell	0.7	-	-	-	-	-	-	-	20100	45200	<b>4-E</b>	<b>135</b>	<b>B</b>	Sta	
CR-000X-H	<b>US 52 Bypass (Rockwell)</b>	Sides Rd (SR 2344) - US 52 S	Rockwell	2.1	20	2	60	45	11900	-	-	23800	45200	<b>4-E</b>	<b>135</b>	<b>B</b>	Sta	

(1) Existing Four-lane undivided urban section with curb and gutter

**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section (ft)	lanes	ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)
CR-000X-H	US 52 Bypass (Granite Quarry)	US 52 S - Brown Acres Road (SR 2381)	Rowan County	2.0	--	--	--	--	-	-	-	20400	45200	4-E	110	B	Sub	M
CR-000X-H	US 52 Bypass (Granite Quarry)	Brown Acres Road (SR 2381) - Dunns Mountain Rd (SR 2131)	Rowan County	1.3	16	2	60	55	13100	500	-	20600	45200	4-E	110	B	Sub	M
CR-000X-H	US 52 Bypass (Granite Quarry)	Dunns Mountain Rd (SR 2131) - US 52 N	Rowan County	1.3	--	--	--	--	-	-	-	23400	45200	4-E	110	B	Sub	M
	US 70 (Statesville Blvd)	Iredell Co - Amity Hill Rd (SR 1001)	Rowan County	3.2	60	4D	220	55	14600	10000	16600	13700	40500	4-C	220	B	Sta	
	US 70 (Statesville Blvd)	Amity Hill Rd (SR 1001) - Mimosa St	Cleveland	1.0	60	4D	220	35	28100	10000	18500	13100	28100	4-B	220	B	Sta	
	US 70 (Statesville Blvd)	Mimosa St - NC 801	Rowan County	2.2	60	4D	220	45	35100	11000	11700	14100	35100	4-B	220	B	Sta	
	US 70 (Statesville Blvd)	NC 801 - NC 801	Rowan County	1.4	60	4D	220	45	35100	11000	10700	13700	35100	4-B	220	B	Sta	
	US 70 (Statesville Blvd)	NC 801 - Kepley Rd (SR 1953)	Rowan County	2.7	60	4D	200	50	35100	11000	11000	13900	35100	4-B	200	B	Sta	
	US 70 (Statesville Blvd)	Kepley Rd (SR 1953)- Enon Church Rd (SR 1944)	Rowan County	1.8	60	4D	200	50	35100	14000	14900	18300	35100	4-B	200	B	Sta	
	US 70 (Statesville Blvd)	Enon Church Rd (SR 1944) - US 601 (Jake Alexander Blvd)	Salisbury	1.7	60	4D	200	45	35100	19000	20900	24900	35100	4-D	200	B	Sta	
	US 70 (Jake Alexander Blvd)	US 601 (Jake Alexander Blvd) - NC 150 (Mooresville Rd)	Salisbury	2.6	60	5	190	45	26800	29000	24600	28500	43900	4-D	190	B	Sta	
	US 70 (Jake Alexander Blvd)	NC 150 (Mooresville Rd) - US 29 (Main St)	Salisbury	0.7	60	4D	190	45	35100	37000	40100	40700	43900	4-D	190	B	Sta	
		Concurrent with US 29																
CR-000X-H	US 601 (Concord Hwy)	Union County - S Midland Town Limits	Cabarrus County	1.9	32	2	100	55	15100	5700	8900	12100	42500	4-C	110	B	Reg	
CR-000X-H	US 601 (Concord Hwy)	S Midland Town Limits - Railroad Crossing	Midland	0.5	32	2	100	35	11100	7300	12000	15900	28100	4-C	110	B	Reg	
CR-000X-H	US 601 (Concord Hwy)	Railroad Crossing - NC 24/27	Midland	1.7	32	2	100	35	11100	8600	15200	20800	28100	4-C	110	B	Reg	
CR-000X-H	US 601 (Concord Hwy)	NC 24/27 - Anderson Creek	Midland	1.2	32	2	100	45	12200	7500	12400	17700	36600	4-C	110	B	Reg	
CR-000X-H	US 601 (Concord Hwy)	Anderson Creek - N Midland Town Limits	Midland	1.1	32	2	100	45	12200	6200	10700	14200	43600	4-C	110	B	Reg	
CR-000X-H	US 601 (Concord Hwy)	N Midland Town Limits - NC 200	Cabarrus County	3.4	40	2	100	55	15100	6000	8100	13000	43600	4-C	110	B	Reg	
CR-000X-H	US 601 (Concord Hwy)	NC 200 - Flowes Store Rd (SR 1132)	Cabarrus County	2.8	40	2	100	55	15100	11000	18300	22600	45000	4-C	110	B	Reg	
CR-000X-H	US 601 (Concord Hwy)	Flowes Store Rd (SR 1132)- NC 49	Concord	0.9	24	2	100	55	14600	18000	30600	37500	50000	4-C	110	B	Reg	
CR-000X-H	US 601 (Warren Coleman Blvd)	NC 49 - NC 3 (Union St S)	Concord	0.1	42	4D	180	35	22300	25000	39100	52000	45800	4-C	110	B	Reg	
CR-000X-H	US 601 (Warren Coleman Blvd)	NC 3 (Union St S) - Zion Church Rd (SR 1155)	Concord	1.9	32	2	180	45	12200	14000	17600	31400	4580	4-C	110	B	Reg	
CR-000X-H	US 601 (Warren Coleman Blvd)	Zion church Rd (SR 1155) - Wilshire Ave (SR 1157)	Concord	0.1	32	2	180	45	12200	16000	23200	33700	45800	4-C	110	B	Reg	
CR-000X-H	US 601 (Warren Coleman Blvd)	Wilshire Ave (SR 1157) - Cabarrus Ave (SR 10020)	Concord	1.7	32	2	180	45	12200	22000	32600	46100	45800	4-C	110	B	Reg	
CR-000X-H	US 601 (Warren Coleman Blvd)	Cabarrus Ave (SR 1002) - US 29	Concord	0.3	63	4D	180	45	24600	23000	22600	36300	45800	4-C	110	B	Reg	

(1) Existing Four-lane undivided urban section with curb and gutter

**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section (ft)	lanes	ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)
		Concurrent with US 29																
		Concurrent with I-85																
	<b>US 601 (Jake Alexander Blvd. S)</b>	I-85 - US 29/70 (S. Main St)	Salisbury	1.2	68	5	150	45	26800	30000	25500	34100	33500	5-A	150	B	Sta	
		Concurrent with US 70																
CR-000X-H	<b>US 601 (Jake Alexander Blvd. N)</b>	US 70 (Statesville Blvd) - W. Innes St (SR 2200)	Salisbury	1.8	24	2	60	55	14600	6900	7800	19400	40500	4-D	110	B	Reg	
	<b>US 601 (Mocksville Road)</b>	W. Innes St (SR 2200) - W Ridge Rd (SR 1915)	Rowan County	0.9	28	2	60	55	14600	8900	12000	10500	14600	2-A	60	Maj	Reg	
	<b>US 601 (Mocksville Road)</b>	W Ridge Rd (SR 1915) - Young Rd (SR 1928)	Rowan County	2.2	28	2	60	55	15100	7200	10000	9800	15100	2-A	60	Maj	Reg	
	<b>US 601 (Mocksville Road)</b>	Young Rd (SR 1928) - Davie Co	Rowan County	2.0	28	2	150	55	15100	4700	7300	6500	15100	2-A	150	Maj	Reg	
CR-000X-H	<b>NC 3 (S Union St)</b>	US 601 (Warren C. Coleman Blvd) - Old Airport Rd (SR 2635)	Concord	0.5	24	2	60	35	11100	12000	16900	27200	33500	5-A	100	B	Reg	
CR-000X-H	<b>NC 3 (Branchview Dr)</b>	Old Airport Rd (SR 2635) - NC 73	Concord	2.4	36	2	200	35	11100	11000	16200	26300	43900	4-E	135	B	Reg	
CR-000X-H	<b>NC 3 (Branchview Dr)</b>	NC 73 - Cabarrus Ave (SR 1002)	Concord	0.6	36	2	100	45	12200	19000	19100	50100	43900	4-C	110	B	Reg	
CR-000X-H	<b>NC 3 (Branchview Dr)</b>	Cabarrus Ave (SR 1002) - Copperfield Blvd	Concord	2.7	32	2	100	45	12200	20000	24900	43600	43900	4-C	110	B	Reg	
CR-000X-H	<b>NC 3 (Branchview Dr)</b>	Copperfield Blvd - Kannapolis City Limits	Concord	0.6	32	2	100	45	12200	15000	17600	24300	35100	4-C	110	B	Reg	
CR-000X-H	<b>NC 3 (Concord Lake Rd)</b>	Concord City Limits - Centergrove Rd (SR 2114)	Kannapolis	1.7	33	2	70	45	12200	13000	14600	25800	35100	4-D	110	B	Reg	
CR-000X-H	<b>NC 3 (Dale Earnhardt Blvd)</b>	Centergrove Rd (SR 2114) - US 29 (Cannon Blvd)	Kannapolis	0.9	48	4	60	45	24600	20000	27800	30000	35100	4-D	110	B	Reg	
CR-000X-H	<b>NC 3 (Dale Earnhardt Blvd)</b>	US 29 (Cannon Blvd) - Rogers Lake Road (SR 1766)	Kannapolis	0.9	64	4	80	45	24600	15000	23600	21300	35100	4-D	110	B	Reg	
CR-000X-H	<b>NC 3 (Dale Earnhardt Blvd)</b>	Rogers Lake Road (SR 1766) - Main St (SR 1008)	Kannapolis	1.2	64	4	80	45	24600	16000	24100	21700	35100	4-D	110	B	Reg	
CR-000X-H	<b>NC 3 (Dale Earnhardt Blvd)</b>	Main St (SR 1008) - Pine St (SR 1609)	Kannapolis	0.9	59	5	80	35	24300	12000	19400	15800	35100	4-D	110	B	Reg	
U-3440	<b>NC 3 ( Mooresville Hwy)</b>	Pine St (SR 1609) - Kannapolis Pkwy (SR 1624)	Kannapolis	2.6	20	2	60	55	12000	10000	20200	15400	35100	4-D	110	B	Reg	
CR-000X-H	<b>NC 3 ( Mooresville Hwy)</b>	Kannapolis Pkwy (SR 1624) - Iredell Co	Cabarrus County	6.7	20	2	100	55	14100	9000	15800	13900	40500	4-D	110	B	Reg	
	<b>NC 8</b>	Stanly Co - Davidson Co	Rowan County	0.3	48	4D	150	55	40000	6900	7000	9900	40000	4-A	150	B	Sta	
	<b>NC 24</b>	Meck County - Sam Black Rd (SR 1127)	Cabarrus County	3.1	48	4D	200	55	45300	18000	29900	27200	45300	4-A	200	E	Sta	
CR-000X-H	<b>NC 24</b>	Sam Black Rd (SR 1127) - McManus Rd (SR 1107)	Midland	3.7	64	5	100	45	26800	17000	24900	24700	45300	4-E	120	E	Sta	
	<b>NC 24</b>	McManus Rd (SR 1107) - Stanly Co	Cabarrus County	1.3	48	4D	200	55	45300	16000	23400	23200	45300	4-A	200	E	Sta	
	<b>NC 27</b>	Concurrent with NC 24	Midland	8.4														
	<b>NC 49</b>	Mecklenburg County - Caldwell Rd (SR 1173)	Harrisburg	0.5	48	4D	100	45	35100	27000	45300	42700	43900	4-C	100	B	Sta	

(1) Existing Four-lane undivided urban section with curb and gutter

**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section (ft)	lanes	ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)
	<b>NC 49</b>	Caldwell Rd (SR 1173) - Morehead Rd (SR 1300)	Harrisburg	0.9	65	5	100	35	24300	29000	43100	30800	40000	<b>4-D</b>	<b>110</b>	<b>B</b>	Sta	
	<b>NC 49</b>	Morehead Rd (SR 1300) - Robinson Church Rd (SR 1166)	Harrisburg	0.3	65	5	80	35	24300	32000	47300	35500	40000	<b>4-D</b>	<b>110</b>	<b>B</b>	Sta	
	<b>NC 49</b>	Robinson Church Rd (SR 1166) - Roberta Rd (SR 1304)	Harrisburg	0.4	65	5	80	35	24300	30000	43100	36800	40000	<b>4-B</b>	<b>110</b>	<b>B</b>	Sta	
	<b>NC 49</b>	Roberta Rd (SR 1304) - Coddle Creek	Harrisburg	0.4	48	4D	220	45	35100	23000	37000	21600	35400	4-B	220	B	Sta	
	<b>NC 49</b>	Coddle Creek - Blackwelder Rd (SR 1307)	Concord	0.4	48	4D	220	45	35100	23000	31400	24600	35400	4-B	220	B	Sta	
	<b>NC 49</b>	Blackwelder Rd (SR 1307) - George Liles Blvd (1309)	Concord	0.9	48	4D	220	45	35100	23000	36000	28900	30800	4-B	220	B	Sta	
	<b>NC 49</b>	George Liles Blvd (SR 1309) - Old Charlotte Rd (SR 1157)	Concord	1.1	48	4D	150	45	35100	20000	36900	27200	30800	4-B	150	B	Sta	
	<b>NC 49</b>	Old Charlotte Rd (SR 1157) - Zion Church Rd (SR 1155)	Concord	1.2	48	4D	200	45	35100	19000	27500	25500	30800	4-B	200	B	Sta	
	<b>NC 49</b>	Zion Church Rd (SR 1155) - US 601 (Warren Coleman Blvd)	Concord	1.6	48	4D	220	45	35100	15000	26100	22100	30800	4-B	220	B	Sta	
	<b>NC 49</b>	US 601 (Warren Coleman Blvd) - Cold Springs Rd (SR 2411)	Concord	3.6	48	4D	220	45	35100	13000	23300	18600	30800	4-B	220	B	Sta	
	<b>NC 49</b>	Cold Springs Rd (SR 2411) - Walker Rd (SR 2710)	Mt Pleasant	0.8	48	4D	220	45	35100	9700	20400	12200	30800	4-B	220	B	Sta	
	<b>NC 49</b>	Walker Rd (SR 2710) - NC 73	Mt Pleasant	1.8	25	2	60	55	14600	9500	17200	11700	45300	<b>4-E</b>	<b>135</b>	<b>B</b>	Sta	
	<b>NC 49</b>	NC 73 - Mt Pleasant Rd (SR 1006)	Mt Pleasant	0.9	24	2	60	45	12700	8200	11300	12600	45300	<b>4-E</b>	<b>135</b>	<b>B</b>	Sta	
	<b>NC 49</b>	Mt Pleasant Rd (SR 1006) - Stanly County	Mt Pleasant	7.4	22	2	60	55	14600	6100	7000	8400	45300	<b>4-E</b>	<b>135</b>	<b>B</b>	Sta	
	<b>NC 49</b>	Concurrent with NC 8	Rowan County	0.3														
<b>CR-000X-H</b>	<b>NC 73 (Davidson Hwy)</b>	Meck Co – Cabarrus Crossing (SR 2949)	Cabarrus County	0.5	36	3	80	55	15900	14000	19600	35300	45200	<b>4-C</b>	<b>110</b>	<b>B</b>	Sta	
<b>CR-000X-H</b>	<b>NC 73 (Davidson Hwy)</b>	Cabarrus Crossing (SR 2949)- Jim Johnson Rd (SR 1602)	Cabarrus County	2.2	24	2	60	55	14600	14000	19300	35900	45200	<b>4-C</b>	<b>110</b>	<b>B</b>	Sta	
<b>CR-000X-H</b>	<b>NC 73 (Davidson Hwy)</b>	Jim Johnson Rd (SR 1602) - Coddle Creek	Cabarrus County	3.0	24	2	60	55	14600	17000	20500	45700	54500	<b>4-C</b>	<b>110</b>	<b>B</b>	Sta	
<b>CR-000X-H</b>	<b>NC 73 (Davidson Hwy)</b>	Coddle Creek – I-85	Kannapolis	2.1	24	2	60	45	12700	16000	24300	40500	54500	<b>4-C</b>	<b>110</b>	<b>B</b>	Sta	
<b>CR-000X-H</b>	<b>NC 73 (Davidson Hwy)</b>	I-85 - International Blvd (SR 1429)	Concord	0.2	24	2	60	35	11100	22000	41400	46600	54500	<b>4-E</b>	<b>135</b>	<b>B</b>	Reg	
<b>CR-000X-H</b>	<b>NC 73 (Davidson Hwy)</b>	International Blvd (SR 1429) - Central Dr	Concord	2.2	24	2	60	35	11100	17000	22100	40700	43600	<b>4-E</b>	<b>135</b>	<b>B</b>	Reg	
<b>CR-000X-H</b>	<b>NC 73 (Davidson Hwy)</b>	Central Dr - US 29 (Concord Pkwy)	Concord	0.4	20	2	60	35	10400	10000	13400	33800	43600	<b>4-E</b>	<b>135</b>	<b>B</b>	Reg	
<b>CR-000X-H</b>		Concurrent with US 29 (Concord Pkwy)	Concord															
<b>CR-000X-H</b>	<b>NC 73 (Davidson Dr)</b>	US 29 (Concord Pkwy) - Church St (SR 2287)	Concord	0.3	44	2	60	35	11100	9200	20000	11300	28100	<b>4-C</b>	<b>110</b>	<b>B</b>	Reg	
<b>CR-000X-H</b>	<b>NC 73 (Church St)</b>	Church St (SR 2287) - Winecoff Ave	Concord	0.4	58	4D	60	35	22200	19000	33100	32500	28100	<b>4-C</b>	<b>110</b>	<b>B</b>	Reg	
<b>CR-000X-H</b>	<b>NC 73 (Church St)</b>	Winecoff Ave - Todd Dr	Concord	0.5	58	4D	60	35	22200	19000	23200	28200	28100	<b>4-C</b>	<b>110</b>	<b>B</b>	Reg	
<b>CR-000X-H</b>	<b>NC 73 (Church St)</b>	Todd Dr - Douglas Av	Concord	0.3	46	3	60	35	12700	19000	19600	28200	28100	<b>4-C</b>	<b>110</b>	<b>B</b>	Reg	
<b>CR-000X-H</b>	<b>NC 73 (Church St)</b>	Douglas Av - Buffaloe Ave	Concord	0.3	40	3	60	35	12700	16000	22400	24900	28100	<b>4-C</b>	<b>110</b>	<b>B</b>	Reg	
<b>CR-000X-H</b>	<b>NC 73 (Church St)</b>	Buffaloe Ave - Killarney Ave	Concord	0.6	36	2	60	35	11100	10000	8600	19400	28100	<b>4-C</b>	<b>110</b>	<b>B</b>	Reg	

(1) Existing Four-lane undivided urban section with curb and gutter

**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section (ft) lanes		ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)
CR-000X-H	NC 73 (Church St)	Killarney Ave - Cabarrus Ave (SR 1002)	Concord	0.1	44	2	60	20	11000	10000	17400	21100	25400	4-C	110	B	Reg	
CR-000X-H	NC 73 (Church St)	Cabarrus Ave (SR 1002) - Corban Av	Concord	0.2	44	2	60	20	11000	8900	11000	9900	25400	4-C	110	B	Reg	
CR-000X-H	NC 73 (Corban Ave)	Corban Ave - Mccachern Ave	Concord	0.1	44	2	60	20	11000	7700	10200	10300	13800	3-B	80	Maj	Reg	
CR-000X-H	NC 73 (Corban Ave)	Mccachern Ave - NC 3 (Branchview Dr)	Concord	0.5	32	2	60	35	11100	8500	12700	11700	13800	3-B	80	Maj	Reg	
CR-000X-H	NC 73 (Mt. Pleasant Hwy)	NC 3 (Branchview Dr) - Crestmont Dr (SR 2643)	Concord	1.5	24	2	60	35	11100	12000	18400	25400	28100	4-E	135	B	Reg	
CR-000X-H	NC 73 (Mt. Pleasant Hwy)	Crestmont Dr (SR 2643) - NC 49	Cabarrus County	5.7	24	2	100	55	14600	8100	10800	13600	28100	4-C	110	B	Reg	
CR-000X-H	NC 73 (Franklin St)	NC 49 - Mount Pleasant Limits	Mt Pleasant	0.4	24	2	60	45	12200	9300	17900	9100	13800	3-B	80	Maj	Reg	
CR-000X-H	NC 73 (Franklin St)	Mount Pleasant Limits - Mount Pleasant Limits	Mt Pleasant	1.4	24	2	60	35	11100	9500	12300	8000	12700	3-B	80	Maj	Reg	
CR-000X-H	NC 73 (Franklin St)	Mount Pleasant Limits - Mount Pleasant Bypass	Mt Pleasant	0.4	24	2	60	55	12900	7100	10900	6000	15900	3-B	80	Maj	Reg	
CR-000X-H	NC 73 (Mt. Pleasant Hwy)	Mount Pleasant Bypass - Stanly County	Cabarrus County	2.7	24	2	60	55	12900	5400	8700	7100	16500	4-C	110	B	Reg	
	NC 150 (Mooresville Rd)	Iredell Co - Graham Rd (SR 1547)	Rowan County	5.1	22	2	60	55	14600	5400	6800	8700	14600	2-A	60	Maj	Reg	
	NC 150 (Mooresville Rd)	Graham Rd (SR 1547) - White Rd (SR 1737)	Rowan County	2.4	22	2	60	55	14600	3800	4600	6200	14600	2-A	60	Maj	Reg	
CR-000X-H	NC 150 (Mooresville Rd)	White Rd (SR 1737) - Briggs Rd (SR 1728)	Rowan County	2.6	18	2	60	55	13600	3900	5400	5900	14600	2-A	60	Maj	Reg	
CR-000X-H	NC 150 (Mooresville Rd)	Briggs Rd (SR 1728) - Quail Dr (SR 1600)	Rowan County	2.6	18	2	60	55	13600	5700	6600	9500	40500	4-F	100	B	Reg	
CR-000X-H	NC 150 (Mooresville Rd)	Quail Dr (SR 1600) - Candlewick Dr (SR 1825)	Salisbury	1.2	20	2	60	50	11700	11000	12100	18000	40000	4-G	110	B	Reg	
CR-000X-H	NC 150 (Mooresville Rd)	Candlewick Dr (SR 1825) - Grants Creek	Salisbury	0.3	22	2	60-100	45	11800	15000	15100	19400	40000	4-G	110	B	Reg	
	NC 150 (Mooresville Rd)	Grants Creek - US 70 (Jake Alexander Blvd W)	Salisbury	0.6	64	5	100-110	35	24300	14000	16400	17100	24300	5-A	100-110	Maj	Reg	
	NC 150 (Mooresville Rd)	US 70 (Jake Alexander Blvd W) - US 29 (Main St)	Salisbury	0.7	26	2	100	35	11100	5700	5600	6300	11100	2-B	100	Maj	Reg	
	NC 150	Concurrent with US 29																
CR-000X-H	NC 152 W	Iredell Co - NC 152 Bypass W	Rowan County	8.1	24	2	100	55	15100	7300	8800	10400	15900	3-A	80	Maj	Reg	
CR-000X-H	NC 152 W (W Church St)	NC 152 Bypass W - China Grove Limits	Rowan County	1.7	24	2	100	55	15100	7700	7000	8100	14200	3-B	100	Maj	Sub	
CR-000X-H	NC 152 W (W Church St)	China Grove Limits - Miller Rd (SR 1509)	China Grove	0.4	24	2	100	45	12700	8600	8300	9600	12900	3-B	100	Maj	Sub	
CR-000X-H	NC 152 W (W Church St)	Miller Rd (SR 1509) - Mitchell Ave (SR 1569)	China Grove	0.2	24	2	100	35	11100	11000	11800	8700	12700	3-B	100	Maj	Sub	
CR-000X-H	NC 152 W (W Church St)	Mitchell Ave (SR 1569) - N Main St (SR 2739)	China Grove	0.2	36	2	50	35	11100	11000	11500	9100	11100	2-E	50	Maj	Sub	
CR-000X-H	NC 152 W (W Church St)	N Main St (SR 2739) - US 29	China Grove	0.7	40	2	50	35	11100	9800	11500	9400	11100	2-E	50	Maj	Sub	
	NC 152 E	Concurrent with US 29	China Grove	0.7														
	NC 152 E	US 29 - I-85	China Grove	0.3	40	4	180	45	24600	11000	14100	10700	24600	4-C	180	Maj	Sub	

(1) Existing Four-lane undivided urban section with curb and gutter

**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section (ft)	lanes	ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)
CR-000X-H	NC 152 E	I-85 - NC 152 Bypass (SR 2553)	China Grove	1.5	20	2	60	55	13600	8800	11500	11200	35100	4-D	110	B	Sub	
CR-000X-H	NC 152 E	NC 152 Bypass (SR 2553) - Old Salisbury Concord Rd (SR 1002)	Rowan County	1.0	20	2	60	55	14100	8100	10900	13200	40500	4-E	110	B	Reg	
CR-000X-H	NC 152 E	Old Salisbury Concord Rd (SR 1002) - Faith Rd (SR 1006)	Rowan County	3.9	24	2	60	55	15100	6100	10400	9200	40500	4-E	110	B	Reg	
CR-000X-H	NC 152 (China Grove Hwy)	Faith Rd (SR 1006) - Rockwell City Limits	Rowan County	2.0	24	2	60	45	14600	7200	9600	10400	40500	4-E	110	B	Reg	
CR-000X-H	NC 152 (China Grove Hwy)	Rockwell City Limits - Shinn St	Rockwell	0.1	24	2	50	45	12200	5700	9000	8200	35100	4-B	110	B	Reg	
CR-000X-H	NC 152 (China Grove Hwy)	Shinn St - Cannon St	Rockwell	0.2	24	2	50	35	11100	5100	7900	7300	35100	4-B	110	B	Reg	
CR-000X-H	NC 152 (China Grove Hwy)	Cannon St - US 52 (W Main St)	Rockwell	0.4	36	2	50	35	11100	4300	6500	6200	28100	4-B	110	B	Reg	
CR-000X-H	NC 152 Ext. (Market St)	US 52 (W Main St) - Palmer Rd (SR 2341)	Rockwell	0.3	18	2	50	45	11000	1700	2300	2000	28100	4-D	110	B	Reg	
CR-000X-H	NC 152 Ext.	Palmer Rd (SR 2341) - US 52 Bypass	Rockwell	0.8	-	-	-	-	-	-	-	1100	28100	4-D	110	B	Reg	
CR-000X-H	NC 152 Bypass (Goodman Rd)	W NC 152 - Goodman Rd (SR 1210)	Rowan County	0.5	18	2	60	45	13100	-	-	5200	16500	3-A	80	B	Reg	
CR-000X-H	NC 152 Bypass	Goodman Rd (SR 1210) - Mt. Hope Church Rd (SR 1505)	Rowan County	4.7	-	-	-	-	-	-	-	5600	16500	3-A	80	B	Reg	
CR-000X-H	NC 152 Bypass	Mt. Hope Church Rd (SR 1505) - Menius Rd (SR 2553)	Rowan County	1.6	18	2	60	55	13600	-	-	4700	16500	3-A	80	B	Reg	
CR-000X-H	NC 152 Bypass	Menius Rd (SR 2553) - E NC 152	Rowan County	0.8	18	2	60	45	13100	1400	-	4000	16500	3-A	80	B	Reg	
CR-000X-H	NC 153	W NC 152 - Cannon Farm Rd (SR 1197)	Rowan County	2.2	22	2	60	55	14100	3500	4300	3300	15900	3-B	80	Maj	Reg	
CR-000X-H	NC 153 (W Rice St)	Cannon Farm Rd (SR 1197) - Main St (SR 2739)	Landis	1.3	35	2	50	35	11100	4800	6000	5900	12700	3-B	80	Maj	Reg	
	NC 200	Stanly Co - US 601	Cabarrus County	3.1	24	2	60	55	15100	4700	7000	10100	15100	3-A	90	Maj	Reg	
	NC 801	Iredell Co - Bear Poplar Rd (SR 1547)	Rowan County	5.8	28	2	60	55	15100	3700	5800	7000	15100	2-A	60	Maj	Reg	
	NC 801	Bear Poplar Rd (SR 1547) - Sherrills Ford Rd (SR 1526)	Rowan County	2.2	24	2	60	55	15100	3300	4000	5000	15100	2-A	60	Maj	Reg	
	NC 801	Sherrills Ford Rd (SR 1526) - US 70 (Statesville Blvd)	Rowan County	1.8	32	2	100	35	11100	5300	5400	7900	11100	2-A	100	Maj	Reg	
	NC 801	Concurrent with US 70	Rowan County															
	NC 801	US 70 (Statesville Blvd) - Woodleaf Rd (SR 2048)	Rowan County	3.6	24	2	100	55	15100	3300	5300	4700	15100	2-A	100	Maj	Reg	
	NC 801	Woodleaf Rd (SR 2048) - Davie Co	Rowan County	3.2	20	2	100	55	14100	4000	7000	5600	14100	2-A	100	Maj	Reg	
CR-000X-H	Airport Rd-Homer Corriher Rd Connector (SR 1198)	NC 153 - Cannon Farm Rd (SR 1197)	Landis	0.8	20	2	60	45	11400	-	-	1200	15100	2-A	60	Min	Sub	
CR-000X-H	Airport Rd-Homer Corriher Rd Connector	Cannon Farm Rd (SR 1197)- West A St (SR 1100)	Landis	1.0	-	-	-	-	-	-	-	1300	11700	2-A	60	Min	Sub	
CR-000X-H	Airport Rd-Homer Corriher Rd Connector (SR 1182)	West A St (SR 1100) - Main St (SR1008)	Landis	0.6	16	2	60	35	9200	300	-	1200	10200	2-A	60	Min	Sub	

(1) Existing Four-lane undivided urban section with curb and gutter



**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section (ft)	lanes	ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)
CR-000X-H	<b>Airport Parkway</b>	US 29 - Airport Road (SR 1516)	Salisbury	1.1	20	2	60	45	11400	1700	-	2600	11400	4-D	110	B	Sub	
CR-000X-H	<b>Airport Parkway</b>	Airport Rd (SR 1516) - National Guard Armory Road (SR 1625)	Salisbury	0.9	24	2	60	35	11100	-	-	9300	35100	4-D	110	B	Sub	
CR-000X-H	<b>Airport Parkway</b>	National Guard Armory Road (SR 1625) - Rowan Mill Rd (SR 1526)	Salisbury	0.6	-	-	-	-	-	-	-	9300	28100	4-D	110	B	Sub	
CR-000X-H	<b>Airport Parkway</b>	Rowan Mill Rd (SR 1526) - NC 150 (Mooresville Rd)	Salisbury	0.4	24	2	40	35	10200	-	-	7400	28100	4-D	110	B	Sub	
CR-000X-H	<b>Airport Parkway</b>	NC 150 (Mooresville Rd) -US 70 (Jake Alexander Blvd )	Salisbury	1.2	-	-	-	-	-	-	-	6000	28100	4-D	110	B	Sub	
CR-000X-H	<b>Airport Rd (SR 1514)</b>	NC 150 (Mooresville Rd) - Miller Chapel Rd (SR 1514)	Rowan County	0.7	20	2	60	45	10900	3500	5300	3000	12200	2-A	60	Min	Sub	
CR-000X-H	<b>Airport Rd (SR 1514)</b>	Miller Chapel Rd (SR 1514) - Grants Creek	Rowan County	0.9	20	2	60	45	10900	3500	5600	3600	12200	2-A	60	Min	Sub	
CR-000X-H	<b>Airport Rd. (SR 1516)</b>	Grants Creek - US 29 (S Main St)	Salisbury	1.9	20	2	60	45	10900	4200	4500	1400	11700	2-E	60	Min	Sub	
CR-000X-H	<b>Airport Rd. Extension</b>	US 29 (S. Main St) - Peach Orchard Rd (SR 2539)	Rowan County	0.8	-	-	-	-	-	-	-	1800	12200	2-A	60	Min	Sub	
CR-000X-H	<b>Amity Hill Rd (SR 1001)</b>	Iredell Co - US 70 (Statesville Blvd)	Rowan County	4.7	20	2	60	55	13600	3000	3500	4100	14600	2-A	60	Min	Sub	
CR-000X-H	<b>Andrews St. (SR 1915)</b>	Spencer City Limits - Long St (SR 2100)	East Spencer	0.1	16	2	60	35	9200	5200	-	4400	9200	2-E	60	Min	Sub	
CR-000X-H	<b>Andrews St. (SR 1915)</b>	Long St (SR 2100) - I-85	East Spencer	1.0	36	2	60	35	10200	8000	4400	7700	10200	2-E	60	Min	Sub	
CR-000X-H	<b>Anthony Rd Ext. (SR 2382)</b>	US 52 - US 52 Bypass	Rockwell	0.5	-	-	-	-	-	-	-	900	10200	2-A	60	Min	Sub	
	<b>Archibald Rd (SR 1153)</b>	Rocky River Rd (SR 1139) - Zion Church Rd (SR 1152)	Concord	1.1	18	2	60	55	13100	2000	5100	4600	13100	2-A	70	Min	Sub	
	<b>Artz Rd (SR 2319)</b>	Mt. Hope Church Rd (SR 1505) - Faith Rd (SR 1006)	Faith	1.2	20	2	60	55	14100	-	-	400	14100	2-A	60	Min	Sub	
	<b>Arlington St. Extension</b>	Ryan St - Old Concord Rd. (SR 1002)	Salisbury	0.9	-	-	-	-	-	-	-	400	10200	2-E	60	Min	Sub	
	<b>Arlington St</b>	Old Concord Rd. (SR 1002) - Innes St (SR 2200)	Salisbury	0.6	48	4	100	35	22200	-	-	600	22200	4-C	100	B	Sub	
	<b>Arlington St</b>	Innes St (SR 2200) - Park Ave	Salisbury	0.3	24	2	50	35	10200	-	-	400	10200	2-H	50	Min	Sub	
	<b>Baker Mill Rd (SR 1957)</b>	Third Creek Church Rd (SR 1973) - Cool Springs Rd (SR 1003)	Rowan County	2.9	18	2	60	45	13100	-	-	1100	13100	2-A	60	Min	Sub	
	<b>Bank St (SR 2314)</b>	Granite Quarry city limits - US 52 (MAIN ST)	Granite Quarry	0.1	18	2	60	35	9200	2100	2700	5600	9200	2-E	60	Min	Sub	
	<b>Bank St. (Salisbury)</b>	Ellis St. - US 29 (Main St)	Salisbury	0.3	24	2	50	25	10000	-	-	5000	10000	2-H	50	Min	Sub	
	<b>Bank St. (Salisbury)</b>	US 29 (Main St) - Long St (SR 1002)	Salisbury	0.3	24	2	50	25	10000	-	-	5000	10000	2-H	50	Min	Sub	

(1) Existing Four-lane undivided urban section with curb and gutter

**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section (ft) lanes		ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)
CR-000X-H	<b>Barger Rd (SR 2377)</b>	Gold Knob Rd (SR 2375) - Trexler Rd (SR 2378)	Rowan County	0.9	18	2	60	55	13600	1200	1300	1100	14600	2-A	60	Min	Sub	
	<b>Barrier Store Road (SR 2622)</b>	Mt Pleasant Rd (SR 1006) - Stanly County	Cabarrus County	3.5	20	2	60	45	13600	1100	2500	1700	13600	2-B	60	Min	Sub	
CR-000X-H	<b>Barringer Rd (SR 1728)</b>	NC 150 (Mooresville Rd) - Sherrills Ford Rd (SR 1526)	Rowan County	1.5	22	2	60	55	14600	3600	4500	4700	14600	2-A	60	Min	Sub	
CR-000X-H	<b>Beard Rd (SR 2893)</b>	Mecklenburg Co - Cox Mill Rd	Concord	0.2	18	2	40	45	11000	-	-	15200	16500	3-C	80	Min	Sub	
	<b>Bernhardt Rd (SR 1512)</b>	Grace Church Rd (SR 1503) - Miller Chapel Rd (SR 1514)	Rowan County	1.5	20	2	60	45	13600	-	-	1400	13600	2-A	60	Min	Sub	
	<b>Bethel School Rd (SR 1120)</b>	US 601 S - Midland Rd (SR 1221)	Cabarrus County	1.0	24	2	60	45	13600	-	7600	2700	13100	2-A	60	Min	Sub	
CR-000X-H	<b>Blackwelder Rd (SR 1307)</b>	NC 49 - Roberta Rd (SR 1304)	Cabarrus County	1.2	18	2	60	45	11000	700	2400	2400	13100	3-B	80	B	Sub	
	<b>Bostian Rd (SR 1221)</b>	Old Beatty Ford Rd (SR 1210) - S US 29	Rowan County	1.0	18	2	60	45	11000	500	1000	2000	11000	2-A	60	Min	Sub	
	<b>Brantley Rd (SR 2000)</b>	Lane St (SR 2180) - Midlake Rd (SR 2198)	Kannapolis	1.9	22	2	50	45	11300	3400	6500	4300	11300	2-B	50	Min	Sub	
	<b>Brantly Rd (SR 2000)</b>	Midlake Rd (SR 2198) - Old Salisbury Rd (SR 1002)	Kannapolis	2.0	22	2	50	45	11300	2000	3700	2400	11300	2-B	50	Min	Sub	
CR-000X-H	<b>Brenner Ave</b>	US 70 (Statesville Blvd) - Hedrick St	Salisbury	0.5	18	2	50	35	9200	7000	8700	13300	24300	3-B	80	Min	Sub	
CR-000X-H	<b>Brenner Ave</b>	Hedrick St - US 601 (Jake Alexander Blvd)	Salisbury	1.1	18	2	80	35	9200	13000	13500	24300	24300	3-B	80	Min	Sub	
CR-000X-H	<b>Briggs Ave (SR 1728)</b>	Sherrills Ford Rd (SR 1526) - US 70 (Statesville Blvd)	Rowan County	2.2	22	2	60	55	12500	2500	4200	3900	12200	2-A	60	Min	Sub	
CR-000X-H	<b>Bringle Ferry Rd. Ext</b>	US 29 (N Main St) - Long St (SR 1002)	Salisbury	0.2	-	-	-	-	-	-	-	4000	11700	3-B	80	Min	Sub	
CR-000X-H	<b>Bringle Ferry Rd. (SR 1002)</b>	Long St. (SR 1002) - Shaver St.	Salisbury	0.1	30	2	50-60	35	10200	5100	7000	5200	11700	3-B	80	Min	Sub	
	<b>Bringle Ferry Rd. (SR 1002)</b>	Shaver St - Newsome Rd	Salisbury	0.9	28	2	50-70	35	10200	4600	5800	4300	10200	2-E	50-70	Min	Sub	
	<b>Bringle Ferry Rd. (SR 1002)</b>	Newsome Rd - Bankett Rd (SR 2242)	Salisbury	0.4	28	2	80	35	10200	4300	6100	4300	10200	2-A	80	Min	Sub	
	<b>Bringle Ferry Rd. (SR 1002)</b>	Bankett Rd (SR 2242) - Earnhardt Rd (SR 2126)	Rowan County	0.3	28	2	80	45	12200	5800	6300	4600	12200	2-A	80	Min	Sub	
	<b>Bringle Ferry Rd (SR 1002)</b>	Earnhardt Rd (SR 2126) - Providence Church Rd (SR 2134)	Rowan County	3.7	28	2	80	45	14600	4300	8500	4400	14600	2-A	80	Min	Sub	
	<b>Bringle Ferry Rd (SR 1002)</b>	Providence Church Rd (SR 2134) - St Matthews Church Rd (SR 2340)	Rowan County	7.8	24	2	80	55	15100	3600	5200	4600	15100	2-A	80	Min	Sub	

(1) Existing Four-lane undivided urban section with curb and gutter

**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section (ft)	lanes	ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)
	<b>Bringle Ferry Rd (SR 1002)</b>	St Matthews Church Rd (SR 2340) - Richfield Rd (SR 1005)	Rowan County	0.4	24	2	80	55	15100	1200	2500	1700	15100	2-A	80	Min	Sub	
	<b>Bringle Ferry Rd (SR 1002)</b>	Richfield Rd (1005) - Davidson Co	Rowan County	0.9	24	2	60	55	15100	1200	1800	1700	15100	2-A	60	Min	Sub	
CR-000X-H	<b>Broadway Avenue Extension</b>	US 601 - NC 24/27	Midland	-	-	-	-	-	-	-	-	300	12200	2-E	60	Min	Sub	
CR-000X-H	<b>Brookwood Ave</b>	McGill Ave - Harris St	Concord	0.3	-	-	-	-	-	-	-	1300	10200	3-B	80	Min	Sub	
CR-000X-H	<b>Brookwood Ave</b>	Harris St - NC 73 (Church St)	Concord	0.7	30	2	50	35	10200	3600	-	5000	10200	3-B	80	Min	Sub	
CR-000X-H	<b>Brookwood Ave</b>	NC 73 (Church St) - Burrage Rd	Concord	1.1	30	2	60	35	10200	1600	4500	8000	10200	3-B	80	Min	Sub	
	<b>Brown Rd (SR 1211)</b>	W NC 152 - Millbridge Rd (SR 1350)	Rowan County	3.0	22	2	60	45	14100	1400	2900	1400	14100	2-A	60	Min	Sub	
	<b>Brown Street (SR 1505)</b>	W 3rd St - Main St (SR 1006)	Faith	0.4	22	2	40	35	9900	1500	1800	1800	9900	2-C	40	Min	Sub	
CR-000X-H	<b>Bruton Smith Boulevard (SR 2894)</b>	US 29 - ZMAX Raceway	Concord	0.6	68	5	120	55	28400	20000	29600	27100	42200	6-E	150	Maj	Sub	
CR-000X-H	<b>Bruton Smith Boulevard (SR 2894)</b>	ZMAX Raceway - I-85	Concord	1.4	48	4D	150	35	28100	34000	58800	44700	42200	6-E	150	Maj	Sub	
CR-000X-H	<b>Buffalo Ave</b>	McGill Ave - NC 73 (Church St)	Concord	0.2	30	2	40	35	10200	8700	11800	11000	10200	2-G	85	Min	Sub	
CR-000X-H	<b>Burrage Rd</b>	Old Salisbury-Concord Rd (SR 1002) - Brookwood Ave	Concord	0.9	28	2	50	35	10200	2700	7300	1000	11700	2-E	60	Min	Sub	
CR-000X-H	<b>Burrage Rd</b>	Brookwood Ave - NC 3 (Branchview Dr)	Concord	1.3	24	2	60	35	10200	2900	7900	1900	11700	2-E	60	Min	Sub	
CR-000X-H	<b>Burrage Rd</b>	NC 3 (Branchview Dr) - Lake Concord Rd	Concord	0.6	24	2	60	35	10200	3100	6100	3700	11700	2-E	60	Min	Sub	
	<b>Cabarrus Ave (SR 1002)</b>	US 29 (Concord Pkwy) - US 601 (Warren Coleman Blvd)	Concord	0.2	60	5	100	35	24300	18000	20400	19600	24300	5-A	100	Maj	Sub	
	<b>Cabarrus Ave (SR 1002)</b>	US 601 (Warren Coleman Blvd) - Old Charlotte Rd	Concord	0.9	45	2D	60	35	14000	11000	24200	11500	14000	2-I	85	B	Sub	
CR-000X-H	<b>Cabarrus Ave (SR 1002)</b>	Old Charlotte Rd - Kerr St	Concord	0.5	40	2	60	35	11100	13000	37600	18000	14000	2-I	90	B	Sub	
CR-000X-H	<b>Cabarrus Ave (SR 1002)</b>	Kerr St - NC 73 (Union St)	Concord	0.5	40	2	60	35	11100	8800	13800	15600	14000	2-I	90	B	Sub	
CR-000X-H	<b>Cabarrus Ave (SR 1002)</b>	NC 73 (Union St) - NC 3	Concord	0.8	32	2	50	35	11100	6800	10600	11600	14000	2-I	90	B	Sub	
	<b>Cabarrus Station Rd (SR 1121)</b>	Mecklenburg Co - Midland Rd (SR 1221)	Midland	2.2	24	2	60	45	12200	7300	3100	24900	12200	2-A	60	Min	Sub	
	<b>Cal Bost Rd (SR 1143)</b>	Helmdale Ext - US 601	Cabarrus County	2.2	24	2	60	45	12200	7300		24300	12200	2-A	60	Min	Sub	
CR-000X-H	<b>Caldwell Rd (SR 1173)</b>	Tom Query Rd (SR 1166) - NC 49	Harrisburg	0.9	20	2	60	45	11400	7300	14700	27900	35100	4-D	110	B	Sub	

(1) Existing Four-lane undivided urban section with curb and gutter

**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section (ft)	lanes	ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)
CR-000X-H	<b>Caldwell Connector</b>	NC 49 - Hudspeth Rd (SR 1302)	Concord	1.5	-	-	-	-	-	-	-	5300	35100	4-D	110	B	Sub	
CR-000X-H	<b>Caldwell Connector</b>	Hudspeth Rd (SR 1302) - US 29 (Concord Pkwy)	Concord	0.8	18	2	45	35	9200	-	-	5600	35100	4-D	100	B	Sub	
CR-000X-H	<b>Caldwell Connector</b>	US 29 (Concord Pkwy) - Weddington Rd Ext (SR 1431)	Concord	1.3	-	-	-	-	-	-	-	10700	35100	4-D	100	B	Sub	
	<b>Caldwell Rd (SR 1547)</b>	Millbridge Rd (SR 1547)- NC 150 (Mooresville Hwy)	Rowan County	1.9	22	2	60	45	14100	1100	1600	1500	14100	2-A	60	Min	Sub	
	<b>Cannon Blvd (SR 2664)</b>	NC 152 - I-85	China Grove	0.9	48	4D	275	55	40000	9900	23300	7300	40000	4-A	275	F	Sub	
	<b>Cannon Farm Rd (SR 1197)</b>	Enochville Ave (SR 1351) - NC 153 (Rice St)	Rowan County	2.8	24	2	60	45	12200	2600	3500	2900	12200	2-A	60	Min	Sub	
	<b>Cauble Rd (SR 1911)</b>	US 601 - E Ridge Rd (SR 1915)	Rowan County	2.8	18	2	60	45	13100	1000	-	2400	13100	2-A	60	Min	Sub	
	<b>Cemetery St.</b>	Fulton St - Caldwell St	Salisbury	0.2	28	2	40	20	10000	-	-	100	10000	2-E	40	Min	Sub	
CR-000X-H	<b>Centergrove Rd (SR 2114)</b>	Dale Earnhardt Blvd (SR 2126) - Midlake Rd (SR 2198)	Kannapolis	1.1	20	2	40	45	11400	6200	9200	6100	12200	2-E	60	Min	Sub	
CR-000X-H	<b>Centergrove Rd (SR 2114)</b>	Midlake Rd (SR 2198) - Camp Julia Rd (SR 2119)	Kannapolis	0.9	20	2	40	45	11400	2500	4700	2200	12200	2-E	60	Min	Sub	
CR-000X-H	<b>Centergrove Rd (SR 2114)</b>	Camp Julia Rd (SR 2119) - Penninger Rd (SR 2113)	Kannapolis	1.7	22	2	50	45	14100	1200	5300	1000	14100	2-E	60	Min	Sub	
CR-000X-H	<b>Central Dr</b>	NC 73 - US 29	Concord	0.3	19	2	40	45	10700	3400	-	7800	13100	3-B	80	Min	Sub	
	<b>Chapel St (SR 1464)</b>	US 29 (Cannon Blvd) - Beaver St	Landis	0.5	28	2	60	35	10200	4200	2900	4700	10200	2-D	60	Min	Sub	
	<b>Chapel St (SR 1464)</b>	Beaver St - Rice St	Landis	0.4	35	2	50	35	10200	3000	3100	2200	10200	2-E	50	Min	Sub	
	<b>Chapel St (SR 1464)</b>	Rice St - Ryder Ave (SR 1210)	Landis	0.3	28	2	50	35	10200	2500	3600	2600	10200	2-E	50	Min	Sub	
CR-000X-H	<b>Charles St (SR 2026)</b>	3rd St - US 29	Spencer	1.2	24	2	45	35	10200	1000	-	1300	11700	3-B	80	Min	Sub	
CR-000X-H	<b>Chestnut Dr</b>	Lincoln St - NC 73 (Union St)	Concord	0.2	20	2	40	35	9500	500	400	900	10200	2-E	60	Min	Sub	
	<b>China Grove Rd (SR 2202)</b>	Brantley St (SR 2000) - Rowan County	Kannapolis	0.7	18	2	50	45	10500	600	1300	500	10500	2-E	60	Min	Sub	
	<b>China Grove Rd (SR 1238)</b>	Cabarrus County - Moose Rd (SR 1308)	Kannapolis	0.4	18	2	60	45	10500	1500	2800	800	10500	2-E	60	Min	Sub	
	<b>China Grove Rd (SR 1238)</b>	Moose Rd (SR 1308) - Old Beatty Ford Rd (SR 1221)	Rowan County	1.4	22	2	60	45	14100	1400	4000	1000	14100	2-A	60	Min	Sub	
	<b>China Grove Rd (SR 1238)</b>	Old Beatty Ford Rd (SR 1221) - US 29 (Cannon Blvd)	Rowan County	1.9	22	2	60	45	14100	1100	2800	2300	14100	2-A	60	Min	Sub	

(1) Existing Four-lane undivided urban section with curb and gutter

**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section (ft)	lanes	ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)
CR-000X-H	Christenbury Pkwy (SR 1447)	Derita Rd (SR 1445) - Cox Mill Rd (SR 1448)	Concord	0.4	48	4D	110	45	35100	-	8600	16900	35100	4-C	110	B	Sub	
CR-000X-H	Christenbury Pkwy (SR 1447)	Cox Mill Rd (SR 1448) - Mecklenburg County	Concord	0.9	24	2	80	55	14600	8000	8400	32000	35100	4-C	110	B	Sub	
	Church St	Monroe St - Horah St	Salisbury	0.2	24	2	50	35	10200	-	-	600	10200	2-E	50	Min	Sub	
	Church St	Horah St - Liberty St	Salisbury	0.6	28	1-w	50	35	10200	-	-	1200	10200	1-w	50	Min	Sub	
	Church St	Liberty St - Cemetary St	Salisbury	0.2	35	2	50	35	10200	-	-	600	10200	2-G	50	Min	Sub	
CR-000X-H	Cold Springs Rd (SR 2411)	NC 73 - Mt. Pleasant Rd (SR 1006)	Cabarrus County	5.3	20	2	50	45	13600	2300	4700	3700	13600	3-A	90	Min	Sub	
	Coley Rd (SR 2316)	S. Main St (SR 2300) - Stone Rd (SR 2315)	Granite Quarry	1.2	20	2	60	45	10900	1200	-	1400	10900	2-B	60	Min	Sub	
CR-000X-H	Concord Mills Blvd (SR 2894)	Derita Rd (SR 1445) - I-85	Concord	1.1	48	4D	120	45	35100	42000	47800	58800	52800	6-B	150	B	Sub	
	Concordia Church Rd (SR 1353)	W NC 152 - Corriher Springs Rd (SR 1554)	Rowan County	0.9	16	2	60	45	13100	-	600	400	13100	2-A	60	Min	Sub	
	Cool Springs Rd (SR 1003)	Iredell Co - Depot Rd (SR 1003)	Rowan County	9.2	21	2	60	45	13600	1400	1100	2000	13600	2-A	60	Min	Sub	
	Cool Springs Rd (SR 2048)	Depot Rd (SR 1003) - NC 801	Rowan County	1.2	24	2	60	45	14600	2200	2600	3100	14600	2-A	60	Min	Sub	
	Copperfield Blvd	I-85 - NC 3 (Branchview Dr)	Concord	1.7	60	5	80	35	26000	17000	27200	22200	26000	5-A	80	Maj	Sub	
CR-000X-H	Corban Ave	Powder St - NC 73 (Church St)	Concord	0.8	30	2	40	35	10200	6600	12900	7000	22200	2-H	80	Min	Sub	
	Correll St (SR 2114)	Long St (SR 2100) - City Limits	East Spencer	0.6	20	2	40	35	9500	1700	5100	2600	9500	2-C	40	Min	Sub	
	Corriher Springs Rd (SR 1554)	Concordia Church Rd (SR 1353) - Millbridge Rd (SR 1350)	Rowan County	1.4	16	2	60	45	10500	700	700	1000	10500	2-A	60	Min	Sub	
	Council St	Ellis St. - N Salisbury St	Salisbury	0.3	30	1-w	40	35	10200	-	-	200	10200	2-H	40	Min	Sub	
	Council St	Church St - Arlington St	Salisbury	0.5	30	2	50	35	10200	-	-	200	10200	2-H	50	Min	Sub	
CR-000X-H	Country Club Rd	US 29 (Concord Pkwy) - NC 3 (Branchview Dr)	Concord	0.6	30	2	40	35	10200	8400	8500	8800	11700	3-B	80	Min	Sub	
CR-000X-H	Cox Mill Rd (SR 1448)	Poplar Tent Rd (SR 1394) - Rocky River	Cabarrus County	1.5	18	2	40	55	13100	6200	10400	9800	13200	3-B	80	Min	Sub	
CR-000X-H	Cox Mill Rd (SR 1448)	Rocky River - Christenbury Pkwy	Concord	0.8	20	2	60	55	13600	6200	17400	8800	13200	3-B	80	Min	Sub	
	Crescent Rd (SR 2319)	Faith Rd (SR 1006) - US 52	Faith	2.5	22	2	60	45	14100	3200	2400	3500	14100	2-A	60	Min	Sub	
	Crestmont Dr (SR 2643)	Old Airport Rd (SR 2635)- NC 73	Concord	2.0	16	2	40	35	9200	1200	500	1900	9200	2-C	50	Min	Sub	

(1) Existing Four-lane undivided urban section with curb and gutter

**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section (ft)	lanes	ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)
	<b>Cruse Rd (SR 2551)</b>	Safrit Rd (SR 2547) - Old Concord Rd (SR 1002)	Rowan County	1.2	16	2	60	45	13100	600	900	800	13100	2-A	60	Min	Sub	
	<b>Deal Rd (SR 1353)</b>	Iredell Co - Wright Rd (SR 1359)	Rowan County	2.3	20	2	60	45	13600	1500	2800	2000	13600	2-A	60	Min	Sub	
	<b>Deal Rd (SR 1353)</b>	Wright Rd (SR 1359)- NC 152	Rowan County	2.1	20	2	60	45	13600	2500	5000	2800	13600	2-A	60	Min	Sub	
CR-000X-H	<b>Dakota St</b>	Ridge Ave – US 29	Kannapolis	0.6	18	2	60	35	10500	1400	-	2100	10200	<b>2-E</b>	<b>60</b>	<b>Min</b>	Sub	
CR-000X-H	<b>Dale Earnhardt Blvd (SR 2126)</b>	Concord City Limits - NC 3 (Concord Lake Road)	Kannapolis	1.0	60	5	90	35	24300	17000	23700	22800	36600	<b>4-D</b>	<b>110</b>	<b>Maj</b>	Sub	
	<b>Davidson Rd (SR 1608)</b>	Mecklenburg Co - NC 3 (Mooresville Hwy)	Cabarrus County	2.2	24	2	60	45	12200	7300	3100	3800	13600	2-A	60	Min	Sub	
CR-000X-H	<b>Derita Rd (SR 1445)</b>	Mecklenburg County - Poplar Tent Rd (SR 1394)	Concord	2.8	18	2	60	45	11000	13000	16000	26500	36600	<b>4-C</b>	<b>110</b>	<b>B</b>	Sub	
CR-000X-H	<b>Dickens Place Ext</b>	Mullis Rd - Dickens Place	Cabarrus County	1.1	-	-	-	-	-	-	-	4500	9200	<b>3-B</b>	<b>80</b>	<b>Min</b>	Sub	
	<b>Doby Dr (SR 2351)</b>	Old NC 80 (SR 2350) - US 52	Rowan County	0.1	18	2	60	35	9200	700	-	1000	9200	2-A	60	Min	Sub	
	<b>Dogwood Blvd</b>	Trinity Church Rd (SR 1622) - Kannapolis Pkwy (SR 1624)	Kannapolis	1.0	22	2	60	45	14100	400	1700	1200	14100	2-B	60	Min	Sub	
	<b>Drakestone Rd (SR 1622)</b>	Stirewalt Rd (SR 1616) - Trinity Church Rd (SR 1622)	Cabarrus County	0.7	18	2	40	45	13100	2000	4400	2100	13100	2-C	50	Min	Sub	
	<b>Dunns Mountain Rd (SR 2131)</b>	US 52 (S Salisbury Ave) - Stokes Ferry Rd (SR 1004)	Granite Quarry	1.4	20	2	60	35	9500	2300	3200	2700	9500	2-A	60	Min	Sub	
	<b>Dunns Mountain Rd (SR 2131)</b>	Stokes Ferry Rd (SR 1004)- Bringle Ferry Rd (SR 1002)	Rowan County	1.8	22	2	60	45	11800	2900	5000	5200	11800	2-A	60	Min	Sub	
	<b>Dunn's Mtn Church Rd (SR 2126)</b>	US 52 (S Salisbury Ave) - Stokes Ferry Rd (SR 1004)	Granite Quarry	0.9	22	2	60	35	9900	1300	-	1500	9900	2-C	60	Min	Sub	
	<b>Earnhardt Rd (SR 2126)</b>	Stokes Ferry Rd (SR 1004) - Jake Alexander Blvd E Ext	Rowan County	0.7	22	2	60	45	11800	800	-	100	11800	2-B	60	Min	Sub	
CR-000X-H	<b>East Rowan Connector</b>	Stone Rd (SR 2315) - St Lukes Church Rd (SR 2380)	Rowan County	1.8	-	-	-	-	-	-	-	5500	45200	<b>4-E</b>	<b>180</b>	<b>B</b>	Sta	
CR-000X-H	<b>East Rowan Connector</b>	St Lukes Church Rd (SR 2380) - Bringle Ferry Rd (SR 1002)	Rowan County	3.0	20	2	60	55	13600	500	-	7600	45200	<b>4-A</b>	<b>180</b>	<b>B</b>	Sta	
CR-000X-H	<b>East Rowan Connector</b>	Bringle Ferry Rd (SR 1002) - I-85	Rowan County	2.8	-	-	-	-	-	-	-	8600	45200	<b>4-A</b>	<b>180</b>	<b>B</b>	Sta	

(1) Existing Four-lane undivided urban section with curb and gutter

**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																			
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes		
					Cross-Section (ft)	lanes	ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)	
	<b>Ebenezer Rd (SR 1267)</b>	Ridge Ave - Moose Rd (SR 1308)	Kannapolis	0.4	22	2	40	35	9900	1300	3700	1500	9900	2-E	60	Min	Sub		
	<b>Ebenezer Rd (SR 1267)</b>	Moose Rd (SR 1308) - Troutman Hill Rd (SR 1267)	Rowan County	0.5	22	2	60	45	11800	900	1700	1600	11800	2-A	60	Min	Sub		
	<b>Ebenezer Rd (SR 1322)</b>	Troutman Hill Rd (SR 1267) - Old Beatty Ford Rd (SR 1221)	Rowan County	1.3	22	2	40	45	11800	900	2300	2100	11800	2-A	40	Min	Sub		
	<b>Ellis St.</b>	Monroe St. - Horah St.	Salisbury	0.1	24	2	45	25	10000	-	-	1200	10000	2-E	45	Min	Sub		
	<b>Ellis St.</b>	Horah St. - Bank St.	Salisbury	0.1	24	2	50	25	10000	-	-	1200	10000	2-E	50	Min	Sub		
	<b>Ellis St.</b>	Bank St. - Fisher St.	Salisbury	0.1	24	2	50	25	10000	-	-	1200	10000	2-E	50	Min	Sub		
	<b>Ellis St.</b>	Fisher St. - Innes St. (SR 2200)	Salisbury	0.1	24	2	50	25	10000	-	-	1200	10000	2-E	50	Min	Sub		
	<b>Ellis St.</b>	Innes St. (SR 2200) - Council St.	Salisbury	0.1	24	2	50	25	10000	-	-	1200	10000	2-E	50	Min	Sub		
	<b>Ellis St.</b>	Council St. - Liberty St.	Salisbury	0.1	24	2	50	25	10000	-	-	1200	10000	2-E	50	Min	Sub		
	<b>Ellis St.</b>	Liberty St. - Kerr St.	Salisbury	0.1	24	2	50	25	10000	-	-	1200	10000	2-E	50	Min	Sub		
	<b>Emanuel Church Rd (SR 2338)</b>	Old Beatty Ford Rd (SR 1221) - Johnson Dairy Rd (SR 2345)	Rowan County	1.3	18	2	60	45	13100	500	700	400	13100	2-A	60	Min	Sub		
	<b>Emanuel Church Rd (SR 2338)</b>	Johnson Dairy Rd (SR 2345) - Rockwell Limits	Rowan County	1.2	18	2	60	45	13100	1100	1300	500	13100	2-A	60	Min	Sub		
	<b>Emanuel Church Rd (SR 2338)</b>	Rockwell Limits - US 52 (Main St)	Rockwell	0.3	20	2	60	35	9500	1100	2000	500	9500	2-C	60	Min	Sub		
CR-000X-H	<b>S Enochville Ave (SR 1351)</b>	Westside Bypass - West C St (SR 1124)	Rowan County	0.6	20	2	60	45	11400	7800	10200	5700	13100	<b>3-B</b>	<b>80</b>	<b>Min</b>	Sub		
CR-000X-H	<b>N Enochville Ave (SR 1351)</b>	W C St (SR 1124) - Enochville Rd (SR 1104)	Rowan County	1.0	20	2	60	45	11400	6100	9900	3400	12200	<b>2-A</b>	<b>60</b>	<b>Min</b>	Sub		
CR-000X-H	<b>N Enochville Ave (SR 1351)</b>	Enochville Rd (SR 1104)- Westside Bypass	Rowan County	1.1	20	2	60	45	11400	4800	600	3300	12200	<b>2-A</b>	<b>60</b>	<b>Min</b>	Sub		
CR-000X-H	<b>N Enochville Ave (SR 1351)</b>	Westside Bypass - Deal Rd (SR	County	1.4	22	2	60	55	14100	1100	1500	1400	12200	<b>2-A</b>	<b>60</b>	<b>Min</b>	Sub		
	<b>Enochville Rd (SR 1104)</b>	Enochville Ave (SR 1351) - Kannapolis City Limits	Kannapolis	0.4	22	2	40	45	11800	-	2400	1000	11800	2-A	40	Min	Sub		
	<b>Enochville Rd (SR 1104)</b>	Kannapolis City Limits - West A St (SR 1100)	Kannapolis	1.6	22	2	60	35	9900	1400	3300	1200	9900	2-A	60	Min	Sub		
	<b>Enochville School Rd (SR 1360)</b>	Smith Rd (SR 1361) - Westside Bypass	Rowan County	0.5	18	2	60	45	11000	1100	2100	1700	11000	2-A	60	Min	Sub		
	<b>Enochville School Rd (SR 1360)</b>	Westside Bypass - N Enochville Ave (SR 1351)	Rowan County	0.6	18	2	60	35	13100	1700	2500	700	13100	2-A	60	Min	Sub		
	<b>Enon Church Rd. (SR 1944)</b>	Rd (SR 2048)	Salisbury	1.3	24	2	70	45	12200	1600	2000	1900	12200	2-A	70	Min	Sub		
CR-000X-H	<b>Evelyn Ave</b>	Brantley Rd (SR 2000) - Lane St (SR 2180)	Kannapolis	0.2	22	2	30	35	9900	-	-	700	10200	<b>2-E</b>	<b>60</b>	Min	Sub		
CR-000X-H	<b>Evelyn Ave</b>	Lane St (SR 2180) - Rowan Co	Kannapolis	0.1	22	2	30	35	9900	-	-	700	10200	<b>2-E</b>	<b>60</b>	Min	Sub		
CR-000X-H	<b>Evelyn Ave</b>	Cabarrus Co - Moose Rd (SR 1308)	Kannapolis	0.3	22	2	50	35	9900	-	-	700	10200	<b>2-E</b>	<b>60</b>	Min	Sub		

(1) Existing Four-lane undivided urban section with curb and gutter

**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section (ft) lanes		ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)
CR-000X-H	Evelyn Ave Ext	Moose Rd (SR 1308) - Ebenezer Rd (SR 1322)	Kannapolis	0.9	--	--	--	--	-	-	-	700	10200	2-E	60	Min	Sub	
CR-000X-H	Faith Rd (SR 1006)	E NC 152 - Deal St (SR 2316)	Rowan County	2.3	24	2	60	45	12200	3500	3500	3300	14600	2-A	60	Min	Sub	
CR-000X-H	Faith Rd. (SR 1006)	Deal St (SR 2316) - N Faith Town Limits	Faith	1.0	24	2	60	35	10200	6600	7600	6400	12700	3-B	80	Min	Sub	
CR-000X-H	Faith Rd. (SR 1006)	N Faith Town Limits - St. Paul's Church Rd (2529)	Rowan County	0.5	24	2	60	45	12200	6200	10500	5000	13200	3-B	80	Min	Sub	
CR-000X-H	Faith Rd (SR 1006)	St. Paul's Church Rd (SR 2529) - Heilig Rd (SR 2528)	Granite Quarry	1.7	24	2	60	45	12200	7900	9200	9100	12200	2-A	60	Min	Sub	
CR-000X-H	Faith Rd. (SR 1006)	Heilig Rd. (SR 2528) - N. Main (SR 2300)	Rowan County	0.8	24	2	60	45	12200	5300	6700	6000	12200	2-A	60	Min	Sub	
CR-000X-H	Faith Rd. (SR 1006)	N. Main (SR 2300) - Stratford Dr	Salisbury	0.9	24	2	60	45	12200	6600	8800	8000	12700	2-D	90	Min	Sub	
CR-000X-H	Faith Rd. (SR 1006)	Stratford Dr - Avalon Dr	Salisbury	0.7	24	2	60	35	10200	11000	10000	12700	14600	3-B	80	Min	Sub	
CR-000X-H	Faith Rd. (SR 1006)	Avalon Dr - US 52 (Innes St)	Salisbury	0.4	36	3+	60+	35	10200	11000	11300	12400	14600	3-B	80	Min	Sub	
CR-000X-H	First St (SR 1706)	Ridge Ave - Rose Ave	Kannapolis	0.2	40	2	40	35	10200	3100	6100	5800	12500	2-I	85	Min	Sub	
CR-000X-H	First St (SR 1706)	Rose Ave - US 29 (Cannon Blvd)	Kannapolis	0.6	40	4	40	35	21900	3500	11100	6700	12500	2-I	85	Min	Sub	
CR-000X-H	First St (SR 1706)	US 29 (Cannon Blvd) - Little Texas Rd (SR 2154)	Kannapolis	0.7	20	2	40	35	9500	1700	3400	2400	10200	2-E	60	Min	Sub	
	Fisher Rd (SR 2320)	E NC 152 - Crescent Rd (SR 2319)	Rowan County	1.5	16	2	60	45	11000	1000	2000	1100	11000	2-A	60	Min	Sub	
	Fisher St	Ellis St - Fulton St	Salisbury	0.1	22	2	50	25	9700	-	-	200	9700	2-H	50	Min	Sub	
	Fisher St	Fulton St - Lee St	Salisbury	0.4	36	2	50	25	10000	-	-	200	10000	2-G	50	Min	Sub	
	Fisher St	Lee St - Long St (SR 2100)	Salisbury	0.3	24	2	40	25	10000	-	-	200	10000	2-H	40	Min	Sub	
	Flat Rock Rd (SR 1210)	Mt. Moriah Church Rd (SR 1197) - Patterson St (SR 1211)	Rowan County	1.6	22	2	60	45	11800	2200	2700	2900	11800	2-A	60	Min	Sub	
CR-000X-H	Flowes Store Rd (SR 1132)	NC 24/27 - US 601	Cabarrus County	3.0	24	2	60	45	14600	3200	-	5100	14600	3-A	90	Maj	Sub	
CR-000X-H	Forest St Ext	Caldwell Rd (SR 1173) - Forest St	Harrisburg	0.6	-	-	-	-	-	-	-	600	10200	2-A	60	Min	Sub	
CR-000X-H	Forest St Ext	Forest St - Sims Parkway	Harrisburg	0.3	16	-	35	20	9000	-	-	600	10200	2-A	60	Min	Sub	
	Fulton St	US 29 ( Main St) - Lincolnton Rd	Salisbury	0.6	30	2	50	30	10000	-	-	500	10000	2-H	50	Min	Sub	
	Fulton St	Lincolnton Rd - Monroe St	Salisbury	0.3	24	2	50	30	10000	-	-	500	10000	2-H	50	Min	Sub	
	Fulton St	Monroe St - Innes St (SR 2200) -	Salisbury	0.4	30	2	50	30	10000	-	-	400	10000	2-H	50	Min	Sub	
	Fulton St	Innes St (SR 2200) - Kerr St	Salisbury	0.2	35	2	50	30	10000	-	-	500	10000	2-H	50	Min	Sub	
	Fulton St	Kerr St - Cemetery St	Salisbury	0.1	24	2	50	25	10000	-	-	500	10000	2-H	50	Min	Sub	
R-2246A	George Liles Pkwy (SR 1309)	NC 49 - Roberta Rd (SR 1304)	Concord	1.9	19	2	40	45	11200	3800	11900	7900	35100	4-B	150	B	Sub	
R-2246B	George Liles Pkwy (SR 1310)	Roberta Rd (SR 1304)- US 29 (Concord Pkwy)	Concord	1.7	20	2	40	35	11400	7700	21900	18300	28100	4-C	200	B	Sub	
	George Liles Pkwy	US 29 (Concord Pkwy) - Weddington Rd (SR 1431)	Concord	1.3	-	-	-	-	-	-	-	24700	35100	4-C	200	B	Sub	

(1) Existing Four-lane undivided urban section with curb and gutter



**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section (ft)	lanes	ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)
	<b>George Liles Pkwy (SR 1430)</b>	Weddington Rd (SR 1431) - I-85	Concord	1.7	60-100	4D	90-250	50	12700	20000	47000	45500	43900	4-C	200	B	Sub	
	<b>Gheen Rd (SR 1945)</b>	Woodleaf Rd (SR 2048)- US 601 (Mocksville Hwy)	Rowan County	3.0	20	2	60	45	13600	700	800	800	13600	2-A	60	Min	Sub	
	<b>Glover Rd (SR 2532)</b>	Old Concord Rd (SR 1002) - St. Pauls Church Rd (SR 2532)	Rowan County	2.4	20	2	60	45	13600	600	1300	1300	13600	2-A	60	Min	Sub	
	<b>Gold Hill Rd (SR 2408)</b>	NC 73 - Mt. Pleasant Rd (SR 1006)	Cabarrus County	1.2	22	2	40	45	14100	2300	2300	3000	14100	2-B	40	Min	Sub	
	<b>Gold Hill Dr</b>	Old Concord Rd. (SR 1002) - Faith Rd (SR 1006)	Salisbury	0.9	20	2	50	35	9500	1800		2300	9500	2-C	50	Min	Sub	
CR-000X-H	<b>Gold Knob Rd (SR 2375)</b>	Upper Palmer Rd (SR 2341) - Barger Rd (SR 2377)	Rowan County	0.2	16	2	60	55	13100	1700	2100	1800	14600	2-A	60	Min	Sub	
	<b>Goodman Lake Rd (SR 2168)</b>	Bringle Ferry Rd (SR 1002) - Providence Church Rd (SR 2134)	Rowan County	2.3	22	2	60	45	14100	2900	-	1300	14100	2-A	60	Min	Sub	
	<b>Goodman Lake Rd (SR 2168)</b>	Providence Church Rd (SR 2134) - Long Ferry Rd (SR 2120)	Rowan County	2.2	22	2	60	45	14100	1100	800	800	14100	2-A	60	Min	Sub	
	<b>Goodson Rd (SR 1954)</b>	US 70 (Statesville Blvd) - Woodleaf	Rowan	2.2	22	2	60	45	14100	900	1300	1300	14100	2-A	60	Min	Sub	
	<b>Grace Church Rd (SR 1503)</b>	Miller Rd (SR 1509) - Shue Rd (SR 1506)	Rowan County	1.0	20	2	60	45	13600	3400	4700	3500	13600	2-A	60	Min	Sub	
	<b>Grace Church Rd (SR 1503)</b>	Shue Rd (SR 1506) - US 29 (Main St)	Rowan County	2.3	22	2	60	55	14600	3000	3900	3200	14600	2-A	60	Min	Sub	
CR-000X-H	<b>Graham Rd (SR 1547)</b>	NC 150 (Mooresville Rd) - NC 801	Rowan County	3.2	18	2	60	55	13600	1000	2100	1800	14600	2-A	60	Min	Sub	
CR-000X-H	<b>Granite Quarry Connector</b>	US 52 - Dusty Lane	Rowan County	0.4	--	--	--	--	-	-	-	9200	14600	2-A	60	Min	Sub	
CR-000X-H	<b>Granite Quarry Connector</b>	Dusty Lane - US 52 Bypass	Rowan County	0.5	22	2	60	55	14600	5800	6600	10600	14600	2-A	60	Min	Sub	
	<b>Grove St</b>	W. Innes St (SR 2200) - Mocksville Ave (SR 1910)	Salisbury	0.5	30	2	50	35	10000	-	-	2200	10000	2-H	50	Min	Sub	
CR-000X-H	<b>Hall Rd (SR 1547)</b>	NC 801 - Ketchie Rd (SR 1547)	Rowan County	2.2	18	2	60	55	13100	800	1400	1300	14600	2-A	60	Min		
CR-000X-H	<b>Hall Rd (SR 1747)</b>	(SR 1001)	County	1.6	18	2	60	55	13100	800	1300	1300	14600	2-A	60	Min		

(1) Existing Four-lane undivided urban section with curb and gutter

**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section (ft)	lanes	ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)
CR-000X-H	Harris Rd (SR 1449)	Meck Co - Odell School Rd (SR 1442)	Concord	3.4	22	2	50	45	11800	13000	5900	25300	36600	4-C	110	B	Sub	
	Harrison Rd (SR 1710)	Sherrill's Ford Rd (SR 1526) - Executive Dr.	Salisbury	1.3	24	2	60	45	12200	7300	8400	8500	12200	2-A	60	Min	Sub	
	Harrison Rd (SR 1710)	Alexander Blvd)	Salisbury	1.0	24	2	60	45	12200	7300	7200	7400	12200	2-A	60	Min	Sub	
	Hawkinstown Rd. (SR 1912)	Old Mocksville Rd (SR 1910) - 7th St (SR 1914)	Rowan County	1.2	22	2	60	45	11800	1900	2400	1500	11800	2-B	60	Min	Sub	
CR-000X-H	Heilig Rd (SR 2528)	Old Concord Rd (SR 1002) Rd - Faith Rd (SR 1006)	Rowan County	1.0	22	2	60	55	14600	5800	6600	8600	16500	3-A	80	Min	Sub	
CR-000X-H	Heilig Rd. Extension	Faith Rd (SR 1006) - Main St (SR 2300)	Granite Quarry	0.7	--	--	--	--	-	-	-	5100	16500	3-B	80	Min	Sub	
CR-000X-H	Helmdale Rd Conn (SR 1181)	Flowe Store Rd (SR 1132) - Sam Black Rd (SR 1127)	Cabarrus County	0.8	24	2	50	25	10000	-	-	2100	10000	2-A	60	Min	Sub	
CR-000X-H	Helmdale Rd Conn (SR 1181)	Sam Black Rd (SR 1127) - Bethel Church Rd (SR 1125)	Cabarrus County	0.2	24	2	45	25	10000	-	-	1700	10000	2-A	60	Min	Sub	
CR-000X-H	Helmdale Rd Conn (SR 1181)	Bethel Church Rd (SR 1125) - Cal Bost Rd (SR 1143)	Cabarrus County	0.1	--	--	--	--	-	-	-	1300	10000	2-A	60	Min	Sub	
	Henderson St	Jackson St - US 29 (Main Street)	Salisbury	0.2	24	2	50	25	10000	-	-	1800	10000	2-E	50	Min	Sub	
	Henderson St	US 29 (Main Street) - Railroad St	Salisbury	0.2	24	2	45	25	10000	-	-	1900	10000	2-C	45	Min	Sub	
CR-000X-H	Henderson St Extension	Railroad St - Bringle Ferry Rd (SR 1002)	Salisbury	0.1	--	--	--	--	-	-	-	1800	10000	3-B	80	Min	Sub	
CR-000X-H	Henderson Grove Church Rd. Connector S	Airport Rd. Extension - Henderson Grove Rd (SR 1526)	Salisbury	0.4	--	--	--	--	-	-	-	2400	11700	2-A	60	Min	Sub	
CR-000X-H	Henderson Grove Church Rd. (SR 1526)	Extension S - Extension N	Salisbury	0.5	20	2	40-60	55	13600	1500	-	2400	11700	2-A	60	Min	Sub	
CR-000X-H	Henderson Grove Church Rd Connector N	Henderson Grove Rd (SR 1526) - Julian Rd. (SR 2528)	Salisbury	0.5	--	--	--	--	-	-	-	2400	11700	2-A	60	Min	Sub	
CR-000X-H	Hickory Ridge Rd (SR 1138)	Rocky River Rd (SR 1139)- Tom Query Rd Extension	Harrisburg	1.4	20	2	50	45	10900	5900	18000	15500	16400	4-G	110	B	Sub	
CR-000X-H	Hickory Ridge Rd (SR 1138)	Tom Query Rd Extension - Roberta Rd Ext (SR 1304)	Harrisburg	0.6	-	-	-	-	-	-	-	16000	16400	4-G	110	B	Sub	
	Hollywood Dr (SR 1915)	Third St (SR 1915) - E Ridge Rd (SR 1915)	Rowan County	1.6	24	2	60	45	12200	2500	4000	3200	12200	2-B	60	Min	Sub	
	Horah St.	US 29 (Main St) - Partee St	Salisbury	0.9	24	2	45	25	10000	-	-	700	10000	2-E	45	Min	Sub	
	Horah St.	Partee St. - Brenner Ave.	Salisbury	0.5	24	2	50	25	10000	-	-	700	10000	2-E	50	Min	Sub	
CR-000X-H	Hurley School Rd (SR 1724)	Sherrills Ford Rd (SR 1526) - US 70 (Statesville Blvd)	Rowan County	1.5	18	2	60	45	9200	-	2200	2600	11700	3-A	80	Min	Sub	

(1) Existing Four-lane undivided urban section with curb and gutter

**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section (ft)	lanes	ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)
	<b>Innes St. (SR 2200)</b>	I-85 - Arlington Street	Salisbury	0.2	90-100	4D	99-125	35	26000	27000	30000	26500	26000	4-C	99-125	B	Sub	
	<b>Innes St. (SR 2200)</b>	Arlington St - Norfolk Southern Main Line	Salisbury	0.5	60	5	80-100	35	24300	22000	18400	21000	24300	5-A	80-100	Maj	Sub	
	<b>Innes St. (SR 2200)</b>	Norfolk Southern Main Line - Fulton St	Salisbury	0.4	66	4	75-100	20	22100	20000	24300	18700	22100	(1)	75-100	Maj	Sub	
	<b>Innes St. (SR 2200)</b>	Fulton St - Craige St	Salisbury	0.3	40	4	60-65	20	22100	17000	20000	14700	22100	(1)	60-65	Maj	Sub	
	<b>Innes St. (SR 2200)</b>	Craige St - Statesville Blvd (SR 2094)	Salisbury	1.1	40	4	60-80	35	22200	16000	20500	13700	22200	(1)	60-80	Maj	Sub	
CR-000X-H	<b>Innes St. (SR 2200)</b>	Statesville Blvd (SR 2094) - Salisbury Limits	Salisbury	0.5	40	3	60-100	35	12700	8800	10400	8000	12900	<b>3-B</b>	<b>80</b>	<b>Maj</b>	Sub	
CR-000X-H	<b>Innes St. (SR 2200)</b>	Salisbury Limits - US 601 (Jake Alexander Blvd)	Salisbury	0.9	22	2	60-100	45	11100	5400	7400	3900	13800	<b>3-B</b>	<b>80</b>	<b>Maj</b>	Sub	
CR-000X-H	<b>International Dr (SR 1429)</b>	Poplar Tent Rd (SR 1394) - NC 73 (Davidson Hwy)	Concord	1.4	30	2	50	45	12200	11000	20400	27000	27600	<b>2-I</b>	<b>90</b>	<b>B</b>	Sub	
CR-000X-H	<b>Irish Potato Rd (SR 2411)</b>	NC 49 - Gold Hill Rd (SR 2408)	Cabarrus County	4.4	20	2	40	45	11400	3300	4000	5400	11400	<b>3-A</b>	<b>90</b>	<b>Min</b>	Sub	
CR-000X-H	<b>Irish Potato Rd (SR 2411)</b>	Gold Hill Rd (SR 2408) - Old Salisbury Rd (SR 1002)	Cabarrus County	2.6	20	2	50	55	14100	2000	5200	3000	14100	<b>3-A</b>	<b>90</b>	<b>Min</b>	Sub	
CR-000X-H	<b>Jackson Park Rd (SR 2000)</b>	Main St (SR 1008) - US 29 (Cannon Blvd)	Kannapolis	0.6	40	4	60	45	23000	10000	15500	12100	23000	<b>3-C</b>	<b>80</b>	<b>Maj</b>	Sub	
CR-000X-H	<b>Jake Alexander Blvd. N</b>	Long Ferry Rd (SR 2120) - Hollywood Dr (SR 1915)	Spencer	1.1	-	-	-	-	-	-	-	7600	36600	<b>4-D</b>	<b>110</b>	<b>B</b>	Sub	
CR-000X-H	<b>Jake Alexander Blvd. N</b>	Hollywood Dr - (SR 1915) - Garrick Rd (SR 1996)	Rowan County	1.0	-	-	-	-	-	-	-	7900	36600	<b>4-D</b>	<b>110</b>	<b>B</b>	Sub	
CR-000X-H	<b>Jake Alexander Blvd. N</b>	Garrick Rd (SR 1996) - US 601 9 (W. Innes St)	Rowan County	2.4	-	-	-	-	-	-	-	7700	36600	<b>4-D</b>	<b>110</b>	<b>B</b>	Sub	
CR-000X-H	<b>Jake Alexander Blvd. S (SR 1007)</b>	I-85 - Stokes Ferry Rd (SR 1004)	Salisbury	1.7	64	5	100	45	27600	20000	14100	24000	35100	<b>4-D</b>	<b>110</b>	<b>B</b>	Sub	
CR-000X-H	<b>Jake Alexander Blvd. E</b>	Stokes Ferry Rd (SR 1004) - Bringle Ferry Rd (SR 1002)	Salisbury	2.0	-	-	-	-	-	-	-	15000	35100	<b>4-D</b>	<b>110</b>	<b>B</b>	Sub	
CR-000X-H	<b>Jake Alexander Blvd. E</b>	Bringle Ferry Rd (SR 1002) - East Rowan Connector	Rowan County	1.6	-	-	-	-	-	-	-	11100	35100	<b>4-D</b>	<b>110</b>	<b>B</b>	Sub	
CR-000X-H	<b>Jake Alexander Blvd. E</b>	East Rowan Connector -Long Ferry Rd (SR 2120)	Rowan County	1.6	-	-	-	-	-	-	-	4900	35100	<b>4-D</b>	<b>110</b>	<b>B</b>	Sub	
	<b>Jefferson St. (SR 1915)</b>	Whitehead Ave (SR 1915) - US 29 (Salisbury St)	Spencer	0.2	30	2	50	35	10200	3400	-	4300	10200	2-C	50	Min	Sub	
	<b>Jefferson St. (SR 1915)</b>	US 29 (Salisbury St) - Long St (SR 2100)	Spencer	0.3	52	4	75-190	35	22200	-	4500	4100	22200	2-C	75-190	Min	Sub	
	<b>Julian Rd. (SR 2528)</b>	Jake Alexander Blvd S (US 601) - I-85	Salisbury	0.1	24	2	60-200	45	12200	15000	16900	18000	12200	2-A	60-200	Min	Sub	

(1) Existing Four-lane undivided urban section with curb and gutter

**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section (ft)	lanes	ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)
	<b>Julian Rd. (SR 2528)</b>	I-85 - Old Concord Rd (SR 1002)	Salisbury	1.0	24	2	60-100	50	14600	9800	9400	13500	14600	2-A	60-100	Min	Sub	
	<b>Jim Sossoman Rd (SR 1123)</b>	NC 24/27 - US 601	Midland	2.5	24	2	60	45	12200	15000	-	1600	12200	2-A	60	Min	Sub	
CR-000X-H	<b>Kannapolis Pkwy (SR 1430)</b>	I-85 - NC 73 (Davidson Hwy)	Kannapolis	1.4	60	5	90	45	27600	22000	35800	33700	35100	4-B	130	B	Sub	
CR-000X-H	<b>Kannapolis Pkwy (SR 1624)</b>	NC 73 (Davidson Hwy) - NC 3 (Mooresville Hwy)	Kannapolis	4.2	48	4D	180-310	45	35100	16000	21000	23300	35100	4-B	180-310	B	Sub	
CR-000X-H	<b>Kerr St</b>	McGill Av - Cabarrus Ave (SR 1002)	Concord	1.0	24	2	40	35	10200	-	6600	4800	10200	2-H	75	Min	Sub	
	<b>Kerr St</b>	Ellis St - US 29 (Main St)	Salisbury	0.4	24	2	50	25	10000	-	4600	500	10000	2-D	50	Min	Sub	
	<b>Kerr St</b>	Lee St - Long St (SR 1002)	Salisbury	0.6	24	2	50	25	10000	-	4800	400	10000	2-D	50	Min	Sub	
	<b>Kimball Rd (SR 1211)</b>	Patterson St (SR 1223) - Grants Creek	Landis	0.7	24	2	60	45	11700	-	4200	2500	11700	2-A	60	Min	Sub	
	<b>Kimball Rd (SR 1211)</b>	Grants Creek - Main St (SR 2739)	Landis	0.8	24	2	60	35	10200	2800	4300	4000	10200	2-A	60	Min	Sub	
U-5608	<b>Kimball RD Ext.</b>	Main St (SR 2739) - US 29 (Cannon Blvd)	Landis	0.7	-	-	-	-	-	-	-	3600	10200	2-A	60	Min	Sub	
U-3459	<b>Klumac Rd. (SR 2541)</b>	US 29 (S Main St) - US 601 (Jake Alexander Blvd S)	Salisbury	1.0	24	2	60	35	10200	3700	4000	4200	11700	3-B	80	Min	Sub	
	<b>Kluttz Rd (SR 2315)</b>	Faith Town Limits - Rainey Rd (SR	County	1.1	18	2	60	45	11000	1100	2100	1200	11000	2-A	60	Min	Sub	
CR-000X-H	<b>Lake Concord Rd</b>	Church St (SR 2287)- Burrage Rd	Concord	0.3	50	4	60	35	22200	11000	22900	17000	22200	4-C	60	B	Sub	
CR-000X-H	<b>Lake Concord Rd</b>	Burrage Rd - NC 3 (Branchview Dr)	Concord	0.7	60	4D	50-90	35	24300	11000	19000	14000	24300	4-C	50-90	B	Sub	
	<b>Lane St (SR 2180)</b>	US 29 (Cannon Blvd) - Stadium Drive	Kannapolis	2.3	50	4	60	45	24600	7000	14100	17100	35100	4-D	110	B	Sub	
	<b>Lane St (SR 2180)</b>	Stadium Drive - I-85	Kannapolis	0.4	50	4	75	45	24600	7000	14300	16700	35100	4-D	110	B	Sub	
	<b>Lane St (SR 2180)</b>	I-85 - Old Concord Salisbury Rd (SR 1002)	Kannapolis	0.8	22	2	50	35	10200	16000	12500	18200	31600	4-D	110	B	Sub	
	<b>Lee St</b>	Monroe St (SR 1703) - Council St	Salisbury	0.5	30	3	50	35	11700	-	-	700	11700	3-B	50	Min	Sub	
	<b>Lee St</b>	Council St - Cemetary St	Salisbury	0.3	24	2	40	35	10200	-	-	600	10200	2-H	40	Min	Sub	
	<b>Legion Club Rd (SR 2314)</b>	St Pauls Church Rd Ext - Faith Limits	Faith	0.3	18	2	60	35	9200	-	1900	800	9200	2-C	60	Min	Sub	

(1) Existing Four-lane undivided urban section with curb and gutter

**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section (ft)	lanes	ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)
	<b>Legion Club Rd (SR 2314)</b>	Faith Limits - Granite Quarry Limits	Rowan County	0.1	18	2	60	45	11000	-	1900	600	11000	2-C	60	Min	Sub	
	<b>Legion Club Rd (SR 2314)</b>	Granite Quarry Limits - Summerleigh St	Granite Quarry	0.4	18	2	60	35	9200	2200	2800	1400	9200	2-C	60	Min	Sub	
	<b>Lentz Rd (SR 1337)</b>	Old Beatty Ford Rd (SR 1221) - US 29	Rowan County	4.3	20	2	60	45	11400	2200	4000	2500	11400	2-A	60	Min	Sub	
	<b>Liberty Rd (SR 2140)</b>	US 52 - Hill Rd (SR 2366)	Rowan County	2.8	22	2	60	45	14100	1700	1900	2300	14100	2-A	60	Min	Sub	
	<b>Liberty Rd (SR 2140)</b>	Hill Rd (SR 2366) - Stokes Ferry Rd (SR 1004)	Rowan County	1.5	22	2	60	45	14100	1600	1900	2000	14100	2-A	60	Min	Sub	
CR-000X-H	<b>Lincoln St (Rutherford St)</b>	Chestnut Dr - Wilshire Ave (SR 1157)	Concord	1.4	24	2	60	25	10000	1900	6300	2100	10200	2-E	60	Min	Sub	
	<b>Lincolnton Rd.</b>	NC 150 (Mooresville Rd) - US 70 (Jake Alexander Blvd W)	Salisbury	0.3	60	5	60-100	35	24300	6400	-	4200	24300	5-A	60-100	Min	Sub	
	<b>Lincolnton Rd.</b>	US 70 (Jake Alexander Blvd W) - Mitchell Ave	Salisbury	0.1	60	5	60	35	22200	5200	-	5900	22200	5-A	60	Min	Sub	
	<b>Lincolnton Rd.</b>	Mitchell Ave - Fulton St	Salisbury	0.9	24	2	60	35	10200	5200	5000	5600	10200	2-D	60	Min	Sub	
	<b>Lippard Rd. (SR 2530)</b>	Glover Rd (SR 2532) - Yates Rd (SR 2531)	Rowan County	0.8	22	2	60	45	11800	700	900	800	11800	2-B	60	Min	Sub	
	<b>Lippard Rd. (SR 2530)</b>	Yates Rd (SR 2531) - Faith City Limits	Rowan County	0.6	16	2	40	35	9200	700	1400	800	9200	2-C	40	Min	Sub	
	<b>Little Texas Rd (SR 2154)</b>	Brantley Ave (SR 2000) - First St (SR 1706)	Kannapolis	0.9	22	2	60	35	9900	4100	10300	5400	9900	2-C	60	Min	Sub	
	<b>Little Texas Rd (SR 2154)</b>	First St (SR 1706) - NC 3 (Dale Earnhardt Blvd)	Kannapolis	1.1	22	2	60	35	9900	6900	11500	9400	9900	2-C	60	Min	Sub	
	<b>Long St. (SR 1002)</b>	Monroe St (SR 1703) - E Innes St (SR 2200)	Salisbury	0.3	60	4	80	35	22200	7800	9700	10200	24300	5-A	80	Maj	Sub	
	<b>Long St. (SR 1002)</b>	E Innes St (SR 2200) - Council St	Salisbury	0.1	48	4	80	35	22200	12000	8100	11900	22200	(1)	80	Maj	Sub	
	<b>Long St. (SR 1002)</b>	Council St - Bringle Ferry Rd (SR 1002)	Salisbury	0.5	28	2	60	35	10200	8800	10500	7700	10200	2-D	60	Maj	Sub	
	<b>Long St. (SR 2100)</b>	Bringle Ferry Rd (SR 1002) - E. Spencer Town Limits	Salisbury	0.8	28	2	60	35	10200	7700	14000	6600	10200	2-D	60	Maj	Sub	
	<b>Long St. (SR 2100)</b>	(SR 2120)	East Spencer	2.4	28	2	60	35	10200	5000	8500	5400	10200	2-D	60	Maj	Sub	
CR-000X-H	<b>Long Ferry Rd. (SR 2120)</b>	Jake Alexander Blvd N - I-85	Spencer	0.8	19	2	60	45	10500	5700	6800	13600	35100	4-D	110	B	Sub	
CR-000X-H	<b>Long Ferry Rd (SR 2120)</b>	I-85 - Jake Alexander Blvd E	Rowan County	1.5	24	2	60	45	11700	4800	6700	6100	14600	2-A	60	Min	Sub	
	<b>Long Ferry Rd (SR 2120)</b>	Jake Alexander Blvd E - Goodman Lake Rd (SR 2168)	Rowan County	2.0	22	2	60	45	11300	5500	6800	6900	11300	2-A	60	Min	Sub	
CR-000X-H	<b>Loop Rd (SR 1691)</b>	NC 3 (Mooresville Rd) - Rowan Co	Kannapolis	0.6	60	5	70	35	24300	9500	17500	13300	28100	3-C	80	Maj	Sub	
CR-000X-H	<b>Loop Rd (SR 1136)</b>	Cabarrus Co - Cabarrus Co	Kannapolis	0.4	60	5	75	35	24300	8900	12800	14300	28100	3-C	80	Maj	Sub	

(1) Existing Four-lane undivided urban section with curb and gutter

**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section (ft)	lanes	ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)
CR-000X-H	Loop Rd (SR 2000)	Rowan Co - Main St (SR 1008)	Kannapolis	0.1	60	5	80	35	24300	8900	12900	14300	28100	3-C	80	Maj	Sub	
	Lower Rocky River Rd (SR 1139)	Meck Co - Rocky River Rd (SR 1139)	Cabarrus County	4.8	20	2	40	45	11400	5000	7000	9700	11400	2-B	60	Min	Sub	
	Lyerly St East (SR 2308)	US 52 - GQ city limits	Granite Quarry	0.4	20	2	60	35	9500	700	-	800	9500	2-C	60	Min	Sub	
	Mahaley Ave	W. Innes St (SR 2200) - Parkview Circle	Salisbury	0.3	40	2	80	35	10200	-	-	5800	10200	2-D	80	Min	Sub	
	Mahaley Ave	Parkview Circle - Mocksville Ave (SR 1910)	Salisbury	0.5	40	2	60	35	10200	-	-	5800	10200	2-D	60	Min	Sub	
	Main St. (Granite Quarry) (SR 2300)	US 52 - Bank St (SR 2314)	Granite Quarry	1.7	20	2	60	35	9500	3100	-	6600	9500	2-C	60	Min	Sub	
	Main St. (Granite Quarry) (SR 2300)	Bank St (SR 2314) - Faith Rd (SR 2300)	Granite Quarry	1.2	20	2	60	35	9500	4200	4200	8900	9500	2-C	60	Min	Sub	
CR-000X-H	Main St (SR 1008)	US 29 (Concord Pkwy) - Winecoff School Rd (SR 1790)	Concord	0.8	28	2	40- 80	35	11100	12000	14400	13600	12700	3-B	80	Maj	Sub	
CR-000X-H	Main St (SR 1008)	Winecoff School Rd (SR 1790) - Frederick Ave	Kannapolis	1.7	24	2	40	45	12200	11000	13300	11700	13300	3-C	80	Maj	Sub	
CR-000X-H	Main St (SR 1008)	Frederick Ave - Rogers Lake Rd (SR 1625)	Kannapolis	0.3	30	3	40	45	12200	10000	12700	10300	13300	3-C	80	Maj	Sub	
CR-000X-H	Main St (SR 1008)	Rogers Lake Rd (SR 1625) - NC 3 (Dale Earnhardt Blvd)	Kannapolis	1.0	30	3	40	35	11900	9400	13000	10200	11000	2-H	75	Maj	Sub	
CR-000X-H	Main St (SR 1008)	NC 3 (Dale Earnhardt Blvd) - First Street (SR 1706)	Kannapolis	0.7	30	2	60	35	10200	5900	4800	7100	11100	2-H	75	Maj	Sub	
CR-000X-H	Main St (SR 1008)	First Street (SR 1706) - Jackson Park Rd (SR 2000)	Kannapolis	0.5	30	2D	80	20	12500	5500	7400	6500	12500	2-I	85	Maj	Sub	
CR-000X-H	Main St (SR 2739)	Jackson Park Rd (SR 2000) - Kimball St	Kannapolis	0.7	24	2	60	45	12200	5900	13800	6300	12700	3-C	80	Maj	Sub	
CR-000X-H	Main St (SR 2739)	Kimball St - 22nd St (SR 1254)	Kannapolis	0.6	33	3	90	45	12800	8200	8200	9000	13300	3-C	80	Maj	Sub	
CR-000X-H	Main St (SR 2739)	22nd St (SR 1254) - Airport Rd (SR 1182)	Kannapolis	0.8	22	2	60	45	11800	7100	9000	8000	13300	3-C	80	Maj	Sub	
CR-000X-H	Main St (SR 2739)	Airport Rd (SR 1182) - NC 153 (W Rice St)	Landis	1.6	28	2	50	35	10200	7300	12600	8300	1100	3-B	80	Maj	Sub	
CR-000X-H	Main St (SR 2739)	NC 153 (W Rice St) - Central Ave	Landis	0.8	24	2	60	35	10200	7200	7300	9800	11100	3-B	80	Maj	Sub	
CR-000X-H	Main St (SR 2739)	Central Ave - Kimball Rd (SR 1211)	Landis	0.6	24	2	60	45	12200	7100	8700	7700	12200	3-B	80	Maj	Sub	
	Main St (SR 2739)	Kimball Rd (SR 1211) - NC 152 (Church St)	China Grove	1.7	33-40	2	55- 70	35	11100	6900	8600	7200	11100	3-B	55- 70	Maj	Sub	
	Main St (SR 1673)	NC 152 (Church St) - US 29	China Grove	0.6	33	3	85	35	10700	10000	9100	10600	10700	3-B	85	Maj	Sub	
CR-000X-H	Main St (SR 1847)	US 70 (Statesville Blvd) - Maple St (SR 1957)	Cleveland	0.7	32	3	60	35	11700	4000	5300	5400	11700	3-B	80	Min	Sub	
CR-000X-H	Main St (SR 1957)	Maple St (SR 1957) - Carr St	Cleveland	1.1	18	2	60	35	9200	16000	2000	2180	10200	2-E	60	Min	Sub	
CR-000X-H	Main St (SR 1006)	Oldenburg Dr - NC 49	Mt Pleasant	0.8	22	2	50	45	11800	8000	9400	8700	10200	2-D	90	Min	Sub	
CR-000X-H	Main St (SR 1006)	NC 49 - Fisher Rd (SR 2423)	Mt Pleasant	1.3	21	2	50	35	9700	3600	5700	6100	10200	2-D	90	Min	Sub	

(1) Existing Four-lane undivided urban section with curb and gutter

**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section (ft)	lanes	ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)
	<b>Majolica Rd. (SR 1722)</b>	Sherrills Ford Rd (SR 1526) - US 70 (Statesville Blvd)	Salisbury	1.7	22	2	60	45	11300	1700	2500	3400	11300	2-B	60	Min	Sub	
	<b>Martin Luther King, Jr Ave</b>	US 601 (Jake Alexander Blvd) - Klumac Rd (SR 2541)	Salisbury	0.5	24	2	100	45	11700	-	-	5500	11700	2-B	100	Min	Sub	
	<b>Martin Luther King, Jr Ave</b>	Klumac Rd (SR 2541) - Vance St	Salisbury	0.3	24	2	45-70	30	10200	-	-	5200	10200	2-D	45-70	Min	Sub	
	<b>Martin Luther King, Jr Ave</b>	Vance St - Ryan St	Salisbury	0.2	24	2	80	35	10200	-	-	5200	10200	2-H	80	Min	Sub	
	<b>Martin Luther King, Jr Ave</b>	Ryan St - Old Concord Rd (SR 1002)	Salisbury	0.5	24-54	2	45-80	35	10200	-	-	5200	10200	2-E	45-80	Min	Sub	
	<b>Martin Luther King, Jr Ave</b>	Old Concord Rd (SR 1002) - E. Innes St (SR 2200)	Salisbury	0.5	50	3	80	35	11700	-	-	5400	11700	3-B	80	Min	Sub	
	<b>Martin Luther King, Jr Ave</b>	E. Innes St (SR 2200) - Franklin St.	Salisbury	0.3	30	2	50	25	10000	-	-	5200	10000	2-D	50	Min	Sub	
	<b>Martin Luther King, Jr Ave</b>	Franklin St. - Bringle Ferry Rd (SR 1002)	Salisbury	0.2	32	2	50	25	10000	-	-	5600	10000	2-D	50	Min	Sub	
CR-000X-H	<b>Martin Luther King, Jr Ave Ext</b>	Bringle Ferry Rd (SR 1002) - Beard St	Salisbury	0.2	-	-	-	-	-	-	-	5300	10200	2-E	50	Min	Sub	
CR-000X-H	<b>Martin Luther King, Jr Ave Ext</b>	Beard St - Pine St	Salisbury	0.2	-	-	-	-	-	-	-	5300	10200	2-E	50	Min	Sub	
CR-000X-H	<b>Martin Luther King, Jr Ave</b>	Pine St - Kenly St	Salisbury	0.2	18	2	50	35	9200	-	-	5200	10200	2-E	50	Min	Sub	
CR-000X-H	<b>Martin Luther King, Jr Ave</b>	Kenly St - Miller Ave	Salisbury	0.2	18	2	50	35	9200	-	-	5900	10200	2-E	50	Min	Sub	
CR-000X-H	<b>Martin Luther King, Jr Ave</b>	Miller Ave - Correll St	East Spencer	0.7	18	2	50	35	9200	-	-	5500	10200	2-E	50	Min	Sub	
CR-000X-H	<b>Martin Luther King, Jr Ave</b>	Correll St - Henderson St	East Spencer	0.5	18	2	50	35	9200	-	-	5700	10200	2-G	85	Min	Sub	
CR-000X-H	<b>Martin Luther King, Jr Ave Ext</b>	Henderson St - Long Ferry Rd (SR 2120)	East Spencer	2.0	-	-	-	-	-	-	-	5200	10200	2-G	85	Min	Sub	
	<b>McCanless Rd (SR 2186)</b>	East Spencer City Limits - Bringle Ferry Rd (SR 1002)	Rowan County	0.8	22	2	60	45	11300	1700	5100	2200	11300	2-B	60	Min	Sub	
CR-000X-H	<b>McGill Ave</b>	US 29 (Cannon Blvd) - Brookwood Ext	Concord	0.4	45-60	4	60	35	18000	15000	17700	19800	11700	3-B	60	Maj	Sub	
CR-000X-H	<b>McGill Ave</b>	Brookwood Ext - Spring St	Concord	0.8	45-24	2	40-60	35	10200	6200	8800	7000	10200	2-I	90	B	Sub	
CR-000X-H	<b>Midlake Ave (SR 2198)</b>	Brantley Rd (SR 2000) - Centergrove Rd (SR 2114)	Kannapolis	1.1	20	2	40	35	9500	3000	4500	3800	9500	2-E	60	Min	Sub	
CR-000X-H	<b>Midland Road (SR 1121)</b>	Bethel School Rd (SR 1120) - Bethel Church Rd (SR 1123)	Midland	0.9	18	2	40	45	11000	1800	8600	4900	12200	2-I	80-90	Min	Sub	
CR-000X-H	<b>Midland Road Extension</b>	Bethel Church Rd (SR 1123) - Old Camden Rd (SR 1132)	Cabarrus County	2.1	-	-	-	-	-	-	-	4200	12200	2-I	80-90	Min	Sub	
	<b>Millbridge Rd (SR 1350)</b>	NC 152 - NC 150 (Mooresville Rd)	Rowan	4.4	24	2	60	45	14600	1600	2800	2100	14600	2-A	60	Min	Sub	

(1) Existing Four-lane undivided urban section with curb and gutter

**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section (ft)	lanes	ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)
	<b>Miller Rd (SR 1509)</b>	NC 152 W (W Church St)- NC 152 Bypass	Rowan County	1.8	20	2	60	45	13600	3100	4000	1900	13600	2-A	60	Min	Sub	
	<b>Miller Rd (SR 1509)</b>	NC 152 Bypass -Weaver Rd (SR 1535)	Rowan County	0.4	20	2	60	45	13600	2800	3500	6200	13600	2-A	60	Min	Sub	
	<b>Miller Rd (SR 1509)</b>	Weaver Rd (SR 1535) -Mooresville Rd (NC 150)	Rowan County	3.1	20	2	60	45	13600	3000	4200	4500	13600	2-A	60	Min	Sub	
	<b>Miller Chapel Rd (SR 1514)</b>	Miller Rd (SR 1509) - Airport Rd (SR 1516)	Rowan County	2.0	20	2	60	45	11400	800	900	800	11400	2-A	60	Min	Sub	
	<b>Mocksville Ave.</b>	Cemetary St - Dogwood Rd	Salisbury	1.1	32	2	50	35	10200	4500	4900	4400	10200	2-E	50	Min	Sub	
	<b>Monroe St. (SR 1703)</b>	S. Long St (SR 1002) - Railroad St	Salisbury	0.1	26	2	60	35	10200	5200	5000	5900	10500	2-E	60	Min	Sub	
	<b>Monroe St. (SR 1703)</b>	Railroad St - US 29 (Main St)	Salisbury	0.2	20	2	40	35	9500	5200	5000	5800	9500	2-E	40	Min	Sub	
	<b>Monroe St. (SR 1703)</b>	US 29 (Main St) - Caldwell St	Salisbury	0.4	24	2	40- 45	35	10200	3000	2800	3200	10200	2-E	40- 45	Min	Sub	
	<b>Monroe St. (SR 1703)</b>	Caldwell - Partee St	Salisbury	0.5	22	2	50	35	9900	2800	3400	3200	9900	2-E	50	Min	Sub	
	<b>Monroe St. (SR 1703)</b>	Partee St - Brenner Ave.	Salisbury	0.3	25-35	2	40- 60	35	10200	-	3800	1400	10200	2-E	40- 60	Min	Sub	
CR-000X-H	<b>Moose Rd (SR 1308)</b>	Ebeneezer Rd (SR 1267) - Wright Ave	Kannapolis	1.0	20	2	60	45	10900	2200	5900	3000	10900	2-E	60	Min	Sub	
CR-000X-H	<b>Moose Rd (SR 1308)</b>	Wright Ave - China Grove Rd (SR 1238)	Kannapolis	1.0	16	2	60	45	10500	1000	4500	1200	10500	2-E	60	Min	Sub	
	<b>Moose Rd (SR 1308)</b>	China Grove Rd (SR 1238) - Turkey Rd (SR 1349)	Rowan County	0.9	20	2	60	45	10900	1000	2700	800	10900	2-A	60	Min	Sub	
	<b>Moose Rd (SR 1308)</b>	Turkey Rd (SR 1349) - Old Beatty Ford Rd (SR 1221)	Rowan County	1.8	20	2	60	45	10900	900	3200	500	10900	2-A	60	Min	Sub	
CR-000X-H	<b>Morehead Rd (SR 1300)</b>	NC 49 - Harrisburg City Limits	Harrisburg	1.0	24	2	60	45	12200	10000	16300	21100	28100	4-D	110	B	Sub	
CR-000X-H	<b>Morehead Rd (SR 1300)</b>	Harrisburg City Limits - Concord City Limits	Cabarrus County	0.6	36	3	90	45	13100	14000	18000	16700	16400	4-C	110	B	Sub	
CR-000X-H	<b>Morehead Rd (SR 1300)</b>	Concord City Limits - US 29 (Concord Pkwy)	Concord	0.9	48	4D	110	45	11800	14000	22000	14600	14800	4-B	110	B	Sub	
CR-000X-H	<b>Morehead Rd (SR 1300)</b>	US 29 (Concord Pkwy) - Mecklenburg County	Concord	0.5	21	2	40	45	11100	4500	8400	4800	28100	4-C	110	B	Sub	
	<b>Morrison Rd (SR 1135)</b>	Pioneer Mill Rd (SR 1134) - Flowes Store Rd (SR 1132)	Cabarrus County	0.8	24	2	60	45	11800	2600	-	6500	11800	2-A	60	Min	Sub	
	<b>Mt. Hope Church Rd (SR 1505)</b>	Old Concord Rd (SR 1002) - W Third St (SR 1505)	Rowan County	2.8	22	2	60	45	11800	2600	3000	3100	11800	2-A	60	Min	Sub	
	<b>Mt Moriah Church Rd (SR 1197)</b>	NC 153 (W Rice St) – Flat Rock Rd (SR 1121)	Rowan County	0.2	22	2	60	45	11800	3400	4700	3800	11800	2-B	60	Min	Sub	
	<b>Mt Moriah Church Rd (SR 1197)</b>	Flat Rock Rd (SR 1121) – Stirewalt Rd (SR 1419) Ext	Landis	1.0	22	2	60	35	9900	2300	3000	2200	9900	2-C	60	Min	Sub	
	<b>Mt Moriah Church Rd (SR 1197)</b>	Stirewalt Rd (SR 1419) Ext - Main St (SR 2739)	Landis	0.5	22	2	60	35	9900	2300	3200	2200	9900	2-A	60	Min	Sub	
CR-000X-H	<b>Mt. Pleasant Bypass</b>	NC 73 East - NC 49 East	Mt Pleasant	1.5	-	-	-	-	-	-	-	3600	36600	4-B	150	B	Sub	

(1) Existing Four-lane undivided urban section with curb and gutter



**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section (ft)	lanes	ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)
	<b>Mt. Pleasant Road (SR 1006)</b>	US 601 - NC 200	Cabarrus County	3.7	18	2	50	35	9200	1600	4700	4900	9200	2-C	50	Min	Sub	
	<b>Mt. Pleasant Road (SR 1006)</b>	NC 200 - Cold Springs Rd (SR 2411)	Cabarrus County	4.6	20	2	50	45	11400	2200	5100	4000	11400	2-A	60	Min	Sub	
	<b>Mt. Pleasant Road (SR 1006)</b>	Cold Springs Rd (SR 2411) - Oldenburg Dr	Mt Pleasant	1.3	22	2	50	45	11800	4400	10300	7800	11800	2-B	50	Min	Sub	
CR-000X-H	<b>Mt. Pleasant Road (SR 1006)</b>	Fisher Rd (SR 2423) - Rowan Co	Cabarrus County	6.6	20	2	40	55	13600	3600	5200	4500	14600	2-A	60	Min	Sub	
	<b>Neel Rd (SR 1729)</b>	Sherrills Ford Rd (SR 1526)- NC 150 (Mooreville Rd)	Rowan County	2.3	20	2	60	45	11400	900	1200	1100	11400	2-A	60	Min	Sub	
CR-000X-H	<b>Newsome Rd Extension</b>	Bendix Dr - US 52 (Innes Street)	Salisbury	1.0	-	-	-	-	-	-	-	1000	11700	3-B	80	Min	Sub	
CR-000X-H	<b>Newsome Rd.</b>	US 52 (Innes Street) - Stokes Ferry Rd (SR 1004)	Salisbury	<.1	39	2	50	35	10200	-	4500	4800	11700	3-B	80	Min	Sub	
CR-000X-H	<b>Newsome Rd.</b>	Stokes Ferry Rd (SR 1004) - Bringle Ferry Rd (SR 1002)	Salisbury	1.0	18	2	40	35	10500	3700	4500	3500	11700	2-E	80	Min	Sub	
CR-000X-H	<b>Northern Connector</b>	Jim Sossoman Rd (SR 1123) - US 601	Cabarrus County	1.0	-	-	-	-	-	-	-	5900	12200	2-I	85	B	Sub	
CR-000X-H	<b>Northern Connector</b>	US 601 - Widenhouse Rd	Cabarrus County	0.7	-	-	-	-	-	-	-	1300	12200	2-I	85	B	Sub	
CR-000X-H	<b>Northern Connector</b>	Widenhouse Rd - NC 24/27	Cabarrus County	1.1	-	-	-	-	-	-	-	1300	12200	2-I	85	B	Sub	
CR-000X-H	<b>Oakwood Ave (SR 1745)</b>	Orphanage Rd (SR 1778) - Rogers Lake Rd (SR 1625)	Kannapolis	2.2	18	2	30	45	11000	3900	6400	4400	11700	2-E	60	Min	Sub	
CR-000X-H	<b>Oakwood Ave Extension (SR 1745)</b>	Rogers Lake Rd (SR 1625) - Bethpage Rd (SR 1643)	Kannapolis	0.9	-	-	-	-	-	2700	3900	1600	11700	2-E	60	Min	Sub	
CR-000X-H	<b>Odell School Rd (SR 1442)</b>	Poplar Tent Rd (SR 1394) - NC 73 (Davidson Hwy)	Cabarrus County	1.5	22	2	40	45	11800	7700	12500	16400	36600	4-C	110	B	Sub	
CR-000X-H	<b>Odell School Rd (SR 1442)</b>	NC 73 (Davidson Hwy) - Windy Rd (SR 1442)	Cabarrus County	1.5	22	2	40	45	11800	9700	12700	22800	36600	4-C	110	B	Sub	
CR-000X-H	<b>Odell School Rd (SR 1601)</b>	Windy Rd (SR 1442) - NC 3	Cabarrus	2.6	20	2	40	45	11400	8000	15500	18100	36600	4-C	110	B	Sub	
CR-000X-H	<b>Old Airport Rd (SR 2635)</b>	NC 3 (Branchview Dr)- Crestmont Dr (SR 2641)	Concord	0.9	20	2	60	45	11400	4600	10200	6500	13200	3-B	80	Min	Sub	
CR-000X-H	<b>Old Airport Rd (SR 2635)</b>	Crestmont Dr (SR 2641) - NC 49	Concord	2.4	18	2	40	45	11000	2000	7700	2400	13200	3-B	80	Min	Sub	
CR-000X-H	<b>Old Beatty Ford Rd (SR 1210)</b>	US 29 - Bostian Rd (SR 1221)	Rowan County	0.9	18	2	60	45	10500	1500	2600	2700	12200	2-A	60	Maj	Sub	
	<b>Old Beatty Ford Rd (SR 1221)</b>	Bostian Rd (SR 1221) - Ebenezer Rd (SR 1322)	Rowan County	0.4	18	2	60	55	11600	1700	3200	3500	12200	2-B	60	Min	Sub	
	<b>Old Beatty Ford Rd (SR 1221)</b>	Ebenezer Rd (SR 1322) - I-85	Rowan County	0.8	22	2	60	55	14100	1500	2600	3200	14600	2-B	60	Min	Sub	
	<b>Old Beatty Ford Rd (SR 1221)</b>	I-85 - Lentz Rd (SR 1337)	Rowan County	1.8	22	2	60	55	14100	1300	3700	2700	14600	2-B	60	Min	Sub	

(1) Existing Four-lane undivided urban section with curb and gutter

**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section (ft)	lanes	ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)
CR-000X-H	Old Beatty Ford Rd (SR 1221)	Lentz Rd (SR 1337) - Old Concord Road (SR 1002)	Rowan County	0.7	24	2	60	45	14600	2900	5700	3100	14600	2-A	60	Maj	Sub	
CR-000X-H	Old Beatty Ford Rd (SR 1221)	Old Concord Rd (SR 1002) - Organ Church Rd (SR 1006)	Rowan County	4.8	20	2	60	45	13600	3400	5100	4300	14600	2-A	60	Maj	Sub	
CR-000X-H	Old Beatty Ford Rd (SR 1221)	Organ Church Rd (SR 1006) - Lower Stone Ch Rd (SR 2335)	Rowan County	1.9	20	2	60	55	14100	2000	5100	3100	14600	2-A	60	Maj	Sub	
CR-000X-H	Old Beatty Ford Rd (SR 1221)	Lower Stone Church Rd (SR 2335) - Emmanuel Church Rd (SR 2338)	Rowan County	2.1	20	2	60	55	14100	1400	3500	2000	14600	2-A	60	Maj	Sub	
CR-000X-H	Old Beatty Ford Rd (SR 1221)	Emanuel Church Rd (SR 2338) - St. Stephens Church Rd (SR 2352)	Rowan County	2.4	20	2	60	55	14100	1500	3000	2600	14600	2-A	60	Maj	Sub	
CR-000X-H	Old Beatty Ford Rd (SR 1221)	St. Stephens Church Rd (SR 2352) - Old US 80 (SR 2350)	Rowan County	1.2	20	2	60	55	14100	1200	3000	2200	14600	2-A	60	Maj	Sub	
CR-000X-H	Old Beatty Ford Rd (SR 1221)	Old US 80 (SR 2350) - US 52	Rowan County	0.4	20	2	60	55	14100	1300	3300	2500	14600	2-A	60	Maj	Sub	
	Old Beatty Ford Rd (SR 2356)	US 52 - Stokes Ferry Rd (SR 1004)	Rowan County	4.1	18	2	60	45	13100	700	1500	400	13100	2-A	60	Min	Sub	
CR-000X-H	Old Beatty Ford Rd Relocation	Bostian Rd (SR 1221) -China Grove Rd (SR 1238)	Rowan County	0.5	-	-	-	-	-	-	-	10400	12200	2-A	60	Maj	Sub	
CR-000X-H	Old Beatty Ford Rd Relocation	China Grove Rd (SR 1238) - I-85	Rowan County	0.4	-	-	-	-	-	-	-	13000	14600	2-A	60	Maj	Sub	
CR-000X-H	Old Beatty Ford Rd Relocation	I-85 - Lentz Rd (SR 1337)	Rowan County	1.4	-	-	-	-	-	-	-	5600	14600	2-A	60	Maj	Sub	
	Old Camden Rd (SR 1132)	Mecklenburg Co - NC 24/27	Cabarrus County	1.5	22	2	60	45	11400	5600	-	1800	11700	2-A	60	Min	Sub	
CR-000X-H	Old Charlotte Rd (SR 1157)	NC 49 - Roberta Rd (SR 1304)	Concord	1.7	20	2	60	35	9500	10000	16400	16900	28100	4-C	110	B	Sub	
CR-000X-H	Old Charlotte Rd (SR 1335)	Roberta Rd (SR 1304) - US 601	Concord	0.3	20	2	60	35	9500	8800	11800	16200	28100	4-C	110	B	Sub	
CR-000X-H	Old Charlotte Rd	US 601 - Cabarrus Ave (SR 1002)	Concord	1.1	22	2	40	35	9900	5600	9700	6700	11700	3-B	80	Min	Sub	
CR-000X-H	Old Concord Rd (SR 1002)	Lane St (SR 2180) - Rowan Co	Cabarrus County	0.7	22	2	40	55	14100	8900	11900	12300	36600	4-E	110	B	Sub	
CR-000X-H	Old Concord Rd (SR 1002)	Cabarrus Co - Old Beatty Ford Rd (SR 1221)	Rowan County	1.5	19	2	60	55	13350	6500	8200	9100	36600	4-E	110	B	Sub	
CR-000X-H	Old Concord Rd (SR 1002)	Old Beatty Ford Rd (SR 1221) - E NC 152	Rowan County	2.9	19	2	60	45	11200	4000	5300	5500	36600	4-E	110	B	Sub	
CR-000X-H	Old Concord Rd (SR 1002)	E NC 152 - St. Pauls Church Rd (SR 2529)	Rowan County	3.9	22	2	60	45	11800	5000	6900	6700	36600	4-E	110	B	Sub	
CR-000X-H	Old Concord Rd (SR 1002)	St. Pauls Church Rd (SR (2529) - Julian Rd (SR 2528)	Rowan County	1.5	24	2	60	55	14600	6300	8600	10200	36600	4-E	110	B	Sub	
CR-000X-H	Old Concord Rd (SR 1002)	Julian Rd (SR 2528) - Jake Alexander Blvd S (SR 1007)	Salisbury	2.3	24	2	60	55	14600	6500	8100	10100	35100	4-G	110	B	Sub	
CR-000X-H	Old Concord Rd (SR 1002)	Harrell St	Salisbury	0.9	18	2	60	45	13100	9400	10200	13700	35100	4-G	110	B	Sub	
	Old Concord Rd (SR 1002)	Harrell St - Monroe St (SR 1703)	Salisbury	0.5	50	4	80	35	22200	8300	7900	10400	22200	(1)	80	Maj	Sub	
	Old Mocksville Rd (SR 1910)	Dogwood Rd - Ridge Rd (SR 1915)	Salisbury	2.4	18	2	50	45	11000	1800	2000	1300	11000	2-B	50	Min	Sub	

(1) Existing Four-lane undivided urban section with curb and gutter

**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section (ft)	lanes	ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)
	<b>Old Mocksville Rd (SR 1910)</b>	Ridge Rd (SR 1915) - US 601	Rowan County	4.2	18	2	60	45	11000	1900	1000	1600	11000	2-A	60	Min	Sub	
	<b>Old NC 80 (SR 2350)</b>	St. Stephens Church Rd (SR 2352) - Doby Dr (SR 2351)	Rowan County	0.1	18	2	60	35	9200	900	1200	1200	9200	2-A	60	Min	Sub	
CR-000X-H	<b>Old Salisbury Rd (SR 1002)</b>	NC 3 - Concord City Limits	Concord	1.3	24	2	60	35	10200	7000	111000	11800	28100	<b>4-B</b>	<b>130</b>	<b>B</b>	Sub	
CR-000X-H	<b>Old Salisbury Rd (SR 1002)</b>	Concord City Limits - Penninger Rd (SR 2113)	Cabarrus County	1.4	22	2	50	45	11800	5500	5500	8500	16000	<b>4-B</b>	<b>130</b>	<b>B</b>	Sub	
CR-000X-H	<b>Old Salisbury Rd (SR 1002)</b>	Penninger Rd (SR 2113) - Lane St (SR 2180)	Cabarrus County	3.5	22	2	50	45	14100	3500	5200	4000	16000	<b>4-B</b>	<b>130</b>	<b>B</b>	Sub	
	<b>Old Stonehouse Rd. (SR 2308)</b>	Lyerly St (SR 2308) - Dunns Mtn Church Rd (SR 2126)	Granite Quarry	0.8	20	2	60	45	11400	700	-	500	11400	2-A	60	Min	Sub	
	<b>Old Union Church Rd (SR 1915)</b>	I-85 - Goodman Lake Rd (SR 2168)	Rowan County	2.9	20	2	60	45	13600	1100	1600	300	13600	2-A	60	Min	Sub	
	<b>Old US 70 (SR 1957)</b>	Carr St - NC 801	County	3.1	16	2	60	45	10500	1100	1500	1400	10500	2-A	60	Min	Sub	
	<b>Old US 70 (SR 1957)</b>	NC 801 - US 70 (Statesville Blvd)	Rowan	0.5	16	2	60	45	10500	700	1600	1100	10500	2-A	60	Min	Sub	
CR-000X-H	<b>Organ Church Rd (SR 1006)</b>	Cabarrus Co - Old Beatty Ford Rd (SR 1221)	Rowan County	2.3	18	2	60	55	13600	1600	2500	1900	14600	<b>2-A</b>	<b>60</b>	<b>Min</b>	Sub	
CR-000X-H	<b>Organ Church Rd (SR 1006)</b>	Old Beatty Ford Rd (SR 1221) - NC 152	Rowan County	1.8	18	2	60	55	13600	3000	3300	2500	14600	<b>2-A</b>	<b>60</b>	<b>Min</b>	Sub	
CR-000X-H	<b>Orphanage Rd (SR 1778)</b>	Trinity Church Rd (SR 1622) - Oakwood Ave (SR 1745)	Kannapolis	1.3	20	2	45	45	9500	7000	11000	8500	9500	<b>3-C</b>	<b>80</b>	<b>Min</b>	Sub	
CR-000X-H	<b>Orphanage Rd (SR 1778)</b>	Oakwood Ave (SR 1745) - Winecoff School Rd (SR 1790)	Kannapolis	0.6	20	2	45	45	9500	4600	8600	5800	9500	<b>3-C</b>	<b>80</b>	<b>Min</b>	Sub	
	<b>Park Ave</b>	Long St (SR 1002) - Arlington St	Salisbury	0.4	30	2	60	25	10000	-	-	600	10000	2-D	60	Min	Sub	
	<b>Patterson Rd (SR 1533)</b>	Millbridge Rd (SR 1350) - Weaver Rd (SR 1535)	Rowan County	2.8	16	2	60	45	13100	700	700	600	13100	2-A	60	Min	Sub	
	<b>Patterson Rd (SR 1533)</b>	Weaver Rd (SR 1535) - NC 150	Rowan County	2.5	16	2	60	45	13100	800	900	800	13100	2-A	60	Min	Sub	
	<b>Patterson St (SR 1225)</b>	W NC 152 - Grants Creek	China Grove	1.6	20	2	60	45	11400	2300	3500	1800	11400	2-B	60	Min	Sub	
	<b>Patterson St (SR 1225)</b>	Grants Creek - S Main St (SR 2739)	China Grove	0.6	28	2	50	35	10200	2100	2800	1200	10200	2-D	50	Min	Sub	
	<b>Peach Orchard Rd (SR 2539)</b>	Airport Rd Ext - I-85	Rowan County			2	60	45	11400	-	4600	3500	11400	2-A	60	Min	Sub	
	<b>Peach Orchard Rd (SR 2539)</b>	I-85 - Old Concord Rd (SR 1002)	Rowan County	1.0	20	2	60	45	11400	-	4600	3500	11400	2-A	60	Min	Sub	

(1) Existing Four-lane undivided urban section with curb and gutter

**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section (ft)	lanes	ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)
	<b>Peeler Rd (SR 2538)</b>	US 29 (S Main St) - Town Creek	Rowan County	0.6	20	2	-	55	13600	-	-	15400	14600	2-A	60	Min	Sub	
	<b>Peeler Rd (SR 2538)</b>	Town Creek - I-85	Rowan County	0.4	48	2	130	45	12200	4500	6500	15200	12200	2-A	130	Min	Sub	
	<b>Peeler Rd (SR 2538)</b>	I-85 - Old Concord Rd (SR 1002)	Rowan County	1.3	24	2	60	45	14600	4900	5300	6200	14600	2-A	60	Min	Sub	
	<b>Peeler St (SR 2313)</b>	Faith Rd (SR 1006)- Granite Quarry Limits	Rowan County	0.4	20	2	60	45	13600	3400	8400	7200	13600	2-B	60	Min	Sub	
	<b>Peeler St (SR 2313)</b>	2300)	Quarry	0.8	24	2	60	35	10200	3500	9000	7400	10200	2-D	60	Min	Sub	
<b>CR-000X-H</b>	<b>Penninger Rd (SR 2113)</b>	Old Salisbury Rd (SR 1002) - Mullis Rd (SR 2284)	Cabarrus County	1.7	18	2	50	45	9200	700	1200	2200	9200	<b>3-B</b>	<b>80</b>	<b>Min</b>	Sub	
	<b>Penninger Rd (SR 2113)</b>	Mullis Rd (SR 2284) - Centergrove Rd (SR 2114)	Cabarrus County	0.3	18	2	50	45	9200	700	1200	2200	9200	2-A	50	Min	Sub	
	<b>Penninger Rd (SR 2113)</b>	Centergrove Rd (SR 2114) - Old Salisbury Rd (SR 1002)	Cabarrus County	0.9	18	2	50	45	9200	700	1200	2200	9200	2-A	50	Min	Sub	
<b>CR-000X-H</b>	<b>Pharr Mill Rd (SR 1158)</b>	Rocky River Rd (SR 1139) - Tom Query Rd Extension	Harrisburg	1.1	20	2	40	45	11400	2500	7000	6900	13200	<b>3-B</b>	<b>80</b>	<b>Min</b>	Sub	
<b>CR-000X-H</b>	<b>Pharr Mill Rd (SR 1158)</b>	Tom Query Rd Extension- Shamrock Rd (SR 1160)	Harrisburg	0.9	24	2	50	45	11400	2400	3900	5600	35100	<b>4-D</b>	<b>110</b>	<b>B</b>	Sub	
<b>CR-000X-H</b>	<b>Pharr Mill Rd (SR 1158)</b>	Shamrock Rd (SR 1160) - Mulberry Rd (SR 1159)	Harrisburg	0.5	24	2	50	45	12200	1700	4200	5300	35100	<b>4-D</b>	<b>110</b>	<b>B</b>	Sub	
<b>CR-000X-H</b>	<b>Pharr Mill Rd (SR 1158)</b>	Mulberry Rd (SR 1159) - NC 49	Harrisburg	0.3	24	2	-	45	12200	2800	4200	8700	35100	<b>4-D</b>	<b>110</b>	<b>B</b>	Sub	
	<b>Pioneer Mill Rd (SR 1134)</b>	NC 24/27 - Morrison Rd (SR 1135)	Cabarrus County	1.5	24	2	60	45	12200	-	-	400	12200	2-A	60	Min	Sub	
<b>CR-000X-H</b>	<b>Pitts School Rd Ext</b>	Blackwelder Rd (SR 1307) - Roberta Rd (SR 1304)	Harrisburg	1.2	-	-	-	-	-	-	10600	5500	36600	<b>4-D</b>	<b>110</b>	<b>B</b>	Sub	
	<b>Pitts School Rd (SR 1305)</b>	Roberta Rd (SR 1304) - US 29	Concord	3.1	20	2	40	45	11400	6900	-	15400	36600	<b>4-D</b>	<b>110</b>	<b>B</b>	Sub	
	<b>Pitts School Rd (SR 1305)</b>	US 29 - Weddington Rd (SR 1431)	Concord	1.5	35	3	65	45	12300	12000	-	14200	36600	<b>4-D</b>	<b>110</b>	<b>B</b>	Sub	
<b>CR-000X-H</b>	<b>Pitts School Rd (SR 1305)</b>	Weddington Rd (SR 1431) - Poplar Tent Rd (SR 1394)	Concord	1.4	22	2	65	45	11800	7600	1200	19000	36600	<b>4-D</b>	<b>110</b>	<b>B</b>	Sub	
<b>CR-000X-H</b>	<b>Plaza Rd Ext (SR 1171)</b>	US29-Wedd									114200							
<b>CR-000X-H</b>	<b>Plaza Rd Ext (SR 1171)</b>	Mecklenburg Co - Mecklenburg Co	Harrisburg	0.5	22	2	50	35	9900	3300	-	5700	15900	<b>3-B</b>	<b>80</b>	<b>Min</b>	Sub	
<b>CR-000X-H</b>	<b>Plaza Rd Ext (SR 1176)</b>	Mecklenburg Co - Rocky River Rd (SR 1139)	Harrisburg	0.4	18	2	30	45	12200	3300	-	7900	14200	<b>3-B</b>	<b>80</b>	<b>Min</b>	Sub	
<b>CR-000X-H</b>	<b>Plaza Rd Ext</b>	Rocky River Rd (SR 1139) - Tom Query Rd (SR 1166)	Harrisburg	1.2	-	-	-	-	-	-	-	7000	28100	<b>3-B</b>	<b>80</b>	<b>Min</b>	Sub	
<b>CR-000X-H</b>	<b>Plum Rd (SR 1615)</b>	Unity Church Rd (SR 1355) - Tuckaseegee Rd (SR 1616)	Cabarrus County	1.2	18	2	40	55	13600	1400	5000	1000	14600	<b>2-A</b>	<b>60</b>	<b>Min</b>	Sub	
<b>CR-000X-H</b>	<b>Poplar Tent Rd (SR 1394)</b>	NC 73 (Davidson Hwy) - Derita Rd (SR 1445)	Concord	4.2	22	2	50	45	11800	14000	20800	33000	36600	<b>4-C</b>	<b>110</b>	<b>B</b>	Sub	
	<b>Poplar Tent Rd (SR 1394)</b>	Derita Rd (SR 1445) - I-85	Concord	0.9	24	2	110-140	45	12200	21000	59100	35400	36600	4-C	110	B	Sub	

(1) Existing Four-lane undivided urban section with curb and gutter

**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section (ft) lanes		ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)
	<b>Poplar Tent Rd (SR 1394)</b>	I-85 - Woodhaven Place	Concord	0.6	24	2	110-140	45	11700	16000	2400	31100	35100	4-C	110	B	Sub	
CR-000X-H	<b>Poplar Tent Rd (SR 1394)</b>	Woodhaven Place - George Liles Pkwy (SR 1430)	Concord	1.5	24	2	110-140	45	11700	16000	2400	31100	35100	4-C	110	B	Sub	
CR-000X-H	<b>Poplar Tent Rd (SR 1394)</b>	George Liles Pkwy (SR 1430) - US 29 (Concord Pkwy)	Concord	3.1	22	2	60	45	11300	16000	2100	37600	35100	4-C	110	B	Sub	
CR-000X-H	<b>Powder St</b>	Cabarrus Ave (SR 1002) - Corban Ave	Concord	0.1	24	2	45	35	10200	-	-	600	22200	2-H	90	Min	Sub	
	<b>Providence Church Rd (SR 2134)</b>	Stokes Ferry Rd (SR 1004) - Bringle Ferry Rd (SR 1002)	Rowan County	1.7	20	2	60	45	13600	1400	1800	1000	13600	2-A	60	Min	Sub	
	<b>Providence Church Rd (SR 2134)</b>	Bringle Ferry Rd (SR 1002) - Goodman Lake Rd (SR 2168)	Rowan County	1.7	20	2	60	45	13600	1300	1500	1400	13600	2-A	60	Min	Sub	
CR-000X-H	<b>Rainbow Dr (SR 1643)</b>	Main St (SR 1008) - NC 3 (Mooresville Rd)	Kannapolis	1.0	21	2	60	35	9700	3800	5300	4000	10200	2-E	60	Min	Sub	
CR-000X-H	<b>Rainbow Dr (SR 1371)</b>	NC 3 (Mooresville Rd) - West C St (SR 1124)	Kannapolis	2.0	20	2	60	45	10900	1900	2200	1800	11700	2-E	60	Min	Sub	
	<b>Rainey Rd (SR 2316)</b>	Faith Rd (SR 1006) - Stone Rd (SR 2315)	Rowan County	1.9	20	2	60	45	11400	1100	1200	1300	11400	2-A	60	Min	Sub	
	<b>Richfield Rd (SR 1005)</b>	Stanly Co - Stokes Ferry Rd (SR 1004)	Rowan County	1.0	16	2	60	45	13100	700	-	800	13100	2-A	60	Min	Sub	
	<b>Richfield Rd (SR 1005)</b>	Stokes Ferry Rd (SR 1004) - Reeves Island Rd (SR 2148)	Rowan County	0.9	16	2	60	45	13100	500	400	700	13100	2-A	60	Min	Sub	
	<b>Richfield Rd (SR 1005)</b>	Reeves Island Rd (SR 2148) - Bringle Ferry Rd (SR 1002)	Rowan County	4.4	18	2	60	45	13100	300	700	400	13100	2-A	60	Min	Sub	
CR-000X-H	<b>Ridge Ave (SR 2001)</b>	US 29 (Concord Pkwy) - I-85	Concord	0.5	20	2	40-95	35	9500	2000	9200	4600	10200	2-E	60	Min	Sub	
CR-000X-H	<b>Ridge Ave</b>	I-85 - NC 3 (Dale Earnhart Blvd)	Kannapolis	3.0	20	2	35	35	9500	3700	20500	11000	10200	2-E	60	Min	Sub	
CR-000X-H	<b>Ridge Ave</b>	NC 3 (Dale Earnhart Blvd) - Rowan Co	Kannapolis	1.2	20	2	48	35	9500	4000	9700	4400	10200	2-E	60	Min	Sub	
CR-000X-H	<b>Ridge Ave</b>	Cabarrus Co - Ebenezer Rd (SR 1267)	Kannapolis	0.9	22	2	50	35	9900	3700	11800	3400	10200	2-E	60	Min	Sub	
CR-000X-H	<b>Ridge Ave</b>	Ebenezer Rd (SR 1267) - US 29 (Cannon Blvd)	Kannapolis	0.4	20	2	40	35	9500	2400	-	2600	10200	2-E	60	Min	Sub	
	<b>Ridge Rd (SR 1944)</b>	Woodleaf Rd (SR 2048) - US 601 (W Innes St)	Salisbury	1.8	22	2	60	45	11800	2100	2600	3400	11800	2-B	60	Min	Sub	
	<b>Ridge Rd (SR 1915)</b>	US 601 (W Innes St) - Douglass St (SR 2069)	Salisbury	0.5	24	2	60	45	12200	3300	5300	3700	12200	2-B	60	Min	Sub	
	<b>E Ridge Rd (SR 1915)</b>	Douglass St (SR 2069) - Old Mocksville Rd (SR 1910)	Rowan County	1.7	20	2	60	45	13600	3100	5000	3700	13600	2-A	60	Min	Sub	
	<b>E Ridge Rd (SR 1915)</b>	Old Mocksville Rd (SR 1910) - Hollywood Dr (SR 1915)	Rowan County	1.2	22	2	60	45	14100	2600	5200	3300	14100	2-A	60	Min	Sub	

(1) Existing Four-lane undivided urban section with curb and gutter

**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section (ft)	lanes	ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)
CR-000X-H	<b>Roberta Rd Ext</b>	Tom Query Rd Ext - Stallings Rd (SR 1161)	Harrisburg	0.3	-	-	-	-	-	-	-	17400	28100	4-D	110	B	Sub	
CR-000X-H	<b>Roberta Rd Ext</b>	Stallings Rd (SR 1161) - NC 49	Harrisburg	0.5	-	-	-	-	-	-	-	19200	28100	4-D	110	B	Sub	
CR-000X-H	<b>Roberta Rd (SR 1304)</b>	NC 49 - Carl Parmer Dr	Harrisburg	0.5	36	3	90	35	11700	13000	12800	21300	28100	4-D	110	B	Sub	
CR-000X-H	<b>Roberta Rd (SR 1304)</b>	Carl Parmer Dr - Pitts School Rd (SR 1305)	Harrisburg	1.1	24	2	100	35	10200	6400	20900	15500	35100	4-D	110	B	Sub	
CR-000X-H	<b>Roberta Rd (SR 1304)</b>	Pitts School Rd (SR 1305) - George Liles Pkwy (SR 1310)	Concord	1.7	20	2	50	45	10900	7400	13400	19200	35100	4-D	110	B	Sub	
CR-000X-H	<b>Roberta Rd (SR 1304)</b>	George Liles Pkwy (SR 1310) - Old Charlotte Rd (SR 1335)	Concord	3.3	21	2	60	35	9700	4900	8500	7400	28100	4-D	110	B	Sub	
CR-000X-H	<b>Robinson Church Rd (SR 1168)</b>	Mecklenburg Co - Tom Query Rd (SR 1166)	Harrisburg	1.6	22	2	40-60	45	11300	7000	10700	12100	36600	4-D	110	B	Sub	
CR-000X-H	<b>Robinson Church Rd (SR 1166)</b>	Tom Query (SR 1166) – Stallings Rd (SR 1161)	Harrisburg	0.4	20	2	40-85	45	11400	9600	14600	10000	11700	3-B	80	Min	Sub	
CR-000X-H	<b>Rock Hill Church Rd (SR 1414)</b>	US 29 (Cannon Blvd) - Weddington Rd (SR 1431)	Concord	0.8	24	2	60	45	12200	12000	19100	10900	12700	4-C	110	B	Sub	
CR-000X-H	<b>Rock Hill Church Rd (SR 1414)</b>	Weddington Rd (SR 1431) - Poplar Tent Rd (SR 1394)	Concord	1.2	22	2	60	35	9900	3500	6600	6600	12700	3-B	80	Min	Sub	
CR-000X-H	<b>Rocky River Rd (SR 1139)</b>	Mecklenburg Co - Robinson Church Rd (SR 1168)	Cabarrus County	1.5	20	2	60	45	11400	9200	16300	15300	43600	4-C	110	B	Sub	
CR-000X-H	<b>Rocky River Rd (SR 1139)</b>	Robinson Church Rd (SR 1168) - Hickory Ridge Rd (SR 1138)	Cabarrus County	1.4	16	2	60	45	11000	6500	12000	14700	43600	4-C	110	B	Sub	
CR-000X-H	<b>Rocky River Rd (SR 1139)</b>	Hickory Ridge Rd (SR 1138) - Pharr Mill Rd (SR 1158)	Concord	1.7	20	2	60	45	11400	7200	14300	14900	43600	4-C	110	B	Sub	
CR-000X-H	<b>Rocky River Rd (SR 1139)</b>	Pharr Mill Rd (SR 1158) - NC 49	Concord	5.7	20	2	60	45	11400	6500	13100	17000	43600	4-C	110	B	Sub	
CR-000X-H	<b>Rogers Lake Rd (SR 1625)</b>	Kannapolis Pkwy (SR 1624) - Irish Buffalo Creek	Kannapolis	0.9	60-72	4D	100-115	45	35100	6800	9000	11800	35100	4-C	110	B	Sub	
CR-000X-H	<b>Rogers Lake Rd (SR 1625)</b>	Irish Buffalo Creek - Main St (SR 1008)	Kannapolis	1.8	16	2	40	35	9200	6500	8400	14000	15900	4-C	110	B	Sub	
CR-000X-H	<b>Rogers Lake Rd (SR 1766)</b>	Main Street (SR 1008) - NC 3 (Dale Earnhardt Blvd)	Kannapolis	0.7	18	2	30	35	9200	5100	8700	7900	14600	3-C	80	Min	Sub	
	<b>Roseman Rd (SR 1500)</b>	Grace Church Rd (SR 1503) - Southern Lane	Rowan County	0.6	20	2	60	45	11400	3600	4500	3900	11400	2-A	60	Min	Sub	
	<b>Roseman Rd (SR 1500)</b>	Southern Lane - US 29 (S Main St)	Salisbury	0.5	20	2	60	35	9500	3600	4900	4300	9500	2-A	60	Min	Sub	
	<b>Rowan Mill Road (SR 1526)</b>	NC 150 (Mooresville Rd) - Airport Pkwy	Salisbury	0.7	20	2	50-60	45	10900	3400	3900	6400	10900	2-B	50-60	Min	Sub	
	<b>Rowan Mill Road (SR 1526)</b>	Airport Pkwy - Foxfire Dr	Salisbury	0.6	22	2	50	35	9900	3800	4900	2900	9900	2-C	50	Min	Sub	
	<b>Rowan Mill Road (SR 1526)</b>	Foxfire Dr - US 29 (S Main St)	Salisbury	0.5	22	2	44-50	35	9900	3800	4500	1500	9900	2-C	44-50	Min	Sub	
	<b>Ryder Ave (SR 1210)</b>	Mt Moriah Church Rd (SR 1197) - Main St (SR 2739)	Landis	0.7	30	2	50	35	10200	3700	5300	3900	10200	2-E	50	Min	Sub	

(1) Existing Four-lane undivided urban section with curb and gutter

**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section (ft) lanes		ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)
	<b>Ryder Ave (SR 1210)</b>	Main St (SR 2739) - US 29 (Cannon Blvd)	Landis	0.7	30	2	50	35	11100	4000	5800	5300	11100	2-C	50	Maj	Sub	
	<b>Safrit Rd (SR 2547)</b>	Cruse Rd (SR 2551) - Webb Rd (SR 1500)	Rowan County	1.3	16	2	60	45	11000	-	800	400	11000	2-A	60	Min	Sub	
	<b>St. Lukes Church Rd. (SR 2380)</b>	US 52 - Miracle Dr (SR 2457)	Granite Quarry	1.1	24	2	60	35	10200	2300	-	2300	11700	3-A	60	Min	Sub	
	<b>St. Lukes Church Rd (SR 2380)</b>	Miracle Dr (SR 2457) - US 52 Bypass	Rowan County	0.5	22	2	60	45	11800	1100	-	2200	11800	2-A	60	Min	Sub	
	<b>St. Matthews Church Rd (SR 2140)</b>	Stokes Ferry Rd (SR 1004) - Bringle Ferry Rd (SR 1002)	Rowan County	3.2	20	2	60	45	13600	1500	1700	3200	13600	2-A	60	Min	Sub	
	<b>St. Paul's Church Rd (SR 2529)</b>	Old Concord Rd (SR 1002) - Faith Rd (SR 1006)	Rowan County	2.0	24	2	60	45	14600	3400	5300	6400	14600	2-A	60	Min	Sub	
CR-000X-H	<b>St. Paul's Church Rd Ext</b>	Faith Rd (SR 1006) - Kluttz Rd (SR 2315)	Faith	1.3	-	-	-	-	-	-	-	4300	14600	<b>2-A</b>	<b>60</b>	<b>Min</b>	Sub	
	<b>St. Stephens Church Rd (SR 2444)</b>	NC 49 - Rowan Co	Cabarrus County	5.6	20	2	40	45	13600	700	1600	900	13600	2-B	40	Min	Sub	
	<b>St. Stephens Church Rd (SR 2352)</b>	Cabarrus Co - Old Beatty Ford Rd (SR 1221)	Rowan County	0.5	24	2	60	35	10200	700	1200	900	10200	2-A	60	Min	Sub	
	<b>St. Stephens Church Rd (SR 2352)</b>	Old Beatty Ford Rd (SR 1221) - Old NC 80 (SR 2350)	Rowan County	0.9	18	2	40	25	9000	800	1300	1200	9000	2-A	40	Min	Sub	
	<b>Sells Rd. (SR 1911)</b>	W. Innes Street (SR 2200) - Pebble Dr	Salisbury	0.2	20	2	35	35	9500	3200	-	4400	9500	2-C	35	Min	Sub	
	<b>Sells Rd. (SR 1911)</b>	Pebble Dr - E. Ridge Rd (SR 1915)	Salisbury	1.8	18	2	30	50	11000	1200	-	2500	11000	2-A	30	Min	Sub	
	<b>Seventeenth St</b>	Rowan Ave - Seventh St	Spencer	0.8	18	2	50	25	9000	-	-	600	9000	2-C	50	Min	Sub	
	<b>Seventh St. (SR 1914)</b>	Old Mocksville Rd (SR 1910) - Spencer Town Limits	Salisbury	1.5	20	2	60	45	11400	900	1000	700	11400	2-B	60	Min	Sub	
	<b>Seventh St (SR 1912)</b>	Spencer Town Limits - US 29 (Salisbury Ave)	Spencer	0.9	18	2	60	35	9200	700	900	400	9200	2-C	60	Min	Sub	
	<b>Sherrills Ford Rd (SR 1526)</b>	NC 801 - Barringer Rd (SR 1728)	Rowan County	3.7	20	2	60	45	11400	4300	7100	6200	11400	2-A	60	Min	Sub	
	<b>Sherrills Ford Rd (SR 1526)</b>	Barringer Rd (SR 1728) - Majolica Rd (SR 1722)	Rowan County	2.7	22	2	100	45	11800	5100	6500	6300	11800	2-A	100	Min	Sub	
	<b>Sherrills Ford Rd (SR 1526)</b>	Majolica Rd (SR 1722) - NC 150 (Mooreville Rd)	Salisbury	1.1	24	2	60	45	11700	9700	9700	12200	14600	2-A	60	Min	Sub	
CR-000X-H	<b>Shiloh Church Rd (SR 1600)</b>	NC 73 - Odell School Rd (SR 1601)	Kannapolis	2.4	18	2	40	45	11000	-	-	3500	12200	<b>2-E</b>	<b>60</b>	<b>Min</b>	Sub	
	<b>Shue Rd (SR 1506)</b>	N Main St (SR 1673) - Grants Creek	China Grove	1.2	20	2	60	35	9200	2300	3200	2700	9200	2-C	60	Min	Sub	

(1) Existing Four-lane undivided urban section with curb and gutter

**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section (ft) lanes		ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)
	<b>Shue Rd (SR 1506)</b>	Grants Creek - NC 152 Bypass	Rowan County	0.8	20	2	60	45	9500	-	3000	2600	9500	2-A	60	Min	Sub	
	<b>Shue Rd (SR 1506)</b>	NC 152 Bypass - Grace Church Rd (SR 1503)	Rowan County	1.1	20	2	60	45	9500	1900	2900	1800	9500	2-A	60	Min	Sub	
	<b>Sims Pkwy</b>	NC 49 - Forest St	Harrisburg	0.2	18	2	30	25	9000	-	-	500	9000	2-D	30	Min	Sub	
	<b>Smith Rd (SR 1360)</b>	Wright Rd (SR 1363) - Enochville School Rd (SR 1360)	Rowan County	1.3	16	2	60	45	13100	1700	1600	2600	13100	2-A	60	Min	Sub	
CR-000X-H	<b>Stallings Rd (SR 1161)</b>	Robinson Church Rd (SR 1166) - Tom Query Rd Ext	Harrisburg	1.2	20	2	50	35	9500	6100	17300	10300	14600	3-B	80	Min	Sub	
CR-000X-H	<b>Stallings Rd (SR 1161)</b>	Tom Query Rd Ext - Rocky River Rd (SR 1139)	Harrisburg	1.9	20	2	50	35	9500	6100	15300	16600	14600	3-B	80	Min	Sub	
CR-000X-H	<b>Statesville Blvd (SR 2094)</b>	US 601 (Jake Alexander Blvd) - Innes St (SR 2200)	Salisbury	1.8	48	2	80	45	24600	14000	16400	13900	17500	3-B	80	Maj	Sub	
CR-000X-H	<b>Stirewalt Rd Ext</b>	Mt Moriah Church Rd (SR 1197) - Kimball Rd (SR 1211)	Landis	0.4	-	-	-	-	-	-	-	1400	11700	2-H	75	Min	Sub	
CR-000X-H	<b>Stirewalt Rd Ext</b>	Kimball Rd (SR 1211) - Patterson St (SR 1225)	Rowan County	1.5	-	-	-	-	-	-	-	1500	12200	2-A	60	Min	Sub	
CR-000X-H	<b>Stirewalt Rd (SR 1419)</b>	Patterson St (SR 1225) - NC 152 (Church St)	Rowan County	0.3	20	2	60	55	11400	1000	1500	1900	12200	2-A	60	Min	Sub	
	<b>Stokes Ferry Rd (SR 1004)</b>	US 52 (Innes St) - Sills Dr	Salisbury	1.3	22	2	60	45	11300	4900	10200	4200	11300	2-D	60	Min	Sub	
	<b>Stokes Ferry Rd (SR 1004)</b>	Sills Dr - Dunns Mountain Church Rd (SR 2126)	Salisbury	0.4	22	2	60	50	14100	7800	8000	4900	14100	2-D	60	Min	Sub	
	<b>Stokes Ferry Rd (SR 1004)</b>	Dunns Mountain Church Rd (SR 2126) - Dunns Mountain Rd (SR 2131)	Salisbury	0.6	24	2	60	50	14600	7500	7800	4300	14600	2-A	60	Min	Sub	
	<b>Stokes Ferry Rd (SR 1004)</b>	Dunns Mountain Rd (SR 2131) - Providence Church Rd (SR 2134)	Rowan County	3.4	24	2	60	50	14600	5300	5300	4100	14600	2-A	60	Min	Sub	
	<b>Stokes Ferry Rd (SR 1004)</b>	Providence Church Rd (SR 2134) - High Rock Road (SR 2143)	Rowan County	6.0	24	2	60	50	15100	2900	3900	2900	15100	2-A	60	Min	Sub	
	<b>Stokes Ferry Rd (SR 1004)</b>	High Rock Road (SR 2143) - Stanly Co	Rowan County	6.2	24	2	60	50	15100	1000	1700	1000	15100	2-A	60	Min	Sub	
	<b>Stone Rd (SR 2315)</b>	Raney Rd (SR 2315) - US 52	Granite Quarry	1.2	18	2	60	45	11000	1300	2600	2700	11000	2-B	60	Min	Sub	
	<b>Third Street (SR 2037)</b>	US 29 (Salisbury Ave) - Whitehead Ave (SR 2037)	Spencer	0.5	24	2	60	35	10200	1400	3000	2200	10200	2-E	60	Min	Sub	
	<b>Third Street (SR 1915)</b>	Whitehead Ave (SR 2037) - Lincoln Ave (SR 1916)	Spencer	0.5	30	2	60	35	10200	2200	4600	2800	10200	2-E	60	Min	Sub	
CR-000X-H	<b>Third Creek Church Rd (SR 1973)</b>	US 70 (Statesville Blvd) - Baker Mill Rd (SR 1957)	Rowan County	3.0	18	2	60	55	13100	900	-	1100	14600	2-A	60	Min	Sub	
CR-000X-H	<b>Third Creek Church Rd (SR 1957)</b>	Baker Mill Rd (SR 1957) - Hill N Dale Ln	Rowan County	1.4	20	2	60	55	13600	1700	-	2100	14600	2-A	60	Min	Sub	

(1) Existing Four-lane undivided urban section with curb and gutter



**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																			
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes		
					Cross-Section (ft)	lanes	ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)	
CR-000X-H	<b>Third Creek Church Rd (SR 1957)</b>	Hill N Dale Ln - Main St (SR 1957)	Cleveland	0.2	18	2	60	35	9200	400	-	500	10200	2-A	60	Min	Sub		
CR-000X-H	<b>Tom Query Rd (SR 1166)</b>	Mecklenburg Co - Plaza Rd Extension	Harrisburg	0.4	18	2	45	45	11000	-	-	5200	14200	3-B	80	Min	Sub		
CR-000X-H	<b>Tom Query Rd (SR 1166)</b>	Plaza Rd Extension - Caldwell Rd (SR 1173)	Harrisburg	0.1	20	2	50	45	11400	-	-	5100	14200	3-B	80	Min	Sub		
CR-000X-H	<b>Tom Query Rd (SR 1166)</b>	Caldwell Rd (SR 1173) - Robinson Church Rd (SR 1166)	Harrisburg	1.0	20	2	40- 50	45	11400	4500	8500	4900	35100	4-D	110	B	Sub		
CR-000X-H	<b>Tom Query Rd Ext</b>	Robinson Church Rd (SR 1166) - Pharr Mill Rd (SR 1158)	Harrisburg	2.6	-	-	-	-	-	-	-	5300	36600	4-D	110	B	Sub		
CR-000X-H	<b>Trexler Rd (SR 2378)</b>	Barger Rd (SR 2377) - Stokes Ferry Rd (SR 1004)	Rowan County	1.1	16	2	60	55	13100	800	1000	700	14600	2-A	60	Min	Sub		
CR-000X-H	<b>Trinity Church Rd (SR 1622)</b>	NC 73 (Davidson Hwy) - Orphanage Rd (SR 1778)	Kannapolis	0.5	22	2	50- 175	35	9900	8100	17800	21700	26800	4-D	110	B	Sub		
CR-000X-H	<b>Trinity Church Rd (SR 1622)</b>	Orphanage Rd (SR 1778) - Kannapolis Parkway (SR 1624)	Kannapolis	0.9	22	2	40- 128	35	9900	7800	12800	27600	26800	4-D	110	B	Sub		
CR-000X-H	<b>Trinity Church Rd (SR 1623)</b>	Kannapolis Parkway(SR 1624) - Drakestone Rd (SR 1922)	Kannapolis	2.6	24	2	40- 140	45	14600	2100	5800	2839	16000	3-B	80	Min	Sub		
CR-000X-H	<b>Trinity Church Rd (SR 1623)</b>	Drakestone Rd (SR 1922) - NC 3 (Mooresville Hwy)	Kannapolis	1.3	20	2	40- 140	45	13600	800	2100	800	16000	3-B	80	Min	Sub		
	<b>Troutman Rd (SR 1145)</b>	Jim Sossoman Rd (SR 1123) to Cal Bost Rd (SR 1143)	Cabarrus County	2.7	24	2	60	45	11400	-	-	1600	11400	2-A	60	Min	Sub		
CR-000X-H	<b>Tuckaseegee Rd (SR 1616)</b>	NC 3 (Mooresville Hwy) - Westside Bypass	Cabarrus County	0.6	16	2	40- 60	45	11000	3000	4400	4600	13200	3-B	80	Min	Sub		
CR-000X-H	<b>Tuckaseegee Rd (SR 1351)</b>	Westside Bypass - S Enochville Ave (SR 1351)	Rowan County	0.4	20	2	60	55	13600	4200	1900	4700	13200	3-A	80	Min	Sub		
	<b>Turkey Rd (SR 1349)</b>	Lane St (SR 2180) - Rowan Co	Rowan County	0.5	16	2	50	45	11000	-	-	200	11000	2-B	50	Min	Sub		
	<b>Turkey Rd (SR 1349)</b>	Cabarrus Co - Moose Rd (SR 1308)	Rowan County	0.4	20	2	60	45	11400	-	-	200	11400	2-A	60	Min	Sub		
	<b>Twenty-second St-Jack Rd (SR 1163)</b>	W A St (SR 1100) - Main St (SR 2739)	Kannapolis	1.0	18	2	30	35	9200	1900	2600	2500	9200	2-C	30	Min	Sub		
	<b>Twenty-second St (SR 1254)</b>	US 29 (Cannon Blvd) - Ebenezer Rd (SR 1322)	Kannapolis	0.6	20	2	40	35	9500	700	300	900	9500	2-E	40	Min	Sub		
	<b>Union St</b>	NC 3 (Branchview Rd) - Manor Ave	Concord	0.7	24	2	60	35	10200	6600	14500	12900	10200	2-C	60	B	Sub		
	<b>Union St</b>	Manor Ave - Corban Ave	Concord	1.7	35	2	40- 60	35	10200	7300	11200	7500	10200	2-E	40- 60	B	Sub		
CR-000X-H	<b>Union Cemetary Rd</b>	Old Charlotte Rd (SR 1335) - Sunderland Rd	Concord	0.6	22	2	50	35	9900	7600	11500	8500	24300	4-D	110	B	Sub		
CR-000X-H	<b>Union Cemetary Rd Relocation</b>	Sunderland Rd - US 29 (Cannon Blvd)	Concord	0.7	-	-	-	-	-	-	-	8300	24300	4-D	110	B	Sub		

(1) Existing Four-lane undivided urban section with curb and gutter

**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section (ft) lanes		ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)
CR-000X-H	Unity Church Rd (SR 1355)	Plum Rd (SR 1615) - Deal Rd (SR 1353)	Rowan County	2.6	18	2	40- 60	45	13100	1300	4100	900	14600	2-A	60	Min	Sub	
CR-000X-H	Unity Church Rd (SR 1355)	Deal Rd (SR 1353) - W NC 152	Rowan County	2.5	16	2	60	55	13600	400	580	400	14600	2-A	60	Min	Sub	
CR-000X-H	Upper Palmer Rd (SR 2341)	NC 152 Ext - US 52 Bypass	Rockwell	0.5	24	2	60	45	12200	2100		2400	12200	2-A	60	Min	Sub	
CR-000X-H	Upper Palmer Rd (SR 2341)	US 52 Bypass - Lower Palmer Rd (SR 2343)	Rowan County	0.2	18	2	60	45	11000	2100	3000	4700	12200	2-A	60	Min	Sub	
CR-000X-H	Upper Palmer Rd (SR 2341)	Lower Palmer Rd (SR 2343) - Gold Knob Rd (SR 2375)	Rowan County	0.6	16	2	60	55	13600	700	1000	300	12200	2-A	60	Min	Sub	
	Weaver Rd (SR 1535)	Millbridge Rd (SR 1350) - Patterson Rd (SR 1533)	Rowan County	1.5	16	2	60	45	11400	-	-	1900	12200	2-A	60	Min	Sub	
	Weaver Rd (SR 1535)	Patterson Rd (SR 1533) - Miller Rd (SR 1509)	Rowan County	2.3	16	2	60	45	11400	-	-	1100	12200	2-A	60	Min	Sub	
	Webb Rd (SR 1500)	US 29 (S Main St) - I-85	Rowan County	0.7	24	2	60	45	12200	4000	5500	5700	12200	2-A	60	Min	Sub	
	Webb Rd (SR 1500)	I-85 - Old Concord Rd (SR 1002)	Rowan County	2.0	24	2	60	45	12200	2800	4500	3800	12200	2-A	60	Min	Sub	
CR-000X-H	Weddington Rd (SR 1431)	Old Holland Rd (SR 1520) - Bruton Smith Blvd (SR 2894)	Concord	0.4	24	2	60	35	11400	-	-	13900	35100	4-C	110	B	Sub	
CR-000X-H	Weddington Rd (SR 1431)	Bruton Smith Blvd (SR 2894) - Reuben Linker Rd (SR 1438)	Concord	1.2	70	4D	100	45	35100	-	-	25900	35100	4-C	110	B	Sub	
CR-000X-H	Weddington Rd (SR 1431)	Reuben Linker Rd (SR 1438) - Pitts School Rd (SR 1305)	Concord	0.6	45	3	70-100	45	12800	-	-	27000	35100	4-C	110	B	Sub	
CR-000X-H	Weddington Rd (SR 1431)	Pitts School Rd (SR 1305) - George Liles Blvd (SR 1430)	Concord	3.0	20	2	40	45	11400	9200	12800	19900	35100	4-C	110	B	Sub	
CR-000X-H	Weddington Rd (SR 1431)	George Liles Blvd (SR 1430) - Rock Hill Ch Rd (SR 1414)	Concord	1.9	20	2	40	45	11400	12000	16700	14000	35100	4-C	110	B	Sub	
CR-000X-H	Weddington Rd Ext	Rock Hill Church Rd (SR 1414) - US 29 (Cannon Blvd)	Concord	1.0	-	-	-	-	-	-	-	10300	35100	4-C	110	B	Sub	
CR-000X-H	West A St (SR 1100)	Loop Rd (SR 1136) - Enochville Rd (SR 1104)	Kannapolis	0.9	18	2	40	35	9200	4500	5500	5400	11700	3-C	80	Min	Sub	
CR-000X-H	West A St (SR 1100)	Enochville Rd (SR 1104) - Klutz Drive	Kannapolis	0.2	18	2	40	35	9200	2500	4200	3100	11700	3-C	80	Min	Sub	
CR-000X-H	West A St (SR 1100)	Klutz Drive - Airport Rd (SR 1182)	Kannapolis	1.0	18	2	60	45	10500	1800	3100	2100	11700	3-C	80	Min	Sub	
CR-000X-H	West A St (SR 1100)	Airport Rd (SR 1182) - Main St (SR 2739)	Kannapolis	0.7	18	2	60	35	9200	1600	2600	1300	11700	3-C	80	Min	Sub	
CR-000X-H	West C St (SR 1124)	Enochville Ave (SR 1351) - Cabarrus Co	Rowan County	1.9	24	2	60	45	12200	6700	8000	7900	13200	3-C	80	Min	Sub	
CR-000X-H	West C St (SR 1680)	Rowan Co - Loop Rd (SR 1691)	Kannapolis	0.7	30	2	30	35	10200	8100	8700	9500	11700	3-C	80	Min	Sub	
CR-000X-H	Westside Bypass	NC 3 (Mooresville Hwy) - Tuckaseegee Rd (SR 1616)	Cabarrus County	1.1	-	-	-	-	-	-	-	28100	45200	4-A	180	B	Sub	
CR-000X-H	Westside Bypass	Tuckaseegee Rd (SR 1616) - Rowan Co	Cabarrus County	0.1	-	-	-	-	-	-	-	10800	45200	4-A	180	B	Sub	

(1) Existing Four-lane undivided urban section with curb and gutter

**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section (ft)	lanes	ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)
CR-000X-H	Westside Bypass	Cabarrus Co - Wright Rd Relocation	Rowan County	0.7	-	-	-	-	-	-	-	6500	45200	4-A	180	B	Sub	
CR-000X-H	Westside Bypass	Wright Rd Relocation - Enochville School Rd (SR 1360)	Rowan County	1.3	-	-	-	-	-	-	-	7400	45200	4-A	180	B	Sub	
CR-000X-H	Westside Bypass	Enochville School Rd (SR 1360) - N Enochville Ave (SR 1351)	Rowan County	0.6	-	-	-	-	-	-	-	8900	45200	4-A	180	B	Sub	
CR-000X-H	Westside Bypass	N Enochville Ave (SR 1351) - Saw Rd (SR 1350)	Rowan County	1.3	-	-	-	-	-	-	-	9900	45200	4-A	180	B	Sub	
CR-000X-H	Westside Bypass (Saw Rd)	Saw Rd (SR 1350) - W NC 152	Rowan County	0.9	20	2	60	55	14100	2900	3600	6300	45200	4-A	180	B	Sub	
	Widenhouse Rd	NC 24/27 - Northern Connector	Midland	0.8	18	2	60	25	10000	-	-	300	13600	2-A	60	Min	Sub	
	White Rd (SR 1737)	NC 150 (Mooresville Rd) - Sherrills Ford Rd (SR 1526)	Rowan County	3.2	20	2	60	45	13600	1400	2600	2300	13600	2-A	60	Min	Sub	
	Whitehead Ave (SR 2037)	1915	Spencer	1.0	18	2	50	35	9200	-	-	4400	9200	2-C	50	Min	Sub	
	Whitehead Ave (SR 1915)	Third St (SR 2037) - Jefferson St (SR 1915)	Spencer	1.0	32	2	60	35	9200	3500	-	4400	9200	2-E	60	Min	Sub	
CR-000X-H	Wilshire Ave (SR 1157)	Old Charlotte Rd (SR 1157) - US 601 (Warren C Coleman Blvd)	Concord	0.9	18	2	40	35	9200	6700	13100	8900	28100	4-C	110	B	Sub	
CR-000X-H	Wilshire Ave (SR 1157)	US 601 (Warren C Coleman Blvd) - Union St	Concord	1.3	20	2	40	35	9500	6800	11100	1100	28100	4-C	110	B	Sub	
CR-000X-H	Wilshire Ave Ext	Union St - NC 3 (Branchview Dr)	Concord	0.7	-	-	-	-	-	-	-	1200	28100	4-C	110	B	Sub	
CR-000X-H	Windy Rd (SR 1442)	Odell School Rd (SR 1601) - NC 3 (Mooresville Hwy)	Cabarrus County	1.4	20	2	40	45	13600	3500	15500	7400	15100	2-A	60	Min	Sub	
CR-000X-H	Winecoff School Rd (SR 1790)	NC 73 (Davidson Hwy) - I-85	Concord	0.6	24	2	40-60	35	10200	9100	11400	12900	10200	3-B	80	Min	Sub	
CR-000X-H	Winecoff School Rd (SR 1790)	I-85 - Linker Av	Kannapolis	0.4	23	2	60	35	10050	6900	7300	9100	11700	3-B	80	Min	Sub	
CR-000X-H	Winecoff School Rd (SR 1790)	Linker Ave - Main St (SR 1008)	Concord	0.4	23	2	40	35	10050	6700	10800	6800	11700	3-B	80	Min	Sub	
	Woodleaf Rd (SR 2048)	Ridge Rd (SR 1944)	Salisbury	1.3	28	2	60	35	10200	7700	6100	8600	10200	2-A	60	Min	Sub	
	Woodleaf Rd (SR 2048)	W Ridge Rd (SR 1944) - Goodson Rd (SR 1954)	Rowan County	2.8	22	2	60	45	12200	4700	6500	5900	12200	2-A	60	Min	Sub	
CR-000X-H	Woodleaf Rd (SR 2048)	Goodson Rd (SR 1954) - NC 801	Rowan County	2.8	22	2	60	55	14100	3500	2800	4500	14600	2-A	60	Min	Sub	
	Wright Rd (SR 1359)	Deal Rd (SR 1353) - Karkiker Rd (SR 1359)	Rowan County	1.0	20	2	60	45	13600	1000	3800	800	13600	2-A	60	Min	Sub	
	Wright Rd (SR 1363)	Karkiker Rd (SR 1359) - Russel Farm Rd	Rowan County	2.8	20	2	60	35	9500	2400	3800	2700	9500	2-A	60	Min	Sub	
CR-000X-H	Wright Rd Relocation	Russel Farm Rd - Westside Bypass	Rowan County	0.4	-	-	-	-	-	-	-	2700	13100	3-A	80	Min	Sub	

(1) Existing Four-lane undivided urban section with curb and gutter

**DRAFT CTP INVENTORY AND RECOMMENDATIONS**

HIGHWAY																		
Local ID	Facility	Section (From - To)	Jurisdiction	Dist. (mi)	2013 Existing System					2040 Proposed System					CTP Classification	Tier	Other Modes	
					Cross-Section (ft)	lanes	ROW (ft)	Speed Limit (mph)	Existing Capacity (vpd)	2013 AADT	2040 AADT E+C	2040 AADT with MTP	Proposed Capacity (vpd)	Cross-Section				ROW (ft)
CR-000X-H	<b>Wright Rd Relocation</b>	Westside Bypass - Enochville Ave (SR 1351)	Rowan County	0.4	-	-	-	-	-	-	-	1600	13100	<b>3-A</b>	<b>80</b>	<b>Min</b>	Sub	
CR-000X-H	<b>Zion Church Rd (SR 1152)</b>	Flowes Store Rd (SR 1132) - Archibald Rd (SR 1153)	Concord	1.8	20	2	40	55	13600	1400	5700	3000	13100	<b>3-B</b>	<b>80</b>	<b>Min</b>	Sub	
CR-000X-H	<b>Zion Church Rd (SR 1153)</b>	Archibald Rd (SR 1153) - Zion Church Rd E (SR 1153)	Concord	1.4	18	2	60	55	13100	5600	13400	10600	13100	<b>3-B</b>	<b>80</b>	<b>Min</b>	Sub	
CR-000X-H	<b>Zion Church Rd (SR 1155)</b>	Zion Church Rd E (SR 1153) - NC 49	Concord	0.8	24	2	60	55	14600	5400	9900	8400	13100	<b>3-B</b>	<b>80</b>	<b>Min</b>	Sub	
CR-000X-H	<b>Zion Church Rd (SR 1155)</b>	NC 49 - Webb Rd (SR 1155)	Concord	0.9	24	2	60	45	11700	4400	6400	6000	13100	<b>3-B</b>	<b>80</b>	<b>Maj</b>	Sub	
CR-000X-H	<b>Zion Church Rd (SR 1482)</b>	Webb Rd (SR 1155) - US 601 (Warren C Coleman Blvd)	Concord	0.2	24	2	60	45	11700	2800	3500	4000	13100	<b>3-B</b>	<b>80</b>	<b>Maj</b>	Sub	
CR-000X-H	<b>Zion Church Rd (SR 1157)</b>	US 601 (Warren C Coleman Blvd) - Wilshire Ave (SR 1157)	Concord	0.1	24	2	60	35	10200	1200	2000	2000	13100	<b>3-B</b>	<b>80</b>	<b>Min</b>	Sub	
CR-000X-H	<b>Zion Church Rd East (SR 1153)</b>	Zion Church Rd (SR 1155) - US 601	Concord	1.6	18	2	60	45	11000	4900	15100	11800	13100	<b>3-B</b>	<b>80</b>	<b>Min</b>	Sub	

(1) Existing Four-lane undivided urban section with curb and gutter