3EN1 Stage 3 - Traffic Noise and Air Quality QC Checklist for DESIGN NOISE REPORT

SPOT ID/Project TIP #:

County:

Note: This QC checklist is for the initial submittal only. For subsequent submittals, the Comment/Response matrix will serve as QC checklist.

Item #	Review Item	Yes	No	N/A
QC.1	Reporting			
QC.1.1	Prepared by a traffic noise analyst prequalified with NCDOT to prepare a DNR			
QC.1.2	Traffic Noise Report Template has been followed.			
QC.1.2.1	Includes a Cover Page with all information outlined in Section 11.1 of the 2022 NCDOT Traffic Noise Manual.			
QC.1.2.2	Includes a Signature Page with all information outlined in Section 11.2 of the 2022 NCDOT Traffic Noise Manual (only signed if Final version of the DNR).			
QC.1.2.3	Includes an Executive Summary with all information outlined in Section 11.3 of the 2022 NCDOT Traffic Noise Manual.			
QC.1.2.4	Includes a Table of Contents with all information outlined in Section 11.4 of the 2022 NCDOT Traffic Noise Manual.			
QC.1.2.5	Includes a Project Location, Description, and Background section with all information outlined in Section 11.5 of the 2022 NCDOT Traffic Noise Manual.			
QC.1.2.5.1	Includes explanation on why the project is a Type I project.			
QC.1.2.6	Includes a Procedure section quoting or paraphrasing the statements provided in Section 11.6 of the 2022 NCDOT Traffic Noise Manual.			
QC.1.2.7	Includes a Characteristics of Noise section in accordance with Section 11.7 of the 2022 NCDOT Traffic Noise Manual.			
QC.1.2.8	Includes a Noise Abatement Criteria section that provides an informative description of NCDOT noise policy and criteria for the assessment of traffic and construction noise impacts and impact related abatement measures per Section 11.8 of the 2022 NCDOT Traffic Noise Manual.			
QC.1.2.9	Includes an Ambient Noise Levels section with all information outlined in Section 11.9 of the 2022 NCDOT Traffic Noise Manual.			
QC.1.2.9.1	Explanation of purpose and results of ambient noise measurements includes both short-term and long-term measurements (if applicable).			
QC.1.2.10	Includes a Noise Model Validation section that discusses how and why TNM was validated in accordance with Section 11.10 of the 2022 NCDOT Traffic Noise Manual.			

Item #	Review Item	Yes	No	N/A
	Includes sections outlining the procedures for predicting existing			
QC.1.2.11	and future noise levels in accordance with Sections 11.11 and			
	11.12 of the 2022 NCDOT Traffic Noise Manual.			
	Includes a Traffic Noise Impacts section that defines impacts and			
QC.1.2.12	describes project-specific impacts in accordance with Section			
	11.13 of the 2022 NCDOT Traffic Noise Manual.			
	Includes a comprehensive Potential Traffic Noise Abatement			
QC.1.2.13	Measures section that discusses the various types of abatement			
	outlined in Section 11.14 of the 2022 NCDOT Traffic Noise			
	Manual.			
064344	Includes a Construction Noise section with both general and			
QC.1.2.14	project-specific discussions in accordance with Section 11.15 of			
	the 2022 NCDOT Traffic Noise Manual. Includes a section discussing traffic noise levels for undeveloped			
	lands where no building permits have been issued in accordance			
	with Section 11.16 of the 2022 NCDOT Traffic Noise Manual, as			
QC.1.2.15	well as predicted traffic noise level contour distances and			
QC.1.2.15	locations described in adequate enough detail for the reader to			
	easily determine the locations using only Google Maps (e.g.			
	North of Route X from Point A to Point B).			
	Includes a Conclusion section with all information outlined in			
QC.1.2.16	Section 11.17 of the 2022 NCDOT Traffic Noise Manual.			
	Includes a list of all applicable references used in the			
QC.1.2.17	development of the DNR in accordance with Section 11.18 of the			
	2022 NCDOT Traffic Noise Manual.			
0010	Green Sheet Commitments from the final Environmental			
QC.1.3	Document have been reviewed for noise specific commitments.			
00121	If there are noise specific Green Sheet Commitments, they have			
QC.1.3.1	been addressed appropriately in the DNR.			
QC.2	Figures			
QC.2.1	Figures include a representation of the entire project (study area)			
	on one image (Vicinity Map)			
06.3.3	Figures include detailed small-scale images as necessary to			
QC.2.2	appropriately document project designs, receptor locations,			
	impacts, and benefits.			
QC.2.2.1	Include a title block, legend, properly oriented north arrow, and			
	map creation date.			
QC.2.2.2	Figures include aerial photogrammetry or other appropriate base			
	mapping.			
QC.2.2.3	Figures include a consistent logical scale based on receptor density or are denoted as being not to scale (only if appropriate).			
-				
	Figures show all NSAs, field measurement locations, receptors, land uses that are not noise sensitive, likely, and unlikely noise			
QC.2.2.4	barriers, and any other features relevant to the traffic noise study			
	using the recommended formatting and color-coding in Section			
	11.19 of the 2022 NCDOT Traffic Noise Manual.			
	Figures accurately depict impacted and/or benefited and non-			
	impacted and/or non-impacted receptors, as well as likely vs.			
QC.2.2.5	unlikely noise barriers. Benefited receptors are included only for			
	likely noise barriers. Denented receptors are included only for			
	intery noise burners.			

Item #	Review Item	Yes	No	N/A
	Proposed spatial limits of traffic noise study area generally follow			
QC.2.2.6	guidance from Table 7.1 of the 2022 NCDOT Traffic Noise Manual			
	(may need to be expanded following the initial noise modeling			
	effort if the outer limit of predicted traffic noise impacts and/or			
	benefits is not defined).			
QC.2.2.7	Figures are landscape oriented and are oriented the same way			
QC.2.2.7	the roadway plans follow the alignment.			
QC.3	Appendices			
	Includes an Ambient Noise Level Measurements appendix with all			
QC.3.1	information outlined in Section 11.20.1 of the 2022 NCDOT			
	Traffic Noise Manual.			
	Includes an Hourly Equivalent Traffic Noise Level Tables appendix			
QC.3.2	that presents accurate predicted noise level results for all noise-			
	sensitive receptors and follows the table format from Section			
	11.20.2 of the 2022 NCDOT Traffic Noise Manual.			
QC.3.2.1	Includes accurate equivalent receptor calculation tables for all appropriate locations following the format from Appendix C of			
QC.5.2.1	the 2022 NCDOT Traffic Noise Manual.			
	Includes a Traffic Noise Models appendix discussing all TNM input			
	and procedures, as well as a description of the TNM validation			
QC.3.3	process and results in accordance with Section 11.20.3 of the			
	2022 NCDOT Traffic Noise Manual.			
	Includes a detailed Noise Barrier Analysis appendix that presents			
	accurate noise level results for all evaluated noise barriers, both			
06.2.4	likely and unlikely, and follows the table format from Section			
QC.3.4	11.20.4 of the 2022 NCDOT Traffic Noise Manual, as well as a			
	table summarizing the accurate calculation of allowable quantity			
	per benefit for all evaluated noise barriers.			
	Includes a Noise Barrier Envelope Drawings and Noise Wall Panel			
	Design Tables appendix that includes all recommended noise			
QC.3.5	barriers and follows the examples on the NCDOT website			
	referenced in Section 11.20.5 of the 2022 NCDOT Traffic Noise			
	Manual.			
	Noise wall stationing follows the direction of the alignment that the wall is offset from. If the wall follows multiple alignments			
QC.3.6	(e.g. mainline and offramp), the engineer has determined the			
	most logical stationing for the given situation.			
	Includes a Traffic Information appendix in accordance with			
	Section 11.20.6 of the 2022 NCDOT Traffic Noise Manual and			
QC.3.7	provides a sufficient level of detail for the reader to recreate the			
	development of traffic volumes for TNM.			
QC.3.8	Includes a copy of the 2021 NCDOT Traffic Noise Policy.			
QC.4	TNM Files			
	TNM files with accurate run identification included that			
QC.4.1	encompass the entire project study for every scenario and			
	alternative included in the DNR.			
QC.4.2	All TNM modeling follows the guidance outlined in Section 7.10			
Q0.1.2	of the 2022 NCDOT Traffic Noise Manual.			
	All TNM roadways modeled in accordance with Sections 7.10.1			
QC.4.2.1	and 7.10.9, as well as Appendix B of the 2022 NCDOT Traffic			
	Noise Manual.			

Item #	Review Item	Yes	No	N/A
00422	All TNM receivers modeled in accordance with Sections 7.10.2			
QC.4.2.2	and 7.10.3 of the 2022 NCDOT Traffic Noise Manual.			
06433	All TNM terrain lines modeled in accordance with Section 7.10.4			
QC.4.2.3	of the 2022 NCDOT Traffic Noise Manual.			
00424	All TNM barriers modeled in accordance with Sections 7.10.5,			
QC.4.2.4	7.10.6 and 7.10.10 of the 2022 NCDOT Traffic Noise Manual.			
00425	All TNM tree zones modeled in accordance with Section 7.10.7 of			
QC.4.2.5	the 2022 NCDOT Traffic Noise Manual.			
	All TNM ground zones modeled in accordance with Section 7.10.8			
QC.4.2.6	of the 2022 NCDOT Traffic Noise Manual.			
	For each TNM file, the traffic volume input is accurate and			
QC.4.3	consistent with the Traffic Information appendix.			
	For each TNM file, all vehicle speeds are modeled as posted			
QC.4.4	speed + 5 mph (not to exceed the design speed).			
	With noise barrier TNM models include all evaluated iterations of			
	noise barrier design and demonstrate that barrier optimization			
	has been conducted in a sufficient level of detail, making every			
QC.4.5	effort to find feasible and reasonable noise barrier designs that			
	achieve the NRDG for as many predicted traffic noise impacts as			
	possible			
	Line-of-sight tool has been used for all recommended noise			
QC.4.6	barriers.			
QC.5	Miscellaneous			
QCIS	With the exception of TNM model validation, all reported noise			
QC.5.1	levels are rounded to the nearest whole decibel in accordance			
QC.J.1	with Section 7.2 of the 2022 NCDOT Traffic Noise Manual.			
	All predicted Build-condition noise levels are based on Build-			
QC.5.2	condition TNM models (without noise barriers).			
QC.5.3	Includes noise barrier analyses for all appropriate and feasible			
	locations with predicted traffic noise impacts.			-
	Includes parallel barrier analyses and absorptive material			
QC.5.4	conclusions for all appropriate locations in accordance with			
	Sections 7.10.10 and 10.3 of the 2022 NCDOT Traffic Noise			
	Manual.			
QC.5.5	Includes analysis of areas with existing noise walls consistent with			
	Appendix D of the 2022 NCDOT Traffic Noise Manual.			
QC.5.6	Includes a discussion of other (non-traffic) major noise sources in			
	the project study area (railroads, airports, etc.)			
QC.5.7	Includes all relevant project design files.			
	DNR demonstrates that noise abatement measures have been			
QC.5.8	adequately considered for all predicted traffic noise impacts and			
	clearly shows the reasons(s) why any non-benefited impacts			
	could not be benefited.			
	All tables clearly indicate where existing noise levels are			
QC.5.9	determined by the measured loudest-hour ambient noise level			
	(calculated using the "rolling hour" method) rather than TNM			
	results.			
	Includes stored alignments, bottom-of-wall profiles, and acoustic			
QC.5.10	profiles for all recommended noise barriers in GEOPAK format.			

Item #	Review Item	Yes	No	N/A
QC.5.11	A DNR Abatement Review Meeting has been conducted with TNAQ using the agenda template provided by TNAQ, in which the abatement findings of this DNR were presented and discussed. Note: The purpose of this meeting is to review locations where abatement covers only a portion of a community or where abatement is not recommended due to minor differences in predicted noise levels (e.g., the impact threshold is within 1 decibel of being met or abatement is barely not reasonable due to a NRDG of 6.4 decibels).			
QC.5.12	The results of the DNR have been checked against the project's TNR to identify any increases in noise levels or changes in likely abatement for any receptors in areas listed on, or eligible for listing on, the National Register of Historic Places. Any such changes have been reported to TNAQ for appropriate coordination with the NCDOT Historic Architecture Group.			
QC.5.13	Walls are designed to abate for impacted receptors that were permitted prior to the Date of Public Knowledge (DPK). In cases where there are permitted <i>post</i> -DPK receptors behind a wall that are incidentally benefited, the <i>post</i> -DPK receptors are counted as benefits in the cost-reasonableness calculations but are <u>NOT</u> shown or counted as impacts.			
QC.5.14	Noise wall turns do not exceed 45 degrees.			

For items marked NO or N/A that require further explanation, provide comments or action items in the table below.

Item #	Comments and Action Items

This checklist may not be comprehensive to every project. All items may not be applicable for smaller projects. It is the responsibility of the reviewer to ensure that an adequate review is performed.

I have reviewed the plans for consistency with this checklist and confirmed that all items have been completed.

QC Reviewer Name:	Date:	

QC Reviewer (Signature):