3EN1 Stage 3 - Traffic Noise and Air Quality

QC Checklist for DNR NOISE MODEL VALIDATION MEMO

SPOT ID/Project TIP #:	
County:	

Note: This QC checklist is for the initial submittal only. For subsequent submittals, the Comment/Response matrix will serve as QC checklist.

Item #	Review Item	Yes	No	N/A	
QC.1	Reporting				
QC.1.1	Prepared by a traffic noise analyst prequalified with NCDOT to prepare a DNR.				
QC.1.2	The Noise Model Validation Memo Template has been followed.				
QC.1.2.1	Includes project location, proposed improvements, project length, existing base year, and design year				
QC.1.2.2	Design speed has been confirmed and identified, and aligns with most current design criteria				
QC.1.2.3	Discusses the number and duration of ambient noise measurements performed compared to the number and duration of ambient noise measurements proposed in the work plan.				
QC.1.2.4	Discusses the procedures used to collect all necessary data for TNM validation.				
QC.1.2.5	Includes accurate TNM validation results and provides explanation for any site(s) that did not validate (if applicable).				
QC.1.3	The Noise Measurement Field Data Sheet Template has been followed.				
QC.1.3.1	Includes complete and accurate field data sheet, unusual event log, and photographs of each individual SLM setup for all short-term ambient noise measurement sites.				
QC.1.4	Includes calibration certificates for all SLMs and acoustical calibrator(s) indicating that all equipment has been calibrated by an appropriately accredited laboratory within 2 years of the ambient noise measurements or other shorter timeframe as defined by the manufacturer or testing laboratory.				
QC.2	Figures				
QC.2.1	Figures include all short-term and long-term noise monitoring sites where ambient noise measurements were performed, and number of SLMs per site, as applicable, indicated with white dots on the figures. Include reason(s) for any long-term measurements, as applicable.				
QC.2.2	Figures include all receptor locations and the associated noise abatement criteria (NAC) activity category for each location, including black dots for NAC F and other Non-Noise Sensitive (NNS) land uses.				

Item #	Review Item	Yes	No	N/A
QC.2.3	Proposed spatial limits of traffic noise study area generally follow guidance from Table 7.1 of the 2022 NCDOT Traffic Noise Manual (may need to be expanded following the initial noise modeling effort if the outer limit of predicted traffic noise impacts and/or benefits is not defined).			
QC.2.4	Project mapping represents entire project (study area) on one image (Vicinity Map).			
QC.2.5	Figures are landscape oriented and are oriented the same way the roadway plans follow the alignment.			
QC.2.6	Figures include aerial photogrammetry.			
QC.2.7	Figures include a logical scale or denoted as being not to scale.			
QC.2.8	NSA boundaries are shown and consistent with the approved Work Plan. If NSA boundaries differ from Work Plan, an explanation has been provided.			
QC.2.9	The proposed design is shown and consistent with the approved Work Plan.			
QC.3	TNM Files			
QC.3.1	All TNM modeling follows the guidance outlined in Section 7.10 of the 2022 NCDOT Traffic Noise Manual.			
QC.3.1.1	All TNM roadways modeled in accordance with Sections 7.10.1 and 7.10.9, as well as Appendix B of the 2022 NCDOT Traffic Noise Manual.			
QC.3.1.2	All TNM receivers modeled in accordance with Sections 7.10.2 and 7.10.3 of the 2022 NCDOT Traffic Noise Manual.			
QC.3.1.3	All TNM terrain lines modeled in accordance with Section 7.10.4 of the 2022 NCDOT Traffic Noise Manual.			
QC.3.1.4	All TNM barriers modeled in accordance with Sections 7.10.5, 7.10.6 and 7.10.10 of the 2022 NCDOT Traffic Noise Manual.			
QC.3.1.5	All TNM tree zones modeled in accordance with Section 7.10.7 of the 2022 NCDOT Traffic Noise Manual.			
QC.3.1.6	All TNM ground zones modeled in accordance with Section 7.10.8 of the 2022 NCDOT Traffic Noise Manual.			
QC.3.2	For each measurement site, the traffic volumes in TNM are consistent with the traffic counts on the field data sheet (converted to hourly volumes).			
QC.3.3	For each measurement site, vehicle speeds in TNM are consistent with the vehicle speeds on the field data sheet.			
QC.4	Other Electronic Files			
QC.4.1	Spreadsheet provided that includes all ambient noise measurement data collected.			
QC.4.1.1	Sound level metrics (Leq and L _{max} at minimum) collected in increments of one minute (i.e., a 20-minute short-term measurement shall be comprised of 20 data points; a 24-hour long-term measurement session shall be comprised of 1,440 data points).			

Item #	Review Item	Yes	No	N/A	
QC.4.1.2	Includes accurate calculation of equivalent noise level (Leq) for each short-term ambient noise measurement location, including any appropriate despiking of aberrant noise events from data sets (if applicable). Provides an explanation of despiking due to aberrant noise events, if known (e.g., jet plane flyover, lawnmower, car horn, emergency vehicle siren, etc.).				
QC.4.1.3	Includes accurate calculation of the loudest hour equivalent noise level [$L_{eq(h)}$], using the "rolling hour" method, for any long-term ambient noise measurement site where traffic noise is not dominant.				
For items m	arked NO or N/A that require further explanation, provide comments	or action ite	ms in the ta	hle helow	
Item #	Comments and Action Items	or action ite	ins in the tu	bie below.	
This checklist may not be comprehensive to every project. All items may not be applicable for smaller projects. It is the responsibility of the reviewer to ensure that an adequate review is performed.					
I have reviewed the deliverables for consistency with this checklist and confirmed that all items have been completed.					
QC	Reviewer Name:	Date:			
QC Reviewer (Signature):					