

Class Grade Sheet

Class:		Conventional Density Testing (MAT 230) PDH 12.5					
Instructor: (Primary)		C.M. Gilliam			Instructor: (Secondary)	P.A. Rossi	
Location:		RALEIGH			Date:	1/27/2022	
Count	Last Name (First Letter)	SSN: (last 4)	Grade	Pass/Fail	Status (A / P / I)	P.E. License # (for PDHs)	Remarks
1	B	0438	100	Pass	Pending		
2	B	1752	95	Pass	Pending		
3	B	5918	94	Pass	Pending		
4	C	6091	94	Pass	Pending		
5	C	1907	100	Pass	Pending		
6	C	3426	100	Pass	Pending		
7	C	8163	95	Pass	Pending		
8	D	5832	92	Pass	Pending		
9	D	0140	97	Pass	Pending		
10	E	3327	92	Pass	Pending		
11	F	1666	91	Pass	Pending		
12	F	4725	90	Pass	Pending		
13	G	3488	98	Pass	Pending		
14	H	3785	94	Pass	Pending		
15	I	7175	98	Pass	Pending		
16	I	2225	92	Pass	Pending		
17	L	3131	95	Pass	Pending		
18	L	7524	97	Pass	Pending		
19	M	5590	88	Pass	Pending		
20	N	3441	98	Pass	Pending		
21	O	6122	92	Pass	Pending		
22	P	2262	93	Pass	Pending		
23	S	0311	96	Pass	Pending		
24	S	1807	100	Pass	Pending		
25	S	7079	100	Pass	Pending		
26	ST.	4625	98	Pass	Pending		
27	T	0191	97	Pass	Pending		
28	T	1306	95	Pass	Pending		
29	T	6260	98	Pass	Pending		
30	W	4920	96	Pass	Pending		
31	Y	8965	95	Pass	Pending		
32							
33							
34							
37							
38							
39							
39							
40							