

Class Grade Sheet

Class:		Nuclear Density Testing -Base, FDR, Select Materials MAT 370 PDH 4.5					
Instructor: (Primary)		P. Rossi			Instructor: (Secondary)	J. Best	
Location:		Clemmons			Date:	3/1/2023	
Count	Last Name	SSN: last 4	Grade	Pass/Fail	Status A/P/I	P.E. # PDH	Remarks
1	A	1463	96.3	Pass	Active		
2	A	6474	100	pass	Pending		
3	A	7093	91.6	Pass	Pending		
5	B	8060	97.2	Pass	Active		
4	C	1907	98.1	pass	Pending		
5	C	799	96.2	Pass	Active		
6	C	4324	83	Pass	Pending		
7	D	8429	98.1	Pass	Pending		
8	G	1452	94.3	Pass	Pending		
9	H	4023	96.3	Pass	Pending		
10	H	562	98.1	Pass	Pending		
11	K	4060	100	Pass	Pending		
12	K	8861	90.1	Pass	Pending		
13	L	8830	94.3	Pass	Active		
14	L	3131	94.5	Pass	Pending		
15	M	7516	94.3	Pass	Pending		
16	M	9200	96.2	Pass	Pending		
17	M	5716	96.2	Pass	Pending		
18	N	5964	98.1	Pass	Pending		
19	S	9735	98.1	Pass	Pending		
20	T	3150	35.5	Pass	Pending		
21	V	9591	100	Pass	Pending		
22	W	2991	98.1	Pass	Pending		
23							
24							
25							
26							
27							
28							
33							
34							
35							
36							
37							
38							
39							
40							
41							
40							