

GUIDE FOR ENTERING FENCE ARTICLES IN HICAMS FOR M&T CHEMICAL LAB SUBMITTAL
(Some metric HICAMS Materials are not present like posts and chain link fence) (Version: Rev 4, 20130614)

Number of HiCAMS	Material Descriptions Tested for Material (IN STOCK)	HICAMS MATERIAL TYPE DESCRIPTION	ENG / MET / BOTH	HICAMS MATERIAL	UOM	SPEC REF	Test Category
One HiCAMS number for each size and type.	1 5/8", 1.90", 2 3/8", 2 7/8", 4", 6" O.D. Post H Column Post Angle Post 2.5x2.5"; Angle Brace 2.0x2.0" High Strength 1 5/8", 1.90", 2 3/8", 2 7/8", 4", 6" O.D. Post + ANY OF THE ABOVE MAY BE VINYL COATED +	Fence Post, Metal	B	Metal Gate Posts for Chain Link Fence, Double Gate	EA	1050	Acceptance
One HiCAMS number for each size and type.	1 5/8", 1.90", 2 3/8", 2 7/8", 4", 6" O.D. Post H Column Post Angle Post 2.5x2.5"; Angle Brace 2.0x2.0" High Strength 1 5/8", 1.90", 2 3/8", 2 7/8", 4", 6" O.D. Post + ANY OF THE ABOVE MAY BE VINYL COATED +	Fence Post, Metal	B	Metal Gate Posts for Chain Link Fence, Single Gate	EA	1050	Acceptance
One HiCAMS number for each size and type.	1 5/8", 1.90", 2 3/8", 2 7/8", 4", 6" O.D. Post H Column Post Angle Post 2.5x2.5"; Angle Brace 2.0x2.0" High Strength 1 5/8", 1.90", 2 3/8", 2 7/8", 4", 6" O.D. Post Top Brace Rail Post (MAY BE ENTERED IN FENCE ACCESSORIES AS "Top Brace Post") + ANY OF THE ABOVE MAY BE VINYL COATED +	Fence Post, Metal	B	Metal Line Posts for Chain Link Fence	EA	1050	Acceptance
One HiCAMS number for each size and type.	1 5/8", 1.90", 2 3/8", 2 7/8", 4", 6" O.D. Post H Column Post Angle Post 2.5x2.5"; Angle Brace 2.0x2.0" High Strength 1 5/8", 1.90", 2 3/8", 2 7/8", 4", 6" O.D. Post Top Brace Rail Post (MAY BE ENTERED IN FENCE ACCESSORIES AS "Top Brace Post") + ANY OF THE ABOVE MAY BE VINYL COATED +	Fence Post, Metal	B	Metal Line Posts for 48in Chain Link Fence	EA	1050	Acceptance
One HiCAMS number for each size and type.	1 5/8", 1.90", 2 3/8", 2 7/8", 4", 6" O.D. Post H Column Post Angle Post 2.5x2.5"; Angle Brace 2.0x2.0" High Strength 1 5/8", 1.90", 2 3/8", 2 7/8", 4", 6" O.D. Post Top Brace Rail Post (MAY BE ENTERED IN FENCE ACCESSORIES AS "Top Brace Post") + ANY OF THE ABOVE MAY BE VINYL COATED +	Fence Post, Metal	B	Metal Line Posts for 96in Chain Link Fence	EA	1050	Acceptance
One HiCAMS number for each size and type.	Std C- 1.88x1.63"; C Rail-1.63x1.25; Heavy C- 2.25 x 1.70" + ANY OF THE ABOVE MAY BE VINYL COATED +	Fence Post, Metal	B	Metal Rolled Posts ("C-Posts") for Chain Link Fence	EA	1050	Acceptance
One HiCAMS number for each size and type.	Studded T Post + ANY OF THE ABOVE MAY BE VINYL COATED +	Fence Post, Metal	B	Metal Studded "T" Post	EA	1050	Acceptance
One HiCAMS number for each size and type.	1 5/8", 1.90", 2 3/8", 2 7/8", 4", 6" O.D. Post High Strength 1 5/8", 1.90", 2 3/8", 2 7/8", 4", 6" O.D. Post + ANY OF THE ABOVE MAY BE VINYL COATED +	Fence Post, Metal	B	Metal Terminal Posts ("Corner Posts") for Chain Link Fence	EA	1050	Acceptance

GUIDE FOR ENTERING FENCE ARTICLES IN HICAMS FOR M&T CHEMICAL LAB SUBMITTAL
(Some metric HICAMS Materials are not present like posts and chain link fence) (Version: Rev 4, 20130614)

Number of HiCAMS	Material Descriptions Tested for Material (IN STOCK)	HICAMS MATERIAL TYPE DESCRIPTION	ENG / MET / BOTH	HICAMS MATERIAL	UOM	SPEC REF	Test Category
One HiCAMS number for each size and type.	1 5/8", 1.90", 2 3/8", 2 7/8", 4", 6" O.D. Post High Strength 1 5/8", 1.90", 2 3/8", 2 7/8", 4", 6" O.D. Post + ANY OF THE ABOVE MAY BE VINYL COATED +	Fence Post, Metal	B	Metal Terminal Posts for 48in Chain Link Fence	EA	1050	Acceptance
One HiCAMS number for each size and type.	1 5/8", 1.90", 2 3/8", 2 7/8", 4", 6" O.D. Post High Strength 1 5/8", 1.90", 2 3/8", 2 7/8", 4", 6" O.D. Post + ANY OF THE ABOVE MAY BE VINYL COATED +	Fence Post, Metal	B	Metal Terminal Posts for 96in for Chain Link Fence	EA	1050	Acceptance
One HiCAMS number for each size and type.	Brace Wire 9 gage Brace 9 gage Vinyl & Zn Ctd (MAY ALSO BE ENTERED IN FENCING FABRIC/WIRE) + ANY OF THE ABOVE MAY BE VINYL COATED +	Fencing Accessories	B	Brace Wire	LF / M	1050	Acceptance
One HiCAMS number for each size and type.	Hinge, Female Strap + ANY OF THE ABOVE MAY BE VINYL COATED +	Fencing Accessories	B	Female strap hinge		1050	Acceptance
One HiCAMS number for each size and type.	Hinge, Male Strap + ANY OF THE ABOVE MAY BE VINYL COATED +	Fencing Accessories	B	Male Strap Hinge		1050	Acceptance
One HiCAMS number for each size and type.	Tie Wire - 6 gage; Tie Wire - 9 gage Clips, Steel wire (Twist post ties) Hog Ring- 11 gage; Hog Ring - 9 gage Stretcher Bar or Stretcher Bar for 25mm Mesh Brace Rod Post Cap Post Bracket Rail End Tension Band or Brace Band Barbed Wire Arm Latch Truss Rod TurnBuckle (Truss Rod Tightener) Top Rail Sleeve Bolt for Fence or Nut for Fence or Washer for Fence Nail/Staple Zinc Coated + ANY OF THE ABOVE MAY BE VINYL COATED +	Fencing Accessories	B	Fencing Hardware	EA	1050	Acceptance
One HiCAMS number for each size and type.	Stretcher Bar for Gate Brace Rod for Gate Post Cap Rail End for Gate Tension Band for Gate or Brace Band for Gate Latch for Gate Hinge for Gate Truss Rod for Gate TurnBuckle for Gate (Truss Rod Tightener) Bolt for Gate or Nut for Gate or Washer for Gate Terminal POST for Gate + ANY OF THE ABOVE MAY BE VINYL COATED +	Fencing Accessories	B	Service Road Gate	EA	1050	Acceptance
One HiCAMS number for each size and type.	Tension Wire - 6 gage Aluminum Tension Wire - 7 gage Zinc Coated Tension Wire - 9 gage + ANY OF THE ABOVE MAY BE VINYL COATED +	Fencing Accessories	B	Tension Wire	LF / M	1050	Acceptance

GUIDE FOR ENTERING FENCE ARTICLES IN HICAMS FOR M&T CHEMICAL LAB SUBMITTAL
(Some metric HICAMS Materials are not present like posts and chain link fence) (Version: Rev 4, 20130614)

Number of HiCAMS	Material Descriptions Tested for Material (IN STOCK)	HICAMS MATERIAL TYPE DESCRIPTION	ENG / MET / BOTH	HICAMS MATERIAL	UOM	SPEC REF	Test Category
One HiCAMS number for each size and type.	Top Rail Brace Post (MAY ALSO BE ENTERED IN FENCE POST, METAL) + ANY OF THE ABOVE MAY BE VINYL COATED +	Fencing Accessories	B	Top Brace Post	LF / M	1050	Acceptance
One HiCAMS number for each size and type.	Woven Wire - 9 gage Woven Wire - 11 gage Woven Wire - 12.5 gage (MAY BE ENTERED IN FENCING FABRIC/WIRE)	Fencing Fabric, Woven Wire	E / M	Woven Wire Fence	LF / M	1050	Acceptance
One HiCAMS number for each size and type.	Brace Wire 9 gage Brace 9 gage Vinyl & Zn Ctd (MAY BE ENTERED IN FENCING ACCESSORIES) + ANY OF THE ABOVE MAY BE VINYL COATED +	Fencing Fabric/Wire	E / M	Brace Wire	LF / M	1050	Acceptance
One HiCAMS number for each size and type.	Chain Link 11 gage Chain Link 9 gage Chain Link 6 gage	Fencing Fabric/Wire	E / M	Chain Link Fence, 48 in Fabric	LF / M	1050	Acceptance
One HiCAMS number for each size and type.	Chain Link 11 gage Chain Link 9 gage Chain Link 6 gage	Fencing Fabric/Wire	E / M	Chain Link Fence, 96 in Fabric	LF / M	1050	Acceptance
One HiCAMS number for each size and type.	Chain Link 11 gage Chain Link 9 gage Chain Link 6 gage	Fencing Fabric/Wire	E / M	Chain Link Fence, 120 in Fabric	LF / M	1050	Acceptance
One HiCAMS number for each size and type.	Rockfall Fence 9 gage Class 1	Fencing Fabric/Wire	E / M	Rockfall Fencing	LF / M	1050	Acceptance
One HiCAMS number for each size and type.		Fencing Fabric/Wire	E / M	Safety Fencing	LF / M	1050	Acceptance
One HiCAMS number for each size and type.	Glare Screen 11 1/2 gage	Fencing Fabric/Wire	E / M	Steel Glare Screen (Ground Mounted)	LF / M	1050	Acceptance
One HiCAMS number for each size and type.	Glare Screen 11 gage	Fencing Fabric/Wire	E / M	Steel Glare Screen (Guardrail Mounted)	LF / M	1050	Acceptance
One HiCAMS number for each size and type.	Vinyl Coated Chain Link 11 gage Vinyl Coated Chain Link 9 gage Vinyl Coated Chain Link 6 gage	Fencing Fabric/Wire	E / M	Vinyl Coated Chain Link Fence, Fabric	LF / M	1050	Acceptance
One HiCAMS number for each size and type.	Vinyl Coated Chain Link 11 gage Vinyl Coated Chain Link 9 gage Vinyl Coated Chain Link 6 gage	Fencing Fabric/Wire	E / M	Vinyl Coated Chain Link Fence, Fabric with Redwood Pickets	LF / M	1050	Acceptance
One HiCAMS number for each size and type.	Barbed Wire 12.5 gage Barbed Wire 15.5 gage	Fencing Fabric/Wire	E / M	Barbed Wire	LF / M	1050	Acceptance
One HiCAMS number for each size and type.	Woven Wire - 9 gage Woven Wire - 11 gage Woven Wire - 12.5 gage (MAY BE ENTERED IN FENCING FABRIC, WOVEN WIRE)	Fencing Fabric, Woven Wire	E / M	Woven Wire Fence	LF / M	1050	Acceptance

GUIDE FOR ENTERING FENCE ARTICLES IN HICAMS FOR M&T CHEMICAL LAB SUBMITTAL
(Some metric HICAMS Materials are not present like posts and chain link fence) (Version: Rev 4, 20130614)

Number of HiCAMS	Material Descriptions Tested for Material (IN STOCK)	HICAMS MATERIAL TYPE DESCRIPTION	ENG / MET / BOTH	HICAMS MATERIAL	UOM	SPEC REF	Test Category
One HiCAMS number for each size and type unless a Bolt, nut, and washer assembly.	Bolts, over 3/8 Bolts., under 3/8 Direct Tension Indicators Nuts, over 3/8 Nuts, under 3/8 Posts, Steel U-Channel Washers over 3/16 Washers under 3/16 Zinc Coating Check ANY OTHER MISCELL. Galvanizing checks Bolt, Nut, Washer Assemblies	Galvanized Fastener Inspection	B	Galvanized Fastener Inspection; Bolts, Hexnuts, Washers	EA		Acceptance
One HiCAMS number for each size and type.	Conduit, Metal Rail or anything that does not need Physical testing. (Not usually used for Fence Materials.)	Chemistry, Other	B	Chemical Lab Metal Composition	EA		Information

FOR QUESTIONS OR MAINTENANCE CALL THE M&T CHEMICAL LABORATORY(919-329-4090)