

**AGGREGATE FOR SOIL-CEMENT BASE:**

(1-1-02) (Rev 12-28-05)

SP5 R15

Revise the *2006 Standard Specifications* as follows:

Page 5-27, Article 542-1. Delete the first sentence and substitute the following:

The work covered by this section consists of constructing and curing a soil-cement base by treating the subgrade, existing subbase, or existing base, or any combination of these materials, by pulverizing, adding portland cement, adding aggregate when required, mixing, wetting, and compacting the mixture to the required density.

Page 5-27, Article 542-2. Add the following:

<b>Item</b>	<b>Section</b>
Aggregate, Std. Size ABC	1005

Page 5-29, Article 542-7. Add the following after the first paragraph:

Prior to spreading cement, aggregate shall be spread at the rate shown in the plans.

Page 5-32, Article 542-16. Add the following paragraph after the first paragraph:

*Aggregate for Soil-Cement Base* will be measured and paid for in tons at the contract unit price per ton. The aggregate will be measured by weighing in trucks or certified platform scales or other certified weighing devices. No deductions will be made for any moisture contained in the aggregate at the time of weighing.

Add the following to the pay items:

<b>Pay Item</b>	<b>Pay Unit</b>
Aggregate for Soil-Cement Base	Ton