

## **REPAIR OF EXISTING PAVEMENT:**

(7-1-95)(Rev. 7-17-07)

R6 R58

### **Description**

The Contractor's attention is directed to the fact that on Map No. (number) from approximately (x) (x) and (x) (x) of Bridge No. (number) over (road or creek), the existing pavement will be removed and repaired prior to resurfacing.

### **Materials**

The repair of the existing pavement consists of asphalt concrete base course, Type \_\_\_\_\_. Machine place the base course material in two equal layers. Perform compaction of the base course material at transverse joint by the use of mechanical hand tamps or other equipment approved by the Engineer in order to achieve required density.

### **Construction Methods**

The repair of the existing pavement includes but is not limited to the cutting of the existing pavement to a neat vertical joint and uniform line; the removal and disposal of pavement, base, and subgrade material as approved or directed by the Engineer, the coating of the area to be repaired, with a tack coat and conditioning of the surface on which the base course material is to be placed.

Construct the pavement repair in a manner such that the surface of the complete repair will match the surface of existing pavement.

Schedule operations so that all areas where pavement has been removed will be repaired on the same day of the pavement removal and all lanes of traffic shall be restored. The Contractor will be restricted to repairing one side of the existing pavement at a time unless otherwise permitted by the Engineer.

Replace material excavated below existing pavement with Asphalt Concrete Base Course, Type \_\_\_\_ in layers not to exceed 5 inch compacted.

Do not excavate the pavement structure below the plane of the bottom of existing pavement, unless otherwise directed by the Engineer. If it becomes necessary to excavate below existing pavement, measurement and payment for all labor, equipment, and incidentals necessary to complete the excavation shall be made in accordance with Article 104-7 Extra Work of the *Standard Specifications*.

### **Measurement and Payment**

*Asphalt Concrete Base Course, Type \_\_\_\_* will be measured and paid for in accordance with Article 610-15 of the *Standard Specifications*.

Furnished asphalt binder for the mix will be paid for in accordance with Article 620-4 of the *Standard Specifications*.