# Lineup Sheet for The 2024 All Centrally Let Provisions Line Up Sheet for All Provisions - State Funded

Proposal Stage	Draft Proposal Reviewer 1
Contract Number (or other unique ID for LGAs)	AllCentrallyLetProvisionsState
TIP Number	AllCentrallyLetProvisionsState
WBS Number	AllCentrallyLetProvisionsState
County(s)	Wake
Note	
Creation Date	1/9/2024
Last Updated Date	5/9/2025
Project	The 2024 All Centrally Let Provisions Line Up Sheet for All Provisions - State Funded

**Document Link** 

		ĺ		
Included	Provision Number	Provision Name	Suggested Use/Provision Data	Notes
Include	B 01A	First Page of Proposal for Central Let	Centrally let projects aligned with 2024 Standard Specifications. Only select one provision that starts with the letter "B ", there are "B 01A, B 01C, B 01D, B 01E, B 01F, B 01 TAnAD"; versions available depending on project type selected, there may only be one option available depending on your project type however if there are multiple please only select one version.	
		Contract ID (or unique LGA identifier)	AllCentrallyLetProvisionsState	
		County Name	Wake County	
Include	C 01B	Table of Content for Central Let and Division Let and LGA Let Electronic Bids	Projects that require a Table of Content for Central Let and Division Let and LGA Let - Electronic Bids.	
			Only select one provision that starts with the letter "C ", there are "C 01A, C 01B, C 01C, C 01 TAnAD" versions available depending on project type selected, there may only be one option available depending on your project type however if there are multiple please only select one version.	
		MISCELLANEOUS ROADWAY		
		STRUCTURE/BRIDGE PRESERVATION		
		HYDRAULICS		
?	C 01C	Table of Content for Central Let Resurfacing	Centrally let resurfacing projects. Only select one provision that starts with the letter "C ", there are "C 01A, C 01B, C 01C, C 01 TAnAD" versions available depending on project type selected, there may only be one option available depending on your project type however if there are multiple please only select one version.	
		TIP Number	AllCentrallyLetProvisionsState	
		GEOTECHNICAL		
		GEOENVIRONMENTAL		
		SIGNING		
		PAVEMENT MARKINGS		
		TRAFFIC CONTROL		
		LIGHTING		

1912	5, 2:16 PM			Lineup Sheet - APA	
	Included	Provision Number	Provision Name	Suggested Use/Provision Data	Notes
			UTILITY CONSTRUCTION		
			UTILITY BY OTHERS		
			EROSION CONTROL		
			PLANTING/REFORESTATION		
			REST AREA		
			TRAFFIC SIGNALS		
			INTELLIGENT TRANSPORTATION SYSTEMS		
			RAILROAD INSURANCE		
			STRUCTURE/CULVERTS		
			RAILROAD INSURANCE (STRUCTURES)		
			PERMITS		
			SKETCH MAPS (INSERT)		
	Include	C 01C	Table of Content for Central Let Resurfacing	Centrally let resurfacing projects. Only select one provision that starts with the letter "C ", there are "C 01A, C 01B, C 01C, C 01 TAnAD" versions available depending on project type selected, there may only be one option available depending on your project type however if there are multiple please only select one version.	
	Include	<u>SP01 G000</u>	PROJECT SPECIAL PROVISIONS - General	All projects; Use this as starter for "General Section".	
	?	<u>SP01 G001</u>	AWARD OF CONTRACT	Use when you have issuance of any future debt instrument (i.e. Build NC Bonds, GARVEE Bonds) assigned to your project. This increases the Standard Specifications from a notice of award within 60 days after opening of bids to up to 120 days as well as responsible bidder withdraw from 60 days to up to 120 days without penalty if no notice of award has been issued.	
	?	<u>SP01 G003A</u>	NOTICE TO BIDDERS (2 Cluster Projects)	Use for Cluster projects with 2 projects ONLY. Fill in the Blanks for each project, including Cluster Project. The same provision goes in EACH project; Use TIP numbers or WBS numbers ONLY. NO Contract numbers. Starting January 2024 this provision has been modified to the 2024 Standard Specifications. Only select one "SP01 G003" provision, there are "SP01 G003A and SP01 G003B" versions available. Only select one version of this provision in your proposal if so needed.	
	?	<u>SP01 G003B</u>	NOTICE TO BIDDERS (3 Cluster Projects)	Use for Cluster projects with 3 projects ONLY. Fill in the Blanks for each project, including Cluster Project. The same provision goes in EACH project. Use TIP numbers or WBS numbers ONLY. NO Contract numbers. Starting January 2024 this provision has been modified to the 2024 Standard Specifications. Only select one "SP01 G003" provision, there are "SP01 G003A and SP01 G003B" versions available. Only select one version of this provision in your proposal if so needed.	

				•	
Inclu	ıded	Provision Number	Provision Name	Suggested Use/Provision Data	Notes
?	?	<u>SP01 G004</u>	HAUL ROADS	This is a new provision starting July 2024 lettings, to be used on all projects with the exception of resurfacing project types.	
				This provision will not be an option for resurfacing project types, however if all provisions project type is selected you will need to change this provision to "do not include" as it is automatically "include" when generated.	
				In addition, if there is no haul roads load limit review requirements (waste or borrow sites) for a specialty contract, such as Traffic Control Only Contracting; do not include this provision by changing this provision to "do not include" as it is automatically "include" when generated.	
?	?	<u>SP01 G006</u>	CONTRACT TIME AND LIQUIDATED DAMAGES (With Permits)	Projects with Any Type of Permit. Liquidated Damages Determined from Guidelines based on Project Cost Estimate.	
				Note: SP01 G006 is equivalent to SP01 G006B, the non-letter version has date inputs while B has Notice to Proceed based inputs.	
?	?	<u>SP01 G006B</u>	CONTRACT TIME AND LIQUIDATED DAMAGES (With Permits)	Projects with Any Type of Permit. Liquidated Damages Determined from Guidelines based on Project Cost Estimate.	
				Note: SP01 G006 is equivalent to SP01 G006B, the non-letter version has date inputs while B has Notice to Proceed based inputs. The B version also has an input field to designate the local government agency versus Department.	
?	?	<u>SP01 G007A</u>	CONTRACT TIME AND LIQUIDATED DAMAGES (Float, With Permits)	Projects with Floating Dates of Availability and Permits. Liquidated Damages Determined from Guidelines based on Project Cost Estimate. Only select one "SP01 G007" provision, there are "SP01 G007A and SP01 G007B" versions available. Only select one version of this provision in your proposal if so needed.	
?	?	<u>SP01 G007B</u>	CONTRACT TIME AND LIQUIDATED DAMAGES (Float, No Permits)	Projects with Floating Dates of Availability and NO Permits. Liquidated Damages Determined from Guidelines based on Project Cost Estimate. Only select one "SP01 G007" provision, there are "SP01 G007A and SP01 G007B" versions available. Only select one version of this provision in your proposal if so needed.	
?	?	<u>SP01 G008A</u>	CONTRACT TIME AND LIQUIDATED DAMAGES (PVE, With Permits)	Projects with Permanent Vegetation or Reforestation, and Permits. Only select one "SP01 G008" provision, there are "SP01 G008A, SP01 G008B, SP01 G008C, and SP01 G008D" versions available. Only select one version of this provision in your proposal if so needed.	
?	?	<u>SP01 G008B</u>	CONTRACT TIME AND LIQUIDATED DAMAGES (Float, PVE, With Permits)	Projects with Floating Dates of Availability, Permanent Vegetation or Reforestation, and Permits. Only select one "SP01 G008" provision, there are "SP01 G008A, SP01 G008B, SP01 G008C, and SP01 G008D" versions available. Only select one version of this provision in your proposal if so needed.	
?	?	<u>SP01 G008C</u>	CONTRACT TIME AND LIQUIDATED DAMAGES (PVE, No Permits)	Projects with Permanent Vegetation or Reforestation, and NO Permits. Only select one "SP01 G008" provision, there are "SP01 G008A, SP01 G008B, SP01 G008C, and SP01 G008D" versions available. Only select one version of this provision in your proposal if so needed.	

/9/25, 2:16 PM			Lineup Sheet - APA	
Included	Provision Number	Provision Name	Suggested Use/Provision Data	Notes
?	<u>SP01 G008D</u>	CONTRACT TIME AND LIQUIDATED DAMAGES (Float, PVE, No Permit)	Projects with Floating Dates of Availability, Permanent Vegetation or Reforestation, and NO Permits. Only select one "SP01 G008" provision, there are "SP01 G008A, SP01 G008B, SP01 G008C, and SP01 G008D" versions available. Only select one version of this provision in your proposal if so needed.	
?	<u>SP01 G010A</u>	CONTRACT TIME AND LIQUIDATED DAMAGES (No Permits)	Projects with NO Permits. Exception for observation periods. Liquidated Damages Determined from Guidelines based on Project Cost Estimate. Note: SP01 G010A is equivalent to SP01 G010C, A has date inputs while C has Notice to Proceed based inputs.	
?	<u>SP01 G010B</u>	CONTRACT TIME AND LIQUIDATED DAMAGES (Signals, No Permits)	Projects with NO Permits considered "Signals Only" projects. Liquidated Damages Determined from Guidelines based on Project Cost Estimate. Note: SP01 G010B is equivalent to SP01 G010D, B has date inputs while D has Notice to Proceed based inputs.	
?	<u>SP01 G010C</u>	CONTRACT TIME AND LIQUIDATED DAMAGES (No Permits)	Projects with NO Permits. Exception for observation periods. Liquidated Damages Determined from Guidelines based on Project Cost Estimate. Note: SP01 G010A is equivalent to SP01 G010C, A has date inputs while C has Notice to Proceed based inputs.	
?	<u>SP01 G010D</u>	CONTRACT TIME AND LIQUIDATED DAMAGES (Signals, No Permits)	Projects with NO Permits considered "Signals Only" projects. Liquidated Damages Determined from Guidelines based on Project Cost Estimate. Note: SP01 G010B is equivalent to SP01 G010D, B has date inputs while D has Notice to Proceed based inputs.	
?	<u>SP01 G013A</u>	INTERMEDIATE CONTRACT TIME # 1 AND LIQ. DAMAGES (PVE, No Float)	Use with SP01 G07A, SP01 G07B, and SP01 G07C or SP01 G07D. Liquidated Damages Determined from Guidelines based on Project Cost Estimate. Only select one "SP01 G013" provision, there are "SP01 G013A, SP01 G013B" versions available. Only select one version of this provision in your proposal if so needed. May need SP01 G013C in addition to A or B however depending on the project requirements.	
?	<u>SP01 G013B</u>	INTERMEDIATE CONTRACT TIME # 1 AND LIQ. DAMAGES (PVE, With Float)	Use with Floating Dates of Availablity with SP01 G07B or SP01 G07D. Liquidated Damages Determined from Guidelines based on Project Cost Estimate. Only select one "SP01 G013" provision, there are "SP01 G013A, SP01 G013B" versions available. Only select one version of this provision in your proposal if so needed. May need SP01 G013C in addition to A or B however depending on the project requirements.	
?	<u>SP01 G013C</u>	INTERMEDIATE CONTRACT TIME # 1 BONUS CLAUSE AND LIQ. DAMAGES	Use with bonus clause. Liquidated Damages Determined from Guidelines based on Project Cost Estimate. Only select one "SP01 G013" provision, there are "SP01 G013A, SP01 G013B" versions available. Only select one version of this provision in your proposal if so needed. May need SP01 G013C in addition to A or B however depending on the project requirements.	

/9/25, 2:16 PM			Lineup Sheet - APA	
Included	Provision Number	Provision Name	Suggested Use/Provision Data	Notes
?	<u>SP01 G014</u>	INTERMEDIATE CONTRACT TIMES (Combined) (SP01 G014A)	Lane Closure Day/Time restrictions and Holiday lane closure restrictions. This is another a second option for SP01 G014A, used in instances where you split the sunrise and sunset requirements. Use SP01 G014 for sunrise and SP01 G014A labeled provision for sunset or vice versa. They are the same provision less tag requirements to split the sunrise and sunset requirements.	
?	<u>SP01 G014A</u>	INTERMEDIATE CONTRACT TIMES (Combined)	Lane Closure Day/Time restrictions and Holiday lane closure restrictions.	
?	<u>SP01 G014B</u>	INTERMEDIATE CONTRACT TIMES (Holiday Lane Closure)	Holiday lane closure restrictions with additional event(s).	
?	<u>SP01 G014C</u>	INTERMEDIATE CONTRACT TIMES (Lane Closure, Time Restricted)	Day/Time lane narrowing or closure restrictions.	
?	<u>SP01 G014D</u>	INTERMEDIATE CONTRACT TIMES (Road Closure Hour)	Day/Time road closure restrictions.	
?	<u>SP01 G014E</u>	INTERMEDIATE CONTRACT TIMES (Road Closure Minute)	Day/Time road closure restrictions and operation restrictions.	
?	<u>SP01 G014F</u>	INTERMEDIATE CONTRACT TIMES FROMTO	Phase or Step (TCPs in plans) day/time restrictions.	
?	<u>SP01 G014G</u>	INTERMEDIATE CONTRACT TIMES (Consecutive Hours)	Phase or Step (TCPs in plans) restrictions beginning when Contractor begins work. Restriction in consecutive hours.	
?	<u>SP01 G014H</u>	INTERMEDIATE CONTRACT TIMES (Consecutive Days)	Phase or Step (TCPs in plans) restrictions beginning when Contractor begins work. Restriction in calendar days.	
?	<u>SP01 G014I</u>	INTERMEDIATE CONTRACT TIMES (Inductive Loop Installations)	Restrictions for inductive loops.	
?	<u>SP01 G014K</u>	INTERMEDIATE CONTRACT TIMES (Dates, Maps)	Phase or Step restrictions on specific Maps.	
?	<u>SP01 G014L</u>	INTERMEDIATE CONTRACT TIMES (Dates, TMP)	Phase or Step restrictions on TMPs.	
?	<u>SP01 G014M</u>	INTERMEDIATE CONTRACT TIMES (PEDESTRIAN CURB RAMP)	Use for projects with curb ramp upgrades in combination with RWZ-4 "Pedestrian Accommodation at Curb Ramp Work Locations" from the WASP system.	
?	<u>SP01 G015</u>	ALTERNATE BIDS	Use when there are alternate pay items in the project. For example when SP12 R053 Snowplowable Delineation with two or more alternate pay items are in your proposal, use this provision. This provision is effective starting with December 2024 Let.	
?	<u>SP01 G015R</u>	PROSECUTION OF WORK (Multiple Maps)	Liquidated Damages determined by State Estimating Engineer. Use ONLY on projects that have multiple Maps that are separated. DO NOT use for continuous or single Map projects. DO NOT MODIFY WORDING.	

Included	Provision Number	Provision Name	Suggested Use/Provision Data	Notes
?	<u>SP01 G016</u>	PERMANENT VEGETATION ESTABLISHMENT	Use on Central Let projects with ground disturbing activities/erosion control plans. The Central Contract Time Engineer to use the calculated completion date as an ICT and add SP1 G13 A/B with additional 6 months after calculated completion with LDs for this provision. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
?	SP01 G017R	RAILROAD GRADE CROSSING (Not on Interstates)	Resurfacing projects EXCEPT Interstate resurfacing projects. In addition to this provision, you will need to review all the maps and if there is a crossing on a specific map, then contact the NCDOT Rail Division - Engineering Coordination & Safety Branch - Surfaces & Encroachment Manager for any additional provision required for a specific railroad that uses this crossing to include in the proposal. Identify crossings as early as possible and communicate to NCDOT Rail Division right away. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
?	<u>SP01 G018A</u>	CONSTRUCTION MORATORIUM (Trout)	Use if there is a Construction Moratorium for Trout.	
?	<u>SP01 G018B</u>	CONSTRUCTION MORATORIUM (Anadromous Fish)	Use if there is a Construction Moratorium for Anadromous Fish.	
?	<u>SP01 G018C</u>	CONSTRUCTION MORATORIUM (Bat)	Use if there is a Bat Moratorium.	
?	<u>SP01 G022</u>	DELAY IN RIGHT OF ENTRY	Use if letter in file from Right of Way, fill in Parcels and Owners. Also include Date(s) of Entry. Include only those parcels whose entry dates fall on or after the Advertisement Date. Fill out Delay of Entry information in word document once propsal is generated. Other option is to download this provision, fill out Delay of Entry information, and include this as an insert. To insert, upload to the preconstruction special provisions folder for the proposal you are working and insert this in APA.	

o, 2:16 PM			Lineup Sheet - APA	
Included	Provision Number	Provision Name	Suggested Use/Provision Data	Notes
?	<u>SP01 G028</u>	MAJOR CONTRACT ITEMS	(2nd Check) Using Percent Run Estimate found in NCDOT AWP (Select the proposal, on the proposal summary page select the arrow by the ? icon, select "Percent Run" from the list of reports available on the list, then select "Execute").	
			(Note: Local Government Agencies may have some other method to create a Percent Run Estimate.)	
			Review item percentages that are significantly higher than the other pay items. Consider those items that are 10%+ of project total. Depending on the project the largest percent items could be 5%, 5% or greater items may be used. If no items are 5% or greater in the Percent Run Estimate or if this is an ID/IQ proposal do not select this provision, instead apply SP01 G031 "No Major Contract Items". If Patching Existing Pavement (1704, 17050, 17055) is 10% or greater, you must include this pay item as a major contract item.	
			The pay items selected for the Major Contract Items provision will apply Article 104-5 of the Standard Specifications for the duration of the contract. If there are Overruns or Underruns of more than 15% of original bid quantity, contract unit prices may be revised for those items if submitted by the Contractor and agreed upon by the Engineer.	
			Starting January 2024 this provision has been modified to the 2024 Standard Specifications. Starting October 2024, there is not a B version of this provision for alternate items. For the new Snowplowable Delineation and the historical Polymer Concrete Overlay alternate items just create an "or" statement for the item number list and description list instead of using this formerly available SP01 G028B provision.	
?	<u>SP01 G031</u>	NO MAJOR CONTRACT ITEMS	Use if no Major Items are in the estimate. (i.e Overhead Signs). Only select one "SP01 G028" or "SP01 G031" provision.	
?	<u>SP01 G034</u>	NO SPECIALTY ITEMS	Use if there are NO Specialty items in estimate. Starting January 2024 this provision has been modified to the 2024 Standard Specifications. Only select either "SP01 G034" or "SP01 G037" provision in your proposal.	

25, 2:16 PM			Lineup Sheet - APA	
Included	Provision Number	Provision Name	Suggested Use/Provision Data	Notes
?	<u>SP01 G037</u>	SPECIALTY ITEMS	Use this provision to list Specialty Items listed in estimate. These are items special to the project. Guiderail items are NOT a specialty item on a Guiderail Project, but Erosion Control items would be. Enter the line item numbers from the estimate. Starting January 2024 this provision has been modified to the 2024 Standard Specifications. Starting October 2024, there is not a B version of this provision for alternate items. For the new Snowplowable Delineation and the historical Polymer Concrete Overlay alternate items just create an "or" statement for the item number list and description list. For snowplowable delineation we will use Permanent Pavement Markers even though markers and markings pay items to ensure all the "or" statements are on one line item as this provision is replacing the snowplowable pavement marker portion of the Standard Specifications.	
?	<u>SP01 G040</u>	SPECIAL REQUIREMENTS FOR	provision in your proposal. Use this provision if project is located in a	
		NATIONAL FORESTS	National Forest.	
Include	<u>SP01 G043</u>	FUEL PRICE ADJUSTMENT	<ul> <li>All Projects. Use SP01 G044 if paper bid instead of this SP; Base Index Price is posted on Construction website at this NCDOT link, updated monthly. Based on the Advertisement Date, these values will properly populate into the provision. You will note the values imported when you review the "Tag" listing.</li> <li>Starting January 2024 this provision has been modified to the 2024 Standard Specifications.</li> <li>Only select either "SP01 G043" or SP01 G044" provision in your proposal. There may only be one option available depending on your project type however if there are both of these options please only select one version.</li> <li>For Division and LGA projects, if note none of the pay items in the provision are part of your project, change "include" to "do not include".</li> <li>LGA's in general may not be managing this provision and may decide to change "include" to "do not include".</li> </ul>	
		Fuel Price per Gallon (Auto- populated based on Advertisement Date selected on the Projects page, do not change this value)	2.3918	
?	<u>SP01 G047</u>	STEEL PRICE ADJUSTMENT	All Centrally Let Projects on or after April 2022 LET. For Design-Build and select Division Let projects (see memo found here at this NCDOT link on or after September 2022 LET. If prior to this let, ensure not selected. Eligible bid items can be found at this NCDOT link. Note: This provision should only be applied for contracts that are greater than 1 year in duration from letting date to completion date to exclude permanent vegetation establishment.	
?	<u>SP01 G057</u>	PAYOUT SCHEDULE	Projects of \$50 million+.	

9/25, 2:16 PM			Lineup Sheet - APA	
Included	Provision Number	Provision Name	Suggested Use/Provision Data	Notes
Do Not Include	<u>SP01 G058</u>	SCHEDULE OF ESTIMATED COMPLETION PROGRESS	All Projects; Contract Standards & Development can provide progress dollar value percentages related to Raleigh-Let projects for this provision. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
		Completion Progress % for 2025 (7/1/24 - 6/30/25) (Note: All SP01 G058 % values must add up to 100. Do not key the % symbol after the number.) If not applicable, leave blank.		
		Completion Progress % for 2026 (7/1/25 - 6/30/26) (Note: All SP01 G058 % values must add up to 100. Do not key the % symbol after the number.) If not applicable, leave blank.		
		Completion Progress % for 2027 (7/1/26 - 6/30/27) (Note: All SP01 G058 % values must add up to 100. Do not key the % symbol after the number.) If not applicable, leave blank.		
		Completion Progress % for 2028 (7/1/27 - 6/30/28) (Note: All SP01 G058 % values must add up to 100. Do not key the % symbol after the number.) If not applicable, leave blank.		
		Completion Progress % for 2029 (7/1/28 - 6/30/29) (Note: All SP01 G058 % values must add up to 100. Do not key the % symbol after the number.) If not applicable, leave blank.		
Do Not Include	<u>SP01 G058</u>	SCHEDULE OF ESTIMATED COMPLETION PROGRESS	All Projects; Contract Standards & Development can provide progress dollar value percentages related to Raleigh-Let projects for this provision. Starting July 2024 Letting, this version updates the table to remove the fiscal year that has past and is no longer available since the prior release January 2024. This provision is obsolete starting June 2025 Let, however for June 2025 Let if you need a % value in FY2025 you may use this provision option. This provision will be removed from the provision options starting July 2025 Let.	
		Completion Progress % for 2030 (7/1/29 - 6/30/30) (Note: All SP01 G058 % values must add up to 100. Do not key the % symbol after the number.) If not applicable, leave blank.		
		Completion Progress % for 2031 (7/1/30 - 6/30/31) (Note: All SP01 G058 % values must add up to 100. Do not key the % symbol after the number.) If not applicable, leave blank.		

25, 2:16 PM			Lineup Sheet - APA	
Included	Provision Number	Provision Name	Suggested Use/Provision Data	Notes
Include	<u>SP01 G058</u>	SCHEDULE OF ESTIMATED COMPLETION PROGRESS	All Projects; Contract Standards & Development can provide progress dollar value percentages related to Raleigh-Let projects for this provision. Starting January 2024 this provision has been modified to the 2024 Standard Specifications. This provision has been updated for June 2025 Let removing the option to input a percent value for FY2025 and adding an additional year input field in case so needed.	
		Completion Progress % for 2032 (7/1/31 - 6/30/32) (Note: All SP01 G058 % values must add up to 100. Do not key the % symbol after the number.) If not applicable, leave blank.		
		Completion Progress % for 2033 (7/1/32 - 6/30/33) (Note: All SP01 G058 % values must add up to 100. Do not key the % symbol after the number.) If not applicable, leave blank.		
Do Not Include	<u>SP01 G066</u>	MINORITY AND WOMEN BUSINESSES (Central Let)	All Projects that are State Funded Projects EVEN IF ZERO GOAL.	
		Combined MBE/WBE % (Sum up the two values you input for MBE and WBE % values. For example if MBE % is 10.0 and WBE % is 5.0, this value should be 15.0.		
		Anticipated MBE % (Note: Do not key the % symbol after the number. Enter whole number. For example 10.0 (There should always be a .0 as a decimal place).)		
		Anticipated WBE % (Note: Do not key the % symbol after the number. Enter whole number. For example 5.0 (There should always be a .0 as a decimal place).)		
Include	<u>SP01 G066</u>	MINORITY AND WOMEN BUSINESSES (Central Let)	All Projects that are State Funded Projects EVEN IF ZERO GOAL.	
Include	<u>SP01 G090</u>	RESTRICTIONS ON ITS EQUIPMENT AND SERVICES	All Projects	
Include	<u>SP01 G092</u>	USE OF UNMANNED AIRCRAFT SYSTEM (UAS)	All projects.	
?	<u>SP01 G094</u>	CONSTRUCTION EQUIPMENT EMISSIONS	Projects with Combined unclassified and borrow excavation equals or exceeds 1 Million CY AND construction cost on 12 Month Let List (12mll) equals or exceeds \$45 Million. Prior to January 2024, ONLY Projects in CHATHAM, DURHAM, ORANGE and WAKE Counties. This provision will be applied to all counties starting January 2024.	
Include	<u>SP01 G096</u>	EQUIPMENT IDLING GUIDELINES	All projects.	

9/25, 2:16 PM			Lineup Sheet - APA	
Included	Provision Number	Provision Name	Suggested Use/Provision Data	Notes
?	<u>SP01 G112A</u>	SUBSURFACE INFORMATION (Roadway only)	USE A IF ROADWAY ONLY IS AVAILABLE Check for Roadway Subsurface Plans. Bridge projects will always have Structure Subsurface Plans. If project has a Culvert or Retaining Wall, and you do not have subsurface plans for these, contact Geotech. Note that the Subsurface Plans must be labeled "Inventory". If it is labeled "Recommendations", it should NOT be used. Return to Geotech. BRIDGE MAINT. Projects should have Subsurface plans. If not, contact Bridge Maint.	
?	<u>SP01 G112B</u>	SUBSURFACE INFORMATION (Structures only)	USE B IF STRUCTURES ONLY IS AVAILABLE Check for Roadway Subsurface Plans. Bridge projects will always have Structure Subsurface Plans. If project has a Culvert or Retaining Wall, and you do not have subsurface plans for these, contact Geotech. Note that the Subsurface Plans must be labeled "Inventory". If it is labeled "Recommendations", it should NOT be used. Return to Geotech. BRIDGE MAINT. Projects should have Subsurface plans. If not, contact Bridge Maint.	
?	SP01 G112C	SUBSURFACE INFORMATION (Roadway and Structures)	USE C IF BOTH ROADWAY AND STRUCTURES ARE AVAILABLE Check for Roadway Subsurface Plans. Bridge projects will always have Structure Subsurface Plans. If project has a Culvert or Retaining Wall, and you do not have subsurface plans for these, contact Geotech. Note that the Subsurface Plans must be labeled "Inventory". If it is labeled "Recommendations", it should NOT be used. Return to Geotech. BRIDGE MAINT. Projects should have Subsurface plans. If not, contact Bridge Maint.	
?	<u>SP01 G121</u>	PORTABLE CONCRETE BARRIER (Partial Payment for Materials)	Pay Items 4485-4495. Use only if 1000 lf or greater of Portable Concrete Barrier is in estimate. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
?	<u>SP01 G124</u>	REMOVABLE PAVEMENT MARKINGS (Partial Payment for Materials)	Pay Items 4770-4805. ONLY Type IV is Removable. Use only if 1000 If or greater of Cold Applied Plastic Pavement Marking Lines are in estimate. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
?	<u>SP01 G125</u>	MAINTENANCE OF THE PROJECT	All (except Div 5) Raleigh General Construction Projects regardless if Guardrail items in estimate and TIP Interstate Resurfacings that have guardrail items in the contract. Guardrail/Guiderail proposed or existing must be in the project limits. Not for Division or Resurfacing typically. DO NOT use in Div. 5. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
?	<u>SP01 G133</u>	COOPERATION BETWEEN CONTRACTORS	Fill in project information and geographical relationship to this project. There will be a tag provided when selected to populate this information. Contract Standards & Development can provide information related to Raleigh-Let projects for this provision. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	

/25, 2:16 PM			Lineup Sheet - APA	
Included	Provision Number	Provision Name	Suggested Use/Provision Data	Notes
?	<u>SP01 G142</u>	BID DOCUMENTATION	If Project is over \$25 million or has unique items, check with State Proposals and Specifications Engineer.	
?	<u>SP01 G145</u>	TWELVE-MONTH GUARANTEE	All Central Let Projects except those considered "Signal Projects". Large Division or Municipal projects may include (structure projects). Include all Bridge Rehabilitation projects.	
Include	<u>SP01 G150</u>	OUTSOURCING OUTSIDE U.S.A.	All Projects with State Funding Only (No Federal Aid)	
?	<u>SP01 G180</u>	EROSION & STORM WATER CERTIFICATION (Central and Division)	Any project with erosion control plans, including resurfacing projects with EC details. Not required on standard resurfacing projects. This version is for NCDOT managed (Central and Division); there is a different provision for Local Government Agencies (SP01 G179).	
?	<u>SP01 G181</u>	PROCEDURE FOR MONITORING BORROW PIT DISCHARGE	Projects that have Earthwork, Grading or potential for Borrow. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
Include	<u>SP01 R001</u>	PROJECT SPECIAL PROVISIONS (Roadway)	All projects. Use this as starter for "Roadway Section".	
?	<u>SP01 R004R</u>	SHOULDER CONSTRUCTION	Pay Item 1243 (Shoulder Construction) must be included in estimate. Determined by Division. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
?	<u>SP01 R007R</u>	SHOULDER RECONSTRUCTION	Pay Item 1245 (Shoulder Reconstruction) must be included in estimate. Determined by Division.	
?	<u>SP01 R010AR</u>	SHOULDER CONSTRUCTION PROCEDURE	Determined by Division.	
?	SP01 R010BR	SHOULDER RECONSTRUCTION PROCEDURE	Determined by Division.	
?	<u>SP01 R034R</u>	CONSTRUCTION SEQUENCE	Determined by Division.	
?	<u>SP02 R002A</u>	CLEARING AND GRUBBING - Method II	Check Field Inspection Notes and Plan Sheet 1A for method. Starting January 2024 this provision has been modified to the 2024 Standard Specifications. The March 2024 update aligns the method with Roadway Standard Drawings format.	
?	<u>SP02 R002B</u>	CLEARING AND GRUBBING - Method III	Check Field Inspection Notes and Plan Sheet 1A for method. Starting January 2024 this provision has been modified to the 2024 Standard Specifications. The March 2024 update aligns the method with	
			Roadway Standard Drawings format.	
?	<u>SP02 R002C</u>	CLEARING AND GRUBBING - Modified Method III	Check Field Inspection Notes and Plan Sheet 1A for method. This provision is new starting March 2023, there is now a Roadway Standard Drawing for Modified Method III.	
Include	<u>SP02 R005</u>	BURNING RESTRICTIONS (Alamance, Buncombe, Cabarrus, Catawba, Cumberland, Davidson, Durham, Forsyth, Gaston, Guilford, Iredell, Johnston, Mecklenburg, New Hanover, Onslow, Orange, Pitt, Union, and Wake)	APA will check all applicable counties that have a no burn restriction. If the county list changes after initial project creation in APA, manually review the county/counties required for your project with the counties listed to ensure the provision is properly set to include if so part of that project.	

5, 2:16 PM			Lineup Sheet - APA	
Included	Provision Number	Provision Name	Suggested Use/Provision Data	Notes
?	<u>SP02 R010</u>	DEMOLITION OF BUILDINGS AND APPURTENANCES	If applicable, there will be a memo from Right- of-Way Utilities Section directing to use this provision or whoever may serve that role. Memo should include list of buildings. Do NOT include fences or billboards (signs). Fill out table values in word document once propsal is generated. Other option is to download this provision, fill out table, and include this as an insert. To insert, upload to the preconstruction special provisions folder for the proposal you are working and insert this in APA. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
?	<u>SP02 R015A</u>	BUILDING REMOVAL (Removal	Choose A, B, C, or D.	
		inside ROW)	Raleigh has ROW memo stating which buildings will be removed in the file from Right of Way. Insert copy of that list into provision. Do NOT include fences, signs (billboards). If building is not removed but will be before Date of Availability, include letter or memo for backup. Fill out removal information in word document once propsal is generated. Other option is to download this provision, fill out removal information, and include this as an insert. To insert, upload to the preconstruction special provisions folder for the proposal you are working and insert this in APA. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
?	<u>SP02 R015B</u>	BUILDING REMOVAL (Cut at ROW)	Choose one. A, B, C, or D. Fill out removal information in word document once propsal is generated. Other option is to download this provision, fill out removal information, and include this as an insert. To insert, upload to the preconstruction special provisions folder for the proposal you are working and insert this in APA. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
?	<u>SP02 R015C</u>	BUILDING REMOVAL (Removal on both side of ROW)	Choose one: A, B, C, or D. IFill out removal information in word document once propsal is generated. Other option is to download this provision, fill out removal information, and include this as an insert. To insert, upload to the preconstruction special provisions folder for the proposal you are working and insert this in APA. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
?	<u>SP02 R015D</u>	BUILDING AND UNDERGROUND STORAGE TANK REMOVAL (Will have cut and removal at ROW)	Choose one: A, B, C, or D. Fill out removal information in word document once propsal is generated. Other option is to download this provision, fill out removal information, and include this as an insert. To insert, upload to the preconstruction special provisions folder for the proposal you are working and insert this in APA. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	

/9/25, 2.10 PIVI			Lineup Sheet - APA	
Included	Provision Number	Provision Name	Suggested Use/Provision Data	Notes
?	<u>SP02 R016</u>	LUMP SUM GRADING	Use if Lump Sum Grading Item 0063 and one of the following are greater than 50% of the workload "Section 225 Unclassified Excavation Item 0022" OR "Section 230 Borrow Excavation Item 0106" (key only 1 item) DO NOT APPLY THIS PROVISION FOR Item 0043 Lump Sum Grading.	
			Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
?	<u>SP02 R030A</u>	TEMPORARY DETOURS (Lump Sum Grading)	Project must have an onsite detour and should have pay items in estimate for detour construction. Version A will have Lump Sum Grading, Item 0043 or 0063 to pay for detour removal.	
?	<u>SP02 R030B</u>	TEMPORARY DETOURS (Individual Pay Items)	Project must have an onsite detour and should have pay items in estimate for detour construction. Version B should have pay items in estimate for removal of detour.	
?	<u>SP02 R030C</u>	TEMPORARY DETOURS (LS Grading and Pay Items)	Project must have an onsite detour and should have pay items in estimate for detour construction. Version A will have Lump Sum Grading, Item 0043 or 0063 and other pay items in estimate for removal of detour.	
?	<u>SP02 R045A</u>	SHOULDER AND FILL SLOPE MATERIAL (Lump Sum Grading)	Check Typ Sect, use provision if Shoulder or Fill Slope Mat'l is indicated. Payment will be included in Lump Sum Grading except that Borrow Excavation (Item 0106) is being paid separately if that item is included in the contract. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
?	<u>SP02 R045B</u>	SHOULDER AND FILL SLOPE MATERIAL	Check Typical Sections, use this provision if Shoulder or Fill Slope Materials is indicated but Lump Sum Grading Item is NOT included. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
?	<u>SP02 R057</u>	BORROW EXCAVATION (Truck Measurement)	Pay Item 0106 This will be specified in the Field Inspection Notes as a request from the Division. Contractor furnishes Borrow, measured in pit. Do NOT use if LS Grading item is in the estmate. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
?	<u>SP02 R058</u>	BORROW EXCAVATION (In Place or Truck Measurement)	Pay Item 0106. This will be specified in the Field Inspection Notes as a request from the Division. Contractor furnishes Borrow, measured in pit. Do NOT use if LS Grading item is in the estimate. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
?	<u>SP02 R070</u>	COAL COMBUSTION PRODUCTS IN EMBANKMENTS	Pay Item 0106 (Borrow Excavation). Use with conventional borrow pay items. Do not use unless detail is provided in the plans. Do not use on resurfacings. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	

/25, 2:16 PM			Lineup Sheet - APA	
Included	Provision Number	Provision Name	Suggested Use/Provision Data	Notes
?	<u>SP02 R072</u>	MANUFACTURED QUARRY FINES IN EMBANKMENTS	Pay Item 0106 (Borrow Excavation). Use with conventional borrow pay items. Can also be used on Lump Sum grading, anywhere that you would substitute for conventional borrow materials. Do not use on resurfacings. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
			Borrow Excavation will be included in lump sum Grading when not included in the contract & revised April 2024 to reference Section 505 versus elsewhere in the contract.	
?	<u>SP03 R005</u>	REINFORCED CONCRETE TAPERED INLET	Pay Items 0480-0516 (RC Pipe Tapered Inlet, Class III). Use this provision if item for Reinforced Concrete Tapered Inlet is included in estimate. Do NOT fill in the blanks. There should also be a Plan Detail Sheet. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
?	<u>SP03 R030</u>	FLOWABLE FILL	Pay Item 2275 (Flowable Fill). Use this provision if Flowable Fill is included in estimate. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
?	<u>SP03 R034</u>	CORRUGATED ALUMINUM ALLOY CULVERT PIPE	Projects with CAA pipe. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
?	<u>SP03 R036</u>	CORRUGATED ALUMINUM ALLOY PIPE ARCH CULVERT	Project with corrugated aluminum alloy pipe arch culvert, tees, and/or elbows (Pay items 06541, 056415, 05642 respectively). This provision should be used starting with September 2024 Lettings.	
?	<u>SP04 R002</u>	BRIDGE APPROACH FILLS	This provision should be applied starting January 2024 Lettings. There are now 2 pay items associated with Type 1 & 2 Bridge Approach Fills. Type 2 is used with MSE abutment walls. Need to look at structures bridge approach slab details for Type 1 & 2 Bridge Approach Fills being referenced.	
			Note: For the pay item entry do not put () around the station, it should follow this template as an example: TYPE 1 BRIDGE APPROACH FILL, STATION 20+59.44 -L-	
?	<u>SP05 R005</u>	AUTOMATED FINE GRADING	Use on new construction having full width lane(s). Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	



?

GEOTEXTILE FOR SUBGRADE STABILIZATION Use when pay item 1112 (Geotextile for Subgrade Stabilization) is included and on the geotechnical recommendations there will be a separate Table for Geotextile for Subgrade Stabilization.

Starting January 2024 this provision has been modified to the 2024 Standard Specifications, there was an A/B version now there is only this A version that remains as B is in the 2024 Standard Specifications. April 2024 removed like language in the provision and replaced with Section 505 Articles.

/9/25, 2:16 PM			Lineup Sheet - APA	
Included	Provision Number	Provision Name	Suggested Use/Provision Data	Notes
?	<u>SP05 R012</u>	STABILIZATION OF COASTAL PLAIN SANDS	For possible use with black base in Coastal Plain as defined in Subarticle 1018-2(B) of the Standard Specifications book (Subarticle 1018- 2(B) can be found at this <u>NCDOT</u> link) and there is Class IV Aggregate Stabilization pay item 1111 use.	
?	<u>SP05 R017</u>	AGGREGATE SUBGRADE IN LIEU OF CHEMICAL STABILIZATION	Include with any of the following pay items: Items 1044, 1055, 1066 (Lime-Treated Soil); 1176, 1187, 1198 (Soil-Cement Base). Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
?	<u>SP05 R020</u>	FULL DEPTH RECLAMATION BASE	Use when Full Depth Reclamation is recommended by Geotech or Division. When this provision is used, the pay items would be Generic Paving Item for Full Depth Reclamation Base (Item 1891). Other pay items include Generic Paving Item (Item 1880) Aggregate for FDR Base with an alternate pay item of Milling Asphalt Pavement," Depth (Item 1297) if not supplied by the Division for that project work, Generic Paving Item (Item 1880) Portland Cement for FDR Base, Asphalt Curing Seal (Item 1209), Blotting Sand (Item 2143), Asphalt Surface Treatment, Single Seal (Item 17485) or Double Seal (Item 17490). Starting January 2024 this provision has been modified to the 2024 Standard Specifications and in May 2025 this has been updated to current standards and pay item changes were made to include an alternate pay item if not supplied by the Department and futher clarity adjustments made in June 2025 in this current version.	
?	<u>SP05 R028R</u>	INCIDENTAL STONE BASE	Item 1220 (Incidental Stone Base) should be included in the estimate. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
?	<u>SP06 R003R</u>	SHOULDER WEDGE	Determined by Division. (Do not modify without approval of Construction Unit Leadership.) Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
?	<u>SP06 R025</u>	PRICE ADJUSTMENT FOR ASPHALT BINDER FOR PLANT MIX	Projects with Asphalt in Raleigh let projects. Updated monthly. 1 month lag. Fill in blanks required are populated via the advertisement date for the project. LGA's and Divisions use discretion. Use with all AST projects (with SP06 R54). Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
?	<u>SP06 R045</u>	FINAL SURFACE TESTING NOT REQUIRED	Use if located on a secondary route. Use on any route where the speed limit is less than 45 mph or the project is less than one mile in length. Use anytime the existing site conditions make it impractical to obtain rideability as determined by the Division. (Considerations may include pavement width, traffic phasing constraints, type of facility, and large number of utility adjustments, driveways, or -Y-lines.)	

Included	Provision Number	Provision Name	Suggested Use/Provision Data	Notes
?	<u>SP06 R054</u>	ASPHALT SURFACE TREATMENT	Use on projects with Asphalt Surface Treatment (Pay items 17485 through 18380). Check Typical Sections. Include SP06 R025 asphalt fuel price adjustment with this provision. Fill out table values in the word document by downloading this provision and insert via adding the provision to the preconstruction website for your project or using the drop in insert method. Add a note that you are using the inserted provision versus this provision with the unfilled out table or if using this provision the table used will not be available in your output from this system if ran again.	
?	SP06 R056	MILLED RUMBLE STRIPS ON ASPHALT CONCRETE SHOULDERS	Use this provision when there is a need for any milled rumble strips on asphalt concrete shoulders and Pay Item 1841 GENERIC PAVING ITEM followed by the pay item in the provision of Milled Rumble Strips (Asphalt Concrete)," (where" is the edgeline width). Note that Pay Item 1840 should not be used going forward with this provision being applied. This provision should be used adding a" to the pay item that exists in the 2024 Standard Specifications. Please note that there is a rumble strip memo at this NCDOT link and rumble strip policy at this NCDOT link with a set of details that can be used when not the standard of 16" as shown in the Standard Drawings. Please note when Sinusoidal shoulder rumble strip is needed use SPI 06-26 found at this NCDOT link and the respective details in the noted rumble strip policy above. If shoulder and centerline do not include this SPI 06-26 provison twice, the Pay Item 1881 GENERIC PAVING ITEM followed by the pay item in the provision of Sinusoidal edgeline width and/or sinusoidal centerline width) is used for the needed" dimensions for sinusoidal shoulder and/or centerline rumble strip needs. Starting June 2025 Let this provision modifies the term shoulder to shoulder and/or edgeline to align with the Rumble Strip Policy details.	

/9/25, 2:16 PM	5, 2:16 PM Lineup Sheet - APA				
Included	Provision Number	Provision Name	Suggested Use/Provision Data	Notes	
?	<u>SP06 R057</u>	CENTERLINE MILLED RUMBLE STRIPS ON ASPHALT CONCRETE	Use this provision when there is a need for any milled rumble strips on asphalt concrete centerlines and Pay Item 1881 GENERIC PAVING ITEM followed by the pay item in the provision of Centerline Milled Rumble Strips (Asphalt Concrete)," (where" is the traditional centerline width).		
			Please note that there is a rumble strip memo at this <u>NCDOT</u> link and rumble strip policy at this <u>NCDOT</u> link with a set of details that can be used when not the standard of 16" as shown in the Standard Drawings.		
			Please note when Sinusoidal centerline rumble strip is needed use SPI 06-26 found at this <u>NCDOT</u> link and the respective details in the noted rumble strip policy above. If shoulder and centerline do not include this SPI 06-26 provison twice, the Pay Item 1881 GENERIC PAVING ITEM followed by the pay item in the provision of Sinusoidal Milled Rumble Strips," (where" is the sinusoidal edgeline width and/or sinusoidal centerline width) is used for the needed" dimensions for sinusoidal shoulder and/or centerline rumble strip needs.		
?	<u>SP06 R058R</u>	REPAIR OF EXISTING PAVEMENT	Determined by Division. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.		
?	<u>SP06 R061AR</u>	RESURFACING EXISTING BRIDGES	Resurfacing bridge deck projects will either have A or B. "A" is the original provision.		
?	<u>SP06 R061BR</u>	RESURFACING EXISTING BRIDGES (With Milling)	Resurfacing bridge deck projects will have A or B. Division 5 requested "B" to add milling requirements.		
?	<u>SP06 R070AR</u>	PAVING DRIVEWAYS AND MAILBOX TURNOUTS (State Forces)	Determined by Division. State Forces to prepare base for surfacing.		
?	<u>SP06 R070BR</u>	PAVING DRIVEWAYS AND MAILBOX TURNOUTS (Contractor Forces)	Determined by Division. Contractor Forces to prepare base for surfacing.		
?	<u>SP06 R076R</u>	PAVEMENT WIDTH VARIES	Determined by Division.		
?	<u>SP06 R079AR</u>	TRENCHING FOR ASPHALT xxx COURSE (Base Course, Contractor Disposes of Excess)	Check to see if there is a trenching detail for base course asphalt. Contractor disposes of excess material. Normally don't use if there is an item for Grading. Only include SP06 R079AR or SP06 R079BR in your proposal. Do not change density testing requirements.		
			Starting January 2024 this provision has been modified to the 2024 Standard Specifications.		
?	<u>SP06 R079BR</u>	TRENCHING FOR ASPHALT xxx COURSE (Int. Course, Contractor Disposes of Excess)	Check to see if there is a trenching detail for intermediate course asphalt. Contractor disposes of excess material. Normally don't use if there is an item for Grading. Only include SP06 R079AR or SP06 R079BR in your proposal. Do not change density testing requirements.		
			Starting January 2024 this provision has been modified to the 2024 Standard Specifications.		

D/25, 2:16 PM Lineup Sheet - APA					
Included	Provision Number	Provision Name	Suggested Use/Provision Data	Notes	
?	<u>SP06 R082AR</u>	TRENCHING FOR ASPHALT xxx COURSE (Base Course, State Disposes of Excess)	Check to see if there is a trenching detail for base course asphalt. State Forces dispose of excess material. Normally don't use if there is an item for Grading. Only include SP06 R082AR or SP06 R082BR in your proposal.		
			Starting January 2024 this provision has been modified to the 2024 Standard Specifications.		
?	<u>SP06 R082BR</u>	TRENCHING FOR ASPHALT xxx COURSE (Int. Course, State Disposes of Excess)	Check to see if there is a trenching detail for intermediate course asphalt. State Forces dispose of excess material. Normally don't use if there is an item for Grading. Only include SP06 R082AR or SP06 R082BR in your proposal.		
			Starting January 2024 this provision has been modified to the 2024 Standard Specifications.		
?	<u>SP06 R085R</u>	ASPHALT CONCRETE SURFACE COURSE, TYPE S9.5_ (Leveling Course)	Pay Item 1520 and/or 1524 Asphalt Concrete Surface Course, Type S9.5B (Leveling Course) and/or Asphalt Concrete Surface Course, Type 9.5C (Leveling Course) must be included in estimate. Don't fill in type.		
			Starting January 2024 this provision has been modified to the 2024 Standard Specifications.		
?	<u>SP06 R088R</u>	PATCHING EXISTING PAVEMENT	Pay Item 1704 and 1575 (PATCHING EXISTING PAVEMENT and ASPHALT BINDER FOR PLANT MIX) must be included in estimate.		
			Starting January 2024 this provision has been modified to the 2024 Standard Specifications.		
?	<u>SP08 R010</u>	MODIFIED CONCRETE FLUME WITH CONCRETE OUTLET	Pay Item 2570 (MODIFIED CONCRETE FLUME). Use this provision if item for Modified Concrete Flume w/ Concrete Outlet is included in estimate.		
			Starting January 2024 this provision has been modified to the 2024 Standard Specifications.		
?	<u>SP08 R017</u>	HORIZONTAL DRAINS	Use this provision if item for Horizontal Drains or Horizontal Drains Without Pipes (Item 0257 Generic Grading Item SP LF) is included in estimate.		
			Starting January 2024 this provision has been modified to the 2024 Standard Specifications.		
?	<u>SP08 R045</u>	CONVERTING EXISTING DROP INLET TO SHOULDER DROP INLET	Pay Items 2995 (GENERIC DRAINAGE ITEM, CONVERTING EXISTING DROP INLET TO SHOULDER DROP INLET). Use this provision if item for Convert Existing Drop Inlet to Shoulder Drop Inlet is included in estimate. These are SP items.		
			Starting January 2024 this provision has been modified to the 2024 Standard Specifications.		
?	<u>SP08 R050</u>	CONVERTING EXISTING TO	Pay Items 2860-2995 (CONVERT EXISTING TO or GENERIC DRAINAGE ITEM Convert Existing TO). Use this provision if item for Convert to is included in estimate. Fill in the blanks. Include ONLY if listed as SP item.		
			Starting January 2024 this provision has been modified to the 2024 Standard Specifications.		

Included	Provision Number	Provision Name	Suggested Use/Provision Data	Notes
?	<u>SP08 R055</u>	REMOVAL AND STOCKPILE OF EXISTING GUARDRAIL	Pay Item 3375 (REMOVE & STOCKPILE EXISTING GUARDRAIL). Use this provision if specified in Combined Field Inspection (CFI) Report, specifically the answer to "Will removed existing guardrail be stockpiled?" is "yes" on the CFI Report (or Pre-Let Field Inspection (PLFI) Report).	
?	<u>SP08 R074</u>	REMOVE IMPACT ATTENUATOR UNITS, TYPE	Use this provision if Generic Guardrail Item 3435 with a description of Remove Impact Attenuator Unit Type is included in estimate.	
?	<u>SP08 R075</u>	IMPACT ATTENUATOR UNITS TYPE TL	Pay Item 3001 (IMPACT ATTENUATOR UNITS, TYPE TL-3) and/or 30015 (IMPACT ATTENUATOR UNITS, TYPE TL-2) . Use this provision if item for Impact Attenuator Unit Type TL-3 and/or TL-2 is included in estimate.	
?	<u>SP08 R084</u>	STEEL FENCE POSTS FOR WOVEN WIRE FENCE	Use this provision when Section 866 Woven Wire Fence is required with Steel Fence Posts, (7.5' or 8') Long where Roadway Standard Drawing No. 866.03 is required. Keep in mind Wooden Fence Posts are more frequently utilized with Woven Wire Fence and that is in Section 866 today for use where this provision is not required.	
?	<u>SP08 R085</u>	TEMPORARY WOVEN WIRE FENCE	Pay Item 3563 (TEMP **" WOVEN WIRE FENCE, COMPLETE W/POSTS). Use this provision if item for Temporary Woven Wire Fence w/ Posts is included in estimate. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
?	<u>SP08 R095R</u>	ADJUSTMENTS OF MANHOLES	Determined by Division, usually requested by Division 5. Cast Iron or Steel Fittings NOT permitted unless approved by Engineer. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
?	<u>SP08 R096R</u>	ADJUSTMENTS TO MANHOLES	Determined by Division, Rings or Rapid Set, Requires Approval by Engineer. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
?	<u>SP08 R097R</u>	ADJUSTMENT OF MANHOLES, METER BOXES, AND VALVE BOXES	Determined by Division, Cast Iron or Steel Fitting are NOT permitted. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
?	<u>SP08 R100</u>	CHAIN LINK FENCE w/BARBED WIRE ON EXTENSION ARMS	Use this provision if barbed wire and post extensions are part of chain link fence item. NO separate pay item. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	

9/25, 2:16 PM			Lineup Sheet - APA	
Included	Provision Number	Provision Name	Suggested Use/Provision Data	Notes
?	<u>SP08 R101</u>	VINYL COATED CHAIN LINK FENCE	Use when need vinyl coated chain link fence and various components, where in the pay item the vinyl color is noted. Generic Pay item 3579 with Vinyl Coated Chain Link Fence," Fabric and/or Pay Item 3580 for the various posts and/or gates needed for your project, specifically Vinyl Coated Metal Line Posts for" Chain Link Fence Vinyl Coated Metal Terminal Posts for" Chain Link Fence Vinyl Coated Metal Gate Posts for" Chain Link Fence, Double Gate Vinyl Coated Metal Gate Posts for" Chain Link Fence, Single Gate Vinyl Coated Double Gates," High,' Wide,' Opening Vinyl Coated Single Gates," High,' Wide,' Opening	
?	<u>SP08 R102</u>	WILDLIFE FENCE	Use when need wildlife fence and components.Generic Pay item 3579 with Wildlife Fence,' Fabric and/or Pay Item 3580 for the various posts and/or gates needed for your project, specifically Metal Line Posts for' Wildlife Fence Metal Terminal Posts for _' Wildlife Fence Metal Gate Posts for _' Wildlife Fence, Double Gate Metal Gate Posts for _' Wildlife Fence, Single Gate Wildlife Double Gates,' High,' Wide,' Opening Wildlife Single Gates,' High,' Wide,' Opening	
?	<u>SP08 R103</u>	BOLLARDS	Use when bollards are needed. There may be needs to use a bollard to prevent hitting a structure, rest area, or used as a protective measure for other reasons. In all instances use Pay Item 3578 BOLLARDS.	
?	<u>SP09 R005</u>	FOUNDATIONS AND ANCHOR ROD ASSEMBLIES FOR METAL POLES	Pay Item 4057, 5025, 5070, or 7614 (OVERHEAD FOOTING, HIGH MOUNT FOUNDATIONS, STANDARD FOUNDATION *********, or DRILLED PIER FOUNDATION). Use with signals, cameras, overhead and dynamic message signs (DMS) and high mount and low level light standards supported by metal poles or upright trusses. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
?	<u>SP09 R007</u>	OVERHEAD AND DYNAMIC MESSAGE SIGN FOUNDATIONS	Use if have Pay Item for Overhead Footings (Pay Item 4057) Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
?	<u>SP10 R002</u>	HIGH STRENGTH CONCRETE FOR DRIVEWAYS	Pay Item 2612 for concrete driveways must be in est. Use this provision if specified in the Field Inspection Notes. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
?	<u>SP10 R020</u>	ELECTRONIC TICKETING SYSTEM	Projects with asphalt. This provision should be used starting with December 2024 letting. There was a modification to "h." electronic ticket information list from the original version released July 2024.	

91312	25, Z. 16 PW			Lineup Sheet - APA	
	Included	Provision Number	Provision Name	Suggested Use/Provision Data	Notes
	?	<u>SP10 R087</u>	GLASS BEAD GRADATION FOR PAVEMENT MARKINGS	Projects with pavement markings with the exception of Cold Applied Plastic Pavement Markings as does not require glass beads. This provision should be used starting with	
	?	<u>SP10 R091</u>	ELECTRICAL JUNCTION BOXES	September 2024 lettings. Pay Item 5240 must be included in the estimate	
	:	<u>3F10 K031</u>	ELECTRICAL JUNCTION BOXES	(Electrical Junction Boxes).	
				This provision is new starting with June 2024 lettings.	
	?	<u>SP11 R002</u>	TEMPORARY SHORING	Pay Item 0199 (TEMPORARY SHORING). Use this provision when there are items for Temporary Shoring for Maintenance of Traffic included in the estimate. Check detail sheets. Use when the Standard Shoring provision is provided by Geotech.	
				Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
	?	<u>SP11 R035</u>	CONES	Use with Pay Item 4435 CONES and/or Item 4457 Lump Sum Temporary Traffic Control and/or any Generic Traffic Control Item that is Cones related. This provision revises the 2024 Standard Specifications.	
	?	<u>SP11 R050</u>	FLAGGERS	Use with Pay Item 4455 FLAGGER and/or Item 4457 Lump Sum Temporary Traffic Control and/or any Generic Traffic Control Item that is Flagger related. This provision revises the 2024 Standard Specifications to include flagger technology AFAD and PTS alternative to human flaggers. Ensure when there is a traffic control section of your proposal and <u>NCDOT's</u> Workzone App for Special Provisions RWZ-1 and Temporary Traffic	
				Control provisions added that there is language that states "Flaggers (including AFAD or PTS units)" with a revised date of 12-17-24 as well when this provision is applied. This provision is effective as of December 2024 let.	
	?	<u>SP11 R070</u>	PORTABLE CONCRETE BARRIER	Use with Section 1170 Portable Concrete Barrier pay items to include the following:	
				Pay Item 4485 (Portable Concrete Barrier) Pay Item 4490 (Portable Concrete Barrier (Anchored)) Pay Item 4500 (Remove and Reset Portable Concrete Barrier) Pay Item 4505 (Remove and Reset Portable Concrete Barrier (Anchored))	

	Concrete Barrier (Anchored))	
	This provision is effective starting with December 2024 let.	

25, 2:16 PM			Lineup Sheet - APA	
Included	Provision Number	Provision Name	Suggested Use/Provision Data	Notes
?	<u>SP12 R053</u>	SNOWPLOWABLE DELINEATION	Starting October 2024 lettings, use on projects with "markings" Pay Item 48949 and/or "markers" Pay Item 4895 generic pavement marking item. Specifically there may be alternates of Polycarbonate H-shaped Markers, Inlaid Raised Pavement Markers, 10' Rumble Skips, Inlaid Cradle Markers, 10' Inlaid Pavement Markings. Note that Polycarbonate H-shaped Markers is not recommended as an alternate option in some of the western counties as shown at this NCDOT link however Divisions have the option to use this or narrow to less alternates or only one of these options per the snowplowable delineation memo as shown at this NCDOT link. The pavement marking/marker recommendation letter is a reference on which treatment(s) are selected for that project, which can be found in the Signing and Delineation Discipline folder as a "PM recommendation letter" for that project. Note: Pay Item 49051 Non-Cast Iron Snowplowable Pavement Marker is obsolete with this provision.	
?	<u>SP14 R004</u>	ROADWAY LIGHTING FOUNDATIONS	with this provision found at this <u>NCDOT</u> link. Use if have Pay Items for High Mount Foundations or Standard Foundation (Pay Items 5025 and 5070) Starting January 2024 this	
2			provision has been modified to the 2024 Standard Specifications.	
?	<u>SP16 R001</u>	WATTLE DEVICES	Pay Item 6071 (WATTLE). This provision revises the language, to include the pay item list for Section 1642 of the 2024 Standard Specifications which can be found at this <u>NCDOT</u> link. Include for projects that have Section 1642 pay items (Item 6071002 through 6071014). If Flocculant (Item 6071002) is the only Section 1642 pay item in the estimate, then this provision is not needed as Flocculant pay item is correct in Standard Specifications.	
?	<u>SP16 R002</u>	PERMANENT SEEDING AND MULCHING	Pay Item 6084 (SEEDING & MULCHING). Use when there is 10 or more acres of Seeding and Mulching. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	
?	<u>SP16 R003R</u>	EROSION AND STORMWATER CONTROL FOR SHOULDER (Central and Division)	This provision is for Central and Division use. Pay item 1243 (Shoulder Construction) or 1245 (Shoulder Reconstruction) that also have Temporary Silt Fence (item 6000) and /or Wattles (item 607101). Should have an Erosion Control detail on plans. If you use this provision also include provision SP01 G180 for central and division projects.	
Include	<u>Z002</u>	AVAILABILITY FUNDS – TERMINATION OF CONTRACTS	All Projects aligned with the 2024 Standard Specifications. Starting January 2024 this provision has been modified to the 2024 Standard Specifications.	

Included	Provision Number	Provision Name	Suggested Use/Provision Data	Notes
?	<u>Z003</u>	NCDOT GENERAL SEED SPECIFICATION FOR SEED QUALITY	<ul> <li>Projects with seeding, whether seeding is paid for or seeding is incidental to the pay item.</li> <li>(Do NOT use if seeding is NOT required on project)</li> <li>Along with this provision, ensure the Erosion Control provisions for Seeding are included for your area found on the Soil and Water Website under Special Provisions (County Table and Provisions are available on this <u>NCDOT</u> site)</li> </ul>	
Do Not Include	<u>Z004</u>	ERRATA	All Projects aligned with the 2024 Standard Specifications. Do not apply the prior versions to a 2024 Standard Specifications aligned project, start using January 2024. Discontinued April 2025 let.	
Include	<u>Z004</u>	ERRATA	All Projects aligned with the 2024 Standard Specifications. Use this version starting April 2025 Let for the 2024 Standard Specifications.	
Include	<u>Z004A</u>	PLANT AND PEST QUARANTINES	All Projects.	
Do Not Include	<u>Z004A</u>	PLANT AND PEST QUARANTINES	All Projects.	
Include	<u>Z005</u>	MINIMUM WAGES	All Projects that are State Funded Projects.	
Include	<u>Z006</u>	TITLE VI AND NONDISCRIMINATION	All Projects that are State and Federal Funded Projects.	
Include	<u>Z010</u>	ON-THE-JOB TRAINING	All Projects.	