

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ STATE TOTALS _____
DIVISION No. 1 THROUGH 14 _____

ALL SYSTEMS

SYSTEM

COMPLETED AS OF January 1 1955

TYPE OF ROAD				MILEAGE TOTAL																						
					Division #1	Division #2	Division #3	Division #4	Division #5	Division #6	Division #7	Division #8	Division #9	Division #10	Division #11	Division #12	Division #13	Division #14								
NON SURF'D	A	PRIMITIVE		00	421.8	39.0	8.5	45.7	17.4	6.8	50.0	3.9	32.0	14.9	62.7	96.9	0.1	10.8	33.1							
	B	UNIMPROVED		10	2,814.4	152.4	148.1	183.1	145.4	97.8	215.2	126.8	194.6	245.0	132.2	461.0	31.5	257.0	424.3							
	C	GRADED AND DRAINED		20	9,344.5	889.6	1,318.6	854.7	825.5	832.9	903.3	839.0	764.6	387.8	294.2	578.0	205.5	376.5	274.3							
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED		30	8,865.9	352.2	387.9	1,155.4	965.0	745.2	1,028.4	236.7	1,137.8	757.9	269.9	191.0	1,255.4	308.4	74.7							
	E	GRAVEL OR STONE —UNTREATED		41-43	13,198.8	441.7	198.7	28.5	274.7	902.1	34.8	1,343.3	521.6	832.0	1,174.7	2,477.1	1,092.6	1,816.6	2,060.4							
	TOTAL NON HARD SURFACED				34,645.4	1,874.9	2,061.8	2,267.4	2,228.0	2,584.8	2,231.7	2,549.7	2,650.6	2,237.6	1,933.7	3,804.0	2,585.1	2,769.3	2,866.8							
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	12,192.5	849.9	194.4	367.2	1,384.7	1,328.5	1,158.1	767.1	1,603.3	1,309.6	846.5	396.6	1,372.1	450.1	164.4							
			F2 GRAVEL OR STONE	52-53	7,253.1	311.4	109.6	41.9	252.1	274.7	87.7	794.6	340.1	476.7	986.1	1,086.2	376.5	1,072.0	1,043.5							
			F3 WATERBOUND MACADAM	54	64.6		1.0			3.2				10.3	15.4	10.9	2.2	8.0	13.6							
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x	483.7	184.4	28.4	129.0	6.4	0.6	133.3		1.6													
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	726.6	78.6	26.7	176.6	35.8	27.4	113.0	73.0	37.7	4.6	11.4	8.1	54.4	41.0	38.3							
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62	7.5	6.3		0.4					0.8													
			H2 RIGID BASE	62	47.6			1.8		0.7		6.8	1.1	2.4	10.8	0.2	18.1	4.4	1.3							
	I BITUMINOUS CONCRETE I1		63	4,869.1	155.6	238.1	475.3	902.1	435.7	626.1	228.7	299.7	221.8	558.5	52.4	286.5	229.9	158.7								
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	377.6	74.2	52.7	0.6	48.1	19.8	7.5	31.2	56.8	14.8	3.5		9.5	26.5	32.4								
		I3 ON BITUMINOUS CONCRETE	61	310.8	26.2	93.6	59.5	10.0	5.0	18.0	31.2	11.1	18.3	14.3	0.9	14.9	2.0	5.8								
		I4 ON OTHER TYPES THAN I2 AND I3	61	5,659.6	682.4	1,478.4	1,004.1	468.0	272.8	767.7	23.5	735.7	88.7	86.7	1.6	22.1	22.4	5.5								
	J	PORTLAND CEMENT CONCRETE		70	1,831.1	184.0	191.0	67.2	115.6	209.4	98.6	181.5	143.8	173.1	165.3	59.5	47.8	137.5	56.8							
	K	BRICK		80	20.6	5.6	13.7	0.5				0.4		0.4												
	L	BLOCK		90	0.1										0.1											
	M	DUAL TYPE		64-9 74-9	109.1	0.3	0.2	0.5	10.1	9.4	24.4	10.0	2.1	9.2	29.2	1.4	7.3	4.7	0.3							
N	COMBINATION TYPE		64-9 74-9	310.8	69.2	41.9	1.1	11.6	6.2	6.3	15.2	29.5	8.7	7.7	18.7	81.7	8.1	4.9								
TOTAL HARD SURFACED				34,264.4	2,628.1	2,469.7	2,325.3	3,244.9	2,593.4	3,040.7	2,163.2	3,262.5	2,339.4	2,735.5	1,636.5	2,293.1	2,006.6	1,525.5								
TOTAL MILEAGE				68,909.8	4,503.0	4,531.5	4,592.7	5,472.9	5,178.2	5,272.4	4,712.9	5,913.1	4,577.0	4,669.2	5,440.5	4,878.2	4,775.9	4,392.3								

Note: This table is in
balance to the nearest
tenth of a mile.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ STATE TOTALS _____
DIVISION No. 1 THROUGH 14 _____

RURAL STATE HIGHWAY			SYSTEM		COMPLETED AS OF January 1 19 55														DIVISION No. 1 THROUGH 14					
TYPE OF ROAD			MILEAGE TOTAL	Division #1	Division #2	Division #3	Division #4	Division #5	Division #6	Division #7	Division #8	Division #9	Division #10	Division #11	Division #12	Division #13	Division #14							
NON SURF'D	A	PRIMITIVE	00																					
	B	UNIMPROVED	10	3.7										3.7										
	C	GRADED AND DRAINED	20	8.7													8.7							
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	5.9					0.1			5.8												
	E	GRAVEL OR STONE —UNTREATED	41-43	127.5	0.1									4.8		75.5	47.1							
	TOTAL NON HARD SURFACED			145.8	0.1				0.1			5.8		8.5		75.5	55.8							
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	2,535.2	199.4	26.7	104.2	392.9	301.3	174.7	238.8	252.7	207.3	173.4	143.0	251.6	53.5	15.7						
			F2 GRAVEL OR STONE 52-53	2,096.1	105.1	12.8	1.8	58.0	75.4	56.5	141.6	74.0	129.9	127.8	488.1	22.5	348.6	454.0						
			F3 WATERBOUND MACADAM 54	20.0											8.9	1.8	4.8	4.5						
	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61	78.8	5.7		29.0			44.1														
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G2 RIGID BASE 61	585.9	59.0	15.2	151.4	30.9	19.9	92.2	65.1	33.5	0.7	7.4	4.0	47.4	24.8	34.4						
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																					
			H2 RIGID BASE 62	17.8							2.5			2.1		10.4	2.8							
	I	BITUMINOUS CONCRETE I1	63	1,938.7	68.8	123.2	190.8	298.8	136.0	245.8	105.6	73.6	114.4	109.6	40.6	176.7	157.9	96.9						
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61	311.6	64.7	46.0		41.3	17.0	5.2	23.8	48.4	11.1	0.1		7.7	18.0	28.3							
		I3 ON BITUMINOUS CONCRETE 61	220.5	23.9	86.1	53.9	0.4	3.9	15.2	21.8	6.0	6.8	1.7				0.8							
		I4 ON OTHER TYPES THAN I2 AND I3 61	1,248.1	164.1	294.0	210.4	43.8	46.2	247.7	3.1	152.8	29.0	39.8		2.4	12.2	2.6							
	J	PORTLAND CEMENT CONCRETE	70	1,315.6	143.7	158.3	53.4	93.7	162.9	79.4	106.7	118.2	126.4	119.3	38.6	31.4	48.8	34.8						
	K	BRICK	80																					
	L	BLOCK	90																					
	M	DUAL TYPE	64-9 74-9	78.6				9.0	6.7	20.7	7.4		6.4	24.2		3.0	1.2							
	N	COMBINATION TYPE	64-9 74-9	288.9	68.3	41.1	1.1	11.6	6.2	5.1	15.2	26.6	7.6	4.9	18.1	72.0	6.6	4.5						
	TOTAL HARD SURFACED				10,735.8	902.7	803.4	796.0	980.4	775.5	986.6	731.6	785.8	639.6	610.3	741.3	626.9	679.2	676.5					
TOTAL MILEAGE				10,881.6	902.8	803.4	796.0	980.4	775.5	986.7	731.6	785.8	645.4	610.3	749.8	626.9	754.7	732.3						

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ STATE TOTALS _____
DIVISION No. 1 THROUGH 14 _____

MUNICIPAL STATE HIGHWAY

SYSTEM

COMPLETED AS OF January 1 19 55

TYPE OF ROAD			MILEAGE TOTAL	Division																				
				#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12	#13	#14							
NON SURF'D	A	PRIMITIVE	00																					
	B	UNIMPROVED	10	1.54										1.54										
	C	GRADED AND DRAINED	20																					
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	1.20					0.20								1.00							
	E	GRAVEL OR STONE —UNTREATED	41-43	1.35												1.35								
	TOTAL NON HARD SURFACED			4.09					0.20					1.54		1.35	1.00							
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	113.06	18.45	1.88	6.99	11.09	11.07	13.15	3.04	27.35	2.78	6.41	3.67	6.20	0.56	0.42					
			F2 GRAVEL OR STONE	52-53	91.81	5.34	1.94	0.21	0.70	3.03	0.22	4.72	2.16	4.79	3.95	30.27	6.08	11.25	17.15					
			F3 WATERBOUND MACADAM	54	1.01											0.34		0.67						
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x	1.14			0.58			0.56													
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	35.54	4.35	1.03	9.23	3.18	0.35	4.18	2.65	0.46	0.25	1.34	0.92	3.03	1.14	3.43					
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62																				
			H2 RIGID BASE	62	5.25										1.09		2.71	1.45						
HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE I1	63	403.56	14.55	14.48	19.21	38.62	43.19	33.21	43.28	21.79	36.97	38.93	9.66	42.35	28.72	18.60						
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	45.24	3.44	5.09		6.81	2.80	2.05	6.13	7.21	3.69	0.04		1.79	3.67	2.52						
		I3 ON BITUMINOUS CONCRETE	61	62.39	0.48	6.59	3.50	7.06	0.71	2.79	7.57	1.43	9.58	3.39	0.91	13.66	0.89	3.83						
		I4 ON OTHER TYPES THAN I2 AND I3	61	104.16	9.95	15.89	15.26	3.55	3.39	21.46	0.47	21.38	1.30	1.87		4.45	4.70	0.49						
	J	PORTLAND CEMENT CONCRETE	70	221.83	15.83	22.32	12.39	13.47	29.01	15.42	18.11	13.79	10.67	19.78	15.65	13.89	18.16	3.34						
	K	BRICK	80	0.52								0.15		0.37										
	L	BLOCK	90	0.11										0.11										
	M	DUAL TYPE	64-9 74-9	20.61	0.23	0.24		1.07	0.98		2.35	0.33	1.18	4.98	1.43	4.21	3.32	0.29						
	N	COMBINATION TYPE	64-9 74-9	16.18	0.75	0.80			0.03	0.65		2.11	1.02	1.32	0.61	7.24	1.52	0.13						
	TOTAL HARD SURFACED				1,122.41	73.37	70.26	67.37	85.55	94.56	93.69	88.47	98.01	72.60	83.21	63.46	105.61	76.05	50.20					
TOTAL MILEAGE				1,126.50	73.37	70.26	67.37	85.55	94.56	93.89	88.47	98.01	72.60	83.21	65.00	105.61	77.40	51.20						

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

RURAL COUNTY ROAD			SYSTEM		COMPLETED AS OF January 1 19 55														COUNTY STATE TOTALS		DIVISION No. 1 THROUGH 14			
TYPE OF ROAD			MILEAGE TOTAL	Division #1	Division #2	Division #3	Division #4	Division #5	Division #6	Division #7	Division #8	Division #9	Division #10	Division #11	Division #12	Division #13	Division #14							
NON SURF'D	A	PRIMITIVE 00		39.0	8.5	42.3	17.4	6.8	49.5	3.9	30.8	14.9	62.2	96.1	0.1	10.7	33.1							
	B	UNIMPROVED 10	2,765.8	147.8	145.4	180.6	142.5	95.7	211.1	126.8	189.2	244.6	131.3	447.8	30.7	255.2	417.1							
	C	GRADED AND DRAINED 20	9,251.6	876.0	1,308.8	847.2	819.7	824.9	895.6	830.2	756.8	384.4	289.7	574.4	204.9	375.0	264.0							
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED 30	8,750.6	349.3	377.6	1,144.4	953.9	739.0	1,014.0	234.4	1,123.0	744.6	260.6	187.9	1,242.2	306.0	73.7							
	E	GRAVEL OR STONE —UNTREATED 41-43	12,966.3	439.7	196.5	28.1	273.5	899.0	34.4	1,336.3	516.4	829.3	1,170.0	2,455.5	1,086.1	1,712.8	1,988.7							
	TOTAL NON HARD SURFACED		34,149.6	1,851.8	2,036.8	2,242.6	2,207.0	2,565.4	2,204.6	2,531.6	2,616.2	2,217.8	1,913.8	3,761.7	2,564.0	2,659.7	2,776.6							
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	9,144.2	606.3	160.3	241.5	947.0	985.6	931.9	499.0	1,242.0	1,068.6	635.1	239.0	1,070.9	372.5	144.5						
			F2 GRAVEL OR STONE 52-53	4,878.3	194.7	93.1	39.1	190.5	190.8	29.2	622.9	250.2	336.0	836.2	544.0	319.9	687.0	544.7						
			F3 WATERBOUND MACADAM 54	42.3		0.6		3.2					10.3	15.4	0.8	0.4	2.5	9.1						
	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61	394.2	177.2	27.4	94.9	6.2	0.6	86.3		1.6												
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G2 RIGID BASE 61	94.2	14.6	9.6	15.7	1.5	6.8	14.7	1.8	3.7	3.4	2.0	2.8	2.4	14.9	0.3						
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62	6.5	6.3		0.2																	
			H2 RIGID BASE 62	21.1			1.8	0.7		4.3	1.1		7.3		4.5	0.2	1.2							
	I	BITUMINOUS CONCRETE I1 SAND ASPHALT —HOT PREMIXED	I1 63	2,343.4	68.0	94.6	254.0	551.2	242.8	333.6	50.2	197.9	47.4	377.5	1.7	57.6	33.8	33.1						
			I2 ON P. C. CONCRETE 61	15.6	5.5	0.6					0.5	0.2		2.5			4.8	1.5						
			I3 ON BITUMINOUS CONCRETE 61	12.3	1.1	0.3	0.5	1.5				3.0		4.8			1.1							
			I4 ON OTHER TYPES THAN I2 AND I3 61	4,150.7	494.4	1,131.6	749.7	407.3	216.1	477.9	17.5	548.5	55.3	39.1	1.6	9.6	2.1							
	J	PORTLAND CEMENT CONCRETE	70	231.1	18.9	8.5	0.5	6.9	13.4	1.4	48.0	8.4	29.8	21.2	0.9	1.7	60.6	10.9						
	K	BRICK	80	17.6	5.0	12.6																		
	L	BLOCK	90																					
	M	DUAL TYPE	64-9 74-9	8.6	0.1		0.5		1.7	3.7		1.0	1.6											
	N	COMBINATION TYPE	64-9 74-9	4.4	0.1					0.6			1.5		1.9		0.3							
TOTAL HARD SURFACED			21,364.5	1,592.2	1,539.2	1,398.2	2,112.3	1,661.7	1,879.3	1,244.2	2,257.6	1,552.4	1,942.6	790.8	1,468.9	1,179.5	745.6							
TOTAL MILEAGE			55,514.1	3,444.0	3,576.0	3,640.8	4,319.3	4,227.1	4,083.9	3,775.8	4,873.8	3,770.2	3,856.4	4,552.5	4,032.9	3,839.2	3,522.2							

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ STATE TOTALS _____
DIVISION No. 1 THROUGH 14 _____

MUNICIPAL COUNTY ROAD				SYSTEM		COMPLETED AS OF January 1 19 55														DIVISION No. 1 THROUGH 14					
TYPE OF ROAD				MILEAGE TOTAL																					
					Division #1	Division #2	Division #3	Division #4	Division #5	Division #6	Division #7	Division #8	Division #9	Division #10	Division #11	Division #12	Division #13	Division #14							
NON SURF'D	A	PRIMITIVE	00	6.45			3.40			0.54		1.17		0.46	0.78		0.10								
	B	UNIMPROVED	10	43.39	4.61	2.66	2.47	2.86	2.13	4.14	0.05	5.35	0.40	0.89	8.01	0.80	1.85	7.17							
	C	GRADED AND DRAINED	20	84.30	13.63	9.79	7.47	5.79	8.05	7.70	8.84	7.81	3.43	4.47	3.60	0.55	1.54	1.63							
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	108.15	2.86	10.31	10.98	11.06	6.21	14.12	2.34	14.76	7.50	9.33	3.12	13.20	2.36								
	E	GRAVEL OR STONE —UNTREATED	41-43	103.61	1.93	2.24	0.38	1.18	3.12	0.35	7.05	5.20	2.70	4.73	16.81	6.48	26.87	24.57							
	TOTAL NON HARD SURFACED			345.90	23.03	25.00	24.70	20.89	19.51	26.85	18.28	34.29	14.03	19.88	32.32	21.03	32.72	33.37							
	F	BITUMINOUS SURFACE TREATED	F1	TOPSOIL OR SAND-CLAY	51	400.04	25.85	5.53	14.50	33.70	30.49	38.31	26.30	81.21	30.93	31.56	10.92	43.43	23.48	3.83					
			F2	GRAVEL OR STONE	52-53	187.00	6.26	1.75	0.81	2.88	5.46	1.85	25.45	13.70	6.02	18.12	23.79	28.01	25.25	27.65					
			F3	WATERBOUND MACADAM	54	1.32		0.43								0.89									
	G	MIXED BITUMINOUS	G1	NONRIGID BASE	61 ^x	9.61	1.50	1.00	4.52	0.23		2.31							0.05						
G	MIXED BITUMINOUS	G2	RIGID BASE	61 ^x	10.98	0.57	0.90	0.32	0.15	0.32	1.87	3.49		0.34	0.66	0.44	1.55	0.22	0.15						
HIGH TYPE SURFACES	H	BITUMINOUS PENETRATION	H1	NONRIGID BASE	62	1.04			0.25					0.79											
			H2	RIGID BASE	62	3.46									2.36	0.26	0.20	0.51		0.13					
	I	BITUMINOUS CONCRETE I1	63	183.23	4.24	5.75	11.30	13.46	13.74	13.52	29.60	6.40	22.95	32.54	0.35	9.77	9.51	10.10							
	SAND ASPHALT —HOT PREMIXED	I2	ON P. C. CONCRETE	61	5.23	0.65	0.96	0.58			0.33	0.76	0.96		0.91				0.08						
		I3	ON BITUMINOUS CONCRETE	61	15.62	0.74	0.63	1.61	1.00	0.40		1.81	0.75	1.90	4.39		1.24		1.15						
		I4	ON OTHER TYPES THAN I2 AND I3	61	156.43	13.92	36.94	28.68	13.40	7.09	20.55	2.35	13.00	3.13	5.89		5.67	3.36	2.45						
	J	PORTLAND CEMENT CONCRETE	70	62.65	5.55	1.89	0.87	1.50	4.13	2.45	8.73	3.41	6.16	5.05	4.42	0.77	9.94	7.78							
	K	BRICK	80	2.40	0.63	1.08	0.53				0.16														
	L	BLOCK	90																						
	M	DUAL TYPE	64-9 74-9	1.33								0.17	0.85			0.06	0.25								
N	COMBINATION TYPE	64-9 74-9	1.38									0.83			0.55										
TOTAL HARD SURFACED				1,041.72	59.91	56.86	63.72	66.57	61.63	81.19	98.82	121.11	74.58	99.38	41.01	91.56	72.01	53.37							
TOTAL MILEAGE				1,387.62	82.94	81.86	88.42	87.46	81.14	108.04	117.10	155.40	88.61	119.26	73.33	112.59	104.73	86.74							

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____

DIVISION No. 1 (ONE)

RURAL STATE HIGHWAY

SYSTEM

COMPLETED AS OF January 1 1955

TYPE OF ROAD				MILEAGE TOTAL																			
					Bertie	Camden	Chowan	Currituck	Dare	Gates	Hertford	Hyde	Martin	North- ampton	Pasquo- tank	Perqui- mans	Tyrrell	Washington					
NON SURF'D	A	PRIMITIVE		00																			
	B	UNIMPROVED		10																			
	C	GRADED AND DRAINED		20																			
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED		30																			
	E	GRAVEL OR STONE —UNTREATED		41-43	0.1							0.1											
	TOTAL NON HARD SURFACED				0.1							0.1											
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	199.4	57.5	5.0		11.3		15.1	22.6	36.8	46.3				4.8					
			F2 GRAVEL OR STONE	52-53	105.1			4.3	0.8	36.4	6.6	2.2	0.1	11.0	6.4	6.9			22.0	8.4			
			F3 WATERBOUND MACADAM	54																			
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x	5.7				5.7														
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	59.0				2.6	29.6			5.7	15.2	0.8			5.1					
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62																			
			H2 RIGID BASE	62																			
HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE I1		63	68.8	21.5					14.6		1.1	31.6									
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	64.7		13.6	4.1	20.3				0.4		7.9	10.8	7.6							
		I3 ON BITUMINOUS CONCRETE	61	23.9	6.3								10.6		7.0								
		I4 ON OTHER TYPES THAN I2 AND I3	61	164.1		21.3	20.0	24.2	14.8	30.0		22.2			1.8	8.4	8.1	13.3					
	J	PORTLAND CEMENT CONCRETE		70	143.7	4.1		19.5	0.4	2.5	8.1	25.6	18.5	17.1	20.1	8.4	10.4		9.0				
	K	BRICK		80																			
	L	BLOCK		90																			
	M	DUAL TYPE		64-9 74-9																			
	N	COMBINATION TYPE		64-9 74-9	68.3	11.6*	2.8*		14.2*					16.4*			0.4*	5.8*	17.1*				
	TOTAL HARD SURFACED				902.7	101.0	42.7	47.9	59.9	73.3	74.3	57.5	63.8	98.7	127.5	35.7	26.8	45.8	47.8				
TOTAL MILEAGE				902.8	101.0	42.7	47.9	59.9	73.3	74.3	57.5	63.9	98.7	127.5	35.7	26.8	45.8	47.8					

DWEN G. DUNN CO., 77541

*P.C. Conc. *2.6 P.C. Conc.
0.2 Asph. *0.4 Asph.
13.8 P.C. Conc.

*P.C. Conc.

*P.C. Conc. *P.C. Conc.
*P.C. Conc.

COUNTY DIVISION TOTALS
DIVISION No. 2 (TWO)

COMPLETED AS OF January 1 1955

TOTAL MILEAGE

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 3 (THREE) _____

RURAL STATE HIGHWAY _____ SYSTEM _____ COMPLETED AS OF January 1 19 55

TYPE OF ROAD			MILEAGE TOTAL	Brunswick	Duplin	New Hanover	Onslow	Pender	Sampson											
NON SURF'D	A	PRIMITIVE	00																	
	B	UNIMPROVED	10																	
	C	GRADED AND DRAINED	20																	
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																	
	E	GRAVEL OR STONE —UNTREATED	41-43																	
	TOTAL NON HARD SURFACED																			
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	104.2	12.8	1.2		5.6	84.6											
			F2 GRAVEL OR STONE 52-53	1.8					1.8											
			F3 WATERBOUND MACADAM 54																	
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x	29.0	12.2	10.8		3.7	2.3											
	G	MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	151.4	52.9	23.9		13.4	61.2											
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																	
			H2 RIGID BASE 62																	
	I	BITUMINOUS CONCRETE I1		190.8	33.2	44.9	28.6	3.6	45.4	35.1										
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61																	
		I3 ON BITUMINOUS CONCRETE	61	53.9				53.9												
		I4 ON OTHER TYPES THAN I2 AND I3	61	210.4	35.5	34.7	18.0	57.9	56.0	8.3										
	J	PORTLAND CEMENT CONCRETE	70	53.4	1.8	16.1	3.8		0.4	31.3										
	K	BRICK	80																	
	L	BLOCK	90																	
	M	DUAL TYPE	64-9 74-9																	
	N	COMBINATION TYPE	64-9 74-9	1.1			1.1*													
TOTAL HARD SURFACED				796.0	135.6	143.2	52.7	115.4	124.5	224.6										
TOTAL MILEAGE				796.0	135.6	143.2	52.7	115.4	124.5	224.6										

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY DIVISION TOTALS
DIVISION No. 4 (FOUR)

RURAL STATE HIGHWAY

SYSTEM

COMPLETED AS OF January 1 19 55

TYPE OF ROAD			MILEAGE TOTAL	Edgecombe	Halifax	Johnston	Nash	Wayne	Wilson											
NON SURF'D	A	PRIMITIVE	00																	
	B	UNIMPROVED	10																	
	C	GRADED AND DRAINED	20																	
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																	
	E	GRAVEL OR STONE —UNTREATED	41-43																	
	TOTAL NON HARD SURFACED																			
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	392.9	38.2	71.0	121.5	105.1	31.0	26.1									
			F2 GRAVEL OR STONE	52-53	58.0	1.0	0.3	24.4	3.8	17.6	10.9									
			F3 WATERBOUND MACADAM	54																
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x																
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	30.9	29.4			1.5											
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62																
			H2 RIGID BASE	62																
	I	BITUMINOUS CONCRETE	I1	63	298.8	25.1	83.5	79.1	15.9	59.4	35.8									
		SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	41.3		3.2	9.4	8.2		20.5									
			I3 ON BITUMINOUS CONCRETE	61	0.4						0.4									
			I4 ON OTHER TYPES THAN I2 AND I3	61	43.8	1.9	5.3		10.8	16.3	9.5									
	J	PORTLAND CEMENT CONCRETE		70	93.7	31.7	14.5	2.8	18.7	17.4	8.6									
	K	BRICK		80																
	L	BLOCK		90																
	M	DUAL TYPE		64-9 74-9	9.0	8.4*			0.6*											
	N	COMBINATION TYPE		64-9 74-9	11.6	11.6°														
TOTAL HARD SURFACED					980.4	147.3	177.8	237.2	164.6	141.7	111.8									
TOTAL MILEAGE					980.4	147.3	177.8	237.2	164.6	141.7	111.8									

*Asph.
° 0.1 Asph.
11.5 P.C. Conc.

*BST

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 5 (FIVE)

TYPE OF ROAD				MILEAGE TOTAL	COMPLETED AS OF January 1 19 55																	
					Durham	Franklin	Granville	Person	Vance	Wake	Warren											
NON SURF'D	A PRIMITIVE			00																		
	B UNIMPROVED			10																		
	C GRADED AND DRAINED			20																		
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED			30																		
	E GRAVEL OR STONE —UNTREATED			41-43																		
	TOTAL NON HARD SURFACED																					
	F BITUMINOUS SURFACE TREATED	F1	TOPSOIL OR SAND-CLAY	51	301.3	10.0	93.0	50.1	46.2	21.7	47.6	32.7										
		F2	GRAVEL OR STONE	52-53	75.4		11.1	16.3	11.4		31.5	5.1										
		F3	WATERBOUND MACADAM	54																		
G MIXED BITUMINOUS	G1	NONRIGID BASE	61 ^x																			
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G2	RIGID BASE	61 ^x	19.9	9.9		10.0														
	H BITUMINOUS PENETRATION	H1	NONRIGID BASE	62																		
		H2	RIGID BASE	62																		
	I BITUMINOUS CONCRETE	I1		63	136.0	12.4	18.6	24.4	11.1	10.3	62.8	7.5										
	SAND ASPHALT —HOT PREMIXED	I2	ON P. C. CONCRETE	61	17.0	5.9		3.2		7.9	2.1											
		I3	ON BITUMINOUS CONCRETE	61	3.9						3.9											
		I4	ON OTHER TYPES THAN I2 AND I3	61	46.2		6.5			8.7	31.0											
		J	PORTLAND CEMENT CONCRETE		70	162.9	44.0	19.4	9.3	24.1	1.3	38.9	25.9									
	K	BRICK		80																		
	L	BLOCK		90																		
	M	DUAL TYPE		64-9 74-9	6.7						6.7*											
	N	COMBINATION TYPE		64-9 74-9	6.2						6.2°											
	TOTAL HARD SURFACED				775.5	82.2	148.6	103.3	91.7	49.9	228.6	71.2										
TOTAL MILEAGE				775.5	82.2	148.6	103.3	91.7	49.9	228.6	71.2											

*2.6 BST
3.8 Asph.
0.3 P.C. Conc.
°
0.6 Asph.
5.6 P.C. Conc.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY DIVISION TOTALS
DIVISION No. 6 (SIX)

RURAL STATE HIGHWAY

SYSTEM

COMPLETED AS OF January 1 19 55

TYPE OF ROAD				MILEAGE TOTAL																		
					Bladen	Columbus	Cumber- land	Harnett	Robeson													
NON SURF'D	A PRIMITIVE			00																		
	B UNIMPROVED			10																		
	C GRADED AND DRAINED			20																		
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED			30	0.1	0.1																
	E GRAVEL OR STONE —UNTREATED			41-43																		
	TOTAL NON HARD SURFACED				0.1	0.1																
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	174.7	29.9	15.8	6.9	35.8	86.3													
		F2 GRAVEL OR STONE	52-53	56.5	3.9		1.0	44.2	7.4													
		F3 WATERBOUND MACADAM	54																			
	G MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x	44.1	29.6		14.5															
	G MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	92.2	67.3		2.6		22.3													
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	62																			
		H2 RIGID BASE	62																			
HIGH TYPE SURFACES	I BITUMINOUS CONCRETE I1			63	245.8	37.1	61.0	90.0	24.6	33.1												
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	5.2					5.2													
		I3 ON BITUMINOUS CONCRETE	61	15.2			0.9		14.3													
		I4 ON OTHER TYPES THAN I2 AND I3	61	247.7	80.3	64.3	25.6	8.9	68.6													
	J PORTLAND CEMENT CONCRETE			70	79.4	13.4	25.7	11.8	3.9	24.6												
	K BRICK			80																		
	L BLOCK			90																		
	M DUAL TYPE	64-9					0.3*	20.4*														
		74-9		20.7																		
	N COMBINATION TYPE	64-9		5.1					5.1*													
74-9																						
TOTAL HARD SURFACED					986.6	261.5	166.8	153.6	137.8	266.9												
TOTAL MILEAGE					986.7	261.5	166.9	153.6	137.8	266.9												

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 7 (SEVEN)

RURAL STATE HIGHWAY		SYSTEM	COMPLETED AS OF <u>January 1</u> 19 <u>55</u>																	
TYPE OF ROAD			MILEAGE TOTAL	Alamance	Caswell	Guilford	Orange	Rockingham												
NON SURF'D	A	PRIMITIVE	00																	
	B	UNIMPROVED	10																	
	C	GRADED AND DRAINED	20																	
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																	
	E	GRAVEL OR STONE —UNTREATED	41-43																	
	TOTAL NON HARD SURFACED																			
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	238.8	58.4	35.6	41.9	51.1	51.8											
			F2 GRAVEL OR STONE 52-53	141.6	25.2	25.5	16.8	15.5	58.6											
			F3 WATERBOUND MACADAM 54																	
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x																	
	G	MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	65.1		44.5	9.0	0.6	11.0											
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																	
			H2 RIGID BASE 62	2.5	0.4		2.1													
	I	BITUMINOUS CONCRETE I1 SAND ASPHALT —HOT PREMIXED	I1 63	105.6	12.0		51.0	13.8	28.8											
			I2 ON P. C. CONCRETE 61	23.8	11.6		5.2		7.0											
			I3 ON BITUMINOUS CONCRETE 61	21.8			21.8													
			I4 ON OTHER TYPES THAN I2 AND I3 61	3.1			1.2		1.9											
	J	PORTLAND CEMENT CONCRETE	70	106.7	27.6	15.6	33.2	17.5	12.8											
	K	BRICK	80																	
	L	BLOCK	90																	
	M	DUAL TYPE	64-9 74-9	7.4			6.6*	0.8*												
	N	COMBINATION TYPE	64-9 74-9	15.2		3.5*	8.7°		3.0*											
TOTAL HARD SURFACED				731.6	135.2	124.7	197.5	99.3	174.9											
TOTAL MILEAGE				731.6	135.2	124.7	197.5	99.3	174.9											

*P.C. Conc. *Asph. *0.7 BST *P.C. Conc.
0.1 P.C. Conc.
°P.C. Conc.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

RURAL STATE HIGHWAY		SYSTEM		COMPLETED AS OF January 1 1955										COUNTY DIVISION TOTALS									
TYPE OF ROAD		MILEAGE TOTAL		Chatham	Hoke	Lee	Montgomery	Moore	Randolph	Richmond	Scotland												
NON SURF'D	A PRIMITIVE	00																					
	B UNIMPROVED	10																					
	C GRADED AND DRAINED	20																					
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30																					
	E GRAVEL OR STONE —UNTREATED	41-43																					
	TOTAL NON HARD SURFACED																						
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	252.7	36.9	7.0	8.3	28.9	70.6	73.4	21.0	6.6												
		F2 GRAVEL OR STONE 52-53	74.0	10.3		10.2	14.3	5.2	34.0														
		F3 WATERBOUND MACADAM 54																					
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE 61																					
	G MIXED BITUMINOUS	G2 RIGID BASE 61	33.5		3.5		1.5		4.3	3.6	20.6												
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																					
		H2 RIGID BASE 62																					
	I BITUMINOUS CONCRETE I1		63	73.6	6.4	2.8	6.8	27.1		17.7	12.8												
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61	48.4		5.5			9.0	11.4	7.1	15.4												
		I3 ON BITUMINOUS CONCRETE 61	6.0						4.2	1.8													
		I4 ON OTHER TYPES THAN I2 AND I3 61	152.8		31.0			40.4	7.2	52.0	22.2												
	J PORTLAND CEMENT CONCRETE	70	118.2	37.5	0.8	15.5	27.1	22.0	15.2	0.1													
	K BRICK	80																					
	L BLOCK	90																					
	M DUAL TYPE	64-9 74-9																					
	N COMBINATION TYPE	64-9 74-9	26.6	19.7*		5.8*		1.1*															
TOTAL HARD SURFACED			785.8	110.8	50.6	46.6	98.9	148.3	167.4	98.4	64.8												
TOTAL MILEAGE			785.8	110.8	50.6	46.6	98.9	148.3	167.4	98.4	64.8												

*P.C. Conc. *4.2" Asph
1.6 P.C. Conc. *P.C. Conc.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 9 (NINE)

RURAL STATE HIGHWAY

SYSTEM

COMPLETED AS OF January 1 19 55

TYPE OF ROAD			MILEAGE TOTAL	Davidson	Davie	Forsyth	Rowan	Stokes												
NON SURF'D	A	PRIMITIVE	00																	
	B	UNIMPROVED	10																	
	C	GRADED AND DRAINED	20																	
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	5.8		1.4		4.4												
	E	GRAVEL OR STONE —UNTREATED	41-43																	
	TOTAL NON HARD SURFACED			5.8		1.4		4.4												
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	207.3	57.8	36.1	28.7	24.2	60.5											
			F2 GRAVEL OR STONE 52-53	129.9	31.9	27.1	15.7	5.6	49.6											
			F3 WATERBOUND MACADAM 54																	
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61																	
	G	MIXED BITUMINOUS	G2 RIGID BASE 61	0.7			0.7													
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																	
			H2 RIGID BASE 62																	
	I	BITUMINOUS CONCRETE I1 SAND ASPHALT —HOT PREMIXED	I1 63	114.4	20.2	21.2	40.7	22.2	10.1											
			I2 ON P. C. CONCRETE 61	11.1	3.1	8.0														
			I3 ON BITUMINOUS CONCRETE 61	6.8				6.8												
			I4 ON OTHER TYPES THAN I2 AND I3 61	29.0	20.2			8.8												
	J	PORTLAND CEMENT CONCRETE	70	126.4	24.7	0.1	52.6	30.8	18.2											
	K	BRICK	80																	
	L	BLOCK	90																	
	M	DUAL TYPE	64-9 74-9	6.4	0.1*			6.3*												
	N	COMBINATION TYPE	64-9 74-9	7.6			6.3*	1.3°												
TOTAL HARD SURFACED				639.6	158.0	92.5	144.0	106.7	138.4											
TOTAL MILEAGE				645.4	158.0	92.5	145.4	106.7	142.8											

*P.C. Conc. *P.C. Conc. *5.7 BST
0.4 Asph.
0.2 P.C. Conc.
° Asph.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 10 (TEN) _____

RURAL STATE HIGHWAY		SYSTEM		COMPLETED AS OF January 1 19 55																			
TYPE OF ROAD			MILEAGE TOTAL	Anson	Cabarrus	Mecklen- burg	Stanly	Union															
NON SURF'D	A	PRIMITIVE	00																				
	B	UNIMPROVED	10																				
	C	GRADED AND DRAINED	20																				
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																				
	E	GRAVEL OR STONE —UNTREATED	41-43																				
	TOTAL NON HARD SURFACED																						
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	173.4	54.9	6.6	22.1	17.6	72.2														
			F2 GRAVEL OR STONE 52-53	127.8	23.1	20.3	19.8	12.1	52.5														
			F3 WATERBOUND MACADAM 54																				
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x																				
	G	MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	7.4	4.2		3.2																
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																				
			H2 RIGID BASE 62	2.1			2.1																
	I	BITUMINOUS CONCRETE I1	63	109.6	3.9	10.1	56.7	32.5	6.4														
		SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61	0.1		0.1																	
			I3 ON BITUMINOUS CONCRETE 61	1.7	0.4	0.8	0.5																
			I4 ON OTHER TYPES THAN I2 AND I3 61	39.8		23.7		16.1															
	J	PORTLAND CEMENT CONCRETE	70	119.3	27.7	13.5	28.7	32.8	16.6														
	K	BRICK	80																				
	L	BLOCK	90																				
	M	DUAL TYPE	64-9 74-9	24.2		14.1*	10.1*																
	N	COMBINATION TYPE	64-9 74-9	4.9		3.4°	1.5°																
TOTAL HARD SURFACED				610.3	114.2	92.6	144.7	95.0	163.8														
TOTAL MILEAGE				610.3	114.2	92.6	144.7	95.0	163.8														

*5.4 BST *7.7 Asph
8.7 Asph. 2.4 P.C. Conc.
° °
P.C. Conc. Asph.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 11 (ELEVEN)

RURAL STATE HIGHWAY SYSTEM COMPLETED AS OF January 1 1955

TYPE OF ROAD			MILEAGE TOTAL	Alleghany	Ashe	Avery	Caldwell	Surry	Watauga	Wilkes	Yadkin										
NON SURF'D	A	PRIMITIVE	00																		
	B	UNIMPROVED	10				3.7														
	C	GRADED AND DRAINED	20																		
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																		
	E	GRAVEL OR STONE —UNTREATED	41-43	4.8	1.6		3.2														
	TOTAL NON HARD SURFACED			8.5	1.6		6.9														
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	143.0		27.9	65.7		30.8	18.6										
			F2 GRAVEL OR STONE	52-53	488.1	62.7	97.1	58.1	59.1	37.3	66.2	93.2	14.4								
			F3 WATERBOUND MACADAM	54	8.9	4.7		4.2													
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61																	
	G	MIXED BITUMINOUS	G2 RIGID BASE	61	4.0		4.0														
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62																	
			H2 RIGID BASE	62																	
	I	BITUMINOUS CONCRETE	I1	63	40.6		5.8	0.3	0.2		14.2	20.1									
			I2 ON P. C. CONCRETE	61																	
			I3 ON BITUMINOUS CONCRETE	61																	
			I4 ON OTHER TYPES THAN I2 AND I3	61																	
	J	PORTLAND CEMENT CONCRETE		70	38.6			0.1	11.5	2.1	6.4	2.7	15.8								
	K	BRICK		80																	
	L	BLOCK		90																	
	M	DUAL TYPE		64-9 74-9																	
	N	COMBINATION TYPE		64-9 74-9	18.1			3.3*		9.8*		5.0*									
TOTAL HARD SURFACED					741.3	67.4	102.9	70.0	98.7	114.9	72.6	140.9	73.9								
TOTAL MILEAGE					749.8	69.0	102.9	70.0	105.6	114.9	72.6	140.9	73.9								

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY DIVISION TOTALS
DIVISION No. 12 (TWELVE)

RURAL STATE HIGHWAY				SYSTEM		COMPLETED AS OF January 1 19 55										DIVISION No. 12 (TWELVE)									
TYPE OF ROAD					MILEAGE TOTAL																				
						Alexander	Catawba	Cleveland	Gaston	Iredell	Lincoln														
NON SURF'D	A	PRIMITIVE		00																					
	B	UNIMPROVED		10																					
	C	GRADED AND DRAINED		20																					
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED		30																					
	E	GRAVEL OR STONE —UNTREATED		41-43																					
	TOTAL NON HARD SURFACED																								
	F	BITUMINOUS SURFACE TREATED	F1	TOPSOIL OR SAND-CLAY	51	251.6	16.3	31.8	87.0	19.1	33.2	64.2													
			F2	GRAVEL OR STONE	52-53	22.5		17.1	3.0	0.1	1.7	0.6													
			F3	WATERBOUND MACADAM	54	1.8			1.8																
	G	MIXED BITUMINOUS	G1	NONRIGID BASE	61 ^x																				
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G2	RIGID BASE	61 ^x	47.4	17.8		22.8		6.8														
	H	BITUMINOUS PENETRATION	H1	NONRIGID BASE	62																				
			H2	RIGID BASE	62	10.4				10.4															
	I	BITUMINOUS CONCRETE I1		63	176.7	10.4	10.2	50.0	23.2	72.6	10.3														
		SAND ASPHALT —HOT PREMIXED	I2	ON P. C. CONCRETE	61	7.7				7.7															
			I3	ON BITUMINOUS CONCRETE	61																				
			I4	ON OTHER TYPES THAN I2 AND I3	61	2.4				2.4															
	J	PORTLAND CEMENT CONCRETE		70	31.4		18.2	0.2	6.3	6.7															
	K	BRICK		80																					
	L	BLOCK		90																					
	M	DUAL TYPE		64-9 74-9	3.0				3.0*																
	N	COMBINATION TYPE		64-9 74-9	72.0		23.4*	0.4*	10.1 ^o	20.3*	17.8*														
	TOTAL HARD SURFACED					626.9	44.5	100.7	142.4	105.1	134.5	99.7													
TOTAL MILEAGE					626.9	44.5	100.7	142.4	105.1	134.5	99.7														

*16.8 Asph *P.C. Conc. *3.0 Mix. *9.0 Bit *11.3 Asph.
6.6 P.C. Conc. Bit Pene. 6.5 P.C. Conc.
04.7 Asph. 11.3 Asph.
5.4 P.C. Conc.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 13 (THIRTEEN)

RURAL STATE HIGHWAYS

SYSTEM

COMPLETED AS OF January 1 1955

TYPE OF ROAD				MILEAGE TOTAL																		
					Buncombe	Burke	Madison	McDowell	Mitchell	Rutherford	Yancey											
NON SURF'D	A PRIMITIVE			00																		
	B UNIMPROVED			10																		
	C GRADED AND DRAINED			20																		
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED			30																		
	E GRAVEL OR STONE —UNTREATED			41-43	75.5	17.8	10.6	34.0		7.2	5.9											
	TOTAL NON HARD SURFACED				75.5	17.8	10.6	34.0		7.2	5.9											
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	53.5		4.0		9.8		30.2	9.5											
		F2 GRAVEL OR STONE	52-53	348.6	30.8	71.2	67.5	62.9	37.1	22.8	56.3											
		F3 WATERBOUND MACADAM	54	4.8					4.8													
	G MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x																			
	G MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	24.8	9.1				3.4	5.9	6.4											
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	62																			
		H2 RIGID BASE	62	2.8					2.0	0.8												
HIGH TYPE SURFACES	I BITUMINOUS CONCRETE I1			63	157.9	61.6	20.2	3.8	35.4	27.5	9.4											
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	18.0	18.0																	
		I3 ON BITUMINOUS CONCRETE	61																			
		I4 ON OTHER TYPES THAN I2 AND I3	61	12.2	2.0		9.8			0.4												
	J PORTLAND CEMENT CONCRETE			70	48.8	33.0	4.1		8.5	3.2												
	K BRICK			80																		
	L BLOCK			90																		
	M DUAL TYPE	64-9 74-9	1.2	0.8*	0.3*				0.1*													
	N COMBINATION TYPE	64-9 74-9	6.6		0.1 ^o			4.5*	2.0 ^o													
TOTAL HARD SURFACED				679.2	155.3	99.9	81.1	108.1	60.3	92.9	81.6											
TOTAL MILEAGE				754.7	173.1	110.5	115.1	108.1	60.3	100.1	87.5											

*0.7 Mx. Bit. *Asph. *P.C. Conc. *P.C. Conc.
0.1 P.C. Conc.
° P.C. Conc. ° P.C. Conc.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 14 (FOURTEEN)

RURAL STATE HIGHWAY SYSTEM			COMPLETED AS OF January 1 1955																					
TYPE OF ROAD			MILEAGE TOTAL	Cherokee	Clay	Graham	Haywood	Henderson	Jackson	Macon	Polk	Swain	Transylvania											
NON SURF'D	A	PRIMITIVE	00																					
	B	UNIMPROVED	10																					
	C	GRADED AND DRAINED	20	8.7					8.7															
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																					
	E	GRAVEL OR STONE —UNTREATED	41-43	47.1		0.2	26.4		11.3				9.2											
	TOTAL NON HARD SURFACED			55.8		0.2	26.4		20.0				9.2											
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	15.7				5.1			10.6													
			F2 GRAVEL OR STONE 52-53	454.0	47.1	35.8	44.0	43.4	14.3	64.1	59.2	20.2	61.2	64.7										
			F3 WATERBOUND MACADAM 54	4.5								4.5												
	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61																					
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G2 RIGID BASE 61	34.4		8.9	2.7		8.8	8.4			5.6											
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																					
			H2 RIGID BASE 62																					
	I	BITUMINOUS CONCRETE I1		96.9	15.6		23.7	35.9	10.7	0.5	6.8	3.7												
		SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61	28.3			4.9	20.5	2.9															
			I3 ON BITUMINOUS CONCRETE 61	0.8			0.8																	
			I4 ON OTHER TYPES THAN I2 AND I3 61	2.6							2.6													
	J	PORTLAND CEMENT CONCRETE		34.8				3.1	11.4	20.0	0.3													
	K	BRICK		80																				
	L	BLOCK		90																				
	M	DUAL TYPE	64-9 74-9																					
	N	COMBINATION TYPE	64-9 74-9	4.5	4.5*																			
TOTAL HARD SURFACED				676.5	67.2	35.8	52.9	75.5	78.9	97.9	88.1	40.5	69.4	70.3										
TOTAL MILEAGE				732.3	67.2	35.8	53.1	101.9	78.9	117.9	88.1	40.5	69.4	79.5										

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 1 (ONE)

MUNICIPAL STATE HIGHWAY			SYSTEM		COMPLETED AS OF January 1 1955												DIVISION No. 1 (ONE)							
TYPE OF ROAD			MILEAGE TOTAL																					
				Bertie	Camden	Chowan	Currituck	Dare	Gates	Hertford	Hyde	Martin	North- ampton	Pasquo- tank	Perqui- mans	Tyrrell	Washington							
NON SURF'D	A	PRIMITIVE	00																					
	B	UNIMPROVED	10																					
	C	GRADED AND DRAINED	20																					
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																					
	E	GRAVEL OR STONE —UNTREATED	41-43																					
	TOTAL NON HARD SURFACED																							
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	18.45	3.64						1.85	0.46	2.53	9.78			0.19							
			F2 GRAVEL OR STONE 52-53	5.34	3.29					0.22	0.29		0.20	0.54				0.80						
			F3 WATERBOUND MACADAM 54																					
	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61																					
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G2 RIGID BASE 61	4.35								0.87	3.48											
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																					
			H2 RIGID BASE 62																					
	I	BITUMINOUS CONCRETE I1 SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61	3.44		1.32							1.51		0.61									
			I3 ON BITUMINOUS CONCRETE 61	0.48	0.16	0.10						0.02	0.20											
			I4 ON OTHER TYPES THAN I2 AND I3 61	9.95	0.60	0.73		5.10	1.19		0.63			0.87	0.30		0.48							
			J PORTLAND CEMENT CONCRETE 70	15.83	0.41	0.04	1.34				3.69		4.45	1.94	1.62	0.68	0.54	1.12						
	K	BRICK	80																					
	L	BLOCK	90																					
	M	DUAL TYPE 64-9 74-9	0.23							0.23*														
	N	COMBINATION TYPE 64-9 74-9	0.75														0.75*							
	TOTAL HARD SURFACED			73.37	11.08	2.14	2.54	0.00	5.10	1.41	7.34	1.09	10.06	22.84	4.30	1.59	0.73	3.15						
	TOTAL MILEAGE			73.37	11.08	2.14	2.54	0.00	5.10	1.41	7.34	1.09	10.06	22.84	4.30	1.59	0.73	3.15						

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 2 (TWO) _____

MUNICIPAL STATE HIGHWAY		SYSTEM		COMPLETED AS OF January 1 19 55																					
TYPE OF ROAD			MILEAGE TOTAL	Beaufort	Carteret	Craven	Greene	Jones	Lenoir	Pamlico	Pitt														
NON SURF'D	A	PRIMITIVE	00																						
	B	UNIMPROVED	10																						
	C	GRADED AND DRAINED	20																						
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																						
	E	GRAVEL OR STONE —UNTREATED	41-43																						
	TOTAL NON HARD SURFACED																								
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	1.88			0.96				0.92														
			F2 GRAVEL OR STONE 52-53	1.94	0.71	1.23																			
			F3 WATERBOUND MACADAM 54																						
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x																						
	G	MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	1.03	1.03																				
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																						
			H2 RIGID BASE 62																						
	I	BITUMINOUS CONCRETE I1 SAND ASPHALT —HOT PREMIXED	I1 63	14.48	0.17	3.83	2.12	1.34	0.25	1.55	0.35	4.87													
			I2 ON P. C. CONCRETE 61	5.09	0.04	0.70	0.29		0.17		3.89														
			I3 ON BITUMINOUS CONCRETE 61	6.59	0.45		0.73		5.30		0.11														
			I4 ON OTHER TYPES THAN I2 AND I3 61	15.89	1.79	2.70	2.53	0.68	1.10	2.43	4.66														
	J	PORTLAND CEMENT CONCRETE	70	22.32	5.01	0.10	2.98	0.11	2.02	0.05	4.44	7.71													
	K	BRICK	80																						
	L	BLOCK	90																						
	M	DUAL TYPE	64-9 74-9	0.24								0.24*													
	N	COMBINATION TYPE	64-9 74-9	0.80			0.30*					0.50*													
TOTAL HARD SURFACED				70.26	9.20	6.53	9.86	4.11	2.27	8.17	7.22	22.90													
TOTAL MILEAGE				70.26	9.20	6.53	9.86	4.11	2.27	8.17	7.22	22.90													

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 3 (THREE)

MUNICIPAL STATE HIGHWAY

SYSTEM

COMPLETED AS OF January 1 1955

TYPE OF ROAD				MILEAGE TOTAL																		
					Brunswick	Duplin	New Hanover	Onslow	Pender	Sampson												
NON SURF'D	A	PRIMITIVE		00																		
	B	UNIMPROVED		10																		
	C	GRADED AND DRAINED		20																		
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED		30																		
	E	GRAVEL OR STONE —UNTREATED		41-43																		
	TOTAL NON HARD SURFACED																					
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	6.99		0.51		1.30	5.18												
			F2 GRAVEL OR STONE	52-53	0.21		0.21															
			F3 WATERBOUND MACADAM	54																		
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x	0.58	0.58																
	H	BITUMINOUS PENETRATION	G2 RIGID BASE	61 ^x	9.23	2.18	1.65		0.09	5.31												
			H1 NONRIGID BASE	62																		
H2 RIGID BASE			62																			
HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE I1		63	19.21	3.67	8.51	1.8	2.63	4.40												
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61																			
		I3 ON BITUMINOUS CONCRETE	61	3.50			3.12		0.38													
		I4 ON OTHER TYPES THAN I2 AND I3	61	15.26	3.24	3.35	4.05	2.59	0.93	1.10												
	J	PORTLAND CEMENT CONCRETE		70	12.39	5.26	1.07			6.06												
	K	BRICK		80																		
	L	BLOCK		90																		
	M	DUAL TYPE		64-9 74-9																		
	N	COMBINATION TYPE		64-9 74-9																		
	TOTAL HARD SURFACED				67.37	6.00	14.44	13.84	5.71	4.95	22.43											
TOTAL MILEAGE				67.37	6.00	14.44	13.84	5.71	4.95	22.43												

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 4 (FOUR)

MUNICIPAL STATE HIGHWAY		SYSTEM	COMPLETED AS OF January 1 19 55																		
TYPE OF ROAD			MILEAGE TOTAL	Edgecombe	Halifax	Johnston	Nash	Wayne	Wilson												
NON SURF'D	A	PRIMITIVE	00																		
	B	UNIMPROVED	10																		
	C	GRADED AND DRAINED	20																		
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																		
	E	GRAVEL OR STONE —UNTREATED	41-43																		
	TOTAL NON HARD SURFACED																				
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	11.09	0.66	0.76	1.41	5.23	1.14	1.89											
			F2 GRAVEL OR STONE 52-53	0.70			0.40	0.30													
			F3 WATERBOUND MACADAM 54																		
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61																		
	G	MIXED BITUMINOUS	G2 RIGID BASE 61	3.18	1.48	0.16	0.13		1.41												
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																		
			H2 RIGID BASE 62																		
	I	BITUMINOUS CONCRETE I1	63	38.62	4.76	6.93	5.51	6.07	7.79	7.56											
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61	6.81	1.47	1.71	3.26			0.37												
		I3 ON BITUMINOUS CONCRETE 61	7.06		0.23	0.28	3.76	2.59	0.20												
		I4 ON OTHER TYPES THAN I2 AND I3 61	3.55	0.50	0.30			1.32	1.43												
	J	PORTLAND CEMENT CONCRETE	70	13.47	1.62	3.45	0.84	3.73	2.98	0.85											
	K	BRICK	80																		
	L	BLOCK	90																		
	M	DUAL TYPE	64-9 74-9	1.07						1.07*											
	N	COMBINATION TYPE	64-9 74-9																		
TOTAL HARD SURFACED				85.55	10.49	13.54	11.30	19.32	16.12	14.78											
TOTAL MILEAGE				85.55	10.49	13.54	11.30	19.32	16.12	14.78											

*0.19 Mix Bit.
0.88 Conc.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 5 (FIVE) _____

MUNICIPAL STATE HIGHWAY

SYSTEM

COMPLETED AS OF January 1 19 55

TYPE OF ROAD				MILEAGE TOTAL																		
					Durham	Franklin	Granville	Perrow	Vance	Wake	Warren											
NON SURF'D	A PRIMITIVE			00																		
	B UNIMPROVED			10																		
	C GRADED AND DRAINED			20																		
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED			30																		
	E GRAVEL OR STONE —UNTREATED			41-43																		
	TOTAL NON HARD SURFACED																					
	F BITUMINOUS SURFACE TREATED	F1	TOPSOIL OR SAND-CLAY	51	11.07	0.51	2.93	2.14		1.33	3.51	0.65										
		F2	GRAVEL OR STONE	52-53	3.03		0.57	0.07	0.55	0.43	1.17	0.24										
		F3	WATERBOUND MACADAM	54																		
	G MIXED BITUMINOUS	G1	NONRIGID BASE	61 ^x																		
		G2	RIGID BASE	61 ^x	0.35	0.35																
	H BITUMINOUS PENETRATION	H1	NONRIGID BASE	62																		
		H2	RIGID BASE	62																		
HIGH TYPE SURFACES	I BITUMINOUS CONCRETE I1			63	43.19	9.41	3.41	5.00	0.97	2.32	20.67	1.41										
	SAND ASPHALT —HOT PREMIXED	I2	ON P. C. CONCRETE	61	2.80	0.49	0.08			1.20	1.03											
		I3	ON BITUMINOUS CONCRETE	61	0.71					0.71												
		I4	ON OTHER TYPES THAN I2 AND I3	61	3.39	0.98				0.20	2.21											
	J PORTLAND CEMENT CONCRETE			70	29.01	6.53	2.95	1.11	4.14	2.89	7.86	3.53										
	K BRICK			80																		
	L BLOCK			90																		
	M DUAL TYPE			64-9 74-9	0.98					0.11*	0.87*											
	N COMBINATION TYPE			64-9 74-9	0.03					0.03*												
	TOTAL HARD SURFACED				94.56	18.27	9.94	8.32	5.66	9.22	37.32	5.83										
TOTAL MILEAGE				94.56	18.27	9.94	8.32	5.66	9.22	37.32	5.83											

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 6 (SIX) _____

MUNICIPAL STATE HIGHWAY			SYSTEM		COMPLETED AS OF January 1 19 55										DIVISION No. 6 (SIX)										
TYPE OF ROAD					MILEAGE TOTAL																				
						Bladen	Columbus	Cumberland	Harnett	Robeson	Wake	Wayne													
NON SURF'D	A PRIMITIVE		00																						
	B UNIMPROVED		10																						
	C GRADED AND DRAINED		20																						
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED		30		0.20			0.20																	
	E GRAVEL OR STONE —UNTREATED		41-43																						
	TOTAL NON HARD SURFACED				0.20			0.20																	
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY		51	13.15	0.73	0.17	1.07	6.32	4.86	1.11	1.00													
		F2 GRAVEL OR STONE		52-53	0.22		0.07	0.07	0.25	0.22	1.17	1.00													
		F3 WATERBOUND MACADAM		54																					
	G MIXED BITUMINOUS	G1 NONRIGID BASE		61 ^x	0.56		0.56																		
	G MIXED BITUMINOUS	G2 RIGID BASE		61 ^x	4.18	1.16		0.36		2.66															
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE		62																					
		H2 RIGID BASE		62																					
HIGH TYPE SURFACES	I BITUMINOUS CONCRETE I1		63	33.21	2.67	16.07	8.49	2.57	3.41	1.67	1.00														
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE		61	2.05		0.47	1.58		1.20	1.00														
		I3 ON BITUMINOUS CONCRETE		61	2.79			2.21		0.58															
		I4 ON OTHER TYPES THAN I2 AND I3		61	21.46	3.14	4.28	6.13	1.67	6.24	1.37	1.00													
	J PORTLAND CEMENT CONCRETE			70	15.42	1.58	3.10	4.86	1.95	3.93	1.86	1.00													
	K BRICK			80																					
	L BLOCK			90																					
	M DUAL TYPE			64-9 74-9	0.91						1.37	1.00													
	N COMBINATION TYPE			64-9 74-9	0.65					0.65*															
	TOTAL HARD SURFACED				93.69	9.28	24.65	24.70	12.51	22.55	1.37	1.00													
TOTAL MILEAGE				93.89	9.28	24.65	24.90	12.51	22.55	1.37	1.00														

*Asph.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 7 (SEVEN) _____

MUNICIPAL STATE HIGHWAY

SYSTEM

COMPLETED AS OF January 1 19 55

TYPE OF ROAD			MILEAGE TOTAL	Alamance	Caswell	Guilford	Orange	Rockingham												
NON SURF'D	A	PRIMITIVE	00																	
	B	UNIMPROVED	10																	
	C	GRADED AND DRAINED	20																	
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																	
	E	GRAVEL OR STONE —UNTREATED	41-43																	
	TOTAL NON HARD SURFACED																			
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	3.04		0.92		0.29	1.83											
			F2 GRAVEL OR STONE 52-53	4.72	0.15	0.24		0.30	4.03											
			F3 WATERBOUND MACADAM 54																	
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x																	
	G	MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	2.65					2.65											
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																	
			H2 RIGID BASE 62																	
	I	BITUMINOUS CONCRETE I1 SAND ASPHALT —HOT PREMIXED	I1 63	43.28	9.01		23.27	1.92	9.08											
			I2 ON P. C. CONCRETE 61	6.13	2.18		1.22		2.73											
			I3 ON BITUMINOUS CONCRETE 61	7.57	0.07		7.50													
			I4 ON OTHER TYPES THAN I2 AND I3 61	0.47			0.43		0.04											
	J	PORTLAND CEMENT CONCRETE	70	18.11	5.46		3.91	3.63	5.11											
	K	BRICK	80	0.15			0.15													
	L	BLOCK	90																	
	M	DUAL TYPE	64-9 74-9	2.35			2.12*	0.23*												
	N	COMBINATION TYPE	64-9 74-9																	
TOTAL HARD SURFACED				88.47	16.87	1.16	38.60	6.37	25.47											
TOTAL MILEAGE				88.47	16.87	1.16	38.60	6.37	25.47											

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY DIVISION TOTALS
DIVISION No. 8 (EIGHT)

MUNICIPAL STATE HIGHWAY SYSTEM COMPLETED AS OF January 1 19 55

TYPE OF ROAD			MILEAGE TOTAL	Chatham	Hoke	Lee	Montgomery	Moore	Randolph	Richmond	Scotland										
NON SURF'D	A	PRIMITIVE	00																		
	B	UNIMPROVED	10																		
	C	GRADED AND DRAINED	20																		
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																		
	E	GRAVEL OR STONE —UNTREATED	41-43																		
	TOTAL NON HARD SURFACED																				
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	27.35	1.66	2.04	2.61	2.32	7.88	9.45	0.45	0.94								
			F2 GRAVEL OR STONE	52-53	2.16			1.02	0.40	0.43	0.31										
			F3 WATERBOUND MACADAM	54																	
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x																	
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	0.46	0.46															
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62																	
			H2 RIGID BASE	62																	
	I	BITUMINOUS CONCRETE I1		63	21.79	3.00		3.30	5.53		5.82	3.89	0.25								
		SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	7.21		0.60			1.13	2.45	0.73	2.30								
			I3 ON BITUMINOUS CONCRETE	61	1.43				0.38	0.07		0.98									
			I4 ON OTHER TYPES THAN I2 AND I3	61	21.38		2.36		1.63	7.45	0.50	4.50	4.94								
	J	PORTLAND CEMENT CONCRETE		70	13.79	3.02		1.26	4.10	1.98	3.43										
	K	BRICK		80																	
	L	BLOCK		90																	
	M	DUAL TYPE		64-9 74-9	0.33	0.33*															
	N	COMBINATION TYPE		64-9 74-9	2.11	0.99*		0.22*		0.90*											
TOTAL HARD SURFACED				98.01	9.00	5.46	8.41	14.36	19.84	21.96	10.55	8.43									
TOTAL MILEAGE				98.01	9.00	5.46	8.41	14.36	19.84	21.96	10.55	8.43									

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 9 (NINE) _____

MUNICIPAL STATE HIGHWAY

SYSTEM

COMPLETED AS OF January 1 1955

TYPE OF ROAD			MILEAGE TOTAL	Davidson	Davie	Forsyth	Rowan	Stokes												
NON SURF'D	A	PRIMITIVE	00																	
	B	UNIMPROVED	10																	
	C	GRADED AND DRAINED	20																	
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																	
	E	GRAVEL OR STONE —UNTREATED	41-43																	
	TOTAL NON HARD SURFACED																			
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	2.78	0.15	0.80	0.52	0.47	0.84											
			F2 GRAVEL OR STONE 52-53	4.79	1.13	1.30	0.79	1.01	0.56											
			F3 WATERBOUND MACADAM 54																	
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x																	
	G	MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	0.25	0.25															
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																	
			H2 RIGID BASE 62																	
	I	BITUMINOUS CONCRETE I1	63	36.97	6.86	1.84	21.16	4.38	2.73											
		SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61	3.69	0.77	0.08	1.08	1.76												
			I3 ON BITUMINOUS CONCRETE 61	9.58	0.94		1.85	6.79												
			I4 ON OTHER TYPES THAN I2 AND I3 61	1.30	0.03		0.45	0.82												
	J	PORTLAND CEMENT CONCRETE	70	10.67	2.43	1.24	3.16	3.51	0.33											
	K	BRICK	80	0.37			0.37													
	L	BLOCK	90																	
	M	DUAL TYPE	64-9 74-9	1.18				1.18*												
	N	COMBINATION TYPE	64-9 74-9	1.02			0.11*	0.91°												
TOTAL HARD SURFACED				72.60	12.56	5.26	29.49	20.83	4.46											
TOTAL MILEAGE				72.60	12.56	5.26	29.49	20.83	4.46											

*Asph. *0.53 BST
0.65 Conc.

° Asph.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

MUNICIPAL STATE HIGHWAY

SYSTEM

COMPLETED AS OF January 1 19 55

COUNTY DIVISION TOTALS
DIVISION No. 10 (TEN)

TYPE OF ROAD			MILEAGE TOTAL	Anson	Cabarrus	Mecklenburg	Stanly	Union														
NON SURF'D	A	PRIMITIVE	00																			
	B	UNIMPROVED	10																			
	C	GRADED AND DRAINED	20																			
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																			
	E	GRAVEL OR STONE —UNTREATED	41-43																			
	TOTAL NON HARD SURFACED																					
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	6.41	0.68	0.34	0.53	1.86	3.00													
			F2 GRAVEL OR STONE 52-53	3.95	1.89	0.20	0.53	1.33														
			F3 WATERBOUND MACADAM 54																			
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61																			
	G	MIXED BITUMINOUS	G2 RIGID BASE 61	1.34	1.07		0.27															
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																			
			H2 RIGID BASE 62	1.09			1.09															
	I	BITUMINOUS CONCRETE I1 SAND ASPHALT —HOT PREMIXED	I1 63	38.93	5.30	5.03	18.73	6.65	3.22													
			I2 ON P. C. CONCRETE 61	0.04	0.04																	
			I3 ON BITUMINOUS CONCRETE 61	3.39	0.42	2.97	2.97															
			I4 ON OTHER TYPES THAN I2 AND I3 61	1.87	0.79	0.34		0.74														
	J	PORTLAND CEMENT CONCRETE	70	19.78	3.98	0.47	8.45	4.41	2.47													
	K	BRICK	80																			
	L	BLOCK	90	0.11				0.11														
	M	DUAL TYPE	64-9 74-9	4.98	0.17*	2.35*	1.78*	0.68*														
	N	COMBINATION TYPE	64-9 74-9	1.32		0.09°	1.23°															
TOTAL HARD SURFACED				83.21	14.34	8.82	35.05	14.13	10.87													
TOTAL MILEAGE				83.21	14.34	8.82	35.05	14.13	10.87													

*Asph. *1.96 Asph *Asph. *Asph.
0.39 Conc.
° 0.40 Asph.
Asph. 0.83 Conc.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 11 (ELEVEN)

MUNICIPAL STATE HIGHWAY

SYSTEM

COMPLETED AS OF January 1 19 55

TYPE OF ROAD			MILEAGE TOTAL	Alleghany	Ashe	Avery	Caldwell	Surry	Watauga	Wilkes	Yadkin										
NON SURF'D	A	PRIMITIVE	00																		
	B	UNIMPROVED	10				1.54														
	C	GRADED AND DRAINED	20																		
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																		
	E	GRAVEL OR STONE —UNTREATED	41-43																		
	TOTAL NON HARD SURFACED		1.54				1.54														
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	3.67			0.32	2.26		0.49	0.60										
			F2 GRAVEL OR STONE 52-53	30.27	3.19	5.60	5.47	2.46	3.51	5.54	2.80	1.70									
			F3 WATERBOUND MACADAM 54	0.34		0.34															
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61																		
	G	MIXED BITUMINOUS	G2 RIGID BASE 61	0.92	0.45	0.47															
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																		
			H2 RIGID BASE 62																		
	I	BITUMINOUS CONCRETE I1 SAND ASPHALT —HOT PREMIXED	I1 63	9.66	1.10		1.83	1.45		2.04	3.24										
			I2 ON P. C. CONCRETE 61																		
			I3 ON BITUMINOUS CONCRETE 61	0.91			0.56	0.35													
			I4 ON OTHER TYPES THAN I2 AND I3 61																		
	J	PORTLAND CEMENT CONCRETE	70	15.65	0.40		2.48	5.08	1.16	3.93	2.60										
	K	BRICK	80																		
	L	BLOCK	90																		
	M	DUAL TYPE	64-9 74-9	1.43	0.26*		1.00*	0.17*													
	N	COMBINATION TYPE	64-9 74-9	0.61	0.22°			0.22*		0.17*											
TOTAL HARD SURFACED				63.46	3.19	8.03	6.28	8.65	13.04	6.70	9.43	8.14									
TOTAL MILEAGE				65.00	3.19	8.03	6.28	10.19	13.04	6.70	9.43	8.14									

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 12 (TWELVE) _____

MUNICIPAL STATE HIGHWAY

SYSTEM

COMPLETED AS OF January 1 19 55

TYPE OF ROAD			MILEAGE TOTAL	Alexander	Catawba	Cleveland	Gaston	Iredell	Lincoln												
NON SURF'D	A	PRIMITIVE	00																		
	B	UNIMPROVED	10																		
	C	GRADED AND DRAINED	20																		
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																		
	E	GRAVEL OR STONE —UNTREATED	41-43																		
	TOTAL NON HARD SURFACED																				
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	6.20	0.91	4.05	0.90	0.34													
			F2 GRAVEL OR STONE 52-53	6.08	0.30	0.99	3.34	0.57	0.88												
			F3 WATERBOUND MACADAM 54																		
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61																		
	G	MIXED BITUMINOUS	G2 RIGID BASE 61	3.03		0.22	2.10		0.71												
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																		
			H2 RIGID BASE 62	2.71			2.71														
	I	BITUMINOUS CONCRETE	I1 63	42.35	1.32	11.20	9.07	6.20	11.82	2.74											
			I2 ON P. C. CONCRETE 61	11.79		0.15	0.39	1.15		0.10											
			I3 ON BITUMINOUS CONCRETE 61	13.66		2.04	3.06	3.79	3.61	1.16											
			I4 ON OTHER TYPES THAN I2 AND I3 61	4.45		1.56		2.89													
	J	PORTLAND CEMENT CONCRETE	70	13.89		4.77	2.49	4.90	1.61	0.12											
	K	BRICK	80																		
	L	BLOCK	90																		
	M	DUAL TYPE	64-9 74-9	4.21		3.05*		1.16*													
			64-9 74-9	7.24		1.62 ^o	1.18*	2.84 ^o	0.14*	1.46*											
	N	COMBINATION TYPE																			
TOTAL HARD SURFACED				105.61	1.62	26.29	23.80	29.21	18.40	6.29											
TOTAL MILEAGE				105.61	1.62	26.29	23.80	29.21	18.40	6.29											

*1.50 Asph *Conc. *0.66 Mix Bit. *Asph. *0.97 Asph.
1.42 Conc. 0.38 Bit Pen. 0.49 Conc.
0.13 BST 0.12 Asph.
^o0.72 Asph. ^oConc.
0.90 Conc.

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 13 (THIRTEEN)

COMPLETED AS OF January 1 1955

*Asph.	*0.43 BST	*Asph.	*Conc.	*Conc.	*Conc.
	1.20 Conc.				
	oConc.				

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY DIVISION TOTALS
DIVISION No. 14 (FOURTEEN)

MUNICIPAL STATE HIGHWAY SYSTEM COMPLETED AS OF January 1 19 55

TYPE OF ROAD			MILEAGE TOTAL	Cherokee	Clay	Graham	Haywood	Henderson	Jackson	Macon	Polk	Swain	Transyl- vania								
NON SURF'D	A	PRIMITIVE	00																		
	B	UNIMPROVED	10																		
	C	GRADED AND DRAINED	20																		
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	1.00					1.00												
	E	GRAVEL OR STONE —UNTREATED	41-43																		
	TOTAL NON HARD SURFACED			1.00					1.00												
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	0.42						0.42										
			F2 GRAVEL OR STONE	52-53	17.15	0.98	0.62	0.85	1.94		5.62	4.56	0.84		1.74						
			F3 WATERBOUND MACADAM	54																	
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61																	
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G2 RIGID BASE	61	3.43			0.81		0.21	2.26	0.15									
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62																	
			H2 RIGID BASE	62																	
	I	BITUMINOUS CONCRETE	I1	63	18.60	5.54		1.17	3.40	1.04	1.76	1.37	2.37	1.95							
		SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	2.52			1.30	1.03		0.19										
			I3 ON BITUMINOUS CONCRETE	61	3.83			3.00	0.27			0.56									
			I4 ON OTHER TYPES THAN I2 AND I3	61	0.49			0.49													
	J	PORTLAND CEMENT CONCRETE		70	3.34	0.11		0.07	0.11	0.39	1.38	0.77	0.51								
	K	BRICK		80																	
	L	BLOCK		90																	
	M	DUAL TYPE		64-9 74-9	0.29							0.29 ^o									
	N	COMBINATION TYPE		64-9 74-9	0.13			0.12*				0.01*									
TOTAL HARD SURFACED					50.20	6.63	0.62	0.85	8.90	4.81	7.26	10.15	4.41	2.88	3.69						
TOTAL MILEAGE					51.20	6.63	0.62	0.85	8.90	4.81	8.26	10.15	4.41	2.88	3.69						

*Asph.

^oConc.

*Mix. Bit.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY Division Totals
DIVISION No. 1 (1)

Rural County Road			SYSTEM		COMPLETED AS OF January 1 1955												DIVISION No. 1 (1)								
TYPE OF ROAD			MILEAGE TOTAL																						
				Bertie	Camden	Chowan	Currituck	Dare	Gates	Hertford	Hyde	Martin	North- ampton	Pasquo- tank	Perqui- mans	Tyrrell	Washington								
NON SURF'D	A	PRIMITIVE	00	39.0	7.7	0.6	1.7	3.4	3.6	3.4	2.4		2.3	2.5	1.4	6.1	3.4	0.5							
	B	UNIMPROVED	10	147.8	22.4	5.2	6.2	21.8	14.0	11.1	6.8	9.2	6.8	5.5	5.7	8.8	10.7	13.6							
	C	GRADED AND DRAINED	20	876.0	164.0	29.5	21.7	13.5	30.2	88.7	103.5	56.7	105.7	96.3	28.0	41.7	32.4	64.1							
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	349.3	49.9	3.7	30.3	8.0	3.2	4.1	69.2	11.7	47.6	84.6	3.1	2.7	14.7	16.5							
	E	GRAVEL OR STONE —UNTREATED	41-43	439.7	41.8	45.9	10.1	34.7		60.6	1.4	0.5	80.2	10.2	60.7	70.3	17.4	5.9							
	TOTAL NON HARD SURFACED			1,851.8	285.8	84.9	70.0	81.4	51.0	167.9	183.3	78.1	242.6	199.1	98.9	129.6	78.6	100.6							
	F	BITUMINOUS SURFACE TREATED	F1	TOPSOIL OR SAND-CLAY	51	606.3	182.4	23.7	7.1	18.2	1.2	5.6	160.8	7.1	84.8	107.2	1.5	3.5	3.2						
			F2	GRAVEL OR STONE	52-53	194.7	0.5		5.4	23.8	0.5	12.6		42.2	13.2	19.0	5.5	3.7	42.0	26.3					
			F3	WATERBOUND MACADAM	54																				
	G	MIXED BITUMINOUS	G1	NONRIGID BASE	61 ^x	177.2	4.2	0.6	10.8	21.5	71.9	13.9		20.6	6.9		13.1	3.8	4.4	5.5					
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G2	RIGID BASE	61 ^x	14.6		0.2	5.1	4.9	1.4			3.0											
	H	BITUMINOUS PENETRATION	H1	NONRIGID BASE	62	6.3												6.3							
			H2	RIGID BASE	62																				
	I	BITUMINOUS CONCRETE I1		63	68.0							2.6			55.7		9.7								
		SAND ASPHALT —HOT PREMIXED	I2	ON P. C. CONCRETE	61	5.5									5.5										
			I3	ON BITUMINOUS CONCRETE	61	1.1											1.1								
			I4	ON OTHER TYPES THAN I2 AND I3	61	494.4	19.0	34.8	70.9	16.5	1.6	79.5		13.1	51.0	4.7	71.2	85.8		46.3					
	J	PORTLAND CEMENT CONCRETE		70	18.9			3.3	0.2				2.9	0.8		3.2	1.7	4.8	2.0						
	K	BRICK		80	5.0										5.0										
	L	BLOCK		90																					
	M	DUAL TYPE		64-9 74-9	0.1																				
	N	COMBINATION TYPE		64-9 74-9	0.1																				
TOTAL HARD SURFACED				1,592.2	206.1	59.1	97.7	85.3	80.1	113.0	163.4	85.9	159.8	186.6	105.1	109.3	60.7	80.1							
TOTAL MILEAGE				3,444.0	491.9	144.0	167.7	166.7	131.1	280.9	346.7	164.0	402.4	385.7	204.0	238.9	139.3	180.7							

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY DIVISION TOTALS
DIVISION No. 2 (TWO)

RURAL COUNTY ROAD			SYSTEM		COMPLETED AS OF January 1 19 55								DIVISION No. 2 (Two)											
TYPE OF ROAD			MILEAGE TOTAL																					
				Beaufort	Carteret	Craven	Greene	Jones	Lenoir	Pamlico	Pitt													
NON SURF'D	A	PRIMITIVE	00	8.5	0.9	0.5	6.9		0.2															
	B	UNIMPROVED	10	145.4	38.1	14.5	24.0	17.9	6.7	28.5	3.3	12.4												
	C	GRADED AND DRAINED	20	1,308.8	303.2	48.1	155.5	107.1	69.1	229.8	66.1	329.9												
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	377.6	107.0	8.9	37.3	49.6	8.4	61.7	6.1	98.6												
	E	GRAVEL OR STONE —UNTREATED	41-43	196.5	18.3	18.7	78.7		24.8		45.4	10.6												
	TOTAL NON HARD SURFACED			2,036.8	467.5	90.7	302.4	174.6	109.0	320.2	120.9	451.5												
	F	BITUMINOUS SURFACE TREATED	F1	TOPSOIL OR SAND-CLAY	51	160.3	13.6	10.8	7.0	75.4	6.0	7.6	21.3	18.6										
			F2	GRAVEL OR STONE	52-53	93.1	32.4	16.0	23.2		12.2	3.9	5.4											
			F3	WATERBOUND MACADAM	54	0.6								0.6										
	G	MIXED BITUMINOUS	G1	NONRIGID BASE	61	27.4	6.1	16.3				5.0												
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G2	RIGID BASE	61	9.6	0.6	7.4	1.6															
	H	BITUMINOUS PENETRATION	H1	NONRIGID BASE	62																			
			H2	RIGID BASE	62																			
	I	BITUMINOUS CONCRETE I1	63	94.6		0.4	0.9	18.2		26.9	1.1	47.1												
		SAND ASPHALT —HOT PREMIXED	I2	ON P. C. CONCRETE	61	0.6	0.2		0.2			0.2												
			I3	ON BITUMINOUS CONCRETE	61	0.3			0.3															
			I4	ON OTHER TYPES THAN I2 AND I3	61	1,131.6	142.8	96.5	149.0	100.7	115.1	226.1	39.7	261.7										
	J	PORTLAND CEMENT CONCRETE	70	8.5	3.2	0.8	1.3		0.7	0.4		2.1												
	K	BRICK	80	12.6			12.6																	
	L	BLOCK	90																					
	M	DUAL TYPE	64-9 74-9																					
	N	COMBINATION TYPE	64-9 74-9																					
	TOTAL HARD SURFACED			1,539.2	198.9	148.2	196.1	194.3	134.0	264.9	72.5	330.3												
TOTAL MILEAGE			3,576.0	666.4	238.9	498.5	368.9	243.0	585.1	193.4	781.8													

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 3 (THREE)

RURAL COUNTY ROAD

SYSTEM

COMPLETED AS OF January 1 1955

TYPE OF ROAD			MILEAGE TOTAL																					
NON SURF'D	A	PRIMITIVE	00	42.3	18.3	20.7	0.9	0.8		1.6														
	B	UNIMPROVED	10	180.6	31.2	64.8	3.6	12.7	32.1	36.2														
	C	GRADED AND DRAINED	20	847.2	158.1	235.6	4.9	164.5	33.3	250.8														
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	1,144.4	106.3	307.1	18.7	39.8	215.8	456.7														
	E	GRAVEL OR STONE —UNTREATED	41-43	28.1	2.0			20.0	6.1															
	TOTAL NON HARD SURFACED			2,242.6	315.9	628.2	28.1	237.8	287.3	745.3														
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	241.5	7.3	63.0	1.6	28.6	65.8	75.2														
			F2 GRAVEL OR STONE 52-53	39.1			0.2	34.4	4.5															
			F3 WATERBOUND MACADAM 54																					
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x	94.9	50.4	16.2	4.3		3.9	20.1														
	G	MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	15.7	6.7		7.9	1.1																
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																					
			H2 RIGID BASE 62	1.8	1.5	0.3																		
	I	BITUMINOUS CONCRETE I1	63	254.0	34.0	83.4	2.0		35.8	98.8														
	SAND ASPHALT —HOT PREMIXED		I2 ON P. C. CONCRETE 61																					
			I3 ON BITUMINOUS CONCRETE 61	0.5				0.5																
			I4 ON OTHER TYPES THAN I2 AND I3 61	749.7	74.3	163.1	130.7	147.4	84.4	149.8														
	J	PORTLAND CEMENT CONCRETE	70	0.5	0.5																			
	K	BRICK	80																					
	L	BLOCK	90																					
	M	DUAL TYPE	64-9 74-9	0.5					0.5*															
	N	COMBINATION TYPE	64-9 74-9																					
TOTAL HARD SURFACED				1,398.2	174.7	326.0	146.7	212.0	194.9	343.9														
TOTAL MILEAGE				3,640.8	490.6	954.2	174.8	449.8	482.2	1,089.2														

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 4 (FOUR) _____

RURAL COUNTY ROAD

SYSTEM

COMPLETED AS OF January 1 19 55

TYPE OF ROAD			MILEAGE TOTAL	Edge- combe	Halifax	Johnston	Nash	Wayne	Wilson											
NON SURF'D	A	PRIMITIVE	00	17.4	3.7	13.7														
	B	UNIMPROVED	10	142.5	12.6	47.7	26.8	39.2	9.8	6.4										
	C	GRADED AND DRAINED	20	819.7	65.9	122.5	190.4	216.5	60.1	164.3										
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	953.9	85.4	132.9	378.0	54.7	265.4	37.5										
	E	GRAVEL OR STONE —UNTREATED	41-43	273.5	34.6	58.3	78.3	53.8	18.3	30.2										
	TOTAL NON HARD SURFACED			2,207.0	202.2	375.1	673.5	364.2	353.6	238.4										
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	947.0	88.3	104.1	228.7	259.5	67.6	198.8									
			F2 GRAVEL OR STONE	52-53	190.5	73.6	93.6	0.8	5.9	6.0	10.6									
			F3 WATERBOUND MACADAM	54																
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x	6.2			6.2												
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	1.5	0.6				0.9										
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62	0.2				0.2											
			H2 RIGID BASE	62																
	I	BITUMINOUS CONCRETE	I1	63	551.2	37.3	32.3	95.1	96.2	266.0	24.3									
		SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61																
			I3 ON BITUMINOUS CONCRETE	61	1.5				1.5											
			I4 ON OTHER TYPES THAN I2 AND I3	61	407.3	88.4	39.3	147.8	15.3	61.1	55.4									
	J	PORTLAND CEMENT CONCRETE		70	6.9	3.5			2.8	0.4	0.2									
	K	BRICK		80																
	L	BLOCK		90																
	M	DUAL TYPE		64-9 74-9																
	N	COMBINATION TYPE		64-9 74-9																
	TOTAL HARD SURFACED				2,112.3	291.7	269.3	472.4	385.9	402.8	290.2									
TOTAL MILEAGE				4,319.3	493.9	644.4	1,145.9	750.1	756.4	528.6										

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 5 (FIVE)

RURAL COUNTY ROAD		SYSTEM		COMPLETED AS OF January 1 1955																			
TYPE OF ROAD			MILEAGE TOTAL	Durham	Franklin	Granville	Person	Vance	Wake	Warren													
NON SURF'D	A	PRIMITIVE	00	6.8			5.6			1.2													
	B	UNIMPROVED	10	95.7	3.8	7.5	23.4	2.5	37.0	10.5													
	C	GRADED AND DRAINED	20	824.9	140.1	16.5	263.1	14.8	81.7	124.1													
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	739.0	29.1	148.7	25.7	76.5	67.5	293.5	98.0												
	E	GRAVEL OR STONE —UNTREATED	41-43	899.0	116.3	135.4	186.6	121.7	45.9	200.2	92.9												
	TOTAL NON HARD SURFACED			2,565.4	289.3	308.1	486.4	411.8	130.7	612.4	326.7												
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	985.6	74.6	199.3	67.2	73.4	128.2	335.2	107.7											
			F2 GRAVEL OR STONE	52-53	190.8	43.0	2.9	38.1	25.4	9.6	11.4	60.4											
			F3 WATERBOUND MACADAM	54	3.2	3.2																	
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61	0.6				0.6														
	G	MIXED BITUMINOUS	G2 RIGID BASE	61	6.8	6.8																	
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62																			
			H2 RIGID BASE	62	0.7				0.7														
	I	BITUMINOUS CONCRETE	I1	63	242.8	34.8	32.3	13.6	22.4	129.5	10.2												
		SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61																			
			I3 ON BITUMINOUS CONCRETE	61																			
			I4 ON OTHER TYPES THAN I2 AND I3	61	216.1	44.4	16.0	23.0	2.3	8.1	122.3												
	J	PORTLAND CEMENT CONCRETE		70	13.4	9.1		0.6	1.2	2.5													
	K	BRICK		80																			
	L	BLOCK		90																			
	M	DUAL TYPE		64-9 74-9	1.7					1.7*													
	N	COMBINATION TYPE		64-9 74-9																			
TOTAL HARD SURFACED				1,661.7	215.9	250.5	142.5	101.1	169.5	603.9	178.3												
TOTAL MILEAGE				4,227.1	505.2	558.6	628.9	512.9	300.2	1,216.3	505.0												

* Mix. Bit.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

RURAL COUNTY ROAD			SYSTEM		COMPLETED AS OF January 1 1955										COUNTY DIVISION TOTALS										DIVISION No. 6 (SIX)	
TYPE OF ROAD			MILEAGE TOTAL																							
					Bladen	Columbus	Cumber-land	Harnett	Robeson																	
NON SURF'D	A	PRIMITIVE	00	49.5	1.7	2.0	1.9		43.9																	
	B	UNIMPROVED	10	211.1	39.6	47.1	14.0	31.4	79.0																	
	C	GRADED AND DRAINED	20	895.6	104.4	253.2	29.2	160.0	348.8																	
	D	SOIL SURFACED —UNTREATED	30	1,014.0	186.5	292.9	263.1	164.6	106.9																	
	E	GRAVEL OR STONE —UNTREATED	41-43	34.4	0.4			30.4	3.6																	
TOTAL NON HARD SURFACED				2,204.6	332.6	595.2	308.2	386.4	582.2																	
LOW TYPE SURFACES	F	BITUMINOUS SURFACE TREATED	F1	TOPSOIL OR SAND-CLAY	51	931.9	48.6	28.0	70.0	294.1	491.2															
			F2	GRAVEL OR STONE	52-53	29.2	0.6	8.5	2.7	5.0	12.4															
			F3	WATERBOUND MACADAM	54																					
G	MIXED BITUMINOUS	G1	NONRIGID BASE	61 ^x	86.3	24.7	18.8	40.6		2.2																
G	MIXED BITUMINOUS	G2	RIGID BASE	61 ^x	14.7	0.9	5.0	8.0	0.8																	
H	BITUMINOUS PENETRATION	H1	NONRIGID BASE	62																						
		H2	RIGID BASE	62																						
HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE	I1	63	333.6	38.3	43.9	138.7	25.4	87.3																
	SAND ASPHALT —HOT PREMIXED	I2	ON P. C. CONCRETE	61																						
		I3	ON BITUMINOUS CONCRETE	61																						
		I4	ON OTHER TYPES THAN I2 AND I3	61	477.9	77.7	199.9	76.5	37.2	86.6																
		J	PORTLAND CEMENT CONCRETE	70	1.4			0.1		1.3																
	K	BRICK	80																							
	L	BLOCK	90																							
	M	DUAL TYPE	64-9 74-9	3.7					3.7*																	
	N	COMBINATION TYPE	64-9 74-9	0.6						0.6*																
	TOTAL HARD SURFACED				1,879.3	190.8	304.1	336.6	366.2	681.6																
TOTAL MILEAGE				4,083.9	523.4	899.3	644.8	752.6	1,263.8																	

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 7 (SEVEN)

RURAL COUNTY ROAD		SYSTEM	COMPLETED AS OF January 1 1955																	
TYPE OF ROAD			MILEAGE TOTAL	Alamance	Caswell	Guilford	Orange	Rockingham												
NON SURF'D	A	PRIMITIVE	00	3.9		0.7	2.1	1.1												
	B	UNIMPROVED	10	126.8	37.3	29.1	26.4	23.8	10.2											
	C	GRADED AND DRAINED	20	830.2	185.4	143.2	224.4	200.5	76.7											
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	234.4	75.6	56.8	31.1	32.1	38.8											
	E	GRAVEL OR STONE —UNTREATED	41-43	1,336.3	164.8	98.7	457.9	180.9	434.0											
	TOTAL NON HARD SURFACED			2,531.6	463.1	327.8	740.5	439.4	560.8											
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	499.0	129.8	91.3	110.9	82.6	84.4										
			F2 GRAVEL OR STONE	52-53	622.9	93.9	32.5	314.0	42.0	140.5										
			F3 WATERBOUND MACADAM	54																
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x																
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	1.8	0.1	1.7													
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62																
			H2 RIGID BASE	62	4.3		4.3													
	I	BITUMINOUS CONCRETE I1		63	50.2	3.3	33.2	13.6	0.1											
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	0.5			0.5													
		I3 ON BITUMINOUS CONCRETE	61																	
		I4 ON OTHER TYPES THAN I2 AND I3	61	17.5			17.1		0.4											
	J	PORTLAND CEMENT CONCRETE		70	48.0	3.9	6.6	29.7	0.7	7.1										
	K	BRICK		80																
	L	BLOCK		90																
	M	DUAL TYPE		64-9 74-9																
	N	COMBINATION TYPE		64-9 74-9																
TOTAL HARD SURFACED				1,244.2	231.0	130.4	511.4	138.9	232.5											
TOTAL MILEAGE				3,775.8	694.1	458.2	1,251.9	578.3	793.3											

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 8 (EIGHT)

RURAL COUNTY ROAD

SYSTEM

COMPLETED AS OF January 1 19 55

TYPE OF ROAD		MILEAGE TOTAL	Chatham	Hoke	Lee	Mont- gomery	Moore	Randolph	Richmond	Scotland										
NON SURF'D	A	PRIMITIVE	00	30.8	3.9	12.5		1.0	3.9	1.0	8.5									
	B	UNIMPROVED	10	189.2	36.0	13.7	9.6	21.5	33.1	37.4	17.4	20.5								
	C	GRADED AND DRAINED	20	756.8	238.3	38.2	16.1	33.9	98.1	256.1	26.5	49.6								
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	1,123.0	140.7	96.5	74.1	67.0	252.6	332.1	96.2	63.8								
	E	GRAVEL OR STONE —UNTREATED	41-43	516.4	128.9		68.5	104.5	9.1	173.5	31.9									
	TOTAL NON HARD SURFACED			2,616.2	547.8	160.9	168.3	226.9	393.9	803.0	173.0	142.4								
	F	BITUMINOUS SURFACE TREATED	F1	TOPSOIL OR SAND-CLAY	51	1,242.0	178.5	148.6	125.0	45.1	268.0	222.2	60.8	193.8						
			F2	GRAVEL OR STONE	52-53	250.2	105.9		15.6	7.8	0.1	106.7	14.1							
			F3	WATERBOUND MACADAM	54															
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1	NONRIGID BASE	61 ^x	1.6					1.6									
	G	MIXED BITUMINOUS	G2	RIGID BASE	61 ^x	3.7					3.7									
	H	BITUMINOUS PENETRATION	H1	NONRIGID BASE	62															
			H2	RIGID BASE	62	1.1					1.1									
	I	BITUMINOUS CONCRETE I1			63	197.9		34.4	26.4	13.7	7.8	16.7	46.1	52.8						
	SAND ASPHALT —HOT PREMIXED	I2	ON P. C. CONCRETE	61	0.2								0.2							
		I3	ON BITUMINOUS CONCRETE	61	3.0			3.0												
		I4	ON OTHER TYPES THAN I2 AND I3	61	548.5			40.8	0.1	165.3	39.2	40.9	244.5	17.7						
	J	PORTLAND CEMENT CONCRETE			70	8.4	3.5					4.3		0.6						
	K	BRICK			80															
	L	BLOCK			90															
	M	DUAL TYPE			64-9 74-9	1.0							0.9*	0.1*						
	N	COMBINATION TYPE			64-9 74-9															
TOTAL HARD SURFACED				2,257.6		287.9	226.8	167.1	231.9	315.1	390.8	373.0	265.0							
TOTAL MILEAGE				4,873.8		835.7	387.7	335.4	458.8	709.0	1,193.8	546.0	407.4							

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 9 (NINE)

RURAL COUNTY ROAD			SYSTEM	COMPLETED AS OF <u>January 1</u> 19 <u>55</u>																
TYPE OF ROAD			MILEAGE TOTAL	Davidson	Davie	Forsyth	Rowan	Stokes												
NON SURF'D	A	PRIMITIVE	00	14.9	4.6	3.3	3.1	0.3	3.6											
	B	UNIMPROVED	10	244.6	48.8	3.1	13.5	66.8	112.4											
	C	GRADED AND DRAINED	20	384.4	64.7	42.2	78.4	75.4	123.7											
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	744.6	290.6	80.5	89.6	69.0	214.9											
	E	GRAVEL OR STONE —UNTREATED	41-43	829.3	96.1	134.3	231.1	184.9	182.9											
	TOTAL NON HARD SURFACED			2,217.8	504.8	263.4	415.7	396.4	637.5											
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	1,068.6	344.2	57.1	239.9	322.1	105.3										
			F2 GRAVEL OR STONE	52-53	336.0	82.1	26.2	123.9	91.8	12.0										
			F3 WATERBOUND MACADAM	54	10.3			10.3												
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x																
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	3.4		1.3	2.1												
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62																
			H2 RIGID BASE	62																
HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE	I1	63	47.4	28.2	8.9	10.3												
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61																	
		I3 ON BITUMINOUS CONCRETE	61																	
		I4 ON OTHER TYPES THAN I2 AND I3	61	55.3	22.6		32.7													
	J	PORTLAND CEMENT CONCRETE		70	29.8	9.9	0.8	15.4	3.7											
	K	BRICK		80																
	L	BLOCK		90																
	M	DUAL TYPE	64-9 74-9	1.6	1.6*															
	N	COMBINATION TYPE	64-9 74-9																	
TOTAL HARD SURFACED				1,552.4	488.6	84.1	389.4	473.0	117.3	80.8	12.0	70.6								
TOTAL MILEAGE				3,770.2	993.4	347.5	805.1	869.4	754.8	161.6	132.0	141.2								

*Mix. Bit.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 10 (TEN) _____

RURAL COUNTY ROAD				SYSTEM		COMPLETED AS OF January 1 19 55										DIVISION No. 10 (TEN)									
TYPE OF ROAD				MILEAGE TOTAL																					
					Anson	Cabarrus	Mecklen- burg	Stanly	Union																
NON SURF'D	A	PRIMITIVE		00	62.2	2.5	21.7	9.7	17.0	11.3															
	B	UNIMPROVED		10	131.3	7.9	48.6	25.7	28.1	21.0															
	C	GRADED AND DRAINED		20	289.7	24.9	76.0	32.6	50.8	105.4															
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED		30	260.6	44.8	92.6	10.3	26.7	86.2															
	E	GRAVEL OR STONE —UNTREATED		41-43	1,170.0	268.5	71.9	151.5	262.1	416.0															
	TOTAL NON HARD SURFACED				1,913.8	348.6	310.8	229.8	384.7	639.9															
	F	BITUMINOUS SURFACE TREATED	F1	TOPSOIL OR SAND-CLAY	51	635.1	194.5	234.3	80.6	48.6	77.1														
			F2	GRAVEL OR STONE	52-53	836.2	84.9	116.8	159.6	214.0	260.9														
			F3	WATERBOUND MACADAM	54	15.4	3.9	0.3	11.2																
	G	MIXED BITUMINOUS	G1	NONRIGID BASE	61 ^x																				
	G	MIXED BITUMINOUS	G2	RIGID BASE	61 ^x	2.0			2.0																
	H	BITUMINOUS PENETRATION	H1	NONRIGID BASE	62																				
			H2	RIGID BASE	62	7.3			7.3																
HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE I1		63	377.5	11.4	0.2	355.1	10.8																
	SAND ASPHALT —HOT PREMIXED	I2	ON P. C. CONCRETE	61	2.5			1.8	0.7	0.7															
		I3	ON BITUMINOUS CONCRETE	61	4.8			4.8																	
		I4	ON OTHER TYPES THAN I2 AND I3	61	39.1			37.6		1.5															
		J	PORTLAND CEMENT CONCRETE		70	21.2	1.1	7.2	4.8	1.2	6.9														
	K	BRICK		80																					
	L	BLOCK		90																					
	M	DUAL TYPE		64-9 74-9																					
	N	COMBINATION TYPE		64-9 74-9	1.5			1.5*																	
	TOTAL HARD SURFACED				1,942.6	295.8	358.8	666.3	263.8	357.9															
TOTAL MILEAGE				3,856.4	644.4	669.6	896.1	648.5	997.8																

* 0.6 Bit. Pen.
0.9 B.S.T.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 11 (ELEVEN)

RURAL COUNTY ROAD SYSTEM COMPLETED AS OF January 1 19 55

TYPE OF ROAD				MILEAGE TOTAL																					
					Alleghany	Ashe	Avery	Caldwell	Surry	Watanga	Wilkes	Yadkin													
NON SURF'D	A	PRIMITIVE		00	96.1	4.9	53.2		14.5	3.7	12.4	6.6	0.8												
	B	UNIMPROVED		10	447.8	50.9	80.4	18.0	29.9	41.5	100.4	105.7	21.0												
	C	GRADED AND DRAINED		20	574.4	60.8	22.5	6.5	94.7	53.2	18.8	216.1	101.8												
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED		30	187.9	0.4	19.4		45.9	23.2		30.7	68.3												
	E	GRAVEL OR STONE —UNTREATED		41-43	2,455.5	217.9	410.9	150.9	170.7	516.9	236.5	532.2	219.5												
	TOTAL NON HARD SURFACED				3,761.7	334.9	586.4	175.4	355.7	638.5	368.1	891.3	411.4												
	F	BITUMINOUS SURFACE TREATED	F1	TOPSOIL OR SAND-CLAY	51	239.0	0.1	0.4	1.7	71.3	64.7	12.2	45.3	43.3											
			F2	GRAVEL OR STONE	52-53	544.0	36.9	62.4	41.5	76.2	89.6	48.3	122.3	66.8											
			F3	WATERBOUND MACADAM	54	0.8			0.8																
	G	MIXED BITUMINOUS	G1	NONRIGID BASE	61 ^x																				
	HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G2	RIGID BASE	61 ^x	2.8				2.8														
H		BITUMINOUS PENETRATION	H1	NONRIGID BASE	62																				
			H2	RIGID BASE	62																				
I		BITUMINOUS CONCRETE	I1		63	1.7	1.2					0.5													
			SAND ASPHALT —HOT PREMIXED	I2	ON P. C. CONCRETE	61																			
				I3	ON BITUMINOUS CONCRETE	61																			
				I4	ON OTHER TYPES THAN I2 AND I3	61	1.6					1.6													
J		PORTLAND CEMENT CONCRETE		70	0.9					0.9															
K		BRICK		80																					
L		BLOCK		90																					
M		DUAL TYPE		64-9 74-9																					
N		COMBINATION TYPE		64-9 74-9																					
TOTAL HARD SURFACED				790.8	38.2	62.8	44.0	147.5	159.6	60.5	168.1	110.1													
TOTAL MILEAGE				4,552.5	373.1	649.2	219.4	503.2	798.1	428.6	1,059.4	521.5													

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 12 (TWELVE)

RURAL COUNTY ROAD			SYSTEM		COMPLETED AS OF January 1 19 55										DIVISION No. 12 (TWELVE)									
TYPE OF ROAD				MILEAGE TOTAL																				
					Alexander	Catawba	Cleveland	Gaston	Iredell	Lincoln														
NON SURF'D	A	PRIMITIVE	00	0.1					0.1															
	B	UNIMPROVED	10	30.7	2.4	3.6	10.7	8.6	2.1	3.3														
	C	GRADED AND DRAINED	20	204.9	9.9	33.2	85.4	20.4	28.5	27.5														
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	1,242.2	176.7	119.1	255.2	154.5	363.5	173.2														
	E	GRAVEL OR STONE —UNTREATED	41-43	1,086.1	109.4	210.0	223.7	132.0	285.9	125.1														
	TOTAL NON HARD SURFACED			2,564.0	298.4	365.9	575.0	315.5	680.1	329.1														
	F	BITUMINOUS SURFACE TREATED	F1	TOPSOIL OR SAND-CLAY	51	1,070.9	114.9	226.0	217.8	118.5	267.8	125.9												
			F2	GRAVEL OR STONE	52-53	319.9	11.9	35.1	31.7	183.9	39.8	17.5												
			F3	WATERBOUND MACADAM	54	0.4			0.4															
	G	MIXED BITUMINOUS	G1	NONRIGID BASE	61 ^x																			
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G2	RIGID BASE	61 ^x	2.4			1.6	0.8														
	H	BITUMINOUS PENETRATION	H1	NONRIGID BASE	62																			
			H2	RIGID BASE	62	4.5			4.5															
	I	BITUMINOUS CONCRETE I1	63	57.6	0.3	9.8	35.2	4.7	1.8	5.8														
		SAND ASPHALT —HOT PREMIXED	I2	ON P. C. CONCRETE	61																			
			I3	ON BITUMINOUS CONCRETE	61																			
			I4	ON OTHER TYPES THAN I2 AND I3	61	9.6			3.3	6.3														
	J	PORTLAND CEMENT CONCRETE	70	1.7			1.4		0.3															
	K	BRICK	80																					
	L	BLOCK	90																					
	M	DUAL TYPE	64-9 74-9																					
N	COMBINATION TYPE	64-9 74-9	1.9			0.3*	1.6*																	
TOTAL HARD SURFACED			1,468.9	127.1	270.9	290.1	321.1	309.4	150.3															
TOTAL MILEAGE			4,032.9	425.5	636.8	865.1	636.6	989.5	479.4															

*P.C. Con.
*Bit. Conc.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 13 (THIRTEEN) _____

RURAL COUNTY ROAD				SYSTEM		COMPLETED AS OF January 1 19 55										DIVISION No. 13 (THIRTEEN)									
TYPE OF ROAD				MILEAGE TOTAL																					
					Buncombe	Burke	Madison	McDowell	Mitchell	Rutherford	Yancey														
NON SURF'D	A	PRIMITIVE		00	10.7	0.2	1.5	1.2	4.1	0.8	2.7	0.2													
	B	UNIMPROVED		10	255.2	32.8	29.9	79.4	22.2	38.3	33.4	19.2													
	C	GRADED AND DRAINED		20	375.0	41.4	65.2	13.4	30.6	4.3	214.8	5.3													
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED		30	306.0	2.7	69.1		14.0		220.2														
	E	GRAVEL OR STONE —UNTREATED		41-43	1,712.8	518.2	203.3	325.9	189.6	170.1	111.3	194.4													
	TOTAL NON HARD SURFACED				2,659.7	595.3	369.0	419.9	260.5	213.5	582.4	219.1													
	F	BITUMINOUS SURFACE TREATED	F1	TOPSOIL OR SAND-CLAY	51	372.5	6.0	98.3	30.5	19.8	1.8	215.6	0.5												
			F2	GRAVEL OR STONE	52-53	687.0	287.2	106.7	41.9	121.3	25.3	45.3	59.3												
			F3	WATERBOUND MACADAM	54	2.5			2.5																
	G	MIXED BITUMINOUS	G1	NONRIGID BASE	61 ^x																				
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G2	RIGID BASE	61 ^x	14.9	8.1				6.8														
	H	BITUMINOUS PENETRATION	H1	NONRIGID BASE	62																				
			H2	RIGID BASE	62	0.2	0.2																		
	I	BITUMINOUS CONCRETE I1	63	33.8	29.2		4.6																		
		SAND ASPHALT —HOT PREMIXED	I2	ON P. C. CONCRETE	61	4.8	4.8																		
			I3	ON BITUMINOUS CONCRETE	61	1.1	1.1																		
			I4	ON OTHER TYPES THAN I2 AND I3	61	2.1	0.7					1.4													
	J	PORTLAND CEMENT CONCRETE		70	60.6	47.0	1.2		8.1	1.4	2.9														
	K	BRICK		80																					
	L	BLOCK		90																					
	M	DUAL TYPE		64-9 74-9																					
	N	COMBINATION TYPE		64-9 74-9																					
TOTAL HARD SURFACED				1,179.5	384.3	206.2	79.5	149.2	28.5	272.0	59.8														
TOTAL MILEAGE				3,839.2	979.6	575.2	499.4	409.7	242.0	854.4	278.9														

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

RURAL COUNTY ROAD			SYSTEM		COMPLETED AS OF January 1 19 55										COUNTY DIVISION TOTALS									
TYPE OF ROAD			MILEAGE TOTAL																					
				Cherokee	Clay	Graham	Haywood	Henderson	Jackson	Macon	Polk	Swain	Transyl- vania											
NON SURF'D	A	PRIMITIVE	00	33.1			1.3	2.4	24.3		0.8	1.1	3.2											
	B	UNIMPROVED	10	417.1	53.7	32.1	34.5	26.1	13.3	80.2	110.6	14.3	24.7	27.6										
	C	GRADED AND DRAINED	20	264.0	6.0	1.1	6.1	25.0	71.3	16.1	27.3	59.0	6.0	46.1										
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	73.7				3.1			70.6													
	E	GRAVEL OR STONE —UNTREATED	41-43	1,988.7	296.0	128.7	98.6	225.1	389.0	214.8	308.9	113.2	77.9	136.5										
	TOTAL NON HARD SURFACED			2,776.6	355.7	161.9	139.2	277.5	479.1	335.4	446.8	257.9	109.7	213.4										
	F	BITUMINOUS SURFACE TREATED	F1	TOPSOIL OR SAND-CLAY	51	144.5		0.5	0.9	14.3	18.5	4.3	22.5	60.9	11.8	10.8								
			F2	GRAVEL OR STONE	52-53	544.7	70.6	38.4	34.5	92.9	80.9	43.3	46.4	39.3	45.8	52.6								
			F3	WATERBOUND MACADAM	54	9.1	7.5				1.6													
	G	MIXED BITUMINOUS	G1	NONRIGID BASE	61 ^x																			
			G2	RIGID BASE	61 ^x	0.3					0.3													
	H	BITUMINOUS PENETRATION	H1	NONRIGID BASE	62																			
			H2	RIGID BASE	62	1.2				1.2														
HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE I1	63	33.1			6.1	27.0																
	SAND ASPHALT —HOT PREMIXED	I2	ON P. C. CONCRETE	61	1.5			1.5																
		I3	ON BITUMINOUS CONCRETE	61																				
		I4	ON OTHER TYPES THAN I2 AND I3	61																				
		J	PORTLAND CEMENT CONCRETE	70	10.9			3.0	4.2	0.1	2.4		1.2											
	K	BRICK	80																					
	L	BLOCK	90																					
	M	DUAL TYPE	64-9 74-9																					
	N	COMBINATION TYPE	64-9 74-9	0.3						0.3*														
	TOTAL HARD SURFACED			745.6	78.1	38.9	35.4	117.8	133.4	48.3	71.3	100.2	58.8	63.4										
TOTAL MILEAGE			3,522.2	433.8	200.8	174.6	395.3	612.5	383.7	518.1	358.1	168.5	276.8											

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 1 (ONE) _____

MUNICIPAL COUNTY ROAD

SYSTEM

COMPLETED AS OF January 1 19 55

TYPE OF ROAD			MILEAGE TOTAL	Bertie	Camden	Chowan	Currituck	Dare	Gates	Hertford	Hyde	Martin	North- ampton	Pasquo- tank	Perqui- mans	Tyrrell	Washington					
NON SURF'D	A	PRIMITIVE	00																			
	B	UNIMPROVED	10	4.61				3.92					0.30	0.39								
	C	GRADED AND DRAINED	20	13.63	4.07	0.61				0.30	0.69	2.06	4.71				1.19					
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	2.86	0.23			0.20	0.20	0.10	0.18	0.85	1.02	0.08								
	E	GRAVEL OR STONE —UNTREATED	41-43	1.93	0.05	1.03				0.40			0.08	0.27			0.10					
	TOTAL NON HARD SURFACED			23.03	4.35	1.64	0.0	4.12	0.20	0.80	0.87	2.91	6.11	0.74			1.29					
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	25.85	10.04		0.15			3.53		3.36	7.99	0.66			0.12					
			F2 GRAVEL OR STONE 52-53	6.26							1.43	1.39	1.84		0.27		1.33					
			F3 WATERBOUND MACADAM 54																			
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x	1.50				0.23	0.51						0.76							
	G	MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	0.57		0.25										0.32						
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																			
			H2 RIGID BASE 62																			
	I	BITUMINOUS CONCRETE I1 SAND ASPHALT —HOT PREMIXED	I1 63	4.24						1.54		0.38	1.64		0.38		0.30					
			I2 ON P. C. CONCRETE 61	0.65								0.27		0.38								
			I3 ON BITUMINOUS CONCRETE 61	0.74										0.74								
			I4 ON OTHER TYPES THAN I2 AND I3 61	13.92	0.36	0.35	0.12	1.85			0.47	4.23		2.77	0.23		3.54					
	J	PORTLAND CEMENT CONCRETE	70	5.55					0.06			0.63		0.89	0.23		3.74					
	K	BRICK	80	0.63										0.63								
	L	BLOCK	90																			
	M	DUAL TYPE	64-9 74-9																			
	N	COMBINATION TYPE	64-9 74-9																			
TOTAL HARD SURFACED				59.91	10.40	0.35	0.52	0.0	2.08	0.57	5.07	1.90	10.26	11.47	6.07	1.87	0.32	9.03				
TOTAL MILEAGE				82.94	14.75	1.99	0.52	0.0	6.20	0.77	5.87	2.77	13.17	17.58	6.81	1.87	0.32	10.32				

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY DIVISION TOTALS
DIVISION No. 2 (TWO)

MUNICIPAL COUNTY ROAD SYSTEM COMPLETED AS OF January 1 1955

TYPE OF ROAD			MILEAGE TOTAL	Beaufort	Carteret	Craven	Greene	Jones	Lenoir	Pamlico	Pitt										
NON SURF'D	A	PRIMITIVE	00																		
	B	UNIMPROVED	10	2.66	1.00	0.07	0.60			0.21	0.78										
	C	GRADED AND DRAINED	20	9.79	2.78	0.68	2.00	0.32		0.99	1.48	1.54									
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	10.31	2.96			0.30	1.43	0.12	5.50										
	E	GRAVEL OR STONE —UNTREATED	41-43	2.24	0.85	0.50	0.55	0.04		0.30											
	TOTAL NON HARD SURFACED			25.00	7.59	1.25	3.15	0.32	0.34	2.42	2.11	7.82									
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	5.53			1.46	0.33	1.95	0.55	1.24										
			F2 GRAVEL OR STONE 52-53	1.75	0.92		0.06	0.20			0.57										
			F3 WATERBOUND MACADAM 54	0.43							0.43										
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61	1.00		0.95				0.05											
	G	MIXED BITUMINOUS	G2 RIGID BASE 61	0.90		0.70	0.20														
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																		
			H2 RIGID BASE 62																		
	I	BITUMINOUS CONCRETE I1 SAND ASPHALT —HOT PREMIXED	I1 63	5.75		0.11	1.13	0.86		1.46	2.19										
			I2 ON P. C. CONCRETE 61	0.96							0.96										
			I3 ON BITUMINOUS CONCRETE 61	0.63	0.47				0.16												
			I4 ON OTHER TYPES THAN I2 AND I3 61	36.94	6.08	10.61	3.66	0.59	1.04	3.87	1.07	10.02									
	J	PORTLAND CEMENT CONCRETE	70	1.89	0.35	0.30	0.60				0.64										
	K	BRICK	80	1.08			1.08														
	L	BLOCK	90																		
	M	DUAL TYPE	64-9 74-9																		
	N	COMBINATION TYPE	64-9 74-9																		
TOTAL HARD SURFACED				56.86	7.82	12.67	6.67	2.97	1.57	7.44	1.67	16.05									
TOTAL MILEAGE				81.86	15.41	13.92	9.82	3.29	1.91	9.86	3.78	23.87									

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 3 (THREE)

MUNICIPAL COUNTY ROAD

SYSTEM

COMPLETED AS OF January 1 1955

TYPE OF ROAD				MILEAGE TOTAL																		
					Brunswick	Duplin	New Hanover	Onslow	Pender	Sampson												
NON SURF'D	A PRIMITIVE			00	3.40		3.40															
	B UNIMPROVED			10	2.47		1.03		1.34	0.10												
	C GRADED AND DRAINED			20	7.47	0.73	4.10	0.27	0.37	0.08	1.92											
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED			30	10.98	0.25	5.22	0.25	2.37	2.89												
	E GRAVEL OR STONE —UNTREATED			41-43	0.38				0.38													
	TOTAL NON HARD SURFACED				24.70	0.98	13.75	0.52	0.37	4.17	4.91											
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	14.50	0.10	5.74		0.23	4.38	4.05												
		F2 GRAVEL OR STONE	52-53	0.81					0.81													
		F3 WATERBOUND MACADAM	54																			
	G MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x	4.52	1.62	1.05	0.04		1.81													
	G MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	0.32			0.32															
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	62																			
		H2 RIGID BASE	62																			
HIGH TYPE SURFACES	I BITUMINOUS CONCRETE I1			63	11.30	0.07	4.80	1.06	0.39	1.19	3.79											
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	0.58		0.58																
		I3 ON BITUMINOUS CONCRETE	61	1.61				1.61														
		I4 ON OTHER TYPES THAN I2 AND I3	61	28.68	1.25	4.50	10.65	3.54	3.36	5.38												
	J PORTLAND CEMENT CONCRETE			70	0.87			0.87														
	K BRICK			80	0.53			0.53														
	L BLOCK			90																		
	M DUAL TYPE			64-9 74-9																		
	N COMBINATION TYPE			64-9 74-9																		
	TOTAL HARD SURFACED				63.72	3.04	16.67	13.47	5.77	9.74	15.03											
TOTAL MILEAGE				88.42	4.02	30.42	13.99	6.14	13.91	19.94												

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 4 (FOUR) _____

MUNICIPAL COUNTY ROAD

SYSTEM

COMPLETED AS OF January 1 1955

TYPE OF ROAD			MILEAGE TOTAL	Edgecombe	Halifax	Johnston	Nash	Wayne	Wilson											
NON SURF'D	A	PRIMITIVE	00																	
	B	UNIMPROVED	10	2.86	0.91	1.11	0.35	0.39	0.10											
	C	GRADED AND DRAINED	20	5.79	1.80	1.86	0.60	1.06	0.47											
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	11.06	0.06	0.62	4.25	2.19	2.85	1.09										
	E	GRAVEL OR STONE —UNTREATED	41-43	1.18	0.53	0.10		0.55												
	TOTAL NON HARD SURFACED			20.89	2.39	3.49	5.96	3.60	3.79	1.66										
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	33.70	5.23	5.60	7.73	6.80	1.42	6.92										
			F2 GRAVEL OR STONE 52-53	2.88	0.63	1.17		0.78		0.30										
			F3 WATERBOUND MACADAM 54																	
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x	0.23			0.23													
	G	MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	0.15	0.07				0.08											
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62	0.25		0.25														
			H2 RIGID BASE 62																	
	I	BITUMINOUS CONCRETE I1	63	13.46	1.75	3.60	0.88	7.03	0.20											
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61																	
		I3 ON BITUMINOUS CONCRETE	61	1.00				1.00												
		I4 ON OTHER TYPES THAN I2 AND I3	61	13.40	2.55	0.45	4.32	0.52	1.88	3.68										
	J	PORTLAND CEMENT CONCRETE	70	1.50	0.28	0.30	0.26	0.22	0.20	0.24										
	K	BRICK	80																	
	L	BLOCK	90																	
	M	DUAL TYPE	64-9 74-9																	
	N	COMBINATION TYPE	64-9 74-9																	
TOTAL HARD SURFACED				66.57	10.51	7.52	16.16	9.43	11.53	11.42										
TOTAL MILEAGE				87.46	12.90	11.01	22.12	13.03	15.32	13.08										

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 5 (FIVE) _____

MUNICIPAL COUNTY ROAD		SYSTEM	COMPLETED AS OF January 1 1955																			
TYPE OF ROAD			MILEAGE TOTAL	Durham	Franklin	Granville	Person	Vance	Wake	Warren												
NON SURF'D	A	PRIMITIVE	00																			
	B	UNIMPROVED	10	2.13		1.35	0.32	0.40		0.06												
	C	GRADED AND DRAINED	20	8.05	3.32	2.26	1.26		1.01	0.20												
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	6.21	0.31	0.25		1.36	3.39	0.90												
	E	GRAVEL OR STONE —UNTREATED	41-43	3.12	0.20	0.80		0.85	0.46	0.81												
	TOTAL NON HARD SURFACED		19.51	3.52	1.11	3.86	1.58	2.61	4.86	1.97												
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	30.49	0.27	2.67	3.86	0.15	3.47	16.29	3.78											
			F2 GRAVEL OR STONE 52-53	5.46	1.96	0.40	1.47	0.37	0.20	1.06												
			F3 WATERBOUND MACADAM 54																			
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61																			
	G	MIXED BITUMINOUS	G2 RIGID BASE 61	0.32	0.32																	
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																			
			H2 RIGID BASE 62																			
	I	BITUMINOUS CONCRETE I1	63	13.74	4.84	2.21	0.32	1.47	4.65	0.25												
		SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61																			
			I3 ON BITUMINOUS CONCRETE 61	0.40	0.40																	
			I4 ON OTHER TYPES THAN I2 AND I3 61	7.09	2.79			1.16	3.14													
	J	PORTLAND CEMENT CONCRETE	70	4.13	0.93	0.10	0.09	0.85	2.13	0.03												
	K	BRICK	80																			
	L	BLOCK	90																			
	M	DUAL TYPE	64-9 74-9																			
	N	COMBINATION TYPE	64-9 74-9																			
TOTAL HARD SURFACED			61.63	11.51	2.77	6.47	2.03	7.32	26.41	5.12												
TOTAL MILEAGE			81.14	15.03	3.88	10.33	3.61	9.93	31.27	7.09												

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 6 (SIX) _____

MUNICIPAL COUNTY ROAD		SYSTEM	COMPLETED AS OF January 1 1955																			
TYPE OF ROAD			MILEAGE TOTAL	Bladen	Columbus	Cumber-land	Harnett	Robeson														
NON SURF'D	A	PRIMITIVE	00	0.54				0.54														
	B	UNIMPROVED	10	4.14	0.49	1.00	0.60	0.84	1.21													
	C	GRADED AND DRAINED	20	7.70	0.44	6.10	0.46	0.27	0.43													
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	14.12	1.01	5.77	3.99	1.05	2.30													
	E	GRAVEL OR STONE —UNTREATED	41-43	0.35				0.35														
	TOTAL NON HARD SURFACED			26.85	1.94	12.87	5.05	2.51	4.48													
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	38.31	1.41	2.54	6.47	10.04	17.85												
			F2 GRAVEL OR STONE	52-53	1.85		1.39		0.46													
			F3 WATERBOUND MACADAM	54																		
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x	2.31		0.70	1.11		0.50												
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	1.87			1.87														
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62																		
			H2 RIGID BASE	62																		
	I	BITUMINOUS CONCRETE I1		63	13.52	0.10	2.25	7.12	1.50	2.55												
		SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	0.33			0.33														
			I3 ON BITUMINOUS CONCRETE	61																		
			I4 ON OTHER TYPES THAN I2 AND I3	61	20.55	1.40	9.98	3.08	0.10	5.99												
	J	PORTLAND CEMENT CONCRETE		70	2.45		0.33	0.50		1.62												
	K	BRICK		80																		
	L	BLOCK		90																		
	M	DUAL TYPE		64-9 74-9																		
	N	COMBINATION TYPE		64-9 74-9																		
TOTAL HARD SURFACED				81.19	2.91	17.19	20.48	12.10	28.51													
TOTAL MILEAGE				108.04	4.85	30.06	25.53	14.61	32.99													

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 7 (SEVEN)

MUNICIPAL COUNTY ROAD			SYSTEM	COMPLETED AS OF January 1 1955																	
TYPE OF ROAD			MILEAGE TOTAL	Alamance	Caswell	Guilford	Orange	Rockingham													
NON SURF'D	A	PRIMITIVE	00																		
	B	UNIMPROVED	10	0.05			0.05														
	C	GRADED AND DRAINED	20	8.84	2.77	5.09	0.72	0.26													
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	2.34	0.86	0.25	0.16	1.07													
	E	GRAVEL OR STONE —UNTREATED	41-43	7.05	1.43	0.24	2.39	0.43	2.56												
	TOTAL NON HARD SURFACED			18.28	5.06	0.24	7.73	1.36	3.89												
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	26.30	7.33	5.89	5.27	7.81													
			F2 GRAVEL OR STONE 52-53	25.45	6.00	8.20	0.94	10.31													
			F3 WATERBOUND MACADAM 54																		
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x																		
	G	MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	3.49	0.86	2.63															
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																		
			H2 RIGID BASE 62																		
	I	BITUMINOUS CONCRETE I1	63	29.60	2.68	23.67	0.87	2.38													
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	0.76	0.76																
		I3 ON BITUMINOUS CONCRETE	61	1.81		1.73		0.08													
		I4 ON OTHER TYPES THAN I2 AND I3	61	2.35		2.22		0.13													
	J	PORTLAND CEMENT CONCRETE	70	8.73	1.24	6.35	0.07	1.07													
	K	BRICK	80	0.16		0.16															
	L	BLOCK	90																		
	M	DUAL TYPE	64-9 74-9	0.17		0.17*															
	N	COMBINATION TYPE	64-9 74-9																		
TOTAL HARD SURFACED				98.82	18.87	0.00	51.02	7.15	21.78												
TOTAL MILEAGE				117.10	23.93	0.24	58.75	8.51	25.67												

*Asph.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 8 (EIGHT) _____

MUNICIPAL COUNTY ROAD

SYSTEM

COMPLETED AS OF January 1 1955

TYPE OF ROAD				MILEAGE TOTAL																				
					Chatham	Hoke	Lee	Mont- gomery	Moore	Randolph	Richmond	Scotland												
NON SURF'D	A	PRIMITIVE		00	1.17		0.40				0.10		0.67											
	B	UNIMPROVED		10	5.35	0.30	0.50	0.05	0.10	2.15	1.43	0.50	0.32											
	C	GRADED AND DRAINED		20	7.81	1.06		1.23	0.37	0.93	2.90	1.32												
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED		30	14.76	2.17	0.27	1.01	1.64	2.45	4.57	2.33	0.32											
	E	GRAVEL OR STONE —UNTREATED		41-43	5.20	0.13			1.41	1.15	2.51													
	TOTAL NON HARD SURFACED				34.29	3.66	1.17	2.29	3.52	6.68	11.51	4.15	1.31											
	F	BITUMINOUS SURFACE TREATED	F1	TOPSOIL OR SAND-CLAY	51	81.21	4.93	3.13	9.54	3.62	23.50	20.54	7.52	8.43										
			F2	GRAVEL OR STONE	52-53	13.70	3.91		2.02	0.06	0.30	7.41												
			F3	WATERBOUND MACADAM	54																			
	G	MIXED BITUMINOUS	G1	NONRIGID BASE	61 ^x																			
	H	BITUMINOUS PENETRATION	H1	NONRIGID BASE	62 ^x																			
				H2	RIGID BASE	62																		
	HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE I1		63	6.40	0.66	0.75	0.66	0.57	0.50	0.50	1.88	0.88										
		SAND ASPHALT —HOT PREMIXED	I2	ON P. C. CONCRETE	61	0.96			0.25		0.51	0.20												
			I3	ON BITUMINOUS CONCRETE	61	0.75			0.30			0.45												
			I4	ON OTHER TYPES THAN I2 AND I3	61	13.00		1.17		3.03	3.18	0.16	4.98	0.48										
			J	PORTLAND CEMENT CONCRETE		70	3.41	1.95		0.19			1.07	0.20										
K		BRICK		80																				
L		BLOCK		90																				
M		DUAL TYPE		64-9 74-9	0.85									0.85*										
N		COMBINATION TYPE		64-9 74-9	0.83									0.83*										
TOTAL HARD SURFACED				121.11	11.45	5.05	12.41	7.83	27.48	30.19	15.23	11.47												
TOTAL MILEAGE				155.40	15.11	6.22	14.70	11.35	34.16	41.70	19.38	12.78												

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 9 (NINE)

MUNICIPAL COUNTY ROAD

SYSTEM

COMPLETED AS OF January 1 1955

TYPE OF ROAD			MILEAGE TOTAL	Davidson	Davie	Forsyth	Rowan	Stokes												
NON SURF'D	A	PRIMITIVE	00																	
	B	UNIMPROVED	10	0.40	0.33		0.07													
	C	GRADED AND DRAINED	20	3.43	0.20	1.30	0.85	1.08												
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	7.50	1.21	1.80	3.82	0.67												
	E	GRAVEL OR STONE —UNTREATED	41-43	2.70	0.88	1.29	0.53													
	TOTAL NON HARD SURFACED			14.03	1.54	1.08	4.39	5.27	1.75											
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	30.93	7.24	1.93	4.19	16.23	1.34										
			F2 GRAVEL OR STONE	52-53	6.02	1.48	0.86	2.73	0.95											
			F3 WATERBOUND MACADAM	54																
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61																
	G	MIXED BITUMINOUS	G2 RIGID BASE	61	0.34		0.34													
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62	0.79		0.79													
			H2 RIGID BASE	62	2.36			2.36												
	I	BITUMINOUS CONCRETE I1 SAND ASPHALT —HOT PREMIXED	I1	63	22.95	5.01	10.22	7.72												
			I2 ON P. C. CONCRETE	61																
			I3 ON BITUMINOUS CONCRETE	61	1.90		1.78	0.12												
			I4 ON OTHER TYPES THAN I2 AND I3	61	3.13	2.52		0.61												
	J	PORTLAND CEMENT CONCRETE		70	6.16	0.24	5.78	0.14												
	K	BRICK		80																
	L	BLOCK		90																
	M	DUAL TYPE		64-9 74-9																
	N	COMBINATION TYPE		64-9 74-9																
TOTAL HARD SURFACED				74.58	16.49	2.79	25.83	28.13	1.34											
TOTAL MILEAGE				88.61	18.03	3.87	30.22	33.40	3.09											

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 10 (TEN) _____

MUNICIPAL COUNTY ROAD

SYSTEM

COMPLETED AS OF January 1 19 55

TYPE OF ROAD				MILEAGE TOTAL																		
					Anson	Cabarrus	Mecklen- burg	Stanly	Union													
NON SURF'D	A PRIMITIVE 00			0.46		0.09	0.10	0.17	0.10													
	B UNIMPROVED 10			0.89	0.04		0.04	0.81														
	C GRADED AND DRAINED 20			4.47	2.10		0.99	0.22	1.16													
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED 30			9.33	1.59	0.10	0.25	0.23	7.16													
	E GRAVEL OR STONE —UNTREATED 41-43			4.73	0.38		1.64	1.79	0.92													
	TOTAL NON HARD SURFACED			19.88	4.11	0.19	3.02	3.22	9.34													
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	31.56	11.45	0.86	0.80	11.60	6.85														
		F2 GRAVEL OR STONE 52-53	18.12	1.56		3.52	4.34	8.70														
		F3 WATERBOUND MACADAM 54																				
	G MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x																				
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	0.66				0.66															
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																				
		H2 RIGID BASE 62	0.26			0.26																
	I BITUMINOUS CONCRETE I1	63	32.54	2.53	0.97	22.50	0.90	5.64														
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61	0.91			0.91																
		I3 ON BITUMINOUS CONCRETE 61	4.39	0.04	0.85	3.50																
		I4 ON OTHER TYPES THAN I2 AND I3 61	5.89	1.83		1.39		2.67														
	J PORTLAND CEMENT CONCRETE	70	5.05	1.73	0.25	1.28	1.79															
	K BRICK	80																				
	L BLOCK	90																				
	M DUAL TYPE	64-9 74-9																				
	N COMBINATION TYPE	64-9 74-9																				
TOTAL HARD SURFACED				99.38	19.14	2.93	34.16	16.84	26.31													
TOTAL MILEAGE				119.26	23.25	3.12	37.18	20.06	35.65													

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 11 (ELEVEN) _____

MUNICIPAL COUNTY ROAD		SYSTEM		COMPLETED AS OF January 1 19 55																	
TYPE OF ROAD			MILEAGE TOTAL	Alleghany	Ashe	Avery	Caldwell	Surry	Watauga	Wilkes	Yadkin										
NON SURF'D	A	PRIMITIVE	00	0.78	0.20	0.58															
	B	UNIMPROVED	10	8.01		3.13	1.63	2.37	0.15		0.47	0.26									
	C	GRADED AND DRAINED	20	3.60	0.08	0.34	0.40	0.68	0.85	0.85	0.40										
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	3.12				0.28			2.84										
	E	GRAVEL OR STONE —UNTREATED	41-43	16.81	1.43	0.78	5.50	2.55	0.90	1.75	2.35	1.55									
	TOTAL NON HARD SURFACED			32.32	1.71	4.83	7.53	4.92	2.01	2.60	3.67	5.05									
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	10.92	0.30		0.79	5.14	1.37	1.86		1.46									
			F2 GRAVEL OR STONE 52-53	23.79	0.10	2.60	3.66	5.19	2.33	4.09	1.50	4.32									
			F3 WATERBOUND MACADAM 54	0.89			0.89														
	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61																		
	G	MIXED BITUMINOUS	G2 RIGID BASE 61	0.44			0.44														
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																		
			H2 RIGID BASE 62	0.20			0.20														
HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE I1	63	0.35			0.35														
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61																		
		I3 ON BITUMINOUS CONCRETE	61																		
		I4 ON OTHER TYPES THAN I2 AND I3	61																		
	J	PORTLAND CEMENT CONCRETE	70	4.42			1.50	1.80		0.40	0.72										
	K	BRICK	80																		
	L	BLOCK	90																		
	M	DUAL TYPE	64-9 74-9																		
	N	COMBINATION TYPE	64-9 74-9																		
TOTAL HARD SURFACED				41.01	0.40	2.60	5.78	12.38	5.50	5.95	1.90	6.50									
TOTAL MILEAGE				73.33	2.11	7.43	13.31	17.30	7.51	8.55	5.57	11.55									

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 12 (TWELVE)

MUNICIPAL COUNTY ROAD		SYSTEM		COMPLETED AS OF January 1 19 55																	
TYPE OF ROAD			MILEAGE TOTAL	Alexander	Catawba	Cleveland	Gaston	Iredell	Lincoln												
NON SURF'D	A	PRIMITIVE	00																		
	B	UNIMPROVED	10	0.80	0.20		0.17	0.15	0.28												
	C	GRADED AND DRAINED	20	0.55	0.12		0.43														
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	13.20	0.21	1.00	4.18	4.03	1.38	2.40											
	E	GRAVEL OR STONE —UNTREATED	41-43	6.48		1.29	2.36	1.70	0.21	0.92											
	TOTAL NON HARD SURFACED			21.03	0.21	2.61	6.54	6.33	1.74	3.60											
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	43.43	0.85	10.59	7.48	3.26	19.05	2.20											
			F2 GRAVEL OR STONE 52-53	28.01	0.55	6.68	6.08	10.28	1.69	2.73											
			F3 WATERBOUND MACADAM 54																		
	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61																		
	G	MIXED BITUMINOUS	G2 RIGID BASE 61	1.55	0.10	0.83		0.62													
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																		
			H2 RIGID BASE 62	0.51				0.51													
HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE	I1 63	9.77	0.39	1.11	1.51	3.02	2.74	1.00											
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61																		
		I3 ON BITUMINOUS CONCRETE	61	1.24	0.49			0.74	0.01												
		I4 ON OTHER TYPES THAN I2 AND I3	61	5.67		1.30	1.43	2.94													
	J	PORTLAND CEMENT CONCRETE	70	0.77		0.27	0.01	0.20	0.29												
	K	BRICK	80																		
	L	BLOCK	90																		
	M	DUAL TYPE	64-9 74-9	0.06				0.06*													
	N	COMBINATION TYPE	64-9 74-9	0.55				0.55*													
TOTAL HARD SURFACED				91.56	2.38	20.78	16.51	22.18	23.78	5.93											
TOTAL MILEAGE				112.59	2.59	23.39	23.05	28.51	25.52	9.53											

*Asph.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 13 (THIRTEEN)

MUNICIPAL COUNTY ROAD			SYSTEM	COMPLETED AS OF January 1 19 55																			
TYPE OF ROAD			MILEAGE TOTAL	Buncombe	Burke	Madison	McDowell	Mitchell	Rutherford	Yancey													
NON SURF'D	A	PRIMITIVE	00	0.10				0.10															
	B	UNIMPROVED	10	1.85	0.09	0.45	0.80	0.05	0.36	0.02	0.08												
	C	GRADED AND DRAINED	20	1.54		0.31	0.30		0.35	0.58													
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	2.36	0.06	0.98			1.32														
	E	GRAVEL OR STONE —UNTREATED	41-43	26.87	4.79	0.80	6.03	0.77	4.69	8.99	0.80												
	TOTAL NON HARD SURFACED			32.72	4.94	2.54	7.13	0.82	5.50	10.91	0.88												
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	23.48		10.60	1.84	0.55		10.29	0.20												
			F2 GRAVEL OR STONE 52-53	25.25	6.03	1.62	4.35	2.08	1.72	9.33	0.12												
			F3 WATERBOUND MACADAM 54																				
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61																				
	G	MIXED BITUMINOUS	G2 RIGID BASE 61	0.22	0.22																		
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																				
			H2 RIGID BASE 62																				
	I	BITUMINOUS CONCRETE I1 SAND ASPHALT —HOT PREMIXED	I1 63	9.51	7.37	0.55	0.12	0.82		0.65													
			I2 ON P. C. CONCRETE 61																				
			I3 ON BITUMINOUS CONCRETE 61																				
			I4 ON OTHER TYPES THAN I2 AND I3 61	3.36	0.76	0.96				1.64													
	J	PORTLAND CEMENT CONCRETE	70	9.94	4.74		1.69	2.00	0.51	0.48	0.52												
	K	BRICK	80																				
	L	BLOCK	90																				
	M	DUAL TYPE	64-9 74-9	0.25		0.25*																	
	N	COMBINATION TYPE	64-9 74-9																				
TOTAL HARD SURFACED				72.01	19.12	13.98	8.00	5.45	2.23	22.39	0.84												
TOTAL MILEAGE				104.73	24.06	16.52	15.13	6.27	7.73	33.30	1.72												

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 14 (FOURTEEN)

MUNICIPAL COUNTY ROAD

SYSTEM

COMPLETED AS OF January 1 19 55

TYPE OF ROAD			MILEAGE TOTAL	Cherokee	Clay	Graham	Haywood	Henderson	Jackson	Macon	Polk	Swain	Transyl- vania									
NON SURF'D	A	PRIMITIVE	00																			
	B	UNIMPROVED	10	7.17	1.32		0.14	0.20	2.86	1.63	0.19	0.45	0.38									
	C	GRADED AND DRAINED	20	1.63	0.58		0.23	0.05	0.50				0.27									
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																			
	E	GRAVEL OR STONE —UNTREATED	41-43	24.57	3.97	0.04	0.10	1.76	2.38	5.34	4.94	2.58	1.65	1.81								
	TOTAL NON HARD SURFACED			33.37	5.87	0.04	0.10	2.13	2.63	8.70	6.57	2.77	2.10	2.46								
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	3.83			1.48	0.14		0.35	1.86											
			F2 GRAVEL OR STONE 52-53	27.65	4.52	1.31	1.09	3.97	2.22	3.07	1.78	3.30	4.06	2.33								
			F3 WATERBOUND MACADAM 54																			
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x	0.05				0.05														
	G	MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	0.15			0.15															
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62	0.13							0.13											
			H2 RIGID BASE 62	0.13							0.13											
	I	BITUMINOUS CONCRETE I1 SAND ASPHALT —HOT PREMIXED	I1 63	10.10	0.25		2.59	3.77		0.06	0.43	0.05	2.95									
			I2 ON P. C. CONCRETE 61	0.08				0.08														
			I3 ON BITUMINOUS CONCRETE 61	1.15			1.15															
			I4 ON OTHER TYPES THAN I2 AND I3 61	2.45			1.78	0.42			0.25											
	J	PORTLAND CEMENT CONCRETE	70	7.78	0.36		2.58		1.17		1.43	2.24										
	K	BRICK	80																			
	L	BLOCK	90																			
	M	DUAL TYPE	64-9 74-9																			
	N	COMBINATION TYPE	64-9 74-9																			
TOTAL HARD SURFACED				53.37	5.13	1.31	1.09	13.70	6.68	4.24	2.19	7.40	6.35	5.28								
TOTAL MILEAGE				86.74	11.00	1.35	1.19	15.83	9.31	12.94	8.76	10.17	8.45	7.74								

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY STATE TOTALS
DIVISION No. 1 through 14

All Systems

SYSTEM

COMPLETED AS OF Jan. 1 1955

TYPE OF ROAD			MILEAGE TOTAL	DIVISION	DIVISION	DIVISION	DIVISION	DIVISION	DIVISION	DIVISION	DIVISION	DIVISION	DIVISION	DIVISION	DIVISION	DIVISION	DIVISION						
				#1	#2	#3	#4	#5	#6	#7	#8	#9	#10	#11	#12	#13	#14						
NON SURF'D	A	PRIMITIVE	00	421.8	39.0	8.5	45.7	17.4	6.8	50.0	3.9	32.0	14.9	62.7	96.9	0.1	10.8	33.1					
	B	UNIMPROVED	10	2814.4	152.4	148.1	183.1	145.4	97.8	215.2	126.8	194.6	245.0	132.2	461.0	31.5	257.0	424.3					
	C	GRADED AND DRAINED	20	9344.5	889.6	1318.6	854.7	825.5	832.9	903.3	839.0	764.6	387.8	294.2	578.0	205.5	376.5	274.3					
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	8865.9	352.2	387.9	1155.4	965.0	745.2	1028.4	236.7	1137.8	757.9	269.9	191.0	1255.4	308.4	74.7					
	E	GRAVEL OR STONE —UNTREATED	41-43	13,198.8	441.7	198.7	28.5	274.7	902.1	34.8	1343.3	521.6	832.0	1174.7	2477.1	1092.6	1816.6	2060.4					
	TOTAL NON HARD SURFACED			34,645.4	1874.9	2061.8	2267.4	2228.0	2584.8	2231.7	2549.7	2650.6	2237.6	1933.7	3804.0	2585.1	2769.3	2866.8					
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	12,192.5	849.9	194.4	367.2	1384.7	1328.5	1158.1	767.1	1603.3	1309.6	846.5	396.6	1372.1	450.1	164.4				
			F2 GRAVEL OR STONE	52-53	7,253.1	311.4	109.6	41.9	252.1	274.7	87.7	794.6	340.1	476.7	986.1	1086.2	376.5	1072.0	1043.5				
			F3 WATERBOUND MACADAM	54	64.6		1.0			3.2				10.3	15.4	10.9	2.2	8.0	13.6				
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x	483.7	184.4	28.4	129.0	6.4	0.6	133.3		1.6										
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	726.6	78.6	26.7	176.6	35.8	27.4	113.0	73.0	37.7	4.6	11.4	8.1	54.4	41.0	38.3				
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62	7.5	6.3		0.4					0.8										
			H2 RIGID BASE	62	47.6			1.8		0.7		6.8	1.1	2.4	10.8	0.2	18.1	4.4	1.3				
HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE I1	63	4869.1	155.6	238.1	475.3	902.1	435.7	626.1	228.7	299.7	221.8	558.5	52.4	286.5	229.9	158.7					
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	377.6	74.2	52.7	0.6	48.1	19.8	7.5	31.2	56.8	14.8	3.5		9.5	26.5	32.4					
		I3 ON BITUMINOUS CONCRETE	61	310.8	26.2	93.6	59.5	10.0	5.0	18.0	31.2	11.1	18.3	14.3	0.9	14.9	2.0	5.8					
		I4 ON OTHER TYPES THAN I2 AND I3	61	5,659.6	682.4	1478.4	1004.1	468.0	272.8	767.7	23.5	735.7	88.7	86.7	1.6	22.1	22.4	5.5					
	J	PORTLAND CEMENT CONCRETE	70	1,831.1	184.0	191.0	67.2	115.6	209.4	98.6	181.5	143.8	173.1	165.3	59.5	47.8	137.5	56.8					
	K	BRICK	80	20.6	5.6	13.7	0.5				0.4		0.4										
	L	BLOCK	90	0.1									0.1										
	M	DUAL TYPE	64-9 74-9	109.1	0.3	0.2	0.5	10.1	9.4	24.4	10.0	2.1	9.2	29.2	1.4	7.3	4.7	0.3					
	N	COMBINATION TYPE	64-9 74-9	310.8	69.2	41.9	1.1	11.6	6.2	6.3	15.2	29.5	8.7	7.7	18.7	81.7	8.1	4.9					
	TOTAL HARD SURFACED			34264.4	2628.1	2469.7	2325.3	3244.9	2593.4	3040.7	2163.2	3262.5	2339.4	2735.5	1636.5	2293.1	2006.6	1525.5					
TOTAL MILEAGE			68909.8	4503.0	4531.5	4592.7	5472.9	5178.2	5272.4	4712.9	5913.1	4577.0	4669.2	5440.5	4878.2	4775.9	4392.3						

Note: This table is
in balance to the
nearest tenth of
a mile.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Rural State Highway SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY STATE TOTALS
DIVISION No. 1 through 14

TYPE OF ROAD			MILEAGE TOTAL	DIVISION #1	DIVISION #2	DIVISION #3	DIVISION #4	DIVISION #5	DIVISION #6	DIVISION #7	DIVISION #8	DIVISION #9	DIVISION #10	DIVISION #11	DIVISION #12	DIVISION #13	DIVISION #14					
NON SURF'D	A	PRIMITIVE	00																			
	B	UNIMPROVED	10	3.7										3.7								
	C	GRADED AND DRAINED	20	8.7													8.7					
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	5.9					0.1			5.8										
	E	GRAVEL OR STONE —UNTREATED	41-43	127.5	0.1									4.8		75.5	47.1					
	TOTAL NON HARD SURFACED			145.8	0.1				0.1			5.8		8.5		75.5	55.8					
	F	BITUMINOUS SURFACE																				
		F1 TOPSOIL OR SAND-CLAY	51	2,535.2	199.4	26.7	104.2	392.9	301.3	174.7	238.8	252.7	207.3	173.4	143.0	251.6	53.5	15.7				
		F2 GRAVEL OR STONE	52-53	2,096.1	105.1	12.8	1.8	58.0	75.4	56.5	141.6	74.0	129.9	127.8	488.1	22.5	348.6	454.0				
HIGH TYPE SURFACES	TREATED																					
	G	MIXED BITUMINOUS																				
		G1 NONRIGID BASE	61	78.8	5.7		29.0			44.1												
		G2 RIGID BASE	61	585.9	59.0	15.2	151.4	30.9	19.9	92.2	65.1	33.5	0.7	7.4	4.0	47.4	24.8	34.4				
	H	BITUMINOUS PENETRATION																				
		H1 NONRIGID BASE	62																			
		H2 RIGID BASE	62	17.8							2.5			2.1		10.4	2.8					
	I	BITUMINOUS CONCRETE I1	63	1,938.7	68.8	123.2	190.8	298.8	136.0	245.8	105.6	73.6	114.4	109.6	40.6	176.7	157.9	96.9				
		SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	311.6	64.7	46.0		41.3	17.0	5.2	23.8	48.4	11.1	0.1		7.7	18.0	28.3			
			I3 ON BITUMINOUS CONCRETE	61	220.5	23.9	86.1	53.9	0.4	3.9	15.2	21.8	6.0	6.8	1.7			0.8				
			I4 ON OTHER TYPES THAN I2 AND I3	61	1,248.1	164.1	294.0	210.4	43.8	46.2	247.7	3.1	152.8	29.0	39.8		2.4	12.2	2.6			
	J	PORTLAND CEMENT CONCRETE	70	1,315.6	143.7	158.3	53.4	93.7	162.9	79.4	106.7	118.2	126.4	119.3	38.6	31.4	48.8	34.8				
	K	BRICK	80																			
	L	BLOCK	90																			
	M	DUAL TYPE	64-9 74-9	78.6				9.0	6.7	20.7	7.4		6.4	24.2		3.0	1.2					
	N	COMBINATION TYPE	64-9 74-9	288.9	68.3	41.1	1.1	11.6	6.2	5.1	15.2	26.6	7.6	4.9	18.1	72.0	6.6	4.5				
TOTAL HARD SURFACED				10,735.8	902.7	803.4	796.0	980.4	775.5	986.6	731.6	785.8	639.6	610.3	741.3	626.9	679.2	676.5				
TOTAL MILEAGE				10,881.6	902.8	803.4	796.0	980.4	775.5	986.7	731.6	785.8	645.4	610.3	749.8	626.9	754.7	732.3				

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Municipal State Highway SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY STATE TOTALS
DIVISION No. 1 through 14

TYPE OF ROAD			MILEAGE TOTAL	DIVISION #1	DIVISION #2	DIVISION #3	DIVISION #4	DIVISION #5	DIVISION #6	DIVISION #7	DIVISION #8	DIVISION #9	DIVISION #10	DIVISION #11	DIVISION #12	DIVISION #13	DIVISION #14					
NON SURF'D	A	PRIMITIVE	00																			
	B	UNIMPROVED	10	1.54										1.54								
	C	GRADED AND DRAINED	20																			
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	1.20					0.20								1.00					
	E	GRAVEL OR STONE —UNTREATED	41-43	1.35												1.35						
	TOTAL NON HARD SURFACED			4.09					0.20					1.54		1.35	1.00					
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	113.06	18.45	1.88	6.99	11.09	11.07	13.15	3.04	27.35	2.78	6.41	3.67	6.20	0.56	0.42				
			F2 GRAVEL OR STONE 52-53	91.81	5.34	1.94	0.21	0.70	3.03	0.22	4.72	2.16	4.79	3.95	30.27	6.08	11.25	17.15				
			F3 WATERBOUND MACADAM 54	1.01											0.34		0.67					
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x	1.14			0.58			0.56												
	G	MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	35.54	4.35	1.03	9.23	3.18	0.35	4.18	2.65	0.46	0.25	1.34	0.92	3.03	1.14	3.43				
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																			
			H2 RIGID BASE 62	5.25									1.09		2.71	1.45						
	I	BITUMINOUS CONCRETE I1 SAND ASPHALT —HOT PREMIXED	I1 63	403.56	14.55	14.48	19.21	38.62	43.19	33.21	43.28	21.79	36.97	38.93	9.66	42.35	28.72	18.60				
			I2 ON P. C. CONCRETE 61	45.24	3.44	5.09		6.81	2.80	2.05	6.13	7.21	3.69	0.04		1.79	3.67	2.52				
			I3 ON BITUMINOUS CONCRETE 61	62.39	0.48	6.59	3.50	7.06	0.71	2.79	7.57	1.43	9.58	3.39	0.91	13.66	0.89	3.83				
			I4 ON OTHER TYPES THAN I2 AND I3 61	104.16	9.95	15.89	15.26	3.55	3.39	21.46	0.47	21.38	1.30	1.87		4.45	4.70	0.49				
	J	PORTLAND CEMENT CONCRETE	70	221.83	15.83	22.32	12.39	13.47	29.01	15.42	18.11	13.79	10.67	19.78	15.65	13.89	18.16	3.34				
	K	BRICK	80	0.52							0.15		0.37									
	L	BLOCK	90	0.11										0.11								
	M	DUAL TYPE	64-9 74-9	20.61	0.23	0.24		1.07	0.98		2.35	0.33	1.18	4.98	1.43	4.21	3.32	0.29				
	N	COMBINATION TYPE	64-9 74-9	16.18	0.75	0.80			0.03	0.65		2.11	1.02	1.32	0.61	7.24	1.52	0.13				
TOTAL HARD SURFACED				1,122.41	73.37	70.26	67.37	85.55	94.56	93.69	88.47	98.01	72.60	83.21	63.46	105.61	76.05	50.20				
TOTAL MILEAGE				1,126.50	73.37	70.26	67.37	85.55	94.56	93.89	88.47	98.01	72.60	83.21	65.00	105.61	77.40	51.20				

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Rural County Road SYSTEM

COMPLETED AS OF Jan 1 19 55

COUNTY State Totals
DIVISION No. 1 through 14

TYPE OF ROAD			MILEAGE TOTAL	Division #1	Division #2	Division #3	Division #4	Division #5	Division #6	Division #7	Division #8	Division #9	Division #10	Division #11	Division #12	Division #13	Division #14					
NON SURF'D	A	PRIMITIVE	00	415.3	39.0	8.5	42.3	17.4	6.8	49.5	3.9	30.8	14.9	62.2	96.1	0.1	10.7	33.1				
	B	UNIMPROVED	10	2765.8	147.8	145.4	180.6	142.5	95.7	211.1	126.8	189.2	244.6	131.3	447.8	30.7	255.2	417.1				
	C	GRADED AND DRAINED	20	9251.6	876.0	1308.8	847.2	819.7	824.9	895.6	830.2	756.8	384.4	289.7	574.4	204.9	375.0	264.0				
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	8750.6	349.3	377.6	1144.4	953.9	739.0	1014.0	234.4	1123.0	744.6	260.6	187.9	1242.2	306.0	73.7				
	E	GRAVEL OR STONE —UNTREATED	41-43	12966.3	439.7	196.5	28.1	273.5	899.0	34.4	1336.3	516.4	829.3	1170.0	2455.5	1086.1	1712.8	1988.7				
	TOTAL NON HARD SURFACED			34,149.6	1851.8	2036.8	2242.6	2207.0	2565.4	2204.6	2531.6	2616.2	2217.8	1913.8	3761.7	2564.0	2659.7	2776.6				
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	9144.2	606.3	160.3	241.5	947.0	985.6	931.9	499.0	1242.0	1068.6	635.1	239.0	1070.9	372.5	144.5				
			F2 GRAVEL OR STONE 52-53	4878.3	194.7	93.1	39.1	190.5	190.8	29.2	622.9	250.2	336.0	836.2	544.0	319.9	687.0	544.7				
			F3 WATERBOUND MACADAM 54	42.3		0.6			3.2				10.3	15.4	0.8	0.4	2.5	9.1				
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x	394.2	177.2	27.4	94.9	6.2	0.6	86.3		1.6										
	G	MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	94.2	14.6	9.6	15.7	1.5	6.8	14.7	1.8	3.7	3.4	2.0	2.8	2.4	14.9	0.3				
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62	6.5	6.3		0.2															
			H2 RIGID BASE 62	21.1			1.8		0.7		4.3	1.1		7.3		4.5	0.2	1.2				
	I	BITUMINOUS CONCRETE I1 SAND ASPHALT —HOT PREMIXED	I1 63	2,343.4	68.0	94.6	254.0	551.2	242.8	333.6	50.2	197.9	47.4	377.5	1.7	57.6	33.8	33.1				
			I2 ON P. C. CONCRETE 61	15.6	5.5	0.6					0.5	0.2		2.5			4.8	1.5				
			I3 ON BITUMINOUS CONCRETE 61	12.3	1.1	0.3	0.5	1.5				3.0		4.8			1.1					
			I4 ON OTHER TYPES THAN I2 AND I3 61	4,150.7	494.4	1131.6	749.7	407.3	216.1	477.9	17.5	548.5	55.3	39.1	1.6	9.6	2.1					
	J	PORTLAND CEMENT CONCRETE	70	231.1	18.9	8.5	0.5	6.9	13.4	1.4	48.0	8.4	29.8	21.2	0.9	1.7	60.6	10.9				
	K	BRICK	80	17.6	5.0	12.6																
	L	BLOCK	90																			
	M	DUAL TYPE	64-9 74-9	8.6	0.1		0.5		1.7	3.7		1.0	1.6									
	N	COMBINATION TYPE	64-9 74-9	4.4	0.1					0.6				1.5		1.9		0.3				
TOTAL HARD SURFACED				21,364.5	1,592.2	1539.2	1398.2	2112.3	1661.7	1879.3	1244.2	2257.6	1552.4	1942.6	790.8	1468.9	1179.5	745.6				
TOTAL MILEAGE				55,514.1	3,444.0	3576.0	3640.8	4319.3	4227.1	4083.9	3775.8	4873.8	3770.2	3856.4	4552.5	4032.9	3839.2	3522.2				

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Municipal County Road SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY STATE TOTALS
DIVISION No. 1 through 14

TYPE OF ROAD			MILEAGE TOTAL	DIVISION																			
				DIVISION # 1	DIVISION # 2	DIVISION # 3	DIVISION # 4	DIVISION # 5	DIVISION # 6	DIVISION # 7	DIVISION # 8	DIVISION # 9	DIVISION # 10	DIVISION # 11	DIVISION # 12	DIVISION # 13	DIVISION # 14						
NON SURF'D	A	PRIMITIVE	00	6.45			3.40			0.54		1.17		0.46	0.78		0.10						
	B	UNIMPROVED	10	43.39	4.61	2.66	2.47	2.86	2.13	4.14	0.05	5.35	0.40	0.89	8.01	0.80	1.85	7.17					
	C	GRADED AND DRAINED	20	84.30	13.63	9.79	7.47	5.79	8.05	7.70	8.84	7.81	3.43	4.47	3.60	0.55	1.54	1.63					
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	108.15	2.86	10.31	10.98	11.06	6.21	14.12	2.34	14.76	7.50	9.33	3.12	13.20	2.36						
	E	GRAVEL OR STONE —UNTREATED	41-43	103.61	1.93	2.24	0.38	1.18	3.12	0.35	7.05	5.20	2.70	4.73	16.81	6.48	26.87	24.57					
	TOTAL NON HARD SURFACED			345.90	23.03	25.00	24.70	20.89	19.51	26.85	18.28	34.29	14.03	19.88	32.32	21.03	32.72	33.37					
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	400.04	25.85	5.53	14.50	33.70	30.49	38.31	26.30	81.21	30.93	31.56	10.92	43.43	23.48	3.83				
			F2 GRAVEL OR STONE	52-53	187.00	6.26	1.75	0.81	2.88	5.46	1.85	25.45	13.70	6.02	18.12	23.79	28.01	25.25	27.65				
			F3 WATERBOUND MACADAM	54	1.32		0.43								0.89								
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x	9.61	1.50	1.00	4.52	0.23		2.31							0.05					
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	10.98	0.57	0.90	0.32	0.15	0.32	1.87	3.49		0.34	0.66	0.44	1.55	0.22	0.15				
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62	1.04				0.25					0.79									
			H2 RIGID BASE	62	3.46										2.36	0.26	0.20	0.51		0.13			
HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE I1	63	183.23	4.24	5.75	11.30	13.46	13.74	13.52	29.60	6.40	22.95	32.54	0.35	9.77	9.51	10.10					
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	5.23	0.65	0.96	0.58			0.33	0.76	0.96		0.91				0.08					
		I3 ON BITUMINOUS CONCRETE	61	15.62	0.74	0.63	1.61	1.00	0.40		1.81	0.75	1.90	4.39		1.24		1.15					
		I4 ON OTHER TYPES THAN I2 AND I3	61	156.43	13.92	36.94	28.68	13.40	7.09	20.55	2.35	13.00	3.13	5.89		5.67	3.36	2.45					
	J	PORTLAND CEMENT CONCRETE	70	62.65	5.55	1.89	0.87	1.50	4.13	2.45	8.73	3.41	6.16	5.05	4.42	0.77	9.94	7.78					
	K	BRICK	80	2.40	0.63	1.08	0.53				0.16												
	L	BLOCK	90																				
	M	DUAL TYPE	64-9 74-9	1.33								0.17	0.85			0.06	0.25						
	N	COMBINATION TYPE	64-9 74-9	1.38									0.83			0.55							
	TOTAL HARD SURFACED				1041.72	59.91	56.86	63.72	66.57	61.63	81.19	98.82	121.11	74.58	99.38	41.01	91.56	72.01	53.37				
TOTAL MILEAGE				1387.62	82.34	81.86	88.42	87.46	81.14	108.04	117.10	155.40	88.61	119.26	73.33	112.59	104.73	86.74					

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Rural State Highway SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 1 (one)

TYPE OF ROAD				MILEAGE TOTAL	Bertie	Camden	Chowan	Currituck	Dare	Gates	Hertford	Hyde	Martin	Northampton	Pasquotank	Perquimans	Tyrrell	Washington						
NON SURF'D	A	PRIMITIVE	00																					
	B	UNIMPROVED	10																					
	C	GRADED AND DRAINED	20																					
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																					
	E	GRAVEL OR STONE —UNTREATED	41-43	0.1								0.1												
	TOTAL NON HARD SURFACED			0.1								0.1												
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	199.4	57.5	5.0		11.3		15.1	22.6	36.8	46.3			4.8							
			F2 GRAVEL OR STONE	52-53	105.1			4.3	0.8	36.4	6.6	2.2	0.1	11.0	6.4	6.9	22.0	8.4						
			F3 WATERBOUND MACADAM	54																				
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x	5.7				5.7															
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	59.0				2.6	29.6			5.7	15.2	0.8		5.1							
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62																				
			H2 RIGID BASE	62																				
HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE I1	63	68.8	21.5						14.6		1.1	31.6										
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	64.7		13.6	4.1	20.3				0.4		7.9	10.8	7.6								
		I3 ON BITUMINOUS CONCRETE	61	23.9	6.3								10.6		7.0									
		I4 ON OTHER TYPES THAN I2 AND I3	61	164.1		21.3	20.0	24.2	14.8	30.0		22.2			1.8	8.4	8.1	13.3						
		J	PORTLAND CEMENT CONCRETE	70	143.7	4.1		19.5	0.4	2.5	8.1	25.6	18.5	17.1	20.1	8.4	10.4		9.0					
	K	BRICK	80																					
	L	BLOCK	90																					
	M	DUAL TYPE	64-9 74-9																					
	N	COMBINATION TYPE	64-9 74-9	68.3	11.6*	2.8*		14.2*					16.4*			0.4*	5.8*	17.1*						
	TOTAL HARD SURFACED				902.7	101.0	42.7	47.9	59.9	73.3	74.3	57.5	63.8	98.7	127.5	35.7	26.8	45.8	47.8					
TOTAL MILEAGE				902.8	101.0	42.7	47.9	59.9	73.3	74.3	57.5	63.9	98.7	127.5	35.7	26.8	45.8	47.8						

*P.C. Conc. *2.6 P.C. Conc.
0.2 Asph.
* 0.4 Asph.
13.8 P.C. Conc.

*P.C. Conc. *P.C. Conc. *P.C. Conc.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Rural State Highway SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 2 (two)

TYPE OF ROAD			MILEAGE TOTAL	Beaufort	Carteret	Craven	Greene	Jones	Lenoir	Pamlico	Pitt										
NON SURF'D	A	PRIMITIVE	00																		
	B	UNIMPROVED	10																		
	C	GRADED AND DRAINED	20																		
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																		
	E	GRAVEL OR STONE —UNTREATED	41-43																		
	TOTAL NON HARD SURFACED																				
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	26.7			15.4				11.3										
			F2 GRAVEL OR STONE 52-53	12.8	10.9	1.2	0.7														
			F3 WATERBOUND MACADAM 54																		
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x																		
	G	MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	15.2	4.0	6.2	5.0														
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																		
			H2 RIGID BASE 62																		
	I	BITUMINOUS CONCRETE I1	63	123.2	4.7	11.5	18.2	25.5		8.7	11.8	42.8									
		SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61	46.0	4.4	6.0	8.0	0.1	0.5	0.4		26.6									
			I3 ON BITUMINOUS CONCRETE 61	86.1	8.5		23.5	17.1		37.0											
			I4 ON OTHER TYPES THAN I2 AND I3 61	294.0	34.8	51.3	35.5	9.8	28.4	43.1	27.2	63.9									
	J	PORTLAND CEMENT CONCRETE	70	158.3	63.8		26.0	0.2	32.3	1.0	13.7	21.3									
	K	BRICK	80																		
	L	BLOCK	90																		
	M	DUAL TYPE	64-9 74-9																		
	N	COMBINATION TYPE	64-9 74-9	41.1	17.3*		7.0*					16.8*									
TOTAL HARD SURFACED				803.4	148.4	75.0	124.4	68.8	61.2	90.2	52.7	182.7									
TOTAL MILEAGE				803.4	148.4	75.0	124.4	68.8	61.2	90.2	52.7	182.7									

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Rural State Highway SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 3 (three)

TYPE OF ROAD			MILEAGE TOTAL	Brunswick	Duplin	New Hanover	Onslow	Pender	Sampson											
NON SURF'D	A	PRIMITIVE	00																	
	B	UNIMPROVED	10																	
	C	GRADED AND DRAINED	20																	
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																	
	E	GRAVEL OR STONE —UNTREATED	41-43																	
	TOTAL NON HARD SURFACED																			
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	104.2	12.8	1.2		5.6	84.6											
			F2 GRAVEL OR STONE 52-53	1.8					1.8											
			F3 WATERBOUND MACADAM 54																	
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x	29.0	12.2	10.8		3.7	2.3											
	G	MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	151.4	52.9	23.9		13.4	61.2											
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																	
			H2 RIGID BASE 62																	
	I	BITUMINOUS CONCRETE 11 SAND ASPHALT —HOT PREMIXED	I1 63	190.8	33.2	44.9	28.6	3.6	45.4	35.1										
			I2 ON P. C. CONCRETE 61																	
			I3 ON BITUMINOUS CONCRETE 61	53.9				53.9												
			I4 ON OTHER TYPES THAN I2 AND I3 61	210.4	35.5	34.7	18.0	57.9	56.0	8.3										
	J	PORTLAND CEMENT CONCRETE	70	53.4	1.8	16.1	3.8	0.4	31.3											
	K	BRICK	80																	
	L	BLOCK	90																	
	M	DUAL TYPE	64-9 74-9																	
	N	COMBINATION TYPE	64-9 74-9	1.1			1.1*													
TOTAL HARD SURFACED				796.0	135.6	143.2	52.7	115.4	124.5	224.6										
TOTAL MILEAGE				796.0	135.6	143.2	52.7	115.4	124.5	224.6										

Rural State Highway SYSTEM

COUNTY Division Totals
DIVISION No. 4 (four)

0.1 Asph
11.5 P.C. CONC.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Rural State Highway SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 5 (five)

TYPE OF ROAD			MILEAGE TOTAL	Durham	Franklin	Gronville	Person	Vance	Wake	Warren										
NON SURF'D	A	PRIMITIVE	00																	
	B	UNIMPROVED	10																	
	C	GRADED AND DRAINED	20																	
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																	
	E	GRAVEL OR STONE —UNTREATED	41-43																	
	TOTAL NON HARD SURFACED																			
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	301.3	10.0	93.0	50.1	46.2	21.7	47.6	32.7									
			F2 GRAVEL OR STONE 52-53	75.4		11.1	16.3	11.4		31.5	5.1									
			F3 WATERBOUND MACADAM 54																	
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x																	
	G	MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	19.9	9.9			10.0												
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																	
			H2 RIGID BASE 62																	
	I	BITUMINOUS CONCRETE I1 SAND ASPHALT —HOT PREMIXED	I1 63	136.0	12.4	18.6	24.4		10.3	62.8	7.5									
			I2 ON P. C. CONCRETE 61	17.0	5.9		3.2		7.9											
			I3 ON BITUMINOUS CONCRETE 61	3.9						3.9										
			I4 ON OTHER TYPES THAN I2 AND I3 61	46.2		6.5			8.7	31.0										
	J	PORTLAND CEMENT CONCRETE	70	162.9	44.0	19.4	9.3	24.1	1.3	38.9	25.9									
	K	BRICK	80																	
	L	BLOCK	90																	
	M	DUAL TYPE	64-9 74-9	6.7						6.7 [*]										
	N	COMBINATION TYPE	64-9 74-9	6.2						6.2 ^o										
TOTAL HARD SURFACED				775.5	82.2	148.6	103.3	91.7	49.9	228.6	71.2									
TOTAL MILEAGE				775.5	82.2	148.6	103.3	91.7	49.9	228.6	71.2									

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Rural State Highway SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 6 (six)

TYPE OF ROAD				MILEAGE TOTAL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																													
					Bladen	Columbus	Cumberland	Harnett	Robeson																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																								

*P.C. Conc *P.C. Conc. *4.7 Agol
0.9 P.C. Conc

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Rural State Highway SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 7 (seven)

TYPE OF ROAD			MILEAGE TOTAL	Alamance	Caswell	Guilford	Orange	Rockingham												
NON SURF'D	A	PRIMITIVE	00																	
	B	UNIMPROVED	10																	
	C	GRADED AND DRAINED	20																	
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																	
	E	GRAVEL OR STONE —UNTREATED	41-43																	
	TOTAL NON HARD SURFACED																			
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	238.8	58.4	35.6	4.9	51.1	51.8											
			F2 GRAVEL OR STONE 52-53	141.6	25.2	25.5	16.8	15.5	58.6											
			F3 WATERBOUND MACADAM 54																	
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61																	
	G	MIXED BITUMINOUS	G2 RIGID BASE 61	65.1		44.5	9.0	0.6	11.0											
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																	
			H2 RIGID BASE 62	2.5	0.4		2.1													
	I	SAND ASPHALT —HOT PREMIXED	I1 BITUMINOUS CONCRETE 63	105.6	12.0		51.0	13.8	28.8											
			I2 ON P. C. CONCRETE 61	23.8	11.6		5.2		7.0											
			I3 ON BITUMINOUS CONCRETE 61	21.8			21.8													
			I4 ON OTHER TYPES THAN I2 AND I3 61	3.1			1.2		1.9											
	J	PORTLAND CEMENT CONCRETE	70	106.7	27.6	15.6	33.2	17.5	12.8											
	K	BRICK	80																	
	L	BLOCK	90																	
	M	DUAL TYPE	64-9 74-9	7.4			6.6*	0.8*												
			64-9 74-9	15.2		3.5*	8.7°		3.0*											
	N	COMBINATION TYPE	74-9																	
TOTAL HARD SURFACED				731.6	135.2	124.7	197.5	99.3	174.9											
TOTAL MILEAGE				731.6	135.2	124.7	197.5	99.3	174.9											

*P.C. CONC. *Asph. *0.7 BST *P.C. CONC.
°P.C. CONC. °0.1 P.C. CONC.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Rural State Highway SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 8 (eight)

TYPE OF ROAD				MILEAGE TOTAL																			
					Chatham	Hoke	Lee	Montgomery	Moore	Randolph	Richmond	Scotland											
NON SURF'D	A PRIMITIVE			00																			
	B UNIMPROVED			10																			
	C GRADED AND DRAINED			20																			
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED			30																			
	E GRAVEL OR STONE —UNTREATED			41-43																			
	TOTAL NON HARD SURFACED																						
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	252.7	36.9	7.0	8.3	28.9	70.6	73.4	21.0	6.6											
		F2 GRAVEL OR STONE	52-53	74.0	10.3		10.2	14.3	5.2	34.0													
		F3 WATERBOUND MACADAM	54																				
	G MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x																				
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	33.5		3.5		1.5		4.3	3.6	20.6											
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	62																				
		H2 RIGID BASE	62																				
	I BITUMINOUS CONCRETE I1		63	73.6	6.4	2.8	6.8	27.1		17.7	12.8												
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	48.4		5.5			9.0	11.4	7.1	15.4											
		I3 ON BITUMINOUS CONCRETE	61	6.0						4.2	1.8												
		I4 ON OTHER TYPES THAN I2 AND I3	61	152.8		31.0			40.4	7.2	52.0	22.2											
		J PORTLAND CEMENT CONCRETE		70	118.2	37.5	0.8	15.5	27.1	22.0	15.2	0.1											
	K BRICK		80																				
	L BLOCK		90																				
	M DUAL TYPE		64-9 74-9																				
	N COMBINATION TYPE		64-9 74-9	26.6	19.7 [*]		5.8 [*]		1.1 [*]														
	TOTAL HARD SURFACED				785.8	110.8	50.6	46.6	98.9	148.3	167.4	98.4	64.8										
	TOTAL MILEAGE				785.8	110.8	50.6	46.6	98.9	148.3	167.4	98.4	64.8										

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Rural State Highway SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 9 (Nine)

TYPE OF ROAD				MILEAGE TOTAL																			
					Davidson	Davie	Forsyth	Rowan	Stokes														
NON SURF'D	A PRIMITIVE			00																			
	B UNIMPROVED			10																			
	C GRADED AND DRAINED			20																			
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED			30	5.8			1.4		4.4													
	E GRAVEL OR STONE —UNTREATED			41-43																			
	TOTAL NON HARD SURFACED				5.8			1.4		4.4													
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	207.3	57.8	36.1	28.7	24.2	60.5														
		F2 GRAVEL OR STONE	52-53	129.9	31.9	27.1	15.7	5.6	49.6														
		F3 WATERBOUND MACADAM	54																				
	G MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x																				
	G MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	0.7				0.7															
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	62																				
		H2 RIGID BASE	62																				
HIGH TYPE SURFACES	I BITUMINOUS CONCRETE I1			63	114.4	20.2	21.2	40.7	22.2	10.1													
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	11.1	3.1	8.0																	
		I3 ON BITUMINOUS CONCRETE	61	6.8				6.8															
		I4 ON OTHER TYPES THAN I2 AND I3	61	29.0	20.2			8.8															
	J PORTLAND CEMENT CONCRETE			70	126.4	24.7	0.1	52.6	30.8	18.2													
	K BRICK			80																			
	L BLOCK			90																			
	M DUAL TYPE	64-9 74-9	6.4	0.1 [*]			6.3 [*]																
	N COMBINATION TYPE	64-9 74-9	7.6			6.3 [*]	1.3 ^o																
	TOTAL HARD SURFACED				639.6	158.0	92.5	144.0	106.7	138.4													
TOTAL MILEAGE				645.4	158.0	92.5	145.4	106.7	142.8														

*P.C. Conc.

*P.C. Conc.

*5.7 BST
0.4 Asph
0.2 P.C. Conc.

°Asph.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Rural State Highway SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 10 (ten)

TYPE OF ROAD			MILEAGE TOTAL	ANSON	Cabarrus	Mecklenburg	Stanly	Union												
NON SURF'D	A	PRIMITIVE	00																	
	B	UNIMPROVED	10																	
	C	GRADED AND DRAINED	20																	
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																	
	E	GRAVEL OR STONE —UNTREATED	41-43																	
	TOTAL NON HARD SURFACED																			
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	173.4	54.9	6.6	22.1	17.6	72.2										
			F2 GRAVEL OR STONE	52-53	127.8	23.1	20.3	19.8	12.1	52.5										
			F3 WATERBOUND MACADAM	54																
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x																
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	7.4	4.2		3.2												
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62																
			H2 RIGID BASE	62	2.1			2.1												
	I	BITUMINOUS CONCRETE I1		63	109.6	3.9	10.1	56.7	32.5	6.4										
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	0.1			0.1													
		I3 ON BITUMINOUS CONCRETE	61	1.7	0.4		0.8	0.5												
		I4 ON OTHER TYPES THAN I2 AND I3	61	39.8			23.7			16.1										
	J	PORTLAND CEMENT CONCRETE		70	119.3	27.7	13.5	28.7	32.8	16.6										
	K	BRICK		80																
	L	BLOCK		90																
	M	DUAL TYPE	64-9 74-9	24.2			14.1 [*]	10.1 [*]												
	N	COMBINATION TYPE	64-9 74-9	4.9			3.4 ^o	1.5 ^o												
TOTAL HARD SURFACED				610.3	114.2	92.6	144.7	95.0	163.8											
TOTAL MILEAGE				610.3	114.2	92.6	144.7	95.0	163.8											

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Rural State Highway SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 11 (eleven)

TYPE OF ROAD			MILEAGE TOTAL	Alleghany	Ashe	Avery	Caldwell	Surry	Watauga	Wilkes	Yadkin										
NON SURF'D	A	PRIMITIVE	00																		
	B	UNIMPROVED	10	3.7			3.7														
	C	GRADED AND DRAINED	20																		
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																		
	E	GRAVEL OR STONE —UNTREATED	41-43	4.8	1.6		3.2														
	TOTAL NON HARD SURFACED			8.5	1.6		6.9														
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	143.0			27.9	65.7		30.8	18.6										
			F2 GRAVEL OR STONE 52-53	488.1	62.7	97.1	58.1	59.1	37.3	66.2	93.2	14.4									
			F3 WATERBOUND MACADAM 54	8.9	4.7		4.2														
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61																		
	G	MIXED BITUMINOUS	G2 RIGID BASE 61	4.0			4.0														
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																		
			H2 RIGID BASE 62																		
	I	BITUMINOUS CONCRETE I1 SAND ASPHALT —HOT PREMIXED	I1 63	40.6		5.8	0.3	0.2			14.2	20.1									
			I2 ON P. C. CONCRETE 61																		
			I3 ON BITUMINOUS CONCRETE 61																		
			I4 ON OTHER TYPES THAN I2 AND I3 61																		
	J	PORTLAND CEMENT CONCRETE	70	38.6			0.1	11.5	2.1	6.4	2.7	15.8									
	K	BRICK	80																		
	L	BLOCK	90																		
	M	DUAL TYPE	64-9 74-9																		
	N	COMBINATION TYPE	64-9 74-9	18.1			3.3*		9.8*			5.0*									
TOTAL HARD SURFACED				741.3	67.4	102.9	70.0	98.7	114.9	72.6	140.9	73.9									
TOTAL MILEAGE				749.8	69.0	102.9	70.0	105.6	114.9	72.6	140.9	73.9									

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Rural State Highway SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 12 (twelve)

TYPE OF ROAD			MILEAGE TOTAL	Alexander	Catawba	Cleveland	Gaston	Iredell	Lincoln												
NON SURF'D	A	PRIMITIVE	00																		
	B	UNIMPROVED	10																		
	C	GRADED AND DRAINED	20																		
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																		
	E	GRAVEL OR STONE —UNTREATED	41-43																		
	TOTAL NON HARD SURFACED																				
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	251.6	16.3	31.8	87.0	19.1	33.2	64.2											
			F2 GRAVEL OR STONE 52-53	22.5		17.1	3.0	0.1	1.7	0.6											
			F3 WATERBOUND MACADAM 54	1.8		1.8															
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x																		
	G	MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	47.4	17.8			22.8		6.8											
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																		
			H2 RIGID BASE 62	10.4				10.4													
	I	BITUMINOUS CONCRETE I1		176.7	10.4	10.2	50.0	23.2	72.6	10.3											
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61		7.7				7.7													
		I3 ON BITUMINOUS CONCRETE 61																			
		I4 ON OTHER TYPES THAN I2 AND I3 61		2.4				2.4													
	J	PORTLAND CEMENT CONCRETE	70	31.4		18.2	0.2	6.3	6.7												
	K	BRICK	80																		
	L	BLOCK	90																		
	M	DUAL TYPE	64-9 74-9	3.0				3.0 [*]													
	N	COMBINATION TYPE	64-9 74-9	72.0		23.4 [*]	0.4 [*]	10.1 ^o	20.3 [*]	17.8 [*]											
TOTAL HARD SURFACED				626.9	44.5	100.7	142.4	105.1	134.5	99.7											
TOTAL MILEAGE				626.9	44.5	100.7	142.4	105.1	134.5	99.7											

*16.8 Asph *P.C. Conc. *3.0 min. Bit *7.0 Bit. Pen. *11.3 Asph
6.6 P.C. Conc
*9.7 Asph
5.4 P.C. Conc
11.3 Asph 6.5 P.C. Conc

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Rural State Highways SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 13 (thirteen)

TYPE OF ROAD			MILEAGE TOTAL	Buncombe	Burke	Madison	McDowell	Mitchell	Rutherford	Yancey										
NON SURF'D	A	PRIMITIVE	00																	
	B	UNIMPROVED	10																	
	C	GRADED AND DRAINED	20																	
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																	
	E	GRAVEL OR STONE —UNTREATED	41-43	75.5	17.8	10.6	34.0		7.2	5.9										
	TOTAL NON HARD SURFACED			75.5	17.8	10.6	34.0		7.2	5.9										
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	53.5		4.0		9.8		30.2	9.5									
			F2 GRAVEL OR STONE 52-53	348.6	30.8	71.2	67.5	62.9	37.1	22.8	56.3									
			F3 WATERBOUND MACADAM 54	4.8					4.8											
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61																	
	G	MIXED BITUMINOUS	G2 RIGID BASE 61	24.8	9.1				3.4	5.9	6.4									
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																	
			H2 RIGID BASE 62	2.8					2.0	0.8										
	I	BITUMINOUS CONCRETE I1		157.9	61.6	20.2	3.8	35.4		27.5	9.4									
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61		18.0	18.0															
		I3 ON BITUMINOUS CONCRETE 61																		
		I4 ON OTHER TYPES THAN I2 AND I3 61		12.2	2.0		9.8			0.4										
	J	PORTLAND CEMENT CONCRETE		48.8	33.0	4.1			8.5	3.2										
	K	BRICK																		
	L	BLOCK																		
	M	DUAL TYPE	64-9 74-9	1.2	0.8*	0.3*				0.1*										
	N	COMBINATION TYPE	64-9 74-9	6.6		0.1°			4.5*	2.0°										
TOTAL HARD SURFACED				679.2	155.3	99.9	81.1	108.1	60.3	92.9	81.6									
TOTAL MILEAGE				754.7	173.1	110.5	115.1	108.1	60.3	100.1	87.5									

*0.7 mix Bit.
°P.C. Conc.
*Asph.
°P.C. Conc.

*P.C. Conc.
*P.C. Conc.
°P.C. Conc.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Rural State Highway SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 14 (fourteen)

TYPE OF ROAD				MILEAGE TOTAL	Cherokee	Clay	Graham	Haywood	Henderson	Jackson	Macon	Polk	Swain	Transylvania							
NON SURF'D	A PRIMITIVE			00																	
	B UNIMPROVED			10																	
	C GRADED AND DRAINED			20	8.7					8.7											
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED			30																	
	E GRAVEL OR STONE —UNTREATED			41-43	47.1		0.2	26.4		11.3				9.2							
	TOTAL NON HARD SURFACED				55.8		0.2	26.4		20.0				9.2							
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	15.7					5.1			10.6									
		F2 GRAVEL OR STONE	52-53	454.0	47.1	35.8	44.0	43.4	14.3	64.1	59.2	20.2	61.2	64.7							
		F3 WATERBOUND MACADAM	54	4.5									4.5								
	G MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x																		
	G MIXED BITUMINOUS	G2 ^x RIGID BASE	61	34.4		8.9	2.7		8.8	8.4			5.6								
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	62																		
		H2 RIGID BASE	62																		
HIGH TYPE SURFACES	I BITUMINOUS CONCRETE I1			63	96.9	15.6		23.7	35.9	10.7	0.5	6.8	3.7								
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	28.3				4.9	20.5	2.9											
		I3 ON BITUMINOUS CONCRETE	61	0.8				0.8													
		I4 ON OTHER TYPES THAN I2 AND I3	61	2.6									2.6								
	J PORTLAND CEMENT CONCRETE			70	34.8				3.1	11.4	20.0	0.3									
	K BRICK			80																	
	L BLOCK			90																	
	M DUAL TYPE			64-9 74-9																	
	N COMBINATION TYPE			64-9 74-9	4.5	4.5 [*]															
	TOTAL HARD SURFACED				676.5	67.2	35.8	52.9	75.5	78.9	97.9	88.1	40.5	69.4	70.3						
TOTAL MILEAGE				732.3	67.2	35.8	53.1	101.9	78.9	117.9	88.1	40.5	69.4	79.5							

*P.C. CONC.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

COUNTY Division Totals
DIVISION No. 1 (one)

Municipal State Highway SYSTEM

COMPLETED AS OF Jan. 1, 1955

TYPE OF ROAD			MILEAGE TOTAL	Bertie	Camden	Chowan	Cumtuck	Dare	Gates	Hertford	Hyde	Martin	Northampton	Perquimans	Tyrrell	Washington				
NON SURF'D	A	PRIMITIVE	00																	
	B	UNIMPROVED	10																	
	C	GRADED AND DRAINED	20																	
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																	
	E	GRAVEL OR STONE —UNTREATED	41-43																	
	TOTAL NON HARD SURFACED																			
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	18.45	3.64					1.85	0.46	2.53	9.78			0.19				
			F2 GRAVEL OR STONE 52-53	5.34	3.29				0.22	0.29		0.20	0.54				0.80			
			F3 WATERBOUND MACADAM 54																	
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x																	
	G	MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	4.35								0.87	3.48							
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																	
			H2 RIGID BASE 62																	
	I	BITUMINOUS CONCRETE I1 SAND ASPHALT —HOT PREMIXED	I1 63	14.55	2.98		1.10			1.28		1.99	5.39	1.81						
			I2 ON P. C. CONCRETE 61	3.44		1.32							1.51		0.61					
			I3 ON BITUMINOUS CONCRETE 61	0.48	0.16		0.10					0.02	0.20							
			I4 ON OTHER TYPES THAN I2 AND I3 61	9.95	0.60	0.78		5.10	1.19		0.63			0.87	0.30		0.48			
	J	PORTLAND CEMENT CONCRETE	70	15.83	0.41	0.04	1.34			3.69		4.45	1.94	1.62	0.68	0.54	1.12			
	K	BRICK	80																	
	L	BLOCK	90																	
	M	DUAL TYPE	64-9 74-9	0.23						0.23*										
	N	COMBINATION TYPE	64-9 74-9	0.75													0.75*			
TOTAL HARD SURFACED				73.37	11.08	2.14	2.54	0.00	5.10	1.41	7.34	1.09	10.06	22.84	4.30	1.59	0.73	3.15		
TOTAL MILEAGE				73.37	11.08	2.14	2.54	0.00	5.10	1.41	7.34	1.09	10.06	22.84	4.30	1.59	0.73	3.15		

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Municipal State Highway SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Divisions Totals
DIVISION No. 2 (two)

TYPE OF ROAD			MILEAGE TOTAL	Beaufort	Carteret	Craven	Greene	Jones	Lenoir	Pamlico	Pitt										
NON SURF'D	A	PRIMITIVE	00																		
	B	UNIMPROVED	10																		
	C	GRADED AND DRAINED	20																		
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																		
	E	GRAVEL OR STONE —UNTREATED	41-43																		
	TOTAL NON HARD SURFACED																				
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	1.88			0.96				0.92										
			F2 GRAVEL OR STONE 52-53	1.94	0.71	1.23															
			F3 WATERBOUND MACADAM 54																		
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x																		
	G	MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	1.03	1.03																
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																		
			H2 RIGID BASE 62																		
	I	BITUMINOUS CONCRETE I1 SAND ASPHALT —HOT PREMIXED	I1 63	14.48	0.17	3.83	2.12	1.34	0.25	1.55	0.35	4.87									
			I2 ON P. C. CONCRETE 61	5.09	0.04	0.70	0.29		0.17			3.89									
			I3 ON BITUMINOUS CONCRETE 61	6.59	0.45		0.73		5.30			0.11									
			I4 ON OTHER TYPES THAN I2 AND I3 61	15.89	1.79	2.70	2.53	0.68	1.10	2.43	4.66										
	J	PORTLAND CEMENT CONCRETE	70	22.32	5.01	2.98	0.11	2.02	0.05	4.44	7.71										
	K	BRICK	80																		
	L	BLOCK	90																		
	M	DUAL TYPE	64-9 74-9	0.24							0.24										
	N	COMBINATION TYPE	64-9 74-9	0.80		0.30*					0.50*										
TOTAL HARD SURFACED				70.26	9.20	6.53	9.86	4.11	2.27	8.17	7.22	22.90									
TOTAL MILEAGE				70.26	9.20	6.53	9.86	4.11	2.27	8.17	7.22	22.90									

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Municipal State Highway SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 3 (three)

TYPE OF ROAD			MILEAGE TOTAL	Brunswick	Duplin	New Hanover	Onslow	Pender	Sampson											
NON SURF'D	A	PRIMITIVE	00																	
	B	UNIMPROVED	10																	
	C	GRADED AND DRAINED	20																	
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																	
	E	GRAVEL OR STONE —UNTREATED	41-43																	
	TOTAL NON HARD SURFACED																			
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	6.99	0.51			1.30	5.18											
			F2 GRAVEL OR STONE 52-53	0.21		0.21														
			F3 WATERBOUND MACADAM 54																	
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x	0.58	0.58															
	G	MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	9.23	2.18	1.65		0.09	5.31											
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																	
			H2 RIGID BASE 62																	
	I	BITUMINOUS CONCRETE I1	63	19.21	3.67	8.51		2.63	4.40											
		SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61																	
			I3 ON BITUMINOUS CONCRETE 61	3.50			3.12		0.38											
			I4 ON OTHER TYPES THAN I2 AND I3 61	15.26	3.24	3.35	4.05	2.59	0.93	1.10										
	J	PORTLAND CEMENT CONCRETE	70	12.39	5.26	1.07			6.06											
	K	BRICK	80																	
	L	BLOCK	90																	
	M	DUAL TYPE	64-9 74-9																	
	N	COMBINATION TYPE	64-9 74-9																	
TOTAL HARD SURFACED				67.37	6.00	14.44	13.84	5.71	4.95	22.43										
TOTAL MILEAGE				67.37	6.00	14.44	13.84	5.71	4.95	22.43										

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Municipal State Highway SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 7 (four)

TYPE OF ROAD			MILEAGE TOTAL	Edgecombe	Halifax	Johnston	Nash	Wayne	Wilson											
NON SURF'D	A	PRIMITIVE	00																	
	B	UNIMPROVED	10																	
	C	GRADED AND DRAINED	20																	
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																	
	E	GRAVEL OR STONE —UNTREATED	41-43																	
	TOTAL NON HARD SURFACED																			
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	11.09	0.66	0.76	1.41	5.23	1.14	1.89										
			F2 GRAVEL OR STONE 52-53	0.70				0.40	0.30											
			F3 WATERBOUND MACADAM 54																	
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x																	
	G	MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	3.18	1.48	0.16		0.13		1.41										
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																	
			H2 RIGID BASE 62																	
	I	BITUMINOUS CONCRETE I1 SAND ASPHALT —HOT PREMIXED	I1 63	38.62	4.76	6.93	5.51	6.07	7.79	7.56										
			I2 ON P. C. CONCRETE 61	6.81	1.47	1.71	3.26			0.37										
			I3 ON BITUMINOUS CONCRETE 61	7.06		0.23	0.28	3.76	2.59	0.20										
			I4 ON OTHER TYPES THAN I2 AND I3 61	3.55	0.50	0.30			1.32	1.43										
	J	PORTLAND CEMENT CONCRETE	70	13.47	1.62	3.45	0.84	3.73	2.98	0.85										
	K	BRICK	80																	
	L	BLOCK	90																	
	M	DUAL TYPE	64-9 74-9	1.07						1.07*										
	N	COMBINATION TYPE	64-9 74-9																	
TOTAL HARD SURFACED				85.55	10.49	13.54	11.30	19.32	16.12	14.78										
TOTAL MILEAGE				85.55	10.49	13.54	11.30	19.32	16.12	14.78										

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Municipal State Highway SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 5 (five)

TYPE OF ROAD			MILEAGE TOTAL	Durham	Franklin	Granville	Person	Vance	Wake	Warren										
NON SURF'D	A	PRIMITIVE	00																	
	B	UNIMPROVED	10																	
	C	GRADED AND DRAINED	20																	
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																	
	E	GRAVEL OR STONE —UNTREATED	41-43																	
	TOTAL NON HARD SURFACED																			
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	11.07	0.51	2.93	2.14		1.33	3.51	0.65								
			F2 GRAVEL OR STONE	52-53	3.03		0.57	0.07	0.55	0.43	1.17	0.24								
			F3 WATERBOUND MACADAM	54																
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x																
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	0.35	0.35														
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62																
			H2 RIGID BASE	62																
HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE	I1	63	43.19	9.41	3.41	5.00	0.97	2.32	20.67	1.41								
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	2.80	0.49	0.08				1.20	1.03									
		I3 ON BITUMINOUS CONCRETE	61	0.71						0.71										
		I4 ON OTHER TYPES THAN I2 AND I3	61	3.39	0.98					0.20	2.21									
	J	PORTLAND CEMENT CONCRETE		70	29.01	6.53	2.95	1.11	4.14	2.89	7.86	3.53								
	K	BRICK		80																
	L	BLOCK		90																
	M	DUAL TYPE	64-9 74-9	0.98						0.11 *	0.87 *									
	N	COMBINATION TYPE	64-9 74-9	0.03						0.03 *										
TOTAL HARD SURFACED					94.56	18.27	9.94	8.32	5.66	9.22	37.32	5.83								
TOTAL MILEAGE					94.56	18.27	9.94	8.32	5.66	9.22	37.32	5.83								

*Asph. *Asph.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Municipal State Highway SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 6 (SIX)

TYPE OF ROAD			MILEAGE TOTAL	Bladen	Columbus	Cumberland	Harnett	Robeson													
NON SURF'D	A	PRIMITIVE	00																		
	B	UNIMPROVED	10																		
	C	GRADED AND DRAINED	20																		
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	0.20		0.20															
	E	GRAVEL OR STONE —UNTREATED	41-43																		
	TOTAL NON HARD SURFACED			0.20		0.20															
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	13.15	0.73	0.17	1.07	6.32	4.86												
			F2 GRAVEL OR STONE 52-53	0.22				0.22													
			F3 WATERBOUND MACADAM 54																		
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x	0.56		0.56															
	G	MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	4.18	1.16		0.36	2.66													
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																		
			H2 RIGID BASE 62																		
	I	BITUMINOUS CONCRETE I1	63	33.21	2.67	16.07	8.49	2.57	3.41												
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	2.05		0.47	1.58														
		I3 ON BITUMINOUS CONCRETE	61	2.79			2.21		0.58												
		I4 ON OTHER TYPES THAN I2 AND I3	61	21.46	3.14	4.28	6.13	1.67	6.24												
	J	PORTLAND CEMENT CONCRETE	70	15.42	1.58	3.10	4.86	1.95	3.93												
	K	BRICK	80																		
	L	BLOCK	90																		
	M	DUAL TYPE	64-9 74-9																		
	N	COMBINATION TYPE	64-9 74-9	0.65					0.65*												
TOTAL HARD SURFACED				93.69	9.28	24.65	24.70	12.51	22.55												
TOTAL MILEAGE				93.89	9.28	24.65	24.90	12.51	22.55												

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Municipal State Highway SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 7 (seven)

TYPE OF ROAD			MILEAGE TOTAL	Alamance	Caswell	Guilford	Orange	Rockingham												
NON SURF'D	A	PRIMITIVE	00																	
	B	UNIMPROVED	10																	
	C	GRADED AND DRAINED	20																	
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																	
	E	GRAVEL OR STONE —UNTREATED	41-43																	
	TOTAL NON HARD SURFACED																			
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	3.04		0.92		0.29	1.83										
			F2 GRAVEL OR STONE	52-53	4.72	0.15	0.24		0.30	4.03										
			F3 WATERBOUND MACADAM	54																
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE	x 61																
	G	MIXED BITUMINOUS	G2 RIGID BASE	x 61	2.65					2.65										
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62																
			H2 RIGID BASE	62																
	I	BITUMINOUS CONCRETE I1		63	43.28	9.01		23.27	1.92	9.08										
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	6.13	2.18		1.22		2.73											
		I3 ON BITUMINOUS CONCRETE	61	7.57	0.07		7.50													
		I4 ON OTHER TYPES THAN I2 AND I3	61	0.47			0.43		0.04											
	J	PORTLAND CEMENT CONCRETE		70	18.11	5.46		3.91	3.63	5.11										
	K	BRICK		80	0.15			0.15												
	L	BLOCK		90																
	M	DUAL TYPE	64-9 74-9	2.35			2.12 *	0.23 *												
	N	COMBINATION TYPE	64-9 74-9																	
TOTAL HARD SURFACED					88.47	16.87	1.16	38.60	6.37	25.47										
TOTAL MILEAGE					88.47	16.87	1.16	38.60	6.37	25.47										

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Municipal State Highway SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 8 (eight)

TYPE OF ROAD			MILEAGE TOTAL	Chatham	Hoke	Lee	Montgomery	Moore	Randolph	Richmond	Scotland										
NON SURF'D	A	PRIMITIVE	00																		
	B	UNIMPROVED	10																		
	C	GRADED AND DRAINED	20																		
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																		
	E	GRAVEL OR STONE —UNTREATED	41-43																		
	TOTAL NON HARD SURFACED																				
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	27.35	1.66	2.04	2.61	2.32	7.88	9.45	0.45	0.94									
			F2 GRAVEL OR STONE 52-53	2.16			1.02	0.40	0.43	0.31											
			F3 WATERBOUND MACADAM 54																		
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x																		
	G	MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	0.46	0.46																
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																		
			H2 RIGID BASE 62																		
	I	BITUMINOUS CONCRETE I1 SAND ASPHALT —HOT PREMIXED	I1 63	21.79	3.00		3.30	5.53		5.82	3.89	0.25									
			I2 ON P. C. CONCRETE 61	7.21		0.60		1.13	2.45	0.73	2.30										
			I3 ON BITUMINOUS CONCRETE 61	1.43			0.38	0.07		0.98											
			I4 ON OTHER TYPES THAN I2 AND I3 61	21.38		2.36	1.63	7.45	0.50	4.50	4.94										
	J	PORTLAND CEMENT CONCRETE	70	13.79	3.02		1.26	4.10	1.98	3.43											
	K	BRICK	80																		
	L	BLOCK	90																		
	M	DUAL TYPE	64-9 74-9	0.33	0.33	*															
	N	COMBINATION TYPE	64-9 74-9	2.11	0.99	*	0.22	*	0.90	*											
TOTAL HARD SURFACED				98.01	9.00	5.46	8.41	14.36	19.84	21.96	10.55	8.43									
TOTAL MILEAGE				98.01	9.00	5.46	8.41	14.36	19.84	21.96	10.55	8.43									

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Municipal State Highway SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 9 (nine)

TYPE OF ROAD			MILEAGE TOTAL	Davidson	Davie	Forsyth	Rowan	Stokes												
NON SURF'D	A	PRIMITIVE	00																	
	B	UNIMPROVED	10																	
	C	GRADED AND DRAINED	20																	
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																	
	E	GRAVEL OR STONE —UNTREATED	41-43																	
	TOTAL NON HARD SURFACED																			
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	2.78	0.15	0.80	0.52	0.47	0.84											
			F2 GRAVEL OR STONE 52-53	4.79	1.13	1.30	0.79	1.01	0.56											
			F3 WATERBOUND MACADAM 54																	
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61																	
	G	MIXED BITUMINOUS	G2 RIGID BASE 61	0.25	0.25															
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																	
			H2 RIGID BASE 62																	
	I	BITUMINOUS CONCRETE I1		36.97	6.86	1.84	21.16	4.38	2.73											
		SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61	3.69	0.77	0.08	1.08	1.76												
			I3 ON BITUMINOUS CONCRETE 61	9.58	0.94		1.85	6.79												
			I4 ON OTHER TYPES THAN I2 AND I3 61	1.30	0.03		0.45	0.82												
	J	PORTLAND CEMENT CONCRETE		10.67	2.43	1.24	3.16	3.51	0.33											
	K	BRICK		0.37			0.37													
	L	BLOCK																		
	M	DUAL TYPE	64-9 74-9	1.18				1.18	*											
	N	COMBINATION TYPE	64-9 74-9	1.02			0.11	0.91	°											
TOTAL HARD SURFACED				72.60	12.56	5.26	29.49	20.83	4.46											
TOTAL MILEAGE				72.60	12.56	5.26	29.49	20.83	4.46											

*Asph. *0.53 BST
0.65 Conc.
° Asph.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Municipal State Highway SYSTEM

COMPLETED AS OF Jan 1 1955

COUNTY Division Totals
DIVISION No. 10 (ten)

TYPE OF ROAD			MILEAGE TOTAL	ANSON	Cabarrus	Mecklenburg	Stanly	Union												
NON SURF'D	A	PRIMITIVE	00																	
	B	UNIMPROVED	10																	
	C	GRADED AND DRAINED	20																	
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																	
	E	GRAVEL OR STONE —UNTREATED	41-43																	
	TOTAL NON HARD SURFACED																			
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	6.41	0.68	0.34	0.53	1.86	3.00											
			F2 GRAVEL OR STONE 52-53	3.95	1.89	0.20		0.53	1.33											
			F3 WATERBOUND MACADAM 54																	
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61																	
	G	MIXED BITUMINOUS	G2 RIGID BASE 61	1.34	1.07		0.27													
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																	
			H2 RIGID BASE 62	1.09			1.09													
	I	BITUMINOUS CONCRETE I1		38.93	5.30	5.03	18.73	6.65	3.22											
		SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61	0.04	0.04															
			I3 ON BITUMINOUS CONCRETE 61	3.39	0.42		2.97													
			I4 ON OTHER TYPES THAN I2 AND I3 61	1.87	0.79	0.34			0.74											
	J	PORTLAND CEMENT CONCRETE		19.78	3.98	0.47	8.45	4.41	2.47											
	K	BRICK	80																	
	L	BLOCK	90	0.11					0.11											
	M	DUAL TYPE	64-9 74-9	4.98	0.17*	2.35*	1.78*	0.68*												
	N	COMBINATION TYPE	64-9 74-9	1.32		0.09°	1.23°													
TOTAL HARD SURFACED				83.21	14.34	8.82	35.05	14.13	10.87											
TOTAL MILEAGE				83.21	14.34	8.82	35.05	14.13	10.87											

* Asph. *1.96 Asph. * Asph. * Asph.
0.39 Conc. 0.40 Asph.
° Asph. 0.83 Conc.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Municipal State Highway SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 11 (eleven)

TYPE OF ROAD			MILEAGE TOTAL	Alleghany	Ashe	Avery	Caldwell	Surry	Watauga	Wilkes	Yadkin										
NON SURF'D	A	PRIMITIVE	00																		
	B	UNIMPROVED	10	1.54			1.54														
	C	GRADED AND DRAINED	20																		
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																		
	E	GRAVEL OR STONE —UNTREATED	41-43																		
	TOTAL NON HARD SURFACED			1.54			1.54														
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	3.67			0.32	2.26		0.49	0.60										
			F2 GRAVEL OR STONE 52-53	30.27	3.19	5.60	5.47	2.46	3.51	5.54	2.80	1.70									
			F3 WATERBOUND MACADAM 54	0.34			0.34														
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61																		
	G	MIXED BITUMINOUS	G2 RIGID BASE 61	0.92	0.45	0.47															
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																		
			H2 RIGID BASE 62																		
	I	BITUMINOUS CONCRETE I1 SAND ASPHALT —HOT PREMIXED	I1 63	9.66	1.10		1.83	1.45		2.04	3.24										
			I2 ON P. C. CONCRETE 61																		
			I3 ON BITUMINOUS CONCRETE 61	0.91			0.56	0.35													
			I4 ON OTHER TYPES THAN I2 AND I3 61																		
	J	PORTLAND CEMENT CONCRETE	70	15.65	0.40		2.48	5.08	1.16	3.93	2.60										
	K	BRICK	80																		
	L	BLOCK	90																		
	M	DUAL TYPE	64-9 74-9	1.43	0.26*		1.00*	0.17*													
	N	COMBINATION TYPE	64-9 74-9	0.61	0.22°			0.22*		0.17*											
TOTAL HARD SURFACED				63.46	3.19	8.03	6.28	8.65	13.04	6.70	9.43	8.14									
TOTAL MILEAGE				65.00	3.19	8.03	6.28	10.19	13.04	6.70	9.43	8.14									

* Conc.
° Asph.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Municipal State Highway SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 12 (twelve)

TYPE OF ROAD			MILEAGE TOTAL	Alexander	Catawba	Cleveland	Gaston	Iredell	Lincoln											
NON SURF'D	A	PRIMITIVE	00																	
	B	UNIMPROVED	10																	
	C	GRADED AND DRAINED	20																	
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																	
	E	GRAVEL OR STONE —UNTREATED	41-43																	
	TOTAL NON HARD SURFACED																			
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	6.20		0.91	4.05	0.90	0.34											
			F2 GRAVEL OR STONE 52-53	6.08	0.30	0.99	3.34	0.57	0.88											
			F3 WATERBOUND MACADAM 54																	
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61																	
	G	MIXED BITUMINOUS	G2 RIGID BASE 61	3.03			0.22	2.10	0.71											
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																	
			H2 RIGID BASE 62	2.71				2.71												
	I	SAND ASPHALT —HOT PREMIXED	I1 BITUMINOUS CONCRETE 63	42.35	1.32	11.20	9.07	6.20	11.82	2.74										
			I2 ON P. C. CONCRETE 61	1.79		0.15	0.39	1.15		0.10										
			I3 ON BITUMINOUS CONCRETE 61	13.66		2.04	3.06	3.79	3.61	1.16										
			I4 ON OTHER TYPES THAN I2 AND I3 61	4.45		1.56		2.89												
	J	PORTLAND CEMENT CONCRETE	70	13.89		4.77	2.49	4.90	1.61	0.12										
	K	BRICK	80																	
	L	BLOCK	90																	
	M	DUAL TYPE	64-9 74-9	4.21		3.05*		1.16*												
	N	COMBINATION TYPE	64-9 74-9	7.24		1.62°	1.18*	2.84°	0.14*	1.46*										
TOTAL HARD SURFACED				105.61	1.62	26.29	23.80	29.21	18.40	6.29										
TOTAL MILEAGE				105.61	1.62	26.29	23.80	29.21	18.40	6.29										

*1.50 Asph. * Conc.
1.42 Conc.
0.13 B.S.P.
° 0.72 Asph.
0.90 Conc.
*0.66 Mix. Bit. * Asph.
0.38 Bit. Pen.
0.12 Asph.
° Conc.
*0.97 Asph.
0.49 Conc.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Municipal State Highway SYSTEM

COMPLETED AS OF Jan 1, 1955

COUNTY Division Totals
DIVISION No. 13 (thirteen)

TYPE OF ROAD			MILEAGE TOTAL	Buncombe	Burke	McDowell	Madison	Mitchell	Rutherford	Yancey										
NON SURF'D	A	PRIMITIVE	00																	
	B	UNIMPROVED	10																	
	C	GRADED AND DRAINED	20																	
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																	
	E	GRAVEL OR STONE —UNTREATED	41-43	1.35			1.35													
	TOTAL NON HARD SURFACED			1.35			1.35													
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	0.56	1.35				0.56											
			F2 GRAVEL OR STONE 52-53	11.25	1.84	1.44	0.16	6.17	0.59	0.24	0.81									
			F3 WATERBOUND MACADAM 54	0.67				0.67												
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61																	
	G	MIXED BITUMINOUS	G2 RIGID BASE 61	1.14	0.41	0.50			0.23											
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																	
			H2 RIGID BASE 62	1.45				1.45												
	I	BITUMINOUS CONCRETE I1 SAND ASPHALT —HOT PREMIXED	I1 63	28.72	12.40	4.85	1.26	0.48		9.73										
			I2 ON P. C. CONCRETE 61	3.67	0.05	1.21	0.79	0.35		1.27										
			I3 ON BITUMINOUS CONCRETE 61	0.89		0.69			0.20											
			I4 ON OTHER TYPES THAN I2 AND I3 61	4.70	1.26	1.73	0.10	0.66		0.95										
	J	PORTLAND CEMENT CONCRETE	70	18.16	8.42	1.03	0.79	0.04	3.06	3.43	1.39									
	K	BRICK	80																	
	L	BLOCK	90																	
	M	DUAL TYPE	64-9 74-9	3.32	1.03*	1.63*	0.06*		0.60*											
	N	COMBINATION TYPE	64-9 74-9	1.52			0.22°		0.97*		0.33*									
TOTAL HARD SURFACED				76.05	25.41	13.08	3.38	7.70	6.94	17.01	2.53									
TOTAL MILEAGE				77.40	25.41	13.08	3.38	9.05	6.94	17.01	2.53									

*Asph. *0.43 B.S.T.*Asph. *Conc. *Conc. *Conc.
1.20 Conc. 0 Conc.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Municipal State Highway SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 14 (fourteen)

TYPE OF ROAD			MILEAGE TOTAL	Cherokee	Clay	Graham	Haywood	Henderson	Jackson	Macon	Polk	Swain	Transylvania						
NON SURF'D	A	PRIMITIVE	00																
	B	UNIMPROVED	10																
	C	GRADED AND DRAINED	20																
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	1.00					1.00										
	E	GRAVEL OR STONE —UNTREATED	41-43																
	TOTAL NON HARD SURFACED			1.00					1.00										
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	0.42						0.42								
			F2 GRAVEL OR STONE	52-53	17.15	0.98	0.62	0.85	1.94	5.62	4.56	0.84	1.74						
			F3 WATERBOUND MACADAM	54															
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x															
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	3.43			0.81	0.21	2.26	0.15								
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62															
			H2 RIGID BASE	62															
HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE I1		63	18.60	5.54		1.17	3.40	1.04	1.76	1.37	2.37	1.95					
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	2.52				1.30	1.03	0.19									
		I3 ON BITUMINOUS CONCRETE	61	3.83				3.00	0.27		0.56								
		I4 ON OTHER TYPES THAN I2 AND I3	61	0.49				0.49											
	J	PORTLAND CEMENT CONCRETE		70	3.34	0.11		0.07	0.11	0.39	1.38	0.77	0.51						
	K	BRICK		80															
	L	BLOCK		90															
	M	DUAL TYPE	64-9 74-9	0.29							0.29 ^o								
	N	COMBINATION TYPE	64-9 74-9	0.13				0.12 [*]			0.01 [*]								
	TOTAL HARD SURFACED				50.20	6.63	0.62	0.85	8.90	4.81	7.26	10.15	4.41	2.88	3.69				
	TOTAL MILEAGE				51.20	6.63	0.62	0.85	8.90	4.81	8.26	10.15	4.41	2.88	3.69				

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Rural County Road SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 1 (one)

TYPE OF ROAD			MILEAGE TOTAL	Bertie	Camden	Chowan	Currituck	Dare	Gates	Hertford	Hyde	Martin	Northampton	Rasputank	Perquimans	Tyrrell	Washington					
NON SURF'D	A	PRIMITIVE	00	39.0	7.7	0.6	1.7	3.4	3.6	3.4	2.4	2.3	2.5	1.4	6.1	3.4	0.5					
	B	UNIMPROVED	10	147.8	22.4	5.2	6.2	21.8	14.0	11.1	6.8	9.2	6.8	5.5	5.7	8.8	10.7	13.6				
	C	GRADED AND DRAINED	20	876.0	164.0	29.5	21.7	13.5	30.2	88.7	103.5	56.7	105.7	96.3	28.0	41.7	32.4	64.1				
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	349.3	49.9	3.7	30.3	8.0	3.2	4.1	69.2	11.7	47.6	84.6	3.1	2.7	14.7	16.5				
	E	GRAVEL OR STONE —UNTREATED	41-43	439.7	41.8	45.9	10.1	34.7		60.6	1.4	0.5	80.2	10.2	60.7	70.3	17.4	5.9				
	TOTAL NON HARD SURFACED			1851.8	285.8	84.9	70.0	81.4	51.0	167.9	183.3	78.1	242.6	199.1	98.9	129.6	78.6	100.6				
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	606.3	182.4	23.7	7.1	18.2	1.2	5.6	160.8	7.1	84.8	107.2	1.5	3.5	3.2					
			F2 GRAVEL OR STONE 52-53	194.7	0.5		5.4	23.8	0.5	12.6		42.2	13.2	19.0	5.5	3.7	42.0	26.3				
			F3 WATERBOUND MACADAM 54																			
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x	177.2	4.2	0.6	10.8	21.5	71.9	13.9		20.6	6.9		13.1	3.8	4.4	5.5				
	G	MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	14.6			0.2	5.1	4.9	1.4			3.0									
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62	6.3													6.3					
			H2 RIGID BASE 62																			
	I	BITUMINOUS CONCRETE I1		68.0							2.6			55.7		9.7						
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61		5.5										5.5								
		I3 ON BITUMINOUS CONCRETE 61		1.1												1.1						
		I4 ON OTHER TYPES THAN I2 AND I3 61		494.4	19.0	34.8	70.9	16.5	1.6	79.5		13.1	51.0	4.7	71.2	85.8		46.3				
	J	PORTLAND CEMENT CONCRETE		18.9			3.3	0.2				2.9	0.8		3.2	1.7	4.8	2.0				
	K	BRICK		5.0											5.0							
	L	BLOCK																				
	M	DUAL TYPE	64-9 74-9	0.1											0.1*							
	N	COMBINATION TYPE	64-9 74-9	0.1									0.1*									
TOTAL HARD SURFACED				1,592.2	206.1	59.1	97.7	85.3	80.1	113.0	163.4	85.9	159.8	186.6	105.1	109.3	60.7	80.1				
TOTAL MILEAGE				3444.0	491.9	144.0	167.7	166.7	131.1	280.9	346.7	164.0	402.4	385.7	204.0	238.9	139.3	180.7				

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Rural County Road

SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 2 (two)

TYPE OF ROAD				MILEAGE TOTAL	Beaufort	Carteret	Craven	Greene	Jones	Lenoir	Pamlico	Pitt																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																											
--------------	--	--	--	------------------	----------	----------	--------	--------	-------	--------	---------	------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Rural County Road SYSTEM

COMPLETED AS OF Jan 1 1955

COUNTY Division Totals
DIVISION No. 3 (Three)

TYPE OF ROAD			MILEAGE TOTAL	Brunswick	Duplin	New Hanover	Onslow	Pender	Sampson										
NON SURF'D	A	PRIMITIVE	00	42.3	18.3	20.7	0.9	0.8	1.6										
	B	UNIMPROVED	10	180.6	31.2	64.8	3.6	12.7	32.1	36.2									
	C	GRADED AND DRAINED	20	847.2	158.1	235.6	4.9	164.5	33.3	250.8									
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	1144.4	106.3	307.1	18.7	39.8	215.8	456.7									
	E	GRAVEL OR STONE —UNTREATED	41-43	28.1	2.0			20.0	6.1										
	TOTAL NON HARD SURFACED			2242.6	315.9	628.2	28.1	237.8	287.3	745.3									
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	241.5	7.3	63.0	1.6	28.6	65.8	75.2								
			F2 GRAVEL OR STONE	52-53	39.1			0.2	34.4	4.5									
			F3 WATERBOUND MACADAM	54															
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x	94.9	50.4	16.2	4.3	3.9	20.1									
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	15.7	6.7		7.9	1.1										
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62															
			H2 RIGID BASE	62	1.8	1.5	0.3												
HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE I1		63	254.0	34.0	83.4	2.0	35.8	98.8									
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61																
		I3 ON BITUMINOUS CONCRETE	61	0.5				0.5											
		I4 ON OTHER TYPES THAN I2 AND I3	61	749.7	74.3	163.1	130.7	147.4	84.4	149.8									
	J	PORTLAND CEMENT CONCRETE		70	0.5	0.5													
	K	BRICK		80															
	L	BLOCK		90															
	M	DUAL TYPE	64-9 74-9	0.5					0.5*										
	N	COMBINATION TYPE	64-9 74-9																
TOTAL HARD SURFACED					1398.2	174.7	326.0	146.7	212.0	194.9	343.9								
TOTAL MILEAGE					3640.8	490.6	954.2	174.8	449.8	482.2	1089.2								

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Rural County Road SYSTEM

COMPLETED AS OF Jan. 1, 1955

COUNTY Division Totals
DIVISION No. 4 (four)

TYPE OF ROAD			MILEAGE TOTAL	Edgecombe	Halifax	Johnston	Nash	Wayne	Wilson											
NON SURF'D	A	PRIMITIVE	00	17.4	3.7	13.7														
	B	UNIMPROVED	10	142.5	12.6	47.7	26.8	39.2	9.8	6.4										
	C	GRADED AND DRAINED	20	819.7	65.9	122.5	190.4	216.5	60.1	164.3										
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	953.9	85.4	132.9	378.0	54.7	265.4	37.5										
	E	GRAVEL OR STONE —UNTREATED	41-43	273.5	34.6	58.3	78.3	53.8	18.3	30.2										
	TOTAL NON HARD SURFACED			2207.0	202.2	375.1	673.5	364.2	353.6	238.4										
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	947.0	88.3	104.1	228.7	259.5	67.6	198.8									
			F2 GRAVEL OR STONE	52-53	190.5	73.6	93.6	0.8	5.9	6.0	10.6									
			F3 WATERBOUND MACADAM	54																
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x	6.2			6.2												
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	1.5	0.6				0.9										
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62	0.2				0.2											
			H2 RIGID BASE	62																
	I	BITUMINOUS CONCRETE I1		63	551.2	37.3	32.3	95.1	96.2	266.0	24.3									
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61																	
		I3 ON BITUMINOUS CONCRETE	61	1.5					1.5											
		I4 ON OTHER TYPES THAN I2 AND I3	61	407.3	88.4	39.3	147.8	15.3	61.1	55.4										
	J	PORTLAND CEMENT CONCRETE		70	6.9	3.5		2.8	0.4	0.2										
	K	BRICK		80																
	L	BLOCK		90																
	M	DUAL TYPE		64-9 74-9																
	N	COMBINATION TYPE		64-9 74-9																
TOTAL HARD SURFACED					2112.3	291.7	269.3	472.4	385.9	402.8	290.2									
TOTAL MILEAGE					4319.3	493.9	644.4	1145.9	750.1	756.4	528.6									

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Rural County Road SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 5 (five)

TYPE OF ROAD			MILEAGE TOTAL	Durham	Franklin	Granville	Person	Vance	Wake	Warren										
NON SURF'D	A	PRIMITIVE	00	6.8			5.6			1.2										
	B	UNIMPROVED	10	95.7	3.8	7.5	11.0	23.4	2.5	37.0	10.5									
	C	GRADED AND DRAINED	20	824.9	140.1	16.5	263.1	184.6	14.8	81.7	124.1									
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	739.0	29.1	148.7	25.7	76.5	67.5	293.5	98.0									
	E	GRAVEL OR STONE —UNTREATED	41-43	899.0	116.3	135.4	186.6	121.7	45.9	200.2	92.9									
	TOTAL NON HARD SURFACED			2565.4	289.3	308.1	486.4	411.8	130.7	612.4	326.7									
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	985.6	74.6	199.3	67.2	73.4	128.2	335.2	107.7									
			F2 GRAVEL OR STONE 52-53	190.8	43.0	2.9	38.1	25.4	9.6	11.4	60.4									
			F3 WATERBOUND MACADAM 54	3.2	3.2															
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x	0.6					0.6											
	G	MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	6.8	6.8															
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																	
			H2 RIGID BASE 62	0.7					0.7											
	I	BITUMINOUS CONCRETE I1		242.8	34.8	32.3	13.6		22.4	129.5	10.2									
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61																		
		I3 ON BITUMINOUS CONCRETE 61																		
		I4 ON OTHER TYPES THAN I2 AND I3 61		216.1	44.4	16.0	23.0	2.3	8.1	122.3										
	J	PORTLAND CEMENT CONCRETE		13.4	9.1		0.6		1.2	2.5										
	K	BRICK																		
	L	BLOCK																		
	M	DUAL TYPE	64-9 74-9	1.7						1.7*										
	N	COMBINATION TYPE	64-9 74-9																	
TOTAL HARD SURFACED				1661.7	215.9	250.5	142.5	101.1	169.5	603.9	178.3									
TOTAL MILEAGE				4227.1	505.2	558.6	628.9	512.9	300.2	1216.3	505.0									

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Rural County Road SYSTEM

COMPLETED AS OF Jan 1 1955

COUNTY Division Totals
DIVISION No. 6 (SIX)

TYPE OF ROAD				MILEAGE TOTAL	Bladen	Columbus	Cumberland	Harnett	Robeson																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																			
--------------	--	--	--	------------------	--------	----------	------------	---------	---------	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--	--

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Rural County Road SYSTEM

COMPLETED AS OF Jan 1 1955

COUNTY Division Totals
DIVISION No. 7 (severn)

TYPE OF ROAD			MILEAGE TOTAL	Alamance	Caswell	Guilford	Orange	Rockingham												
NON SURF'D	A	PRIMITIVE	00	3.9		0.7	2.1	1.1												
	B	UNIMPROVED	10	126.8	37.3	29.1	26.4	23.8	10.2											
	C	GRADED AND DRAINED	20	830.2	185.4	143.2	224.4	200.5	76.7											
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	234.4	75.6	56.8	31.1	32.1	38.8											
	E	GRAVEL OR STONE —UNTREATED	41-43	1336.3	164.8	98.7	457.9	180.9	434.0											
	TOTAL NON HARD SURFACED			2531.6	463.1	327.8	740.5	439.4	560.8											
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	499.0	129.8	91.3	110.9	82.6	84.4										
			F2 GRAVEL OR STONE	52-53	622.9	93.9	32.5	314.0	42.0	140.5										
			F3 WATERBOUND MACADAM	54																
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x																
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	1.8	0.1	1.7													
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62																
			H2 RIGID BASE	62	4.3		4.3													
	I	BITUMINOUS CONCRETE I1 SAND ASPHALT —HOT PREMIXED	I1	63	50.2	3.3	33.2	13.6	0.1											
			I2 ON P. C. CONCRETE	61	0.5		0.5													
			I3 ON BITUMINOUS CONCRETE	61																
			I4 ON OTHER TYPES THAN I2 AND I3	61	17.5		17.1		0.4											
	J	PORTLAND CEMENT CONCRETE		70	48.0	3.9	6.6	29.7	0.7	7.1										
	K	BRICK		80																
	L	BLOCK		90																
	M	DUAL TYPE		64-9 74-9																
	N	COMBINATION TYPE		64-9 74-9																
TOTAL HARD SURFACED					1244.2	231.0	130.4	511.4	138.9	232.5										
TOTAL MILEAGE					3775.8	694.1	458.2	1251.9	578.3	793.3										

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Rural County Road

SYSTEM

COMPLETED AS OF Jan 1 1955

COUNTY Division Totals
DIVISION No. 8 (eight)

TYPE OF ROAD			MILEAGE TOTAL	Chatham	Hoke	Lee	Montgomery	Moore	Randolph	Richmond	Scotland										
NON SURF'D	A	PRIMITIVE	00	30.8	3.9	12.5		1.0	3.9	1.0	8.5										
	B	UNIMPROVED	10	189.2	36.0	13.7	9.6	21.5	33.1	37.4	17.4	20.5									
	C	GRADED AND DRAINED	20	756.8	238.3	38.2	16.1	33.9	98.1	256.1	26.5	49.6									
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	1123.0	140.7	96.5	74.1	67.0	252.6	332.1	96.2	63.8									
	E	GRAVEL OR STONE —UNTREATED	41-43	576.4	128.9		68.5	104.5	9.1	173.5	31.9										
	TOTAL NON HARD SURFACED			2616.2	547.8	160.9	168.3	226.9	393.9	803.0	173.0	142.4									
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	1242.0	178.5	148.6	125.0	45.1	268.0	222.2	60.8	193.8									
			F2 GRAVEL OR STONE 52-53	250.2	105.9		15.6	7.8	0.1	106.7	14.1										
			F3 WATERBOUND MACADAM 54																		
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x	1.6							1.6										
	G	MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	3.7							3.7										
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																		
			H2 RIGID BASE 62	1.1							1.1										
	I	BITUMINOUS CONCRETE I1		197.9		34.4	26.4	13.7	7.8	16.7	46.1	52.8									
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61		0.2							0.2										
		I3 ON BITUMINOUS CONCRETE 61		3.0		3.0															
		I4 ON OTHER TYPES THAN I2 AND I3 61		548.5		40.8	0.1	165.3	39.2	40.9	244.5	17.7									
	J	PORTLAND CEMENT CONCRETE		8.4	3.5					4.3		0.6									
	K	BRICK																			
	L	BLOCK																			
	M	DUAL TYPE	64-9 74-9	1.0							0.9*	0.1*									
	N	COMBINATION TYPE	64-9 74-9																		
TOTAL HARD SURFACED				2257.6	287.9	226.8	167.1	231.9	315.1	390.8	373.0	265.0									
TOTAL MILEAGE				4873.8	835.7	387.7	335.4	458.8	709.0	1193.8	546.0	407.4									

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Rural County Road SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 9 (Nine)

TYPE OF ROAD			MILEAGE TOTAL	Davidson	Davie	Forsyth	Rowan	Stokes												
NON SURF'D	A	PRIMITIVE	00	14.9	4.6	3.3	3.1	0.3	3.6											
	B	UNIMPROVED	10	244.6	48.8	3.1	13.5	66.8	112.4											
	C	GRADED AND DRAINED	20	384.4	64.7	42.2	78.4	75.4	123.7											
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	744.6	290.6	80.5	89.6	69.0	214.9											
	E	GRAVEL OR STONE —UNTREATED	41-43	829.3	96.1	134.3	231.1	184.9	182.9											
	TOTAL NON HARD SURFACED			2217.8	504.8	263.4	415.7	396.4	637.5											
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	1068.6	344.2	57.1	239.9	322.1	105.3											
			F2 GRAVEL OR STONE 52-53	336.0	82.1	26.2	123.9	91.8	12.0											
			F3 WATERBOUND MACADAM 54	10.3				10.3												
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61																	
	G	MIXED BITUMINOUS	G2 RIGID BASE 61	3.4			1.3	2.1												
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																	
			H2 RIGID BASE 62																	
	I	BITUMINOUS CONCRETE I1		47.4	28.2		8.9	10.3												
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61																	
		I3 ON BITUMINOUS CONCRETE	61																	
		I4 ON OTHER TYPES THAN I2 AND I3	61	55.3	22.6			32.7												
	J	PORTLAND CEMENT CONCRETE		29.8	9.9	0.8	15.4	3.7												
	K	BRICK	80																	
	L	BLOCK	90																	
	M	DUAL TYPE	64-9 74-9	1.6	1.6*															
	N	COMBINATION TYPE	64-9 74-9																	
TOTAL HARD SURFACED				1552.4	488.6	84.1	389.4	473.0	117.3											
TOTAL MILEAGE				3770.2	993.4	347.5	805.1	869.4	754.8											

*MIX-BIT.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Rural County Road SYSTEM

COMPLETED AS OF Jan 1 1955

COUNTY Division Totals
DIVISION No. 10 (ten)

TYPE OF ROAD			MILEAGE TOTAL	ANSON	Cabarrus	Mecklenburg	Stanly	UNION												
NON SURF'D	A	PRIMITIVE	00	62.2	2.5	21.7	9.7	17.0	11.3											
	B	UNIMPROVED	10	131.3	7.9	48.6	25.7	28.1	21.0											
	C	GRADED AND DRAINED	20	289.7	24.9	76.0	32.6	50.8	105.4											
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	260.6	44.8	92.6	10.3	26.7	86.2											
	E	GRAVEL OR STONE —UNTREATED	41-43	1170.0	268.5	71.9	151.5	262.1	416.0											
	TOTAL NON HARD SURFACED			1913.8	348.6	310.8	229.8	384.7	639.9											
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	635.1	194.5	234.3	80.6	48.6	77.1										
			F2 GRAVEL OR STONE	52-53	836.2	84.9	116.8	159.6	214.0	260.9										
			F3 WATERBOUND MACADAM	54	15.4	3.9	0.3	11.2												
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61																
	G	MIXED BITUMINOUS	G2 RIGID BASE	61	2.0		2.0													
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62																
			H2 RIGID BASE	62	7.3		7.3													
	I	BITUMINOUS CONCRETE I1		63	377.5	11.4	0.2	355.1	10.8											
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	2.5			1.8	0.7												
		I3 ON BITUMINOUS CONCRETE	61	4.8			4.8													
		I4 ON OTHER TYPES THAN I2 AND I3	61	39.1			37.6	1.5												
	J	PORTLAND CEMENT CONCRETE		70	21.2	1.1	7.2	4.8	1.2	6.9										
	K	BRICK		80																
	L	BLOCK		90																
	M	DUAL TYPE		64-9 74-9																
	N	COMBINATION TYPE		64-9 74-9	1.5		1.5*													
TOTAL HARD SURFACED				1942.6	295.8	358.8	666.3	263.8	357.9											
TOTAL MILEAGE				3856.4	644.4	669.6	896.1	648.5	997.8											

*0.6 Bit pen.
0.9 BSF

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Rural County Road SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 11 (eleven)

TYPE OF ROAD			MILEAGE TOTAL	Alleghany	Ashe	Avery	Caldwell	Curry	Watauga	Wilkes	Yadkin										
NON SURF'D	A	PRIMITIVE	00	96.1	4.9	53.2	14.5	3.7	12.4	6.6	0.8										
	B	UNIMPROVED	10	447.8	50.9	80.4	18.0	29.9	41.5	100.4	10.5	7									
	C	GRADED AND DRAINED	20	574.4	60.8	22.5	6.5	94.7	53.2	18.8	216.1	101.8									
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	187.9	0.4	19.4	45.9	23.2		30.7	68.3										
	E	GRAVEL OR STONE —UNTREATED	41-43	2455.5	217.9	410.9	150.9	170.7	516.9	236.5	532.2	219.5									
	TOTAL NON HARD SURFACED			3761.7	334.9	586.4	175.4	355.7	638.5	368.1	891.3	411.4									
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	239.0	0.1	0.4	1.7	71.3	64.7	12.2	45.3	43.3									
			F2 GRAVEL OR STONE 52-53	544.0	36.9	62.4	41.5	76.2	89.6	48.3	122.3	66.8									
			F3 WATERBOUND MACADAM 54	0.8			0.8														
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61																		
	G	MIXED BITUMINOUS	G2 RIGID BASE 61	2.8				2.8													
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																		
			H2 RIGID BASE 62																		
	I	BITUMINOUS CONCRETE I1		1.7	1.2					0.5											
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61																			
		I3 ON BITUMINOUS CONCRETE 61																			
		I4 ON OTHER TYPES THAN I2 AND I3 61		1.6				1.6													
	J	PORTLAND CEMENT CONCRETE		0.9				0.9													
	K	BRICK	80																		
	L	BLOCK	90																		
	M	DUAL TYPE	64-9 74-9																		
	N	COMBINATION TYPE	64-9 74-9																		
TOTAL HARD SURFACED				790.8	38.2	62.8	44.0	147.5	159.6	60.5	168.1	110.1									
TOTAL MILEAGE				4552.5	373.1	649.2	219.4	503.2	798.1	428.6	1059.4	521.5									

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Rural County Road SYSTEM

COMPLETED AS OF Jan 1 1955

COUNTY Division Totals
DIVISION No. 12 (twelve)

TYPE OF ROAD			MILEAGE TOTAL	Alexander	Catawba	Cleveland	Gaston	Iredell	Lincoln												
NON SURF'D	A	PRIMITIVE	00	0.1				0.1													
	B	UNIMPROVED	10	30.7	2.4	3.6	10.7	8.6	2.1	3.3											
	C	GRADED AND DRAINED	20	204.9	9.9	33.2	85.4	20.4	28.5	27.5											
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	1242.2	176.7	119.1	255.2	154.5	363.5	173.2											
	E	GRAVEL OR STONE —UNTREATED	41-43	1086.1	109.4	210.0	223.7	132.0	285.9	125.1											
	TOTAL NON HARD SURFACED			2564.0	298.4	365.9	575.0	315.5	680.1	329.1											
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	1070.9	114.9	226.0	217.8	118.5	267.8	125.9										
			F2 GRAVEL OR STONE	52-53	319.9	11.9	35.1	31.7	183.9	39.8	17.5										
			F3 WATERBOUND MACADAM	54	0.4			0.4													
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x																	
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	2.4			1.6		0.8											
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62																	
			H2 RIGID BASE	62	4.5			4.5													
	I	BITUMINOUS CONCRETE I1		63	57.6	0.3	9.8	35.2	4.7	1.8	5.8										
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61																		
		I3 ON BITUMINOUS CONCRETE	61																		
		I4 ON OTHER TYPES THAN I2 AND I3	61		9.6			3.3	6.3												
	J	PORTLAND CEMENT CONCRETE		70	1.7			1.4		0.3											
	K	BRICK		80																	
	L	BLOCK		90																	
	M	DUAL TYPE		64-9 74-9																	
	N	COMBINATION TYPE		64-9 74-9	1.9			0.3*	1.6*												
TOTAL HARD SURFACED					1468.9	127.1	270.9	290.1	321.1	309.4	150.3										
TOTAL MILEAGE					4032.9	425.5	636.8	865.1	636.6	989.5	479.4										

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Rural County Road SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 13 (thirteen)

TYPE OF ROAD			MILEAGE TOTAL	Buncombe	Burke	Madison	McDowell	Mitchell	Rutherford	Yancey										
NON SURF'D	A	PRIMITIVE	00	10.7	0.2	1.5	1.2	4.1	0.8	2.7	0.2									
	B	UNIMPROVED	10	255.2	32.8	29.9	79.4	22.2	38.3	33.4	19.2									
	C	GRADED AND DRAINED	20	375.0	41.4	65.2	13.4	30.6	4.3	214.8	5.3									
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	306.0	2.7	69.1		14.0		220.2										
	E	GRAVEL OR STONE —UNTREATED	41-43	1712.8	518.2	203.3	325.9	189.6	170.1	111.3	194.4									
	TOTAL NON HARD SURFACED			2659.7	595.3	369.0	419.9	260.5	213.5	582.4	219.1									
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	372.5	6.0	98.3	30.5	19.8	1.8	215.6	0.5								
			F2 GRAVEL OR STONE	52-53	687.0	287.2	106.7	41.9	121.3	25.3	45.3	59.3								
			F3 WATERBOUND MACADAM	54	2.5			2.5												
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x																
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	14.9	8.1				6.8										
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62																
			H2 RIGID BASE	62	0.2	0.2														
	I	BITUMINOUS CONCRETE I1		63	33.8	29.2		4.6												
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	4.8	4.8															
		I3 ON BITUMINOUS CONCRETE	61	1.1	1.1															
		I4 ON OTHER TYPES THAN I2 AND I3	61	2.1	0.7					1.4										
	J	PORTLAND CEMENT CONCRETE		70	60.6	47.0	1.2		8.1	1.4	2.9									
	K	BRICK		80																
	L	BLOCK		90																
	M	DUAL TYPE		64-9 74-9																
	N	COMBINATION TYPE		64-9 74-9																
TOTAL HARD SURFACED					1179.5	384.3	206.2	79.5	149.2	28.5	272.0	59.8								
TOTAL MILEAGE					3839.2	979.6	575.2	499.4	409.7	242.0	854.4	278.9								

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Rural County Road SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 14 (fourteen)

TYPE OF ROAD			MILEAGE TOTAL	Cherokee	Clay	Graham	Haywood	Henderson	Jackson	Macon	Polk	Swain	Transylvania							
NON SURF'D	A	PRIMITIVE	00	33.1			1.3	2.4	24.3		0.8	1.1	3.2							
	B	UNIMPROVED	10	417.1	53.7	32.1	34.5	26.1	13.3	80.2	110.6	14.3	24.7	27.6						
	C	GRADED AND DRAINED	20	264.0	6.0	1.1	6.1	25.0	71.3	16.1	27.3	59.0	6.0	46.1						
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	73.7				3.1			70.6									
	E	GRAVEL OR STONE —UNTREATED	41-43	1988.7	296.0	128.7	98.6	225.1	389.0	214.8	308.9	113.2	77.9	136.5						
	TOTAL NON HARD SURFACED			2776.6	355.7	161.9	139.2	277.5	479.1	335.4	446.8	257.9	109.7	213.4						
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	144.5		0.5	0.9	14.3	18.5	4.3	22.5	60.9	11.8	10.8						
			F2 GRAVEL OR STONE 52-53	544.7	70.6	38.4	34.5	92.9	80.9	43.3	46.4	39.3	45.8	52.6						
			F3 WATERBOUND MACADAM 54	9.1	7.5			1.6												
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x																	
	G	MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	0.3					0.3											
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																	
			H2 RIGID BASE 62	1.2				1.2												
	I	BITUMINOUS CONCRETE I1		33.1			6.1	27.0												
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61		1.5			1.5													
		I3 ON BITUMINOUS CONCRETE 61																		
		I4 ON OTHER TYPES THAN I2 AND I3 61																		
	J	PORTLAND CEMENT CONCRETE	70	10.9			3.0	4.2	0.1	2.4		1.2								
	K	BRICK	80																	
	L	BLOCK	90																	
	M	DUAL TYPE	64-9 74-9																	
	N	COMBINATION TYPE	64-9 74-9	0.3					0.3*											
TOTAL HARD SURFACED				745.6	78.1	38.9	35.4	117.8	133.4	48.3	71.3	100.2	58.8	63.4						
TOTAL MILEAGE				3522.2	433.8	200.8	174.6	395.3	612.5	383.7	518.1	358.1	168.5	276.8						

*p.c.conc.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Municipal County Road SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 1 (ONE)

TYPE OF ROAD			MILEAGE TOTAL	Bertie	Camden	Chowan	Currituck	Dare	Gates	Hertford	Hyde	Martin	Northampton	Pasquotank	Perquimans	Tyrrell	Washington					
NON SURF'D	A	PRIMITIVE	00																			
	B	UNIMPROVED	10	4.61				3.92					0.30	0.39								
	C	GRADED AND DRAINED	20	13.63	4.07	0.61				0.30	0.69	2.06	4.71				1.19					
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	2.86	0.23			0.20	0.20	0.10	0.18	0.85	1.02	0.08								
	E	GRAVEL OR STONE —UNTREATED	41-43	1.93	0.05	1.03				0.40			0.08	0.27			0.10					
	TOTAL NON HARD SURFACED			23.03	4.35	1.64	0.0	4.12	0.20	0.80	0.87	2.91	6.11	0.74			1.29					
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	25.85	10.04	0.15				3.53		3.36	7.99	0.66			0.12					
			F2 GRAVEL OR STONE 52-53	6.26							1.43	1.39	1.84		0.27		1.33					
			F3 WATERBOUND MACADAM 54																			
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x	1.50				0.23	0.51						0.76							
	G	MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	0.57		0.25										0.32						
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																			
			H2 RIGID BASE 62																			
	I	BITUMINOUS CONCRETE I1	63	4.24						1.54		0.38	1.64		0.38		0.30					
	SAND ASPHALT —HOT PREMIXED		I2 ON P. C. CONCRETE 61	0.65								0.27		0.38								
			I3 ON BITUMINOUS CONCRETE 61	0.74										0.74								
			I4 ON OTHER TYPES THAN I2 AND I3 61	13.92	0.36	0.35	0.12	1.85			0.47	4.23		2.77	0.23		3.54					
	J	PORTLAND CEMENT CONCRETE	70	5.55					0.06			0.63		0.89	0.23		3.74					
	K	BRICK	80	0.63										0.63								
	L	BLOCK	90																			
	M	DUAL TYPE	64-9 74-9																			
	N	COMBINATION TYPE	64-9 74-9																			
	TOTAL HARD SURFACED			59.91	10.40	0.35	0.52	0.0	2.08	0.57	5.07	1.90	10.26	11.47	6.07	1.87	0.32	9.03				
	TOTAL MILEAGE			82.94	14.75	1.99	0.52	0.0	6.20	0.77	5.87	2.77	13.17	17.58	6.81	1.87	0.32	10.32				

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Municipal County Road SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 2 (two)

TYPE OF ROAD			MILEAGE TOTAL	Beaufort	Carteret	Craven	Greene	Jones	Lenoir	Pamlico	Pitt										
NON SURF'D	A	PRIMITIVE	00																		
	B	UNIMPROVED	10	2.66	1.00	0.07	0.60			0.21	0.78										
	C	GRADED AND DRAINED	20	9.79	2.78	0.68	2.00	0.32		0.99	1.48	1.54									
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	10.31	2.96			0.30	1.43	0.12	5.50										
	E	GRAVEL OR STONE —UNTREATED	41-43	2.24	0.85	0.50	0.55	0.04		0.30											
	TOTAL NON HARD SURFACED			25.00	7.59	1.25	3.15	0.32	0.34	2.42	2.11	7.82									
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	5.53				1.46	0.33	1.95	0.55	1.24									
			F2 GRAVEL OR STONE 52-53	1.75	0.92			0.06	0.20			0.57									
			F3 WATERBOUND MACADAM 54	0.43								0.43									
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x	1.00		0.95				0.05											
	G	MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	0.90		0.70	0.20														
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																		
			H2 RIGID BASE 62																		
	I	BITUMINOUS CONCRETE I1 SAND ASPHALT —HOT PREMIXED	I1 63	5.75		0.11	1.13	0.86		1.46		2.19									
			I2 ON P. C. CONCRETE 61	0.96								0.96									
			I3 ON BITUMINOUS CONCRETE 61	0.63	0.47					0.16											
			I4 ON OTHER TYPES THAN I2 AND I3 61	36.94	6.08	10.61	3.66	0.59	1.04	3.87	1.07	10.02									
	J	PORTLAND CEMENT CONCRETE	70	1.89	0.35	0.30	0.60					0.64									
	K	BRICK	80	1.08			1.08														
	L	BLOCK	90																		
	M	DUAL TYPE	64-9 74-9																		
	N	COMBINATION TYPE	64-9 74-9																		
TOTAL HARD SURFACED				56.86	7.82	12.67	6.67	2.97	1.57	7.44	1.67	16.05									
TOTAL MILEAGE				81.86	15.41	13.92	9.82	3.29	1.91	9.86	3.78	23.87									

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Municipal County Road SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 3 (three)

TYPE OF ROAD				MILEAGE TOTAL																
					Brunswick	Duplin	New Hanover	Onslow	Pender	Sampson										
NON SURF'D	A	PRIMITIVE		00	3.40		3.40													
	B	UNIMPROVED		10	2.47		1.03			1.34	0.10									
	C	GRADED AND DRAINED		20	7.47	0.73	4.10	0.27	0.37	0.08	1.92									
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED		30	10.98	0.25	5.22	0.25		2.37	2.89									
	E	GRAVEL OR STONE —UNTREATED		41-43	0.38					0.38										
	TOTAL NON HARD SURFACED				24.70	0.98	13.75	0.52	0.37	4.17	4.91									
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	14.50	0.10	5.74		0.23	4.38	4.05									
			F2 GRAVEL OR STONE	52-53	0.81					0.81										
			F3 WATERBOUND MACADAM	54																
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x	4.52	1.62	1.05	0.04			1.81									
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	0.32			0.32												
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62																
			H2 RIGID BASE	62																
HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE I1		63	11.30	0.07	4.80	1.06	0.39	1.19	3.79									
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	0.58		0.58														
		I3 ON BITUMINOUS CONCRETE	61	1.61				1.61												
		I4 ON OTHER TYPES THAN I2 AND I3	61	28.68	1.25	4.50	10.65	3.54	3.36	5.38										
	J	PORTLAND CEMENT CONCRETE		70	0.87			0.87												
	K	BRICK		80	0.53			0.53												
	L	BLOCK		90																
	M	DUAL TYPE		64-9 74-9																
	N	COMBINATION TYPE		64-9 74-9																
	TOTAL HARD SURFACED				63.72	3.04	16.67	13.47	5.77	9.74	15.03									
TOTAL MILEAGE				88.42	4.02	30.42	13.99	6.14	13.91	19.94										

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Municipal County Road SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 4 (four)

TYPE OF ROAD			MILEAGE TOTAL	Edgecombe	Halifax	Johnston	Nash	Wayne	Wilson											
NON SURF'D	A	PRIMITIVE	00																	
	B	UNIMPROVED	10	2.86	0.91	1.11	0.35	0.39	0.10											
	C	GRADED AND DRAINED	20	5.79	1.80	1.86	0.60	1.06	0.47											
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	11.06	0.06	0.62	4.25	2.19	2.85	1.09										
	E	GRAVEL OR STONE —UNTREATED	41-43	1.18	0.53	0.10		0.55												
	TOTAL NON HARD SURFACED			20.89	2.39	3.49	5.96	3.60	3.79	1.66										
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	33.70	5.23	5.60	7.73	6.80	1.42	6.92										
			F2 GRAVEL OR STONE 52-53	2.88	0.63	1.17		0.78	0.30											
			F3 WATERBOUND MACADAM 54																	
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x	0.23			0.23													
	G	MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	0.15	0.07				0.08											
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62	0.25		0.25														
			H2 RIGID BASE 62																	
	I	BITUMINOUS CONCRETE I1		13.46	1.75	3.60	0.88	7.03	0.20											
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61																		
		I3 ON BITUMINOUS CONCRETE 61		1.00				1.00												
		I4 ON OTHER TYPES THAN I2 AND I3 61		13.40	2.55	0.45	4.32	0.52	1.88	3.68										
	J	PORTLAND CEMENT CONCRETE		1.50	0.28	0.30	0.26	0.22	0.20	0.24										
	K	BRICK																		
	L	BLOCK																		
	M	DUAL TYPE	64-9 74-9																	
	N	COMBINATION TYPE	64-9 74-9																	
TOTAL HARD SURFACED				66.57	10.51	7.52	16.16	9.43	11.53	11.42										
TOTAL MILEAGE				87.46	12.90	11.01	22.12	13.03	15.32	13.08										

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Municipal County Road SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 5 (five)

TYPE OF ROAD				MILEAGE TOTAL																
					Durham	Franklin	Granville	Person	Vance	Wake	Warren									
NON SURF'D	A PRIMITIVE 00																			
	B UNIMPROVED 10			2.13		1.35	0.32	0.40		0.06										
	C GRADED AND DRAINED 20			8.05	3.32	2.26	1.26		1.01	0.20										
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED 30			6.21		0.31	0.25		1.36	3.39	0.90									
	E GRAVEL OR STONE —UNTREATED 41-43			3.12	0.20	0.80			0.85	0.46	0.81									
	TOTAL NON HARD SURFACED			19.51	3.52	1.11	3.86	1.58	2.61	4.86	1.97									
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	30.49	0.27	2.67	3.86	0.15	3.47	16.29	3.78										
		F2 GRAVEL OR STONE 52-53	5.46	1.96		0.40	1.47	0.37	0.20	1.06										
		F3 WATERBOUND MACADAM 54																		
	G MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x																		
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	0.32	0.32																
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																		
		H2 RIGID BASE 62																		
	I BITUMINOUS CONCRETE I1 63		13.74	4.84		2.21	0.32	1.47	4.65	0.25										
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61																		
		I3 ON BITUMINOUS CONCRETE 61	0.40	0.40																
		I4 ON OTHER TYPES THAN I2 AND I3 61	7.09	2.79					1.16	3.14										
	J PORTLAND CEMENT CONCRETE 70		4.13	0.93	0.10		0.09	0.85	2.13	0.03										
	K BRICK 80																			
	L BLOCK 90																			
	M DUAL TYPE 64-9 74-9																			
	N COMBINATION TYPE 64-9 74-9																			
TOTAL HARD SURFACED				61.63	11.51	2.77	6.47	2.03	7.32	26.41	5.12									
TOTAL MILEAGE				81.14	15.03	3.88	10.33	3.61	9.93	31.27	7.09									

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Municipal County Road

SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 6 (SIX)

TYPE OF ROAD			MILEAGE TOTAL																	
				Bladen	Columbus	Cumberland	Harnett	Robeson												
NON SURF'D	A	PRIMITIVE	00	0.54					0.54											
	B	UNIMPROVED	10	4.14	0.49	1.00	0.60	0.84	1.21											
	C	GRADED AND DRAINED	20	7.70	0.44	6.10	0.46	0.27	0.43											
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	14.12	1.01	5.77	3.99	1.05	2.30											
	E	GRAVEL OR STONE —UNTREATED	41-43	0.35				0.35												
	TOTAL NON HARD SURFACED			26.85	1.94	12.87	5.05	2.51	4.48											
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	38.31	1.41	2.54	6.47	10.04	17.85											
			F2 GRAVEL OR STONE 52-53	1.85		1.39		0.46												
			F3 WATERBOUND MACADAM 54																	
	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x	2.31		0.70	1.11		0.50											
	G	MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	1.87			1.87													
HIGH TYPE SURFACES	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																	
			H2 RIGID BASE 62																	
	I	BITUMINOUS CONCRETE I1	63	13.52	0.10	2.25	7.12	1.50	2.55											
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61	0.33			0.33														
		I3 ON BITUMINOUS CONCRETE 61																		
		I4 ON OTHER TYPES THAN I2 AND I3 61	20.55	1.40	9.98	3.08	0.10	5.99												
	J	PORTLAND CEMENT CONCRETE	70	2.45		0.33	0.50		1.62											
	K	BRICK	80																	
	L	BLOCK	90																	
	M	DUAL TYPE	64-9 74-9																	
	N	COMBINATION TYPE	64-9 74-9																	
	TOTAL HARD SURFACED			81.19	2.91	17.19	20.48	12.10	28.51											
TOTAL MILEAGE			108.04	4.85	30.06	25.53	14.61	32.99												

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Municipal County Road SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 7 (SEVEN)

TYPE OF ROAD				MILEAGE TOTAL																	
					Alamance	Caswell	Guilford	Orange	Rockingham												
NON SURF'D	A PRIMITIVE 00																				
	B UNIMPROVED 10			0.05			0.05														
	C GRADED AND DRAINED 20			8.84	2.77		5.09	0.72	0.26												
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED 30			2.34	0.86		0.25	0.16	1.07												
	E GRAVEL OR STONE —UNTREATED 41-43			7.05	1.43	0.24	2.39	0.43	2.56												
	TOTAL NON HARD SURFACED			18.28	5.06	0.24	7.73	1.36	3.89												
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51		26.30	7.33		5.89	5.27	7.81												
		F2 GRAVEL OR STONE 52-53		25.45	6.00		8.20	0.94	10.31												
		F3 WATERBOUND MACADAM 54																			
	G MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x																			
	G MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	3.49	0.86		2.63															
	HIGH TYPE SURFACES	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																		
			H2 RIGID BASE 62																		
I BITUMINOUS CONCRETE I1 63		29.60	2.68		23.67	0.87	2.38														
SAND ASPHALT —HOT PREMIXED		I2 ON P. C. CONCRETE 61	0.76	0.76																	
		I3 ON BITUMINOUS CONCRETE 61	1.81			1.73		0.08													
		I4 ON OTHER TYPES THAN I2 AND I3 61	2.35			2.22		0.13													
J PORTLAND CEMENT CONCRETE 70		8.73	1.24		6.35	0.07	1.07														
K BRICK 80		0.16			0.16																
L BLOCK 90																					
M DUAL TYPE 64-9 74-9		0.17			0.17*																
N COMBINATION TYPE 64-9 74-9																					
TOTAL HARD SURFACED				98.82	18.87	0.00	51.02	7.15	21.78												
TOTAL MILEAGE				117.10	23.93	0.24	58.75	8.51	25.67												

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Municipal County Road SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 8 (eight)

TYPE OF ROAD				MILEAGE TOTAL																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																		
					Chatham	Hoke	Lee	Montgomery	Moore	Randolph	Richmond	Scotland																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																										

*AST

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Municipal County Road SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 9 (NINE)

TYPE OF ROAD				MILEAGE TOTAL																		
					Davidson	Davie	Forsyth	Rowan	Stokes													
NON SURF'D	A	PRIMITIVE		00																		
	B	UNIMPROVED		10	0.40	0.33		0.07														
	C	GRADED AND DRAINED		20	3.43		0.20	1.30	0.85	1.08												
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED		30	7.50	1.21		1.80	3.82	0.67												
	E	GRAVEL OR STONE —UNTREATED		41-43	2.70		0.88	1.29	0.53													
	TOTAL NON HARD SURFACED				14.03	1.54	1.08	4.39	5.27	1.75												
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	30.93	7.24	1.93	4.19	16.23	1.34												
			F2 GRAVEL OR STONE	52-53	6.02	1.48	0.86	2.73	0.95													
			F3 WATERBOUND MACADAM	54																		
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x																		
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	0.34		0.34															
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62	0.79		0.79															
			H2 RIGID BASE	62	2.36			2.36														
HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE I1		63	22.95	5.01		10.22	7.72													
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61																			
		I3 ON BITUMINOUS CONCRETE	61	1.90		1.78	0.12															
		I4 ON OTHER TYPES THAN I2 AND I3	61	3.13	2.52		0.61															
	J	PORTLAND CEMENT CONCRETE		70	6.16	0.24		5.78	0.14													
	K	BRICK		80																		
	L	BLOCK		90																		
	M	DUAL TYPE		64-9 74-9																		
	N	COMBINATION TYPE		64-9 74-9																		
	TOTAL HARD SURFACED				74.58	16.49	2.79	25.83	28.13	1.34												
TOTAL MILEAGE				88.61	18.03	3.87	30.22	33.40	3.09													

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Municipal County Road SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 10 (ten)

TYPE OF ROAD			MILEAGE TOTAL	ANSON	Cabarrus	Mecklenburg	Stanly	UNION												
NON SURF'D	A	PRIMITIVE	00	0.46		0.09	0.10	0.17	0.10											
	B	UNIMPROVED	10	0.89	0.04		0.04	0.81												
	C	GRADED AND DRAINED	20	4.47	2.10		0.99	0.22	1.16											
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	9.33	1.59	0.10	0.25	0.23	7.16											
	E	GRAVEL OR STONE —UNTREATED	41-43	4.73	0.38		1.64	1.79	0.92											
	TOTAL NON HARD SURFACED			19.88	4.11	0.19	3.02	3.22	9.34											
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	31.56	11.45	0.86	0.80	11.60	6.85										
			F2 GRAVEL OR STONE	52-53	18.12	1.56		3.52	4.34	8.70										
			F3 WATERBOUND MACADAM	54																
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61																
	G	MIXED BITUMINOUS	G2 RIGID BASE	61	0.66				0.66											
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62																
			H2 RIGID BASE	62	0.26		0.26													
	I	BITUMINOUS CONCRETE I1		63	32.54	2.53	0.97	22.50	0.90	5.64										
		SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	0.91			0.91												
			I3 ON BITUMINOUS CONCRETE	61	4.39	0.04	0.85	3.50												
			I4 ON OTHER TYPES THAN I2 AND I3	61	5.89	1.83		1.39		2.67										
	J	PORTLAND CEMENT CONCRETE		70	5.05	1.73	0.25	1.28		1.79										
	K	BRICK		80																
	L	BLOCK		90																
	M	DUAL TYPE		64-9 74-9																
	N	COMBINATION TYPE		64-9 74-9																
TOTAL HARD SURFACED					99.38	19.14	2.93	34.16	16.84	26.31										
TOTAL MILEAGE					119.26	23.25	3.12	37.18	20.06	35.65										

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION

Municipal County Road **SYSTEM**

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 11 (eleven)

[illegible]

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Municipal County Road SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 12 (twelve)

TYPE OF ROAD			MILEAGE TOTAL	Alexander	Catawba	Cleveland	Gaston	Iredell	Lincoln											
NON SURF'D	A	PRIMITIVE	00																	
	B	UNIMPROVED	10	0.80	0.20		0.17	0.15	0.28											
	C	GRADED AND DRAINED	20	0.55	0.12		0.43													
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	13.20	0.21	1.00	4.18	4.03	1.38	2.40										
	E	GRAVEL OR STONE —UNTREATED	41-43	6.48		1.29	2.36	1.70	0.21	0.92										
	TOTAL NON HARD SURFACED			21.03	0.21	2.61	6.54	6.33	1.74	3.60										
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	43.43	0.85	10.59	7.48	3.26	19.05	2.20										
			F2 GRAVEL OR STONE 52-53	28.01	0.55	6.68	6.08	10.28	1.69	2.73										
			F3 WATERBOUND MACADAM 54																	
	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61																	
	G	MIXED BITUMINOUS	G2 RIGID BASE 61	1.55	0.10	0.83	0.62													
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																	
			H2 RIGID BASE 62	0.51			0.51													
HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE I1	63	9.77	0.39	1.11	1.51	3.02	2.74	1.00										
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61																		
		I3 ON BITUMINOUS CONCRETE 61		1.24	0.49		0.74	0.01												
		I4 ON OTHER TYPES THAN I2 AND I3 61		5.67		1.30	1.43	2.94												
	J	PORTLAND CEMENT CONCRETE	70	0.77		0.27	0.01	0.20	0.29											
	K	BRICK	80																	
	L	BLOCK	90																	
	M	DUAL TYPE	64-9 74-9	0.06				0.06	*											
	N	COMBINATION TYPE	64-9 74-9	0.55				0.55	*											
TOTAL HARD SURFACED				91.56	2.38	20.78	16.51	22.18	23.78	5.93										
TOTAL MILEAGE				112.59	2.59	23.39	23.05	28.51	25.52	9.53										

*Asph.

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Municipal County Road SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 13 (thirteen)

TYPE OF ROAD			MILEAGE TOTAL	Buncombe	Burke	Madison	McDowell	Mitchell	Rutherford	Yancey										
NON SURF'D	A	PRIMITIVE	00	0.10				0.10												
	B	UNIMPROVED	10	1.85	0.09	0.45	0.80	0.05	0.36	0.02	0.08									
	C	GRADED AND DRAINED	20	1.54		0.31	0.30		0.35	0.58										
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	2.36	0.06	0.98			1.32											
	E	GRAVEL OR STONE —UNTREATED	41-43	26.87	4.79	0.80	6.03	0.77	4.69	8.99	0.80									
	TOTAL NON HARD SURFACED			32.72	4.94	2.54	7.13	0.82	5.50	10.91	0.88									
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	23.48		10.60	1.84	0.55	10.29	0.20									
			F2 GRAVEL OR STONE	52-53	25.25	6.03	1.62	4.35	2.08	1.72	9.33	0.12								
			F3 WATERBOUND MACADAM	54																
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x																
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	0.22	0.22														
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62																
			H2 RIGID BASE	62																
	I	BITUMINOUS CONCRETE I1		63	9.51	7.37	0.55	0.12	0.82	0.65										
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61																	
		I3 ON BITUMINOUS CONCRETE	61																	
		I4 ON OTHER TYPES THAN I2 AND I3	61	3.36	0.76	0.96				1.64										
	J	PORTLAND CEMENT CONCRETE		70	9.94	4.74	1.69	2.00	0.51	0.48	0.52									
	K	BRICK		80																
	L	BLOCK		90																
	M	DUAL TYPE	64-9 74-9	0.25		0.25 ^x														
	N	COMBINATION TYPE	64-9 74-9																	
TOTAL HARD SURFACED				72.01	19.12	13.98	8.00	5.45	2.23	22.39	0.84									
TOTAL MILEAGE				104.73	24.06	16.52	15.13	6.27	7.73	33.30	1.72									

NORTH CAROLINA STATE HIGHWAY AND PUBLIC WORKS COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE AND WIDTH OF ROAD

Municipal County Road SYSTEM

COMPLETED AS OF Jan. 1 1955

COUNTY Division Totals
DIVISION No. 14 (fourteen)

TYPE OF ROAD			MILEAGE TOTAL	Cherokee	Clay	Graham	Haywood	Henderson	Jackson	Macon	Polk	Swain	Transylvania							
NON SURF'D	A	PRIMITIVE	00																	
	B	UNIMPROVED	10	7.17	1.32		0.14	0.20	2.86	1.63	0.19	0.45	0.38							
	C	GRADED AND DRAINED	20	1.63	0.58		0.23	0.05	0.50				0.27							
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30																	
	E	GRAVEL OR STONE —UNTREATED	41-43	24.57	3.97	0.04	0.10	1.76	2.38	5.34	4.94	2.58	1.65	1.81						
	TOTAL NON HARD SURFACED			33.37	5.87	0.04	0.10	2.13	2.63	8.70	6.57	2.77	2.10	2.46						
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	3.83				1.48	0.14		0.35	1.86								
			F2 GRAVEL OR STONE 52-53	27.65	4.52	1.31	1.09	3.97	2.22	3.07	1.78	3.30	4.06	2.33						
			F3 WATERBOUND MACADAM 54																	
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x	0.05				0.05												
	G	MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	0.15			0.15													
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																	
			H2 RIGID BASE 62	0.13							0.13									
	I	BITUMINOUS CONCRETE I1 SAND ASPHALT —HOT PREMIXED	I1 63	10.10	0.25		2.59	3.77		0.06	0.43	0.05	2.95							
			I2 ON P. C. CONCRETE 61	0.08				0.08												
			I3 ON BITUMINOUS CONCRETE 61	1.15			1.15													
			I4 ON OTHER TYPES THAN I2 AND I3 61	2.45			1.78	0.42			0.25									
	J	PORTLAND CEMENT CONCRETE	70	7.78	0.36		2.58		1.17		1.43	2.24								
	K	BRICK	80																	
	L	BLOCK	90																	
	M	DUAL TYPE	64-9 74-9																	
	N	COMBINATION TYPE	64-9 74-9																	
TOTAL HARD SURFACED				53.37	5.13	1.31	1.09	13.70	6.68	4.24	2.19	7.40	6.35	5.28						
TOTAL MILEAGE				86.74	11.00	1.35	1.19	15.83	9.31	12.94	8.76	10.17	8.45	7.74						