

NORTH CAROLINA STATE HIGHWAY MILEAGE TABLES

FOR THE YEAR

1965

RURAL STATE HIGHWAY SYSTEM	11,565.41
MUNICIPAL STATE HIGHWAY SYSTEM	1,474.69
RURAL SECONDARY ROAD SYSTEM	57,959.50
MUNICIPAL SECONDARY SYSTEM	1,822.64
TOTAL	<u>72,822.24</u>

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

3-

ALL SYSTEMS

SYSTEM

COMPLETED AS OF JANUARY 1, 19 66

COUNTY STATE TOTALS

DIVISION No. 1-14

TYPE OF ROAD			MILEAGE TOTAL														
				1	2	3	4	5	6	7	8	9	10	11	12	13	14
NON SURF'D	A PRIMITIVE 00		43.74	2.80	0.50	1.14	1.70		5.40	1.20	0.80	2.70		17.00		2.40	8.10
	B UNIMPROVED 10		2,114.60	140.49	102.87	145.35	75.37	71.56	145.03	89.54	147.56	270.14	113.47	412.92	30.22	114.89	255.19
	C GRADED AND DRAINED 20		6,096.54	698.02	965.58	503.28	509.47	488.45	470.60	543.85	479.62	344.53	189.49	387.95	144.19	200.68	170.83
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED 30		7,964.74	316.17	442.51	1,076.12	825.35	645.93	1,229.03	174.42	888.87	623.46	206.04	129.46	1,043.53	283.35	80.50
	E GRAVEL OR STONE —UNTREATED 41-43		12,211.65	336.03	150.16	19.99	165.81	1,121.21	27.40	1,401.06	594.09	656.27	832.14	2,535.18	579.88	1,646.32	2,146.11
	TOTAL NON HARD SURFACED		28,431.27	1,493.51	1,661.62	1,745.88	1,577.70	2,327.15	1,877.46	2,210.07	2,110.94	1,897.10	1,341.14	3,482.51	1,797.82	2,247.64	2,660.73
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	14,325.13	733.83	223.51	389.05	1,655.68	1,430.12	1,293.52	855.54	2,017.45	1,674.12	1,110.01	433.30	1,894.20	431.37	183.43
		F2 GRAVEL OR STONE 52-53	9,711.32	428.81	131.07	36.76	290.40	541.69	46.70	1,111.54	467.63	642.62	1,491.29	1,483.43	466.46	1,384.34	1,188.58
		F3 WATERBOUND MACADAM 54	44.31		0.69			3.34		1.65	0.17	10.30	10.02	10.02	0.40	5.62	2.10
	G MIXED BITUMINOUS	G1 NONRIGID BASE 61	589.88	127.19	121.68	213.30	6.43	1.68	116.08		0.80	1.16	0.29		0.92	0.30	0.05
	G MIXED BITUMINOUS	G2 RIGID BASE 61	393.25	50.54	31.15	57.21	25.31	24.28	41.73	67.73	9.17	3.78	6.97	8.19	18.93	19.63	28.63
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 62	24.14	6.30			17.84										
		H2 RIGID BASE 62	40.44	0.10		1.10		0.60		8.66	0.36	1.33	4.87	0.40	12.76	8.93	1.33
HIGH TYPE SURFACES	I BITUMINOUS CONCRETE I1 63		8,783.95	242.53	669.09	743.29	1,049.08	701.92	1,082.62	483.37	588.58	369.04	781.55	272.97	715.33	656.90	427.68
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61	408.33	174.16	55.60	20.19	41.88	10.14	28.58	16.80	24.07	6.73	5.94		1.02	6.66	16.56
		I3 ON BITUMINOUS CONCRETE 61	346.53	20.06	51.70	26.91	125.85	7.31	39.16	33.87	6.76	14.65	7.06	0.31	7.81	0.99	4.09
		I4 ON OTHER TYPES THAN I2 AND I3 61	8,248.56	1,254.20	1,677.17	1,601.17	798.08	311.35	1,221.06	14.88	978.22	79.88	80.00	14.39	126.52	73.01	18.63
	J PORTLAND CEMENT CONCRETE 70		1,460.32	111.48	70.70	36.85	101.43	204.52	8.31	167.64	105.58	189.07	146.64	63.20	81.22	130.36	43.32
	K BRICK 80		14.81	0.97	13.38						0.20		0.26				
	L BLOCK 90																
TOTAL HARD SURFACED			44,390.97	3,150.17	3,045.74	3,125.83	4,111.98	3,236.95	3,877.76	2,761.88	4,198.79	2,992.94	3,644.64	2,286.21	3,325.57	2,718.11	1,914.40
TOTAL MILEAGE			72,822.24	4,643.68	4,707.36	4,871.71	5,689.68	5,564.10	5,755.22	4,971.95	6,309.73	4,890.04	4,985.78	5,768.72	5,123.39	4,965.75	4,575.13

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

20

RURAL STATE HIGHWAY

SYSTEM

COMPLETED AS OF JANUARY 1, 19 66

COUNTY STATE TOTALS

DIVISION No. 1-14

TYPE OF ROAD				MILEAGE TOTAL														
					1	2	3	4	5	6	7	8	9	10	11	12	13	14
NON SURF'D	A PRIMITIVE 00																	
	B UNIMPROVED 10			1.23										1.23				
	C GRADED AND DRAINED 20																	
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED 30																	
	E GRAVEL OR STONE —UNTREATED 41-43			73.64										5.67		29.64	38.33	
	TOTAL NON HARD SURFACED			74.87										6.90		29.64	38.33	
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	1,885.38	134.18	16.24	87.62	214.98	244.57	154.96	205.89	242.92	190.47	139.82	102.43	121.13	19.61	10.56	
		F2 GRAVEL OR STONE 52-53	1,576.03	76.52	1.50	1.27	38.75	26.49	13.91	101.68	78.28	115.16	86.80	423.22	34.14	284.24	294.07	
		F3 WATERBOUND MACADAM 54	9.99							1.65				8.29		0.05		
	G MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x	121.95	21.67		51.67			48.50			0.11						
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	269.30	39.39	4.95	42.51	11.19	16.65	32.32	56.04	6.87	0.49	3.22	4.03	16.86	9.22	25.56	
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 62	17.34			17.34												
		H2 RIGID BASE 62	12.60							3.26			0.61		7.95	0.78		
	I BITUMINOUS CONCRETE 11 63		4,563.10	143.99	399.45	416.64	385.06	313.85	603.91	286.91	249.54	197.04	268.14	212.24	414.40	355.35	316.58	
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61	317.32	154.06	47.07	16.13	28.45	1.89	25.37	7.21	17.98	2.17	0.25		0.28	1.68	14.78	
		I3 ON BITUMINOUS CONCRETE 61	163.18	16.35	33.13	8.13	67.82	3.88	7.75	14.25	4.81	6.79	0.27					
		I4 ON OTHER TYPES THAN I2 AND I3 61	1,624.21	348.19	286.36	279.12	191.46	41.86	216.34		175.82	20.01	38.27		5.61	10.09	11.08	
	J PORTLAND CEMENT CONCRETE 70		930.14	80.68	50.95	25.89	86.89	139.96	3.36	81.79	79.42	114.42	91.76	30.86	51.27	77.33	15.56	
	K BRICK 80																	
	L BLOCK 90																	
TOTAL HARD SURFACED				11,490.54	1,015.03	839.65	928.98	1,041.94	789.15	1,106.42	758.68	855.64	646.66	629.14	781.07	651.64	758.35	688.19
TOTAL MILEAGE				11,565.41	1,015.03	839.65	928.98	1,041.94	789.15	1,106.42	758.68	855.64	646.66	629.14	787.97	651.64	787.99	726.52

60

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

MUNICIPAL STATE HIGHWAY SYSTEM

COMPLETED AS OF JANUARY 1, 19 66

COUNTY _____ STATE TOTALS _____
DIVISION No. 1-14

TYPE OF ROAD			MILEAGE TOTAL														
				1	2	3	4	5	6	7	8	9	10	11	12	13	14
NON SURF'D	A PRIMITIVE 00																
	B UNIMPROVED 10		1.60											1.60			
	C GRADED AND DRAINED 20																
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED 30																
	E GRAVEL OR STONE —UNTREATED 41-43		0.74										0.16			0.58	
	TOTAL NON HARD SURFACED		2.34										0.16	1.60		0.58	
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	81.31	13.62	1.52	4.16	8.08	7.78	6.46	3.61	22.41	3.92	5.29	2.88	1.16		0.42
		F2 GRAVEL OR STONE 52-53	77.06	2.30	0.15		0.61	2.44	1.57	6.27	4.88	10.64	1.21	21.13	3.40	12.75	9.71
		F3 WATERBOUND MACADAM 54	0.67													0.67	
	G MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x	25.31	11.52		11.39			0.63			1.05			0.72		
		G2 RIGID BASE 61 ^x	18.18	3.81		1.72	2.44		0.47	2.39		0.48	1.25	0.92	0.44	1.49	2.77
HIGH TYPE SURFACES	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 62															
		H2 RIGID BASE 62	3.74									0.90		1.39	1.45		
	I BITUMINOUS CONCRETE I1 63		843.92	29.26	61.34	54.62	65.10	64.36	88.71	91.65	46.26	50.05	70.79	39.44	93.32	54.19	34.83
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61	41.47	6.62	4.82	0.79	6.19	1.91	2.78	7.88	5.03	0.53			0.44	4.48	
		I3 ON BITUMINOUS CONCRETE 61	43.81	1.87	1.37	1.76	6.50	2.33	1.31	14.17	1.01	6.29		0.31	5.45	0.69	0.75
		I4 ON OTHER TYPES THAN I2 AND I3 61	110.12	25.43	14.10	15.80	6.12	3.05	13.97	0.57	22.03	1.70	1.78	0.69	1.67	3.21	
	J PORTLAND CEMENT CONCRETE 70		226.35	10.38	7.18	7.11	9.51	40.19	2.73	31.14	12.57	23.79	29.47	5.68	23.54	20.51	2.55
	K BRICK 80		0.41									0.15	0.26				
	L BLOCK 90																

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

60

RURAL SECONDARY ROAD SYSTEM

COMPLETED AS OF JANUARY 1, 1966

COUNTY STATE TOTALS
DIVISION No. 1-14

TYPE OF ROAD				MILEAGE TOTAL														
					1	2	3	4	5	6	7	8	9	10	11	12	13	14
NON SURF'D	A PRIMITIVE 00			43.30	2.80	0.50	0.80	1.70		5.40	1.20	0.80	2.70		16.90		2.40	8.10
	B UNIMPROVED 10			2,085.80	139.70	99.80	142.90	74.80	70.70	141.90	89.00	143.90	269.30	111.90	407.60	29.80	112.70	251.80
	C GRADED AND DRAINED 20			6,053.20	693.00	955.50	500.30	507.60	485.30	463.90	542.80	475.90	341.70	188.60	384.50	143.80	200.20	170.10
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED 30			7,899.00	315.10	436.80	1,065.90	820.90	641.10	1,219.60	173.70	878.30	617.90	204.70	128.70	1,035.00	280.80	80.50
	E GRAVEL OR STONE —UNTREATED 41-43			12,068.00	335.70	148.70	19.80	165.10	1,116.00	27.40	1,392.40	590.80	654.30	830.10	2,517.80	576.30	1,603.90	2,089.70
	TOTAL NON HARD SURFACED			28,149.30	1,486.30	1,641.30	1,729.70	1,570.10	2,313.10	1,858.20	2,199.10	2,089.70	1,885.90	1,335.30	3,455.50	1,784.90	2,200.00	2,600.20
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51		11,869.00	558.10	197.20	280.50	1,389.00	1,132.40	1,084.60	610.70	1,653.60	1,423.60	934.00	312.70	1,738.50	386.20	167.90
		F2 GRAVEL OR STONE 52-53		7,759.90	335.90	124.60	35.20	246.80	496.60	30.00	951.60	368.40	492.20	1,373.00	1,001.30	398.30	1,055.70	850.30
		F3 WATERBOUND MACADAM 54		30.20		0.50			2.00				10.30	9.10	0.90	0.40	4.90	2.10
	G MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x		411.00	92.60	117.40	127.10	6.20	1.20	65.20		0.80				0.20	0.30	
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G2 RIGID BASE 61 ^x		98.40	6.90	25.30	12.40	10.70	6.40	8.30	9.30	2.30	2.10	2.00	2.80	0.80	8.80	0.30
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 62		6.80	6.30			0.50										
		H2 RIGID BASE 62		21.80	0.10		1.10		0.60		5.30	0.30		3.10	0.20	3.20	6.70	1.20
	I BITUMINOUS CONCRETE I1 63			2,966.70	65.30	183.80	244.20	576.20	279.70	367.90	61.10	268.70	80.20	390.20	10.40	163.50	214.10	61.40
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61		30.60	11.10	0.80	2.60	5.50	4.50	0.10	0.50	0.20	0.20	2.80		0.30	0.50	1.50
		I3 ON BITUMINOUS CONCRETE 61		106.20	1.10	11.70	14.80	42.90	0.70	29.10				5.20		0.40	0.30	
		I4 ON OTHER TYPES THAN I2 AND I3 61		6,256.80	859.70	1,327.30	1,249.80	574.60	248.50	957.70	8.90	750.50	51.50	37.30	13.70	115.30	56.30	5.70
	J PORTLAND CEMENT CONCRETE 70			240.20	17.60	9.10	3.20	3.70	18.40	0.50	47.70	9.20	37.90	21.80	20.80	2.10	27.40	20.80
	K BRICK 80			12.60	0.10	12.50												
	L BLOCK 90																	
TOTAL HARD SURFACED				29,810.20	1,954.80	2,010.20	1,970.90	2,856.10	2,191.00	2,543.40	1,695.10	3,054.00	2,098.00	2,778.50	1,362.80	2,423.00	1,761.20	1,111.20
TOTAL MILEAGE				57,959.50	3,441.10	3,651.50	3,700.60	4,426.20	4,504.10	4,401.60	3,894.20	5,143.70	3,983.90	4,113.80	4,818.30	4,207.90	3,961.20	3,711.40

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

COUNTY _____ STATE TOTALS _____
DIVISION No. 1-14

MUNICIPAL SECONDARY ROAD SYSTEM COMPLETED AS OF JANUARY 1, 19 66

TYPE OF ROAD				MILEAGE TOTAL														
					1	2	3	4	5	6	7	8	9	10	11	12	13	14
NON SURF'D	A PRIMITIVE 00			0.44			0.34							0.10				
	B UNIMPROVED 10			25.97	0.79	3.07	2.45	0.57	0.86	3.13	0.54	3.66	0.84	1.57	2.49	0.42	2.19	3.39
	C GRADED AND DRAINED 20			43.34	5.02	10.08	2.98	1.87	3.15	6.70	1.05	3.72	2.83	0.89	3.45	0.39	0.48	0.73
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED 30			65.74	1.07	5.71	10.22	4.45	4.83	9.43	0.72	10.57	5.56	1.34	0.76	8.53	2.55	
	E GRAVEL OR STONE —UNTREATED 41-43			69.27	0.33	1.46	0.19	0.71	5.21		8.66	3.29	1.97	1.88	11.71	3.58	12.20	18.08
	TOTAL NON HARD SURFACED			204.76	7.21	20.32	16.18	7.60	14.05	19.26	10.97	21.24	11.20	5.68	18.51	12.92	17.42	22.20
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51		489.44	27.93	8.55	16.77	43.62	45.37	47.50	35.34	98.52	56.13	30.90	15.29	33.41	25.56	4.55
		F2 GRAVEL OR STONE 52-53		298.33	14.09	4.82	0.29	4.24	16.16	1.22	51.99	16.07	24.62	30.28	37.78	30.62	31.65	34.50
		F3 WATERBOUND MACADAM 54		3.45		0.19			1.34			0.17		0.92	0.83			
	G MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x		31.62	1.40	4.28	23.14	0.23	0.48	1.75				0.29				0.05
	G MIXED BITUMINOUS	G2 RIGID BASE 61 ^x		7.37	0.44	0.90	0.58	0.98	1.23	0.64			0.71	0.50	0.44	0.83	0.12	
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																
		H2 RIGID BASE 62		2.30								0.10	0.06	1.33	0.26	0.20	0.22	
HIGH TYPE SURFACES	I BITUMINOUS CONCRETE I1 63			410.23	3.98	24.50	27.83	22.72	44.01	22.10	43.71	24.08	41.75	52.42	10.89	44.11	33.26	14.87
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61		18.94	2.38	2.91	0.67	1.74	1.84	0.33	1.21	0.86	3.83	2.89				0.28
		I3 ON BITUMINOUS CONCRETE 61		33.34	0.74	5.50	2.22	8.63	0.40	1.00	5.45	0.94	1.57	1.59		1.96		3.34
		I4 ON OTHER TYPES THAN I2 AND I3 61		257.43	20.88	49.41	56.45	25.90	17.94	33.05	5.41	29.87	6.67	2.65		3.94	3.41	1.85
	J PORTLAND CEMENT CONCRETE 70			63.63	2.82	3.47	0.65	1.33	5.97	1.72	7.01	4.39	12.96	3.61	5.86	4.31	5.12	4.41
	K BRICK 80			1.80	0.87	0.88					0.05							
	L BLOCK 90																	
TOTAL HARD SURFACED				1,617.88	75.53	105.41	128.60	109.39	134.74	109.31	150.27	174.96	149.57	126.31	71.29	119.40	99.12	63.98
TOTAL MILEAGE				1,822.64	82.74	125.73	144.78	116.99	148.79	128.57	161.24	196.20	160.77	131.99	89.80	132.32	116.54	86.18

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

RURAL STATE HIGHWAY SYSTEM

COMPLETED AS OF JANUARY 1, 1966

COUNTY _____ DIVISION TOTALS
DIVISION No. 1

TYPE OF ROAD			MILEAGE TOTAL	BERTIE	CAMDEN	CHOWAN	CURRITUCK	DARE	GATES	HERTFORD	HYDE	MARTIN	NORTH-HAMPTON	PAS-QUOTANK	PER-QUIMANS	TYRRELL	WASH-INGTON
NON SURF'D	A	PRIMITIVE	00														
	B	UNIMPROVED	10														
	C	GRADED AND DRAINED	20														
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30														
	E	GRAVEL OR STONE —UNTREATED	41-43														
	TOTAL NON HARD SURFACED																
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	134.18	15.63	4.96		1.60			34.76	22.17	10.64	42.07		2.35
			F2 GRAVEL OR STONE	52-53	76.52		6.97		2.60	33.70	0.56	2.22	13.17	4.27	6.69		5.84 0.50
			F3 WATERBOUND MACADAM	54													
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61	21.67					21.67							
	G	MIXED BITUMINOUS	G2 RIGID BASE	61	39.39				5.00	8.07			5.73	15.49			5.10
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62													
			H2 RIGID BASE	62													
HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE	I1	63	143.99	28.37		0.09		8.84	20.81		42.35	39.19	3.91		0.43
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	154.06	11.59	17.58	2.90	34.53		0.20	15.25	21.12		14.94	13.05	5.81	17.09
		I3 ON BITUMINOUS CONCRETE	61	16.35	5.97	0.20		0.40		9.78							
		I4 ON OTHER TYPES THAN I2 AND I3	61	348.19	42.27	15.03	24.32	24.93	63.90	48.74	10.07	24.34	19.15	3.71	15.93	8.04	26.72 21.04
	J	PORTLAND CEMENT CONCRETE		70	80.68	0.39		18.79	0.05	5.30	8.14	9.24	0.20		27.15	0.18	1.12 1.14 8.98
	K	BRICK		80													
	L	BLOCK		90													
TOTAL HARD SURFACED				1,015.03	104.22	44.74	46.10	69.11	124.57	74.35	87.08	75.13	103.26	134.30	34.96	22.21	47.39 47.61
TOTAL MILEAGE				1,015.03	104.22	44.74	46.10	69.11	124.57	74.35	87.08	75.13	103.26	134.30	34.96	22.21	47.39 47.61

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

23

RURAL STATE HIGHWAY SYSTEM

COMPLETED AS OF JANUARY 1, 19 66

COUNTY _____ DIVISION TOTALS _____
 DIVISION No. 2

TYPE OF ROAD			MILEAGE TOTAL	BEAUFORT	CARTERET	CRAVEN	GREENE	JONES	LENOIR	PAMLICO	PITT						
NON SURF'D	A	PRIMITIVE	00														
	B	UNIMPROVED	10														
	C	GRADED AND DRAINED	20														
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30														
	E	GRAVEL OR STONE —UNTREATED	41-43														
	TOTAL NON HARD SURFACED																
	F	BITUMINOUS SURFACE TREATED															
		F1 TOPSOIL OR SAND-CLAY	51	16.24			6.03				10.21						
		F2 GRAVEL OR STONE	52-53	1.50		0.95	0.55										
		F3 WATERBOUND MACADAM	54														
	G	MIXED BITUMINOUS															
	G	MIXED BITUMINOUS															
		G2 RIGID BASE	61	4.95		4.95											
HIGH TYPE SURFACES	H	BITUMINOUS PENETRATION															
		H1 NONRIGID BASE	62														
		H2 RIGID BASE	62														
	I	BITUMINOUS CONCRETE I1	63	399.45	79.08	26.22	75.29	44.55	16.90	48.77	22.61	86.03					
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	47.07		5.99			31.03	0.65		9.40					
		I3 ON BITUMINOUS CONCRETE	61	33.13		0.40	10.40		1.20	16.72		4.41					
		I4 ON OTHER TYPES THAN I2 AND I3	61	286.36	57.85	47.97	18.74	24.85	19.47	32.19	26.68	58.61					
	J	PORTLAND CEMENT CONCRETE	70	50.95	22.52	0.57	12.77	0.17	1.70	0.90		12.32					
	K	BRICK	80														
	L	BLOCK	90														
TOTAL HARD SURFACED			839.65	159.45	81.15	123.10	76.15	70.30	99.23	49.29	180.98						
TOTAL MILEAGE			839.65	159.45	81.15	123.10	76.15	70.30	99.23	49.29	180.98						

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

RURAL STATE HIGHWAY SYSTEM

COMPLETED AS OF JANUARY 1, 1966

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 3

TYPE OF ROAD			MILEAGE TOTAL	BRUNSWICK	DUPLIN	NEW HANOVER	ONSLOW	PENDER	SAMPSON								
NON SURF'D	A	PRIMITIVE	00														
	B	UNIMPROVED	10														
	C	GRADED AND DRAINED	20														
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30														
	E	GRAVEL OR STONE —UNTREATED	41-43														
	TOTAL NON HARD SURFACED																
	F	BITUMINOUS SURFACE TREATED															
		F1 TOPSOIL OR SAND-CLAY	51	87.62	4.18	1.24		6.30	75.90								
		F2 GRAVEL OR STONE	52-53	1.27					1.27								
		F3 WATERBOUND MACADAM	54														
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x	51.67	21.82	10.46	1.60	12.20	3.71	1.88						
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	42.51	28.08	6.63		4.39	3.41							
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62													
			H2 RIGID BASE	62													
	I	BITUMINOUS CONCRETE I1		63	416.64	43.90	95.12	59.67	51.50	100.99	65.46						
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	16.13							16.13						
		I3 ON BITUMINOUS CONCRETE	61	8.13		0.04		8.09									
		I4 ON OTHER TYPES THAN I2 AND I3	61	279.12	76.65	42.29	2.01	69.52	42.34	46.31							
	J	PORTLAND CEMENT CONCRETE		70	25.89	1.83	14.31	0.14		0.39	9.22						
	K	BRICK		80													
	L	BLOCK		90													
TOTAL HARD SURFACED				928.98	172.28	173.03	64.66	141.31	158.12	219.58							
TOTAL MILEAGE				928.98	172.28	173.03	64.66	141.31	158.12	219.58							

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

23

RURAL STATE HIGHWAY SYSTEM

COMPLETED AS OF JANUARY 1, 1966

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 4

TYPE OF ROAD			MILEAGE TOTAL															
				EDGEcombe	HALIFAX	JOHNSTON	NASH	WAYNE	WILSON									
NON SURF'D	A	PRIMITIVE	00															
	B	UNIMPROVED	10															
	C	GRADED AND DRAINED	20															
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30															
	E	GRAVEL OR STONE —UNTREATED	41-43															
	TOTAL NON HARD SURFACED																	
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	214.98	33.42	33.95	63.46	62.68	9.00	12.47							
			F2 GRAVEL OR STONE	52-53	38.75	7.40	0.65	10.47	1.40	7.97	10.86							
			F3 WATERBOUND MACADAM	54														
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x														
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	11.19	11.19												
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62	17.34			17.34										
			H2 RIGID BASE	62														
HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE I1	63	385.06	40.90	53.14	85.55	46.60	88.97	69.90								
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	28.45	27.66		0.15	0.64										
		I3 ON BITUMINOUS CONCRETE	61	67.82	17.09	35.53	13.70		1.50									
		I4 ON OTHER TYPES THAN I2 AND I3	61	191.46	9.38	45.00	44.23	42.09	37.23	13.53								
	J	PORTLAND CEMENT CONCRETE	70	86.89	18.99	15.61	28.93	16.25	0.18	6.93								
	K	BRICK	80															
	L	BLOCK	90															
TOTAL HARD SURFACED			1,041.94	166.03	183.88	263.83	169.66	144.85	113.69									
TOTAL MILEAGE			1,041.94	166.03	183.88	263.83	169.66	144.85	113.69									

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

RURAL STATE HIGHWAY SYSTEM

COMPLETED AS OF JANUARY 1, 19 66

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 5

TYPE OF ROAD			MILEAGE TOTAL	DURHAM	FRANKLIN	GRANVILLE	PERSON	VANCE	WAKE	WARREN							
NON SURF'D	A	PRIMITIVE	00														
	B	UNIMPROVED	10														
	C	GRADED AND DRAINED	20														
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30														
	E	GRAVEL OR STONE —UNTREATED	41-43														
	TOTAL NON HARD SURFACED																
	F	BITUMINOUS SURFACE TREATED															
		F1 TOPSOIL OR SAND-CLAY	51	244.57	9.74	71.06	46.51	45.89	22.28	27.35	21.74						
		F2 GRAVEL OR STONE	52-53	26.49	0.12	5.60	11.27	8.53		0.97							
		F3 WATERBOUND MACADAM	54														
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61													
	G	MIXED BITUMINOUS	G2 RIGID BASE	61	16.65	6.65		10.00									
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62													
HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE I1	63	313.85	22.22	45.99	44.10	15.84	25.31	126.42	33.97						
		SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	1.89	0.06			1.83								
			I3 ON BITUMINOUS CONCRETE	61	3.88					3.88							
			I4 ON OTHER TYPES THAN I2 AND I3	61	41.86		6.45		8.68	26.73							
	J	PORTLAND CEMENT CONCRETE	70	139.96	34.10	18.80		9.63	9.22	42.18	26.03						
	K	BRICK	80														
	L	BLOCK	90														
TOTAL HARD SURFACED				789.15	72.89	147.90	101.88	89.89	67.32	227.53	81.74						
TOTAL MILEAGE				789.15	72.89	147.90	101.88	89.89	67.32	227.53	81.74						

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 6

RURAL STATE HIGHWAY SYSTEM COMPLETED AS OF JANUARY 1, 1966

TYPE OF ROAD			MILEAGE TOTAL	BLADEN	COLUMBUS	CUMBER- LAND	HARNETT	ROBESON									
NON SURF'D	A	PRIMITIVE	00														
	B	UNIMPROVED	10														
	C	GRADED AND DRAINED	20														
	D	SOIL SURFACED —UNTREATED	30														
	E	GRAVEL OR STONE —UNTREATED	41-43														
LOW TYPE SURFACES	TOTAL NON HARD SURFACED																
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	154.96	29.53	13.22	6.94	29.58	75.69							
			F2 GRAVEL OR STONE	52-53	13.91		8.10	0.31	5.05	0.45							
			F3 WATERBOUND MACADAM	54													
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x	48.50	25.54	8.53	14.43									
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	32.32	31.50		0.82									
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62													
			H2 RIGID BASE	62													
	I	BITUMINOUS CONCRETE I1	63	603.91	112.63	95.12	127.69	122.14	146.33								
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	25.37	13.42	11.95											
I3 ON BITUMINOUS CONCRETE		61	7.75			7.75											
I4 ON OTHER TYPES THAN I2 AND I3		61	216.34	47.45	79.83	13.29	14.22	61.55									
J		PORTLAND CEMENT CONCRETE	70	3.36			3.24		0.12								
K	BRICK	80															
L	BLOCK	90															
TOTAL HARD SURFACED																	
TOTAL MILEAGE																	

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

22

RURAL STATE HIGHWAY SYSTEM

COMPLETED AS OF JANUARY 1, 1966

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 7

TYPE OF ROAD		MILEAGE TOTAL														
			ALAMANCE	CASWELL	GUILFORD	ORANGE	ROCK- INGHAM									
NON SURF'D	A PRIMITIVE	00														
	B UNIMPROVED	10														
	C GRADED AND DRAINED	20														
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30														
	E GRAVEL OR STONE —UNTREATED	41-43														
	TOTAL NON HARD SURFACED															
	F BITUMINOUS SURFACE TREATED															
HIGH TYPE SURFACES	F1 TOPSOIL OR SAND-CLAY	51	205.89	55.26	35.64	30.36	38.89	45.74								
	F2 GRAVEL OR STONE	52-53	101.68	15.41	31.65	18.88	12.91	22.83								
	F3 WATERBOUND MACADAM	54	1.65			1.65										
	G MIXED BITUMINOUS	G1 NONRIGID BASE	61													
	G MIXED BITUMINOUS	G2 RIGID BASE	61	56.04	36.29	8.98	0.57	10.20								
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	62													
	H BITUMINOUS PENETRATION	H2 RIGID BASE	62	3.26	0.41	2.85										
	I BITUMINOUS CONCRETE I1	63	286.91	42.44	12.03	109.61	29.96	92.87								
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	7.21	5.06	2.15										
		I3 ON BITUMINOUS CONCRETE	61	14.25		14.25										
		I4 ON OTHER TYPES THAN I2 AND I3	61													
	J PORTLAND CEMENT CONCRETE	70	81.79	10.73	8.44	28.42	24.77	9.43								
	K BRICK	80														
	L BLOCK	90														
	TOTAL HARD SURFACED		758.68	129.31	124.05	217.15	107.10	181.07								
	TOTAL MILEAGE		758.68	129.31	124.05	217.15	107.10	181.07								

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

23

RURAL STATE HIGHWAY SYSTEM

COMPLETED AS OF JANUARY 1, 19 66

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 8

TYPE OF ROAD		MILEAGE TOTAL													
			CHATHAM	HOKE	LEE	MONT- GOMERY	MOORE	RANDOLPH	RICHMOND	SCOTLAND					
NON SURF'D	A PRIMITIVE	00													
	B UNIMPROVED	10													
	C GRADED AND DRAINED	20													
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30													
	E GRAVEL OR STONE —UNTREATED	41-43													
	TOTAL NON HARD SURFACED														
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	242.92	36.46	7.05	22.42	28.88	54.53	63.07	26.10	4.41			
		F2 GRAVEL OR STONE	52-53	78.28	32.78		7.65	14.58	4.20	18.76	0.31				
		F3 WATERBOUND MACADAM	54												
	G MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x												
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	6.87			1.50			3.61	1.76				
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	62												
		H2 RIGID BASE	62												
	I BITUMINOUS CONCRETE I1		63	249.54	15.88	6.09	33.24	44.47	23.86	89.46	17.86	18.68			
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	17.98	0.22	2.42			7.17	0.35	2.49	5.33			
		I3 ON BITUMINOUS CONCRETE	61	4.81		3.00					1.81				
		I4 ON OTHER TYPES THAN I2 AND I3	61	175.82	0.20	35.22	0.20		57.81		46.41	35.98			
	J PORTLAND CEMENT CONCRETE		70	79.42	49.11	0.60	6.06	17.17	6.15	0.03	0.30				
	K BRICK		80												
	L BLOCK		90												
TOTAL HARD SURFACED			855.64	134.65	54.38	69.57	106.60	153.72	171.67	98.89	66.16				
TOTAL MILEAGE			855.64	134.65	54.38	69.57	106.60	153.72	171.67	98.89	66.16				

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 9

RURAL STATE HIGHWAY SYSTEM

COMPLETED AS OF JANUARY 1, 1966

TYPE OF ROAD			MILEAGE TOTAL	DAVIDSON	DAVIE	FORSYTH	ROWAN	STOKES									
NON SURF'D	A	PRIMITIVE	00														
	B	UNIMPROVED	10														
	C	GRADED AND DRAINED	20														
	D	SOIL SURFACED —UNTREATED	30														
	E	GRAVEL OR STONE —UNTREATED	41-43														
LOW TYPE SURFACES	TOTAL NON HARD SURFACED																
	F	BITUMINOUS SURFACE TREATED															
		F1 TOPSOIL OR SAND-CLAY	51	190.47	55.48	25.91	25.45	19.01	64.62								
		F2 GRAVEL OR STONE	52-53	115.16	13.36	27.08	20.33	5.93	48.46								
		F3 WATERBOUND MACADAM	54														
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x	0.11		0.11										
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	0.49			0.49									
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62													
			H2 RIGID BASE	62													
	I	BITUMINOUS CONCRETE I1		63	197.04	47.01	29.41	65.45	45.55	9.62							
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	2.17	2.17												
		I3 ON BITUMINOUS CONCRETE	61	6.79				6.79									
		I4 ON OTHER TYPES THAN I2 AND I3	61	20.01	11.12		0.25	8.64									
	J	PORTLAND CEMENT CONCRETE		70	114.42	23.24	1.88	42.81	33.35	13.14							
	K	BRICK		80													
	L	BLOCK		90													
TOTAL HARD SURFACED				646.66	152.38	84.28	154.40	119.76	135.84								
TOTAL MILEAGE				646.66	152.38	84.28	154.40	119.76	135.84								

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

RURAL STATE HIGHWAY SYSTEM

COMPLETED AS OF JANUARY 1, 1966

COUNTY DIVISION TOTALS
DIVISION No. 10

TYPE OF ROAD			MILEAGE TOTAL															
				ANSON	CABARRUS	MECK- LENBURG	STANLY	UNION										
NON SURF'D	A	PRIMITIVE	00															
	B	UNIMPROVED	10															
	C	GRADED AND DRAINED	20															
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30															
	E	GRAVEL OR STONE —UNTREATED	41-43															
	TOTAL NON HARD SURFACED																	
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	139.82	52.46	5.71	15.28	12.12	54.25								
			F2 GRAVEL OR STONE	52-53	86.80	13.44	3.39	16.89	12.49	40.59								
			F3 WATERBOUND MACADAM	54														
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x														
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	3.22			3.22										
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62														
			H2 RIGID BASE	62	0.61			0.61										
HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE I1	63	268.14	28.54	50.79	98.78	52.64	37.39									
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	0.25					0.25									
		I3 ON BITUMINOUS CONCRETE	61	0.27		0.06			0.21									
		I4 ON OTHER TYPES THAN I2 AND I3	61	38.27		21.71	0.18		16.38									
		J	PORTLAND CEMENT CONCRETE	70	91.76	17.95	13.26	31.91	15.74	12.90								
	K	BRICK	80															
	L	BLOCK	90															
TOTAL HARD SURFACED			629.14	112.39	94.92	166.87	92.99	161.97										
TOTAL MILEAGE			629.14	112.39	94.92	166.87	92.99	161.97										

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 11

RURAL STATE HIGHWAY SYSTEM COMPLETED AS OF JANUARY 1, 19 66

TYPE OF ROAD			MILEAGE TOTAL	ALLEGHANY	ASHE	AVERY	CALDWELL	SURRY	WATAUGA	WILKES	YADKIN						
NON SURF'D	A	PRIMITIVE	00														
	B	UNIMPROVED	10	1.23			1.23										
	C	GRADED AND DRAINED	20														
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30														
	E	GRAVEL OR STONE —UNTREATED	41-43	5.67			5.67										
	TOTAL NON HARD SURFACED		6.90				6.90										
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	102.43		22.14	62.23		17.33	0.73						
			F2 GRAVEL OR STONE	52-53	423.22	72.78	96.21	59.50	34.79	27.60	52.77	68.79	10.78				
			F3 WATERBOUND MACADAM	54	8.29	4.74		3.55									
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61													
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G2 RIGID BASE	61	4.03		4.03										
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62													
			H2 RIGID BASE	62													
	I	BITUMINOUS CONCRETE I1		63	212.24	2.23	12.69	7.85	36.75	18.50	28.94	50.07	55.21				
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61														
		I3 ON BITUMINOUS CONCRETE	61														
		I4 ON OTHER TYPES THAN I2 AND I3	61														
	J	PORTLAND CEMENT CONCRETE		70	30.86		3.42	7.80	12.95		2.66	4.03					
	K	BRICK		80													
	L	BLOCK		90													
TOTAL HARD SURFACED				781.07	79.75	108.90	78.35	101.48	121.28	81.71	138.85	70.75					
TOTAL MILEAGE				787.97	79.75	108.90	78.35	108.38	121.28	81.71	138.85	70.75					

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

RURAL STATE HIGHWAY SYSTEM

COMPLETED AS OF JANUARY 1, 19 66

COUNTY _____ DIVISION TOTALS _____
 DIVISION No. 12

TYPE OF ROAD			MILEAGE TOTAL														
				ALEXANDER	CATAWBA	CLEVELAND	GASTON	IREDELL	LINCOLN								
NON SURF'D	A	PRIMITIVE	00														
	B	UNIMPROVED	10														
	C	GRADED AND DRAINED	20														
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30														
	E	GRAVEL OR STONE —UNTREATED	41-43														
	TOTAL NON HARD SURFACED																
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	121.13	5.13	11.19	38.63	5.45	26.74	33.99						
			F2 GRAVEL OR STONE	52-53	34.14		4.61	8.18	6.57		14.78						
			F3 WATERBOUND MACADAM	54													
G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x														
G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	16.86	9.01			3.79		4.06							
HIGH TYPE SURFACES	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62													
			H2 RIGID BASE	62	7.95				7.95								
	I BITUMINOUS CONCRETE I1		63	414.40	30.32	55.55	105.63	69.03	106.28	47.59							
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	0.28				0.11	0.17								
		I3 ON BITUMINOUS CONCRETE	61														
		I4 ON OTHER TYPES THAN I2 AND I3	61	5.61			3.30	2.31									
	J PORTLAND CEMENT CONCRETE		70	51.27		25.01	0.12	16.30	9.84								
	K BRICK		80														
	L BLOCK		90														
TOTAL HARD SURFACED			651.64	44.46	96.36	155.86	111.51	143.03	100.42								
TOTAL MILEAGE			651.64	44.46	96.36	155.86	111.51	143.03	100.42								

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

RURAL STATE HIGHWAY

SYSTEM

COMPLETED AS OF JANUARY 1, 19 66

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 13

TYPE OF ROAD			MILEAGE TOTAL	BUNCOMBE	BURKE	MADISON	McDOWELL	MITCHELL	RUTHER-FORD	YANCEY								
NON SURF'D	A	PRIMITIVE	00															
	B	UNIMPROVED	10															
	C	GRADED AND DRAINED	20															
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30															
	E	GRAVEL OR STONE —UNTREATED	41-43	29.64	12.26	11.49				5.89								
	TOTAL NON HARD SURFACED			29.64	12.26	11.49				5.89								
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	19.61	3.94				6.21	9.46							
			F2 GRAVEL OR STONE	52-53	284.24	30.12	40.13	69.57	41.49	37.10	7.53	58.30						
			F3 WATERBOUND MACADAM	54	0.05					0.05								
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61														
	G	MIXED BITUMINOUS	G2 RIGID BASE	61	9.22	3.24			0.55	4.62	0.81							
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62						0.78								
			H2 RIGID BASE	62	0.78													
HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE 11	63	355.35	92.50	65.99	28.44	67.28	17.23	70.75	13.16							
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	1.68	1.68													
		I3 ON BITUMINOUS CONCRETE	61															
		I4 ON OTHER TYPES THAN I2 AND I3	61	10.09		9.74			0.35									
	J	PORTLAND CEMENT CONCRETE	70	77.33	20.70	29.34		21.44	2.15	3.70								
	K	BRICK	80															
	L	BLOCK	90															
TOTAL HARD SURFACED			758.35	148.24	139.40	107.75	130.21	57.08	93.94	81.73								
TOTAL MILEAGE			787.99	160.50	139.40	119.24	130.21	57.08	93.94	87.62								

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

RURAL STATE HIGHWAY

SYSTEM

COMPLETED AS OF JANUARY 1, 19 66

COUNTY _____ DIVISION TOTALS

DIVISION No. 14

TYPE OF ROAD			MILEAGE TOTAL	CHEROKEE	CLAY	GRAHAM	HAYWOOD	HENDERSON	JACKSON	MACON	POLK	SWAIN	TRAN- SYLVANIA				
NON SURF'D	A	PRIMITIVE	00														
	B	UNIMPROVED	10														
	C	GRADED AND DRAINED	20														
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30														
	E	GRAVEL OR STONE —UNTREATED	41-43	38.33			23.39		9.77				5.17				
	TOTAL NON HARD SURFACED		38.33				23.39		9.77				5.17				
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	10.56						10.56						
			F2 GRAVEL OR STONE	52-53	294.07	17.69	19.70	36.02	36.05	2.09	41.01	50.66	12.33	26.95	51.57		
			F3 WATERBOUND MACADAM	54													
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x													
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	25.56			2.74	8.80	8.44			5.58				
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62													
			H2 RIGID BASE	62													
HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE I1	63	316.58	45.41	11.93	15.90	45.07	63.30	51.53	21.52	7.15	41.13	13.64			
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	14.78				4.86	9.92								
		I3 ON BITUMINOUS CONCRETE	61														
		I4 ON OTHER TYPES THAN I2 AND I3	61	11.08				0.57				10.51					
	J	PORTLAND CEMENT CONCRETE	70	15.56	4.50			3.11	1.00	6.95							
	K	BRICK	80														
	L	BLOCK	90														
TOTAL HARD SURFACED			688.19	67.60	31.63	51.92	89.29	78.42	102.34	87.57	40.55	68.08	70.79				
TOTAL MILEAGE			726.52	67.60	31.63	51.92	112.68	78.42	112.11	87.57	40.55	68.08	75.96				

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

23

MUNICIPAL STATE HIGHWAY SYSTEM

COMPLETED AS OF JANUARY 1, 1966

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 1

TYPE OF ROAD			MILEAGE TOTAL															
				BERTIE	CAMDEN	CHOWAN	CURRITUCK	DARE	GATES	HERTFORD	HYDE	MARTIN	NORTH- HAMPTON	PAS- QUOTANK	PER- QUIMANS	TYRRELL	WASH- INGTON	
NON SURF'D	A	PRIMITIVE	00															
	B	UNIMPROVED	10															
	C	GRADED AND DRAINED	20															
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30															
	E	GRAVEL OR STONE —UNTREATED	41-43															
	TOTAL NON HARD SURFACED																	
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	13.62	2.18					2.02	0.46	0.89	8.07				
			F2 GRAVEL OR STONE	52-53	2.30	0.42					0.29		0.40	0.39				0.80
			F3 WATERBOUND MACADAM	54														
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x	11.52				11.52									
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	3.81							0.57	3.24					
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62														
			H2 RIGID BASE	62														
HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE I1	63	29.26	3.39		2.54			1.90		11.44	6.41	3.08		0.50		
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	6.62			0.25			0.89		1.67			3.06		0.75	
		I3 ON BITUMINOUS CONCRETE	61	1.87	0.19		0.10			1.07		0.33		0.18				
		I4 ON OTHER TYPES THAN I2 AND I3	61	25.43	3.58				13.01	1.38	0.38	0.63	1.45	2.25	1.45	0.63	0.19	0.48
	J	PORTLAND CEMENT CONCRETE	70	10.38	0.41	0.04	1.47			1.21		0.40	2.43	0.39	2.43	0.48	1.12	
	K	BRICK	80															
	L	BLOCK	90															
TOTAL HARD SURFACED			104.81	10.17	0.04	4.36		24.53	1.38	7.76	1.09	17.15	22.79	5.10	6.12	1.17	3.15	
TOTAL MILEAGE			104.81	10.17	0.04	4.36		24.53	1.38	7.76	1.09	17.15	22.79	5.10	6.12	1.17	3.15	

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

MUNICIPAL STATE HIGHWAY SYSTEM

COMPLETED AS OF JANUARY 1, 1966

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 2

TYPE OF ROAD			MILEAGE TOTAL															
				BEAUFORT	CARTERET	CRAVEN	GREENE	JONES	LENOIR	PAMLICO	PITT							
NON SURF'D	A	PRIMITIVE	00															
	B	UNIMPROVED	10															
	C	GRADED AND DRAINED	20															
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30															
	E	GRAVEL OR STONE —UNTREATED	41-43															
	TOTAL NON HARD SURFACED																	
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	1.52			0.62			0.90							
			F2 GRAVEL OR STONE	52-53	0.15			0.15										
			F3 WATERBOUND MACADAM	54														
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x														
G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x															
HIGH TYPE SURFACES	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62														
			H2 RIGID BASE	62														
	I	BITUMINOUS CONCRETE I1	63	61.34	8.11	6.80	12.47	2.00	1.82	6.50	5.59	18.05						
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	4.82	0.36			0.29		0.22	1.70	2.25						
		I3 ON BITUMINOUS CONCRETE	61	1.37				0.17	0.19	0.98		0.03						
		I4 ON OTHER TYPES THAN I2 AND I3	61	14.10	1.91	2.44	0.36	1.02		0.89	2.43	5.05						
	J	PORTLAND CEMENT CONCRETE	70	7.18	2.49	0.04	0.06	0.13	0.62	0.02	0.35	3.47						
	K	BRICK	80															
	L	BLOCK	90															
TOTAL HARD SURFACED			90.48	12.87	9.28	12.89	4.38	2.63	8.61	10.07	29.75							
TOTAL MILEAGE			90.48	12.87	9.28	12.89	4.38	2.63	8.61	10.07	29.75							

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

MUNICIPAL STATE HIGHWAY SYSTEM

COMPLETED AS OF JANUARY 1, 1966

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 3

TYPE OF ROAD			MILEAGE TOTAL														
				BRUNSWICK	DUPLIN	NEW HANOVER	ONSLow	PENDER	SAMPSON								
NON SURF'D	A PRIMITIVE 00																
	B UNIMPROVED 10																
	C GRADED AND DRAINED 20																
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED 30																
	E GRAVEL OR STONE —UNTREATED 41-43																
	TOTAL NON HARD SURFACED																
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	4.16		0.52				3.64								
		F2 GRAVEL OR STONE 52-53															
		F3 WATERBOUND MACADAM 54															
	G MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x	11.39	1.38				9.13	0.88								
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	1.72	1.04	0.68												
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 62															
		H2 RIGID BASE 62															
	I BITUMINOUS CONCRETE I1	63	54.62	1.19	12.82	17.50	5.11	4.90	13.10								
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61	0.79						0.79								
		I3 ON BITUMINOUS CONCRETE 61	1.76		0.79		0.97										
		I4 ON OTHER TYPES THAN I2 AND I3 61	15.80	6.12	2.43	3.23	0.90	1.04	2.08								
	J PORTLAND CEMENT CONCRETE	70	7.11		4.13	0.46			2.52								
	K BRICK	80															
	L BLOCK	90															
	TOTAL HARD SURFACED		97.35	9.73	21.37	21.19	6.98	15.07	23.01								
TOTAL MILEAGE		97.35	9.73	21.37	21.19	6.98	15.07	23.01									

23

MUNICIPAL STATE HIGHWAY SYSTEM

COMPLETED AS OF JANUARY 1, 1966

5

5

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 5

MUNICIPAL STATE HIGHWAY SYSTEM

COMPLETED AS OF JANUARY 1, 1966

TYPE OF ROAD				MILEAGE TOTAL														
					DURHAM	FRANKLIN	GRANVILLE	PERSON	VANCE	WAKE	WARREN							
NON SURF'D	A PRIMITIVE 00																	
	B UNIMPROVED 10																	
	C GRADED AND DRAINED 20																	
	D SOIL SURFACED —UNTREATED 30																	
LOW TYPE SURFACES	E GRAVEL OR STONE —UNTREATED 41-43																	
	TOTAL NON HARD SURFACED																	
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51		7.78	0.51	2.12	1.75	0.71	0.79	1.47	0.43							
		F2 GRAVEL OR STONE 52-53		2.44	0.28		0.07	1.09	0.43	0.35	0.22							
		F3 WATERBOUND MACADAM 54																
	G MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x																
	G MIXED BITUMINOUS	G2 RIGID BASE 61 ^x																
HIGH TYPE SURFACES	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																
		H2 RIGID BASE 62																
	I BITUMINOUS CONCRETE I1	I1 63		64.36	17.61	2.20	8.29	1.57	5.64	25.08	3.97							
		SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61		1.91	0.45	0.08			0.20	1.18							
			I3 ON BITUMINOUS CONCRETE 61		2.33	1.62				0.71								
			I4 ON OTHER TYPES THAN I2 AND I3 61		3.05	1.28	0.10			0.20	1.47							
	J PORTLAND CEMENT CONCRETE 70			40.19	10.81	2.30		5.03	2.22	18.60	1.23							
	K BRICK 80																	
	L BLOCK 90																	
TOTAL HARD SURFACED				122.06	32.56	6.80	10.11	8.40	10.19	48.15	5.85							
TOTAL MILEAGE				122.06	32.56	6.80	10.11	8.40	10.19	48.15	5.85							

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 6

MUNICIPAL STATE HIGHWAY SYSTEM

COMPLETED AS OF JANUARY 1, 1966

TYPE OF ROAD			MILEAGE TOTAL	BLADEN	COLUMBUS	CUMBER- LAND	HARNETT	ROBESON										
NON SURF'D	A	PRIMITIVE	00															
	B	UNIMPROVED	10															
	C	GRADED AND DRAINED	20															
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30															
	E	GRAVEL OR STONE —UNTREATED	41-43															
	TOTAL NON HARD SURFACED																	
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	6.46	0.75	0.12	0.81	1.89	2.89								
			F2 GRAVEL OR STONE	52-53	1.57		1.43		0.14									
			F3 WATERBOUND MACADAM	54														
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x	0.63		0.56	0.07										
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	0.47	0.11		0.36										
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62														
			H2 RIGID BASE	62														
	I	BITUMINOUS CONCRETE I1	63	88.71	8.23	21.04	24.61	10.32	24.51									
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	2.78	1.58	0.67	0.53											
		I3 ON BITUMINOUS CONCRETE	61	1.31			1.31											
		I4 ON OTHER TYPES THAN I2 AND I3	61	13.97	2.50	3.44	2.02	0.28	5.73									
	J	PORTLAND CEMENT CONCRETE	70	2.73		1.07	0.88		0.78									
	K	BRICK	80															
	L	BLOCK	90															
TOTAL HARD SURFACED			118.63	13.17	28.33	30.59	12.63	33.91										
TOTAL MILEAGE			118.63	13.17	28.33	30.59	12.63	33.91										

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 8

MUNICIPAL STATE HIGHWAY SYSTEM COMPLETED AS OF JANUARY 1, 1966

TYPE OF ROAD			MILEAGE TOTAL														
				CHATHAM	HOKE	LEE	MONT- GOMERY	MOORE	RANDOLPH	RICHMOND	SCOTLAND						
NON SURF'D	A	PRIMITIVE	00														
	B	UNIMPROVED	10														
	C	GRADED AND DRAINED	20														
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30														
	E	GRAVEL OR STONE —UNTREATED	41-43														
	TOTAL NON HARD SURFACED																
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	22.41	1.39	1.97	1.42	2.32	4.91	9.06	0.40	0.94				
			F2 GRAVEL OR STONE	52-53	4.88	0.38		0.98	0.40	1.42	1.70						
			F3 WATERBOUND MACADAM	54													
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x													
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x													
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62													
			H2 RIGID BASE	62													
HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE I1	63	46.26	2.30	1.06	8.48	5.96	5.01	12.18	5.67	5.60					
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	5.03	0.50	0.48			0.98	0.70	0.20	2.17					
		I3 ON BITUMINOUS CONCRETE	61	1.01		0.10		0.38			0.53						
		I4 ON OTHER TYPES THAN I2 AND I3	61	22.03		2.70		1.63	7.87	0.50	5.95	3.38					
	J	PORTLAND CEMENT CONCRETE	70	12.57	6.23		0.48	3.25	1.45	1.10	0.06						
	K	BRICK	80														
	L	BLOCK	90														
TOTAL HARD SURFACED			114.19	10.80	6.31	11.36	13.94	21.64	25.24	12.81	12.09						
TOTAL MILEAGE			114.19	10.80	6.31	11.36	13.94	21.64	25.24	12.81	12.09						

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

27

MUNICIPAL STATE HIGHWAY SYSTEM

COMPLETED AS OF JANUARY 1, 19 66

COUNTY DIVISION TOTALS
DIVISION No. 9

TYPE OF ROAD			MILEAGE TOTAL														
				DAVIDSON	DAVIE	FORSYTH	ROWAN	STOKES									
NON SURF'D	A	PRIMITIVE	00														
	B	UNIMPROVED	10														
	C	GRADED AND DRAINED	20														
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30														
	E	GRAVEL OR STONE —UNTREATED	41-43														
	TOTAL NON HARD SURFACED																
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	3.92	1.70	0.80	0.11	0.47	0.84							
			F2 GRAVEL OR STONE	52-53	10.64	1.79	0.21	6.08	0.81	1.75							
			F3 WATERBOUND MACADAM	54													
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x	1.05			1.05									
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	0.48	0.25			0.23								
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62													
			H2 RIGID BASE	62													
HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE I1	63	50.05	6.52	3.87	24.67	12.05	2.94								
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	0.53	0.19	0.08		0.26									
		I3 ON BITUMINOUS CONCRETE	61	6.29	0.87		1.03	4.39									
		I4 ON OTHER TYPES THAN I2 AND I3	61	1.70	0.38		0.71	0.61									
	J	PORTLAND CEMENT CONCRETE	70	23.79	2.90	0.30	18.82	1.44	0.33								
	K	BRICK	80	0.26			0.26										
	L	BLOCK	90														
TOTAL HARD SURFACED			98.71	14.60	5.26	52.73	20.26	5.86									
TOTAL MILEAGE			98.71	14.60	5.26	52.73	20.26	5.86									

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

MUNICIPAL STATE HIGHWAY SYSTEM

COMPLETED AS OF JANUARY 1, 1966

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 11

TYPE OF ROAD			MILEAGE TOTAL	ALLEGHANY	ASHE	AVERY	CALDWELL	SURRY	WATAUGA	WILKES	YADKIN						
NON SURFD	A	PRIMITIVE	00														
	B	UNIMPROVED	10	1.60			1.60										
	C	GRADED AND DRAINED	20														
LOW LIFE SURFACES	D	SOIL SURFACED —UNTREATED	30														
	E	GRAVEL OR STONE —UNTREATED	41-43														
	TOTAL NON HARD SURFACED		1.60				1.60										
HIGH LIFE SURFACES	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	2.88			0.21	2.67								
			F2 GRAVEL OR STONE	52-53	21.13	2.01	4.40	6.03	0.53	0.99	3.34	2.34	1.49				
			F3 WATERBOUND MACADAM	54													
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x													
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	0.92		0.45	0.47									
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62													
			H2 RIGID BASE	62													
	I	BITUMINOUS CONCRETE I1		63	39.44	1.18	2.52	0.80	12.47	4.84	4.58	8.47	4.58				
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE		61													
		I3 ON BITUMINOUS CONCRETE		61	0.31				0.31								
		I4 ON OTHER TYPES THAN I2 AND I3		61	0.69				0.69								
	J	PORTLAND CEMENT CONCRETE		70	5.68		0.26		3.46	1.50		0.46					
	K	BRICK		80													
	L	BLOCK		90													
TOTAL HARD SURFACED					71.05	3.19	7.63	7.30	17.36	10.31	7.92	11.27	6.07				
TOTAL MILEAGE					72.65	3.19	7.63	7.30	18.96	10.31	7.92	11.27	6.07				

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

22

MUNICIPAL STATE HIGHWAY SYSTEM

COMPLETED AS OF JANUARY 1, 1966

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 12

TYPE OF ROAD			MILEAGE TOTAL	ALEXANDER	CATAWBA	CLEVELAND	GASTON	IREDELL	LINCOLN								
NON SURF'D	A	PRIMITIVE	00														
	B	UNIMPROVED	10														
	C	GRADED AND DRAINED	20														
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30														
	E	GRAVEL OR STONE —UNTREATED	41-43														
	TOTAL NON HARD SURFACED																
	F	BITUMINOUS SURFACE TREATED															
		F1 TOPSOIL OR SAND-CLAY	51	1.16		0.20	0.53	0.43									
		F2 GRAVEL OR STONE	52-53	3.40	0.49	2.69	0.22										
HIGH TYPE SURFACES	G	MIXED BITUMINOUS															
		G1 NONRIGID BASE	61	0.72			0.72										
		G2 RIGID BASE	61	0.44			0.44										
	H	BITUMINOUS PENETRATION															
		H1 NONRIGID BASE	62														
		H2 RIGID BASE	62	1.39			1.39										
	I	BITUMINOUS CONCRETE I1	63	93.32	1.62	17.11	18.90	29.59	21.14	4.96							
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	0.44	0.15	0.29											
		I3 ON BITUMINOUS CONCRETE	61	5.45		0.89	3.15	1.41									
		I4 ON OTHER TYPES THAN I2 AND I3	61	1.67		0.64	1.03										
	J	PORTLAND CEMENT CONCRETE	70	23.54	4.93	2.49	10.41	5.71									
	K	BRICK	80														
	L	BLOCK	90														
TOTAL HARD SURFACED			131.53	1.62	22.68	26.10	47.48	28.69	4.96								
TOTAL MILEAGE			131.53	1.62	22.68	26.10	47.48	28.69	4.96								

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

22

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 13

MUNICIPAL STATE HIGHWAY SYSTEM

COMPLETED AS OF JANUARY 1, 1966

TYPE OF ROAD		MILEAGE TOTAL														
			BUNCOMBE	BURKE	MADISON	MCDOWELL	MITCHELL	RUTHER- FORD	YANCEY							
NON SURF'D	A PRIMITIVE	00														
	B UNIMPROVED	10														
	C GRADED AND DRAINED	20														
	D SOIL SURFACED —UNTREATED	30														
	E GRAVEL OR STONE —UNTREATED	41-43	0.58	0.58												
LOW TYPE SURFACES	TOTAL NON HARD SURFACED		0.58	0.58												
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51													
		F2 GRAVEL OR STONE	52-53	12.75	2.07	0.12	7.35		0.59	0.18	2.44					
		F3 WATERBOUND MACADAM	54	0.67				0.67								
	G MIXED BITUMINOUS	G1 NONRIGID BASE	x 61													
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G2 RIGID BASE	x 61	1.49					1.49							
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	62													
		H2 RIGID BASE	62	1.45				1.45								
		I BITUMINOUS CONCRETE I1	63	54.19	21.83	12.57	1.02	2.16	3.58	13.03						
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	4.48	2.96	0.09		0.11		1.32						
		I3 ON BITUMINOUS CONCRETE	61	0.69		0.69										
		I4 ON OTHER TYPES THAN I2 AND I3	61	3.21	0.80	0.48	0.66	0.10		1.17						
	J PORTLAND CEMENT CONCRETE		70	20.51	11.01		0.02	1.22	0.67	7.59						
	K BRICK		80													
	L BLOCK		90													
TOTAL HARD SURFACED			99.44	38.67	13.95	9.05	3.59	6.96	24.78	2.44						
TOTAL MILEAGE			100.02	39.25	13.95	9.05	3.59	6.96	24.78	2.44						

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

11

MUNICIPAL STATE HIGHWAY SYSTEM

COMPLETED AS OF JANUARY 1, 19 66

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 14

TYPE OF ROAD			MILEAGE TOTAL														
				CHEROKEE	CLAY	GRAHAM	HAYWOOD	HENDERSON	JACKSON	MACON	POLK	SWAIN	TRANS- SYLVANIA				
NON SURF'D	A	PRIMITIVE	00														
	B	UNIMPROVED	10														
	C	GRADED AND DRAINED	20														
	D	SOIL SURFACED —UNTREATED	30														
	E	GRAVEL OR STONE —UNTREATED	41-43														
LOW TYPE SURFACES	TOTAL NON HARD SURFACED																
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	0.42							0.42						
		F2 GRAVEL OR STONE	52-53	9.71	0.68		0.07	0.10		4.02	3.37	0.45		1.02			
		F3 WATERBOUND MACADAM	54														
	G MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x														
	G MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	2.77			0.81			1.81	0.15						
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	62														
		H2 RIGID BASE	62														
	HIGH TYPE SURFACES	I BITUMINOUS CONCRETE I1		63	34.83	5.71	0.82	0.74	7.41	4.21	2.98	3.85	3.03	2.53	3.55		
		SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61													
I3 ON BITUMINOUS CONCRETE			61	0.75			0.75										
I4 ON OTHER TYPES THAN I2 AND I3			61														
J		PORTLAND CEMENT CONCRETE	70	2.55	0.11		0.17	0.11	0.40	1.05	0.36	0.35					
K		BRICK	80														
L		BLOCK	90														
TOTAL HARD SURFACED			51.03	6.50	0.82	0.81	9.24	4.32	7.40	10.08	4.41	2.88	4.57				
TOTAL MILEAGE			51.03	6.50	0.82	0.81	9.24	4.32	7.40	10.08	4.41	2.88	4.57				

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

23

RURAL SECONDARY ROAD SYSTEM

COMPLETED AS OF JANUARY 1, 19 66

COUNTY _____ DIVISION TOTALS
DIVISION No. 1

TYPE OF ROAD			MILEAGE TOTAL															
				BERTIE	CAMDEN	CHOWAN	CURRITUCK	DARE	GATES	HERTFORD	HYDE	MARTIN	NORTH- HAMPTON	PAS- QUOTANK	PER- QUIMANS	TYRRELL	WASH - INGTON	
NON SURF'D	A PRIMITIVE	00	2.80			1.40		0.20		0.40		0.70		0.10				
	B UNIMPROVED	10	139.70	30.90	5.70	4.10	18.70	6.30	8.00	6.60	10.40	11.40	4.20	5.20	12.20	8.50	7.50	
	C GRADED AND DRAINED	20	693.00	141.40	25.10	14.90	16.40	21.40	66.40	73.00	45.50	75.50	79.10	18.60	28.70	26.30	60.70	
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	315.10	32.80	7.60	22.60	7.70	3.50	17.50	50.60	11.90	60.00	60.10	3.00	7.00	15.50	15.30	
	E GRAVEL OR STONE —UNTREATED	41-43	335.70	24.50	28.70	6.60	32.70	0.70	48.40	10.20	4.60	53.10	9.30	45.90	50.90	17.60	2.50	
	TOTAL NON HARD SURFACED		1,486.30	229.60	67.10	49.60	75.50	32.10	140.30	140.80	72.40	200.70	152.70	72.80	98.80	67.90	86.00	
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	558.10	108.00	26.90	6.70	20.20	2.80	10.40	132.90	7.10	94.50	141.40	2.00	2.00	3.20	
		F2 GRAVEL OR STONE	52-53	335.90	10.80	15.60	9.80	34.00	7.40	21.50	2.60	56.50	48.30	20.60	19.70	17.10	27.40	44.60
		F3 WATERBOUND MACADAM	54															
	G MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x	92.60		0.20		22.10	13.80	13.80		22.10	6.90		8.20		5.50	
	G MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	6.90			0.10	0.10	3.80	1.40			1.50					
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	62	6.30													6.30	
		H2 RIGID BASE	62	0.10					0.10									
HIGH TYPE SURFACES	I BITUMINOUS CONCRETE I1		63	65.30					1.30	2.60			52.30		9.10			
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	11.10				0.60	0.30			2.20			5.30	1.60		1.10
		I3 ON BITUMINOUS CONCRETE	61	1.10												1.10		
		I4 ON OTHER TYPES THAN I2 AND I3	61	859.70	138.40	36.70	102.10	12.80	15.70	91.60	33.20	16.40	52.90	30.20	95.10	148.60	28.80	57.20
	J PORTLAND CEMENT CONCRETE		70	17.60			3.30	0.20	1.50			3.40	0.30		3.10	0.10	4.80	0.90
	K BRICK		80	0.10											0.10			
	L BLOCK		90															
TOTAL HARD SURFACED			1,954.80	257.20	79.40	122.00	90.00	45.40	140.00	171.30	107.70	204.40	244.50	133.50	179.60	70.50	109.30	
TOTAL MILEAGE			3,441.10	486.80	146.50	171.60	165.50	77.50	280.30	312.10	180.10	405.10	397.20	206.30	278.40	138.40	195.30	

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

23

RURAL SECONDARY ROAD SYSTEM

COMPLETED AS OF JANUARY 1, 1966

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 2

TYPE OF ROAD			MILEAGE TOTAL														
				BEAUFORT	CARTERET	CRAVEN	GREENE	JONES	LENOIR	PAMLICO	PITT						
NON SURF'D	A PRIMITIVE	00	0.50			0.50											
	B UNIMPROVED	10	99.80	29.70	7.80	27.00	9.20	3.20	17.80	1.60	3.50						
	C GRADED AND DRAINED	20	955.50	220.80	46.80	139.90	40.20	44.50	165.40	51.70	246.20						
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	436.80	116.10	5.90	42.80	53.60	23.60	80.70	10.80	103.30						
	E GRAVEL OR STONE —UNTREATED	41-43	148.70	28.30	15.00	50.30		8.20		33.50	13.40						
	TOTAL NON HARD SURFACED		1,641.30	394.90	75.50	260.50	103.00	79.50	263.90	97.60	366.40						
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	197.20	15.50	15.10	14.40	93.50	5.70	4.30	25.20	23.50					
		F2 GRAVEL OR STONE	52-53	124.60	47.30	16.90	27.60		11.20	4.60	11.10	5.90					
		F3 WATERBOUND MACADAM	54	0.50								0.50					
	G MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x	117.40	22.80	30.30	19.30	13.40			10.30	21.30					
	G MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	25.30	13.00	8.40	2.50			0.40	1.00						
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	62														
		H2 RIGID BASE	62														
HIGH TYPE SURFACES	I BITUMINOUS CONCRETE I1		63	183.80	5.10	17.60	17.80	21.40	23.60	48.00	50.30						
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	0.80	0.10						0.70						
		I3 ON BITUMINOUS CONCRETE	61	11.70	4.70		6.60	0.40									
		I4 ON OTHER TYPES THAN I2 AND I3	61	1,327.30	169.70	93.20	160.80	144.40	123.50	277.90	49.00	308.80					
		J PORTLAND CEMENT CONCRETE	70	9.10	3.20	0.80	2.30		0.70	0.20	1.90						
	K BRICK	80	12.50			12.50											
L BLOCK	90																
TOTAL HARD SURFACED			2,010.20	281.40	182.30	263.80	273.10	164.70	335.00	96.00	413.90						
TOTAL MILEAGE			3,651.50	676.30	257.80	524.30	376.10	244.20	598.90	193.60	780.30						

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 3

RURAL SECONDARY ROAD SYSTEM

COMPLETED AS OF JANUARY 1, 1966

TYPE OF ROAD			MILEAGE TOTAL															
				BRUNSWICK	DUPLIN	NEW HANOVER	ONSLow	PENDER	SAMPSON									
NON SURF'D	A	PRIMITIVE	00	0.80		0.80												
	B	UNIMPROVED	10	142.90	22.40	51.20	5.60	29.00	23.80	10.90								
	C	GRADED AND DRAINED	20	500.30	74.60	166.50	2.10	80.60	30.00	146.50								
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	1,065.90	166.20	229.30	19.00	64.60	152.60	434.20								
	E	GRAVEL OR STONE —UNTREATED	41-43	19.80			6.00	11.20	2.60									
	TOTAL NON HARD SURFACED			1,729.70	263.20	447.80	32.70	185.40	209.00	591.60								
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	280.50	10.00	64.30	6.40	25.60	82.40	91.80							
			F2 GRAVEL OR STONE	52-53	35.20			1.40	32.00	1.80								
			F3 WATERBOUND MACADAM	54														
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x	127.10	75.90	18.70	3.60		10.40	18.50							
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	12.40	8.50		1.30	1.10		1.50							
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62														
			H2 RIGID BASE	62	1.10	0.90		0.20										
HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE I1	63	244.20	24.20	71.70	11.20	2.80	43.30	91.00								
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	2.60						2.60								
		I3 ON BITUMINOUS CONCRETE	61	14.80		3.90		1.10		9.80								
		I4 ON OTHER TYPES THAN I2 AND I3	61	1,249.80	105.00	318.00	139.10	226.90	112.20	348.60								
		J	PORTLAND CEMENT CONCRETE	70	3.20	0.50		1.40			1.30							
	K	BRICK	80															
	L	BLOCK	90															
TOTAL HARD SURFACED			1,970.90	225.00	476.60	164.60	289.50	250.10	565.10									
TOTAL MILEAGE			3,700.60	488.20	924.40	197.30	474.90	459.10	1,156.70									

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

RURAL SECONDARY ROAD SYSTEM

COMPLETED AS OF JANUARY 1, 19 66

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 4

TYPE OF ROAD		MILEAGE TOTAL														
			EDGEcombe	HALIFAX	JOHNSTON	NASH	WAYNE	WILSON								
NON SURF'D	A PRIMITIVE 00	1.70			1.70											
	B UNIMPROVED 10	74.80	3.40	21.20	14.50	26.40	4.40	4.90								
	C GRADED AND DRAINED 20	507.60	41.00	90.10	107.20	140.90	24.30	104.10								
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED 30	820.90	66.60	116.80	347.20	52.20	201.00	37.10								
	E GRAVEL OR STONE —UNTREATED 41-43	165.10	20.90	30.60	55.60	33.70	5.70	18.60								
	TOTAL NON HARD SURFACED		1,570.10	131.90	258.70	526.20	253.20	235.40	164.70							
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	1,389.00	124.90	181.70	377.30	325.70	121.10	258.30							
		F2 GRAVEL OR STONE 52-53	246.80	84.40	97.00	17.70	23.70	13.20	10.80							
		F3 WATERBOUND MACADAM 54														
	G MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x	6.20			6.20										
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	10.70	1.70	0.10	1.40	6.60	0.90								
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 62	0.50		0.30	0.20										
		H2 RIGID BASE 62														
	I BITUMINOUS CONCRETE I1	63	576.20	29.00	28.80	99.60	89.30	301.00	28.50							
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61	5.50	0.20		5.30										
		I3 ON BITUMINOUS CONCRETE 61	42.90	12.80	3.40	8.10	0.30	18.00	0.30							
		I4 ON OTHER TYPES THAN I2 AND I3 61	574.60	110.90	60.10	172.90	57.00	97.50	76.20							
	J PORTLAND CEMENT CONCRETE	70	3.70	0.70		2.80		0.20								
	K BRICK	80														
	L BLOCK	90														
TOTAL HARD SURFACED			2,856.10	364.40	371.30	677.30	510.30	557.60	375.20							
TOTAL MILEAGE			4,426.20	496.30	630.00	1,203.50	763.50	793.00	539.90							

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

RURAL SECONDARY ROAD SYSTEM

COMPLETED AS OF JANUARY 1, 1966

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 5

TYPE OF ROAD			MILEAGE TOTAL															
				DURHAM	FRANKLIN	GRANVILLE	PERSON	VANCE	WAKE	WARREN								
NON SURF'D	A PRIMITIVE 00																	
	B UNIMPROVED 10		70.70	2.70	5.00	12.70	21.50	4.20	18.30	6.30								
	C GRADED AND DRAINED 20		485.30	73.10	15.60	150.40	124.40	9.30	56.80	55.70								
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED 30		641.10	27.90	143.20	21.60	65.10	59.10	251.20	73.00								
	E GRAVEL OR STONE —UNTREATED 41-43		1,116.00	181.40	101.60	253.40	177.20	61.10	183.90	157.40								
	TOTAL NON HARD SURFACED		2,313.10	285.10	265.40	438.10	388.20	133.70	510.20	292.40								
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	1,132.40	88.00	252.70	93.40	84.60	148.60	345.30	119.80								
		F2 GRAVEL OR STONE 52-53	496.60	90.10	15.50	103.50	80.00	24.00	96.60	86.90								
		F3 WATERBOUND MACADAM 54	2.00	2.00														
	G MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x	1.20	0.50					0.70									
	G MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	6.40	6.40														
HIGH TYPE SURFACES	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																
		H2 RIGID BASE 62	0.60			0.60												
	I BITUMINOUS CONCRETE I1 63		279.70	45.80	32.50	14.20		24.50	152.50	10.20								
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61	4.50	4.50														
		I3 ON BITUMINOUS CONCRETE 61	0.70						0.70									
		I4 ON OTHER TYPES THAN I2 AND I3 61	248.50	45.50	35.90	22.70	4.40	7.90	132.10									
	J PORTLAND CEMENT CONCRETE 70		18.40	9.10	0.50	0.60	2.90	1.20	4.10									
	K BRICK 80																	
	L BLOCK 90																	
TOTAL HARD SURFACED			2,191.00	291.90	337.10	235.00	171.90	206.20	732.00	216.90								
TOTAL MILEAGE			4,504.10	577.00	602.50	673.10	560.10	339.90	1,242.20	509.30								

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

22

RURAL SECONDARY ROAD SYSTEM

COMPLETED AS OF JANUARY 1, 19 66

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 6

TYPE OF ROAD			MILEAGE TOTAL	BLADEN	COLUMBUS	CUMBER- LAND	HARNETT	ROBESON									
NON SURF'D	A	PRIMITIVE	00	5.40				5.40									
	B	UNIMPROVED	10	141.90	21.10	34.40	12.70	15.20	58.50								
	C	GRADED AND DRAINED	20	463.90	44.40	175.10	15.40	48.20	180.80								
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	1,219.60	250.10	227.90	264.60	272.10	204.90								
	E	GRAVEL OR STONE —UNTREATED	41-43	27.40	3.10			21.90	2.40								
	TOTAL NON HARD SURFACED			1,858.20	318.70	437.40	292.70	357.40	452.00								
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	1,084.60	73.60	184.50	90.30	256.50	479.70							
			F2 GRAVEL OR STONE	52-53	30.00	0.60	0.10	3.50	13.50	12.30							
			F3 WATERBOUND MACADAM	54													
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x	65.20	19.70	10.20	30.70	3.70	0.90							
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	8.30	1.70		5.80	0.80								
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62													
			H2 RIGID BASE	62													
HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE I1	63	367.90	42.20	42.20	128.50	33.20	121.80								
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	0.10			0.10										
		I3 ON BITUMINOUS CONCRETE	61	29.10			26.90		2.20								
		I4 ON OTHER TYPES THAN I2 AND I3	61	957.70	124.40	222.00	203.10	149.60	258.60								
	J	PORTLAND CEMENT CONCRETE	70	0.50			0.10		0.40								
	K	BRICK	80														
	L	BLOCK	90														
TOTAL HARD SURFACED				2,543.40	262.20	459.00	489.00	457.30	875.90								
TOTAL MILEAGE				4,401.60	580.90	896.40	781.70	814.70	1,327.90								

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 7

RURAL SECONDARY ROAD SYSTEM

COMPLETED AS OF JANUARY 1, 1966

TYPE OF ROAD			MILEAGE TOTAL	ALAMANCE	CASWELL	GUILFORD	ORANGE	ROCK-INGHAM									
NON SURF'D	A	PRIMITIVE	00	1.20			0.70	0.50									
	B	UNIMPROVED	10	89.00	19.50	22.40	19.70	14.60	12.80								
	C	GRADED AND DRAINED	20	542.80	105.00	92.50	146.60	134.10	64.60								
	D	SOIL SURFACED —UNTREATED	30	173.70	43.30	40.10	28.10	42.80	19.40								
LOW TYPE SURFACES	E	GRAVEL OR STONE —UNTREATED	41-43	1,392.40	239.80	113.90	436.90	176.10	425.70								
	TOTAL NON HARD SURFACED			2,199.10	407.60	268.90	632.00	368.10	522.50								
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	610.70	140.70	114.60	102.00	164.20	89.20							
			F2 GRAVEL OR STONE	52-53	951.60	173.90	84.80	368.90	76.70	247.30							
			F3 WATERBOUND MACADAM	54													
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE	^x 61													
	G	MIXED BITUMINOUS	G2 RIGID BASE	^x 61	9.30		8.40	0.90									
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62													
			H2 RIGID BASE	62	5.30			5.30									
	I	SAND ASPHALT —HOT PREMIXED	BITUMINOUS CONCRETE I1	63	61.10	8.00		36.30	12.30	4.50							
			I2 ON P. C. CONCRETE	61	0.50			0.50									
			I3 ON BITUMINOUS CONCRETE	61													
			I4 ON OTHER TYPES THAN I2 AND I3	61	8.90			8.00	0.40	0.50							
	J	PORTLAND CEMENT CONCRETE		70	47.70	2.00	16.10	15.90	0.90	12.80							
	K	BRICK		80													
	L	BLOCK		90													
TOTAL HARD SURFACED																	
TOTAL MILEAGE				3,894.20	732.20	492.80	1,169.80	622.60	876.80								

NORTH CAROLINA STATE HIGHWAY COMMISSION

EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

RURAL SECONDARY ROAD SYSTEM

COMPLETED AS OF JANUARY 1, 1966

 COUNTY _____ DIVISION TOTALS _____
 DIVISION No. 8

TYPE OF ROAD			MILEAGE TOTAL																		
				CHATHAM	HOKE	LEE	MONT- GOMERY	MOORE	RANDOLPH	RICHMOND	SCOTLAND										
NON SURF'D	A PRIMITIVE		00	0.80			0.40	0.40													
	B UNIMPROVED		10	143.90	21.10	5.10	9.30	8.50	32.70	48.60	6.80	11.80									
	C GRADED AND DRAINED		20	475.90	168.00	16.00	9.20	15.10	58.90	176.10	11.00	21.60									
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED		30	878.30	123.10	55.50	49.70	65.90	215.40	214.90	90.30	63.50									
	E GRAVEL OR STONE —UNTREATED		41-43	590.80	151.10		26.20	85.00	15.80	288.00	24.70										
	TOTAL NON HARD SURFACED			2,089.70	463.30	76.60	94.40	174.90	323.20	727.60	132.80	96.90									
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	1,653.60	170.30	189.90	184.10	83.60	410.00	261.20	107.60	246.90									
		F2 GRAVEL OR STONE	52-53	368.40	119.70		19.10	20.10	13.00	182.10	14.20	0.20									
		F3 WATERBOUND MACADAM	54																		
	G MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x	0.80							0.80										
		G2 RIGID BASE	61 ^x	2.30							2.30										
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	62																		
		H2 RIGID BASE	62	0.30							0.30										
HIGH TYPE SURFACES	I BITUMINOUS CONCRETE I1		63	268.70	14.80	34.50	34.70	14.00	9.40	61.40	46.30	53.60									
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	0.20							0.20										
		I3 ON BITUMINOUS CONCRETE	61																		
		I4 ON OTHER TYPES THAN I2 AND I3	61	750.50	59.00	65.20	13.30	188.60	81.40	40.50	273.20	29.30									
	J PORTLAND CEMENT CONCRETE		70	9.20	3.30		0.50			4.70	0.10	0.60									
	K BRICK		80																		
	L BLOCK		90																		
TOTAL HARD SURFACED			3,054.00	367.10	289.60	251.20	306.80	513.80	549.90	445.00	330.60										
TOTAL MILEAGE			5,143.70	830.40	366.20	345.60	481.70	837.00	1,277.50	577.80	427.50										

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 9

RURAL SECONDARY ROAD SYSTEM COMPLETED AS OF JANUARY 1, 1966

TYPE OF ROAD			MILEAGE TOTAL	DAVIDSON	DAVIE	FORSYTH	ROWAN	STOKES									
NON SURF'D	A	PRIMITIVE	00	2.70		2.10		0.60									
	B	UNIMPROVED	10	269.30	61.00	9.30	14.10	83.30	101.60								
	C	GRADED AND DRAINED	20	341.70	72.80	41.50	58.50	47.10	121.80								
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	617.90	234.60	67.90	110.70	57.00	147.70								
	E	GRAVEL OR STONE —UNTREATED	41-43	654.30	84.60	95.70	161.30	154.60	158.10								
	TOTAL NON HARD SURFACED			1,885.90	453.00	214.40	346.70	342.00	529.80								
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	1,423.60	467.40	99.20	310.40	339.70	206.90							
			F2 GRAVEL OR STONE	52-53	492.20	97.30	48.20	134.10	179.60	33.00							
			F3 WATERBOUND MACADAM	54	10.30			10.30									
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x													
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	2.10			2.10									
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62													
			H2 RIGID BASE	62													
	I	BITUMINOUS CONCRETE I1		63	80.20	40.20	3.60	12.80	23.20	0.40							
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	0.20	0.20												
		I3 ON BITUMINOUS CONCRETE	61														
		I4 ON OTHER TYPES THAN I2 AND I3	61	51.50	21.50		2.80	27.20									
	J	PORTLAND CEMENT CONCRETE		70	37.90	7.00	0.80	16.00	2.60	11.50							
	K	BRICK		80													
	L	BLOCK		90													
TOTAL HARD SURFACED				2,098.00	633.60	151.80	476.10	584.70	251.80								
TOTAL MILEAGE				3,983.90	1,086.60	366.20	822.80	926.70	781.60								

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

RURAL SECONDARY ROAD SYSTEM

COMPLETED AS OF JANUARY 1, 19 66

COUNTY DIVISION TOTALS
DIVISION No. 10

TYPE OF ROAD			MILEAGE TOTAL														
				ANSON	CABARRUS	MECK- LENBURG	STANLY	UNION									
NON SURF'D	A PRIMITIVE 00																
	B UNIMPROVED 10		111.90	15.20	19.80	8.60	53.40	14.90									
	C GRADED AND DRAINED 20		188.60	28.00	29.00	13.10	43.60	74.90									
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED 30		204.70	21.50	98.70	17.40	14.30	52.80									
	E GRAVEL OR STONE —UNTREATED 41-43		830.10	165.10	46.70	135.30	178.20	304.80									
	TOTAL NON HARD SURFACED		1,335.30	229.80	194.20	174.40	289.50	447.40									
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	934.00	304.70	342.90	97.40	65.10	123.90									
		F2 GRAVEL OR STONE 52-53	1,373.00	118.40	156.00	267.20	342.30	489.10									
		F3 WATERBOUND MACADAM 54	9.10	3.90	0.30	4.90											
	G MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x															
	G MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	2.00			2.00											
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 62															
		H2 RIGID BASE 62	3.10			3.10											
HIGH TYPE SURFACES	I BITUMINOUS CONCRETE I1 63		390.20	11.70	14.40	346.50	1.20	16.40									
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61	2.80			2.80											
		I3 ON BITUMINOUS CONCRETE 61	5.20			5.20											
		I4 ON OTHER TYPES THAN I2 AND I3 61	37.30		2.50	33.30		1.50									
	J PORTLAND CEMENT CONCRETE 70		21.80	4.40	7.60	1.10	2.80	5.90									
	K BRICK 80																
	L BLOCK 90																
TOTAL HARD SURFACED			2,778.50	443.10	523.70	763.50	411.40	636.80									
TOTAL MILEAGE			4,113.80	672.90	717.90	937.90	700.90	1,084.20									

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 11

RURAL SECONDARY ROAD SYSTEM

COMPLETED AS OF JANUARY 1, 1966

TYPE OF ROAD			MILEAGE TOTAL	ALLEGHANY	ASHE	AVERY	CALDWELL	SURRY	WATAUGA	WILKES	YADKIN							
NON SURF'D	A	PRIMITIVE	00	16.90	0.40	1.30		0.30		4.80	8.50	1.60						
	B	UNIMPROVED	10	407.60	40.80	94.30	14.80	36.70	24.60	82.00	91.80	22.60						
	C	GRADED AND DRAINED	20	384.50	42.70	15.20	5.50	68.30	36.10	18.30	132.60	65.80						
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	128.70	0.20	13.00	0.50	31.00	9.70	0.80	29.30	44.20						
	E	GRAVEL OR STONE —UNTREATED	41-43	2,517.80	235.90	439.70	160.10	189.80	490.30	243.60	522.10	236.30						
	TOTAL NON HARD SURFACED			3,455.50	320.00	563.50	180.90	326.10	560.70	349.50	784.30	370.50						
	F	BITUMINOUS SURFACE TREATED	F1	TOPSOIL OR SAND-CLAY	51	312.70	0.40	6.50	2.40	80.40	88.70	12.90	57.50	63.90				
			F2	GRAVEL OR STONE	52-53	1,001.30	68.40	108.60	48.50	129.20	193.30	94.30	255.20	103.80				
			F3	WATERBOUND MACADAM	54	0.90			0.90									
	G	MIXED BITUMINOUS	G1	NONRIGID BASE	61 ^x													
	G	MIXED BITUMINOUS	G2	RIGID BASE	61 ^x	2.80			2.80									
	H	BITUMINOUS PENETRATION	H1	NONRIGID BASE	62													
			H2	RIGID BASE	62	0.20			0.20									
HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE I1	63	10.40	1.20	0.20		2.00	1.90	2.30	2.80							
	SAND ASPHALT —HOT PREMIXED	I2	ON P. C. CONCRETE	61														
		I3	ON BITUMINOUS CONCRETE	61														
		I4	ON OTHER TYPES THAN I2 AND I3	61	13.70			0.40	12.70	0.60								
	J	PORTLAND CEMENT CONCRETE	70	20.80				8.60			12.20							
	K	BRICK	80															
	L	BLOCK	90															
TOTAL HARD SURFACED			1,362.80	70.00	115.30	52.00	210.00	308.10	109.70	315.00	182.70							
TOTAL MILEAGE			4,818.30	390.00	678.80	232.90	536.10	868.80	459.20	1,099.30	553.20							

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

22

RURAL SECONDARY ROAD SYSTEM

COMPLETED AS OF JANUARY 1, 1966

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 12

TYPE OF ROAD			MILEAGE TOTAL														
				ALEXANDER	CATAWBA	CLEVELAND	GASTON	IREDELL	LINCOLN								
NON SURF'D	A PRIMITIVE 00																
	B UNIMPROVED 10		29.80	1.60	4.00	10.00	6.70	4.90	2.60								
	C GRADED AND DRAINED 20		143.80	7.80	29.10	49.60	22.40	19.20	15.70								
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED 30		1,035.00	153.40	120.00	218.60	136.60	268.00	138.40								
	E GRAVEL OR STONE —UNTREATED 41-43		576.30	64.60	92.50	112.80	59.40	179.80	67.20								
	TOTAL NON HARD SURFACED		1,784.90	227.40	245.60	391.00	225.10	471.90	223.90								
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	1,738.50	196.70	332.70	376.40	210.70	391.40	230.60								
		F2 GRAVEL OR STONE 52-53	398.30	14.30	57.00	50.90	166.60	79.60	29.90								
		F3 WATERBOUND MACADAM 54	0.40			0.40											
	G MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x	0.20				0.20										
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	0.80					0.80									
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 62															
		H2 RIGID BASE 62	3.20				3.20										
	I BITUMINOUS CONCRETE I1	63	163.50	9.40	25.60	64.90	25.50	29.30	8.80								
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61	0.30				0.30										
		I3 ON BITUMINOUS CONCRETE 61	0.40			0.40											
		I4 ON OTHER TYPES THAN I2 AND I3 61	115.30	9.50	13.90	36.70	13.80	26.10	15.30								
	J PORTLAND CEMENT CONCRETE	70	2.10		0.10	1.50			0.50								
	K BRICK	80															
	L BLOCK	90															
TOTAL HARD SURFACED			2,423.00	229.90	429.30	531.20	419.80	526.90	285.90								
TOTAL MILEAGE			4,207.90	457.30	674.90	922.20	644.90	998.80	509.80								

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

22

RURAL SECONDARY ROAD SYSTEM

COMPLETED AS OF JANUARY 1, 1966

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 13

TYPE OF ROAD			MILEAGE TOTAL	BUNCOMBE	BURKE	MADISON	McDOWELL	MITCHELL	RUTHER-FORD	YANCEY						
NON SURF'D	A	PRIMITIVE	00	2.40	0.10		0.20	1.40	0.70							
	B	UNIMPROVED	10	112.70	11.80	14.30	35.50	10.00	18.20	13.60	9.30					
	C	GRADED AND DRAINED	20	200.20	15.20	36.90	10.40	14.90	4.10	116.50	2.20					
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	280.80	1.30	54.90	0.20	11.50		212.90						
	E	GRAVEL OR STONE —UNTREATED	41-43	1,603.90	443.10	205.00	326.70	191.60	151.20	124.20	162.10					
	TOTAL NON HARD SURFACED			2,200.00	471.50	311.10	373.00	229.40	174.20	467.20	173.60					
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	386.20	6.40	99.60	30.10	17.40	3.70	228.50	0.50				
			F2 GRAVEL OR STONE	52-53	1,055.70	351.90	182.00	82.70	169.80	73.00	92.30	104.00				
			F3 WATERBOUND MACADAM	54	4.90			2.80		2.10						
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61	0.30					0.30						
	G	MIXED BITUMINOUS	G2 RIGID BASE	61	8.80	1.80			2.10	2.80	2.10					
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62												
			H2 RIGID BASE	62	6.70	4.40			2.30							
	I	BITUMINOUS CONCRETE I1		63	214.10	62.50	26.30	10.50	15.40	1.40	97.70	0.30				
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	0.50	0.50											
		I3 ON BITUMINOUS CONCRETE	61	0.30	0.30											
		I4 ON OTHER TYPES THAN I2 AND I3	61	56.30	52.70	1.10	1.10			1.40						
	J	PORTLAND CEMENT CONCRETE		70	27.40	12.60	1.20		7.70	2.90	3.00					
	K	BRICK		80												
	L	BLOCK		90												
TOTAL HARD SURFACED				1,761.20	493.10	310.20	127.20	210.30	87.50	426.00	106.90					
TOTAL MILEAGE				3,961.20	964.60	621.30	500.20	439.70	261.70	893.20	280.50					

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

13

MUNICIPAL SECONDARY ROAD SYSTEM

COMPLETED AS OF JANUARY 1, 1966

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 1

TYPE OF ROAD			MILEAGE TOTAL														
				BERTIE	CAMDEN	CHOWAN	CURRITUCK	DARE	GATES	HERTFORD	HYDE	MARTIN	NORTH- HAMPTON	PAS- QUOTANK	PER- QUIMANS	TYRRELL	WASH- INGTON
NON SURF'D	A	PRIMITIVE	00														
	B	UNIMPROVED	10	0.79						0.10		0.20	0.06		0.05	0.38	
	C	GRADED AND DRAINED	20	5.02	2.02					0.16	0.39	1.33	0.39	0.24	0.10	0.39	
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	1.07	0.10				0.20	0.28		0.40		0.09			
	E	GRAVEL OR STONE —UNTREATED	41-43	0.33					0.10		0.21		0.02				
	TOTAL NON HARD SURFACED			7.21	2.12				0.20	0.26	0.77	1.54	0.99	0.32	0.19	0.05	0.77
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	27.93	8.49				0.09	2.61		5.56	10.30	0.20	0.56	0.12
			F2 GRAVEL OR STONE	52-53	14.09		0.41	5.38	0.38	1.51	2.17	1.77	0.32	0.21	0.21	1.73	
			F3 WATERBOUND MACADAM	54													
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x	1.40				0.23	0.57					0.60		
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	0.44						0.12				0.32		
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62													
			H2 RIGID BASE	62													
HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE I1	63	3.98						1.54		1.64		0.72		0.08	
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	2.38									0.51	0.23		1.64	
		I3 ON BITUMINOUS CONCRETE	61	0.74									0.74				
		I4 ON OTHER TYPES THAN I2 AND I3	61	20.88	1.88	0.74	1.41	1.33	0.47	5.27	0.50	4.46	1.38			3.44	
	J	PORTLAND CEMENT CONCRETE	70	2.82				0.06				0.56		0.10	2.10		
	K	BRICK	80	0.87								0.87					
	L	BLOCK	90														
TOTAL HARD SURFACED			75.53	10.37	1.15	7.02	0.72	5.86	2.10	13.00	14.21	7.66	3.70	0.63	9.11		
TOTAL MILEAGE			82.74	12.49	1.15	7.02	0.92	6.12	2.87	14.54	15.20	7.98	3.89	0.68	9.88		

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

MUNICIPAL SECONDARY ROAD SYSTEM

COMPLETED AS OF JANUARY 1, 1966

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 2

TYPE OF ROAD			MILEAGE TOTAL													
				BEAUFORT	CARTERET	CRAVEN	GREENE	JONES	LENOIR	PAMLICO	PITT					
NON SURF'D	A PRIMITIVE 00															
	B UNIMPROVED 10		3.07	1.10	0.10	1.26	0.10			0.21	0.30					
	C GRADED AND DRAINED 20		10.08	2.28		3.67	0.14		0.45	2.21	1.33					
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED 30		5.71	1.05	0.37	1.45			0.17	0.45	2.22					
	E GRAVEL OR STONE —UNTREATED 41-43		1.46	0.85	0.08	0.33					0.20					
	TOTAL NON HARD SURFACED		20.32	5.28	0.55	6.71	0.24		0.62	2.87	4.05					
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	8.55		0.14	1.55	1.73		0.92	2.53	1.68					
		F2 GRAVEL OR STONE 52-53	4.82	1.13	0.45	1.86	0.06	0.30		0.20	0.82					
		F3 WATERBOUND MACADAM 54	0.19								0.19					
	G MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x	4.28	0.93	1.52		0.40			0.10	1.33					
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G2 RIGID BASE 61 ^x	0.90		0.70	0.20										
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 62														
		H2 RIGID BASE 62														
	I BITUMINOUS CONCRETE I1 63		24.50	2.29	5.72	6.41	0.63		4.42	1.19	3.84					
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61	2.91	1.11		0.20					1.60					
		I3 ON BITUMINOUS CONCRETE 61	5.50	1.07		0.15	0.37		0.47		3.44					
		I4 ON OTHER TYPES THAN I2 AND I3 61	49.41	9.44	13.09	5.72	0.79	1.28	5.20	1.92	11.97					
	J PORTLAND CEMENT CONCRETE 70		3.47	0.06		2.58					0.83					
	K BRICK 80		0.88			0.88										
	L BLOCK 90															

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

MUNICIPAL SECONDARY ROAD SYSTEM

COMPLETED AS OF JANUARY 1, 1966

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 3

TYPE OF ROAD				MILEAGE TOTAL													
					BRUNSWICK	DUBLIN	NEW HANOVER	ONSLOW	PENDER	SAMPSON							
NON SURF'D	A	PRIMITIVE	00	0.34		0.34											
	B	UNIMPROVED	10	2.45	1.49	0.37			0.50	0.09							
	C	GRADED AND DRAINED	20	2.98	0.67	1.30		0.18	0.41	0.42							
LOW TYPE SURFACES	D	SOIL SURFACED	—UNTREATED	30	10.22	2.93	0.88	0.82		2.09	3.50						
	E	GRAVEL OR STONE	—UNTREATED	41-43	0.19					0.19							
	TOTAL NON HARD SURFACED				16.18	5.09	2.89	0.82	0.18	3.19	4.01						
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	16.77	0.61	6.65	0.89	0.70	4.34	3.58						
			F2 GRAVEL OR STONE	52-53	0.29					0.29							
			F3 WATERBOUND MACADAM	54													
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x	23.14	15.54	1.05	0.29		4.98	1.28						
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	0.58	0.08	0.18	0.32									
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62													
			H2 RIGID BASE	62													
HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE I1	63	27.83		5.74	11.64	2.00	1.74	6.71							
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	0.67		0.35				0.32							
		I3 ON BITUMINOUS CONCRETE	61	2.22				1.18		1.04							
		I4 ON OTHER TYPES THAN I2 AND I3	61	56.45	14.10	9.61	12.46	4.31	5.89	10.08							
	J	PORTLAND CEMENT CONCRETE	70	0.65						0.65							
	K	BRICK	80														
	L	BLOCK	90														
TOTAL HARD SURFACED				128.60	30.33	23.58	25.60	8.19	17.24	23.66							
TOTAL MILEAGE				144.78	35.42	26.47	26.42	8.37	20.43	27.67							

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

MUNICIPAL SECONDARY ROAD SYSTEM

COMPLETED AS OF JANUARY 1, 1966

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 4

TYPE OF ROAD			MILEAGE TOTAL															
				EDGECOMBE	HALIFAX	JOHNSTON	NASH	WAYNE	WILSON									
NON SURF'D	A	PRIMITIVE	00															
	B	UNIMPROVED	10	0.57	0.20	0.05	0.22		0.10									
	C	GRADED AND DRAINED	20	1.87	0.80	0.41	0.43		0.23									
LOW LIFE SURFACES	D	SOIL SURFACED —UNTREATED	30	4.45	0.18	1.59	0.70	1.98										
	E	GRAVEL OR STONE —UNTREATED	41-43	0.71	0.52	0.04	0.15											
	TOTAL NON HARD SURFACED			7.60	0.52	1.18	2.09	1.50	1.98	0.33								
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	43.62	7.12	7.25	7.69	9.32	3.98	8.26							
			F2 GRAVEL OR STONE	52-53	4.24	1.34	0.48		1.23	0.83	0.36							
			F3 WATERBOUND MACADAM	54														
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x	0.23			0.23										
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	0.98				0.90	0.08								
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62														
			H2 RIGID BASE	62														
HIGH LIFE SURFACES	I	BITUMINOUS CONCRETE 11	63	22.72	4.09	2.02	4.35	4.14	6.53	1.59								
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	1.74		1.21		0.53										
		I3 ON BITUMINOUS CONCRETE	61	8.63			1.02	1.93	4.82	0.86								
		I4 ON OTHER TYPES THAN I2 AND I3	61	25.90	3.51	1.79	5.48	4.91	4.64	5.57								
	J	PORTLAND CEMENT CONCRETE	70	1.33		0.33		0.15	0.20	0.65								
	K	BRICK	80															
	L	BLOCK	90															
TOTAL HARD SURFACED				109.39	16.06	13.08	18.54	22.44	21.90	17.37								
TOTAL MILEAGE				116.99	16.58	14.26	20.63	23.94	23.88	17.70								

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

MUNICIPAL SECONDARY ROAD SYSTEM

COMPLETED AS OF JANUARY 1, 1966

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 5

TYPE OF ROAD			MILEAGE TOTAL													
				DURHAM	FRANKLIN	GRANVILLE	PERSON	VANCE	WAKE	WARREN						
NON SURF'D	A	PRIMITIVE	00													
	B	UNIMPROVED	10	0.86			0.22	0.53	0.05	0.06						
	C	GRADED AND DRAINED	20	3.15	0.17	0.84		0.57	1.42	0.15						
	D	SOIL SURFACED —UNTREATED	30	4.83	0.56	0.11		1.21	2.15	0.80						
	E	GRAVEL OR STONE —UNTREATED	41-43	5.21	0.95	0.10	0.31	1.62	1.82	0.41						
LOW TYPE SURFACES	TOTAL NON HARD SURFACED			14.05	1.51	0.38	1.15	0.22	3.93	5.44	1.42					
	F	F1 TOPSOIL OR SAND-CLAY	51	45.37	2.64	4.30	4.54	0.55	4.46	24.22	4.66					
		F2 GRAVEL OR STONE	52-53	16.16	6.42	0.10	3.16	3.23	0.48	1.96	0.81					
		F3 WATERBOUND MACADAM	54	1.34	1.34											
	G	MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x	0.48	0.10			0.38							
	G	MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	1.23	1.23										
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62												
			H2 RIGID BASE	62												
	I	BITUMINOUS CONCRETE I1	63	44.01	10.29	1.21	2.97	0.32	1.68	26.62	0.92					
	HIGH TYPE SURFACES	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	1.84					1.84						
I3 ON BITUMINOUS CONCRETE			61	0.40	0.40											
I4 ON OTHER TYPES THAN I2 AND I3			61	17.94	4.00	0.14	0.97	0.18	1.20	11.45						
J			PORTLAND CEMENT CONCRETE	70	5.97	1.85	0.84		0.09	0.85	2.34					
K		BRICK	80													
L	BLOCK	90														
TOTAL HARD SURFACED				134.74	28.27	6.59	11.64	4.37	8.67	68.81	6.39					
TOTAL MILEAGE				148.79	29.78	6.97	12.79	4.59	12.60	74.25	7.81					

2

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 6

[illegible]

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

MUNICIPAL SECONDARY ROAD SYSTEM

COMPLETED AS OF JANUARY 1, 1966

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 7

TYPE OF ROAD			MILEAGE TOTAL	ALAMANCE	CASWELL	GUILFORD	ORANGE	ROCK-INGHAM									
NON SURF'D	A	PRIMITIVE	00														
	B	UNIMPROVED	10	0.54		0.49	0.05										
	C	GRADED AND DRAINED	20	1.05		0.70	0.21	0.14									
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	0.72		0.04	0.44	0.24									
	E	GRAVEL OR STONE —UNTREATED	41-43	8.66	1.51	4.43	0.30	2.42									
	TOTAL NON HARD SURFACED			10.97	1.51	5.66	1.00	2.80									
	F	BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	35.34	8.96		14.94	6.28	5.16							
			F2 GRAVEL OR STONE	52-53	51.99	13.10		27.55	1.00	10.34							
			F3 WATERBOUND MACADAM	54													
HIGH TYPE SURFACES	G	MIXED BITUMINOUS	G1 NONRIGID BASE	x 61													
	G	MIXED BITUMINOUS	G2 RIGID BASE	x 61													
	H	BITUMINOUS PENETRATION	H1 NONRIGID BASE	62													
			H2 RIGID BASE	62	0.10			0.10									
	I	BITUMINOUS CONCRETE I1		63	43.71	5.25		33.06	1.20	4.20							
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	1.21				1.21									
		I3 ON BITUMINOUS CONCRETE	61	5.45				5.24		0.21							
		I4 ON OTHER TYPES THAN I2 AND I3	61	5.41				3.83	0.65	0.93							
	J	PORTLAND CEMENT CONCRETE		70	7.01	1.00		4.64		1.37							
	K	BRICK		80	0.05			0.05									
	L	BLOCK		90													
TOTAL HARD SURFACED				150.27	28.31			90.62	9.13	22.21							
TOTAL MILEAGE				161.24	29.82			96.28	10.13	25.01							

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 8

MUNICIPAL SECONDARY ROAD SYSTEM

COMPLETED AS OF JANUARY 1, 1966

TYPE OF ROAD				MILEAGE TOTAL														
					CHATHAM	HOKE	LEE	MONT- GOMERY	MOORE	RANDOLPH	RICHMOND	SCOTLAND						
NON SURF'D	A PRIMITIVE 00																	
	B UNIMPROVED 10			3.66	0.89		0.33		0.54	1.43		0.47						
	C GRADED AND DRAINED 20			3.72	1.76		0.07	0.37	0.48	1.04								
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED 30			10.57	0.50		2.04	0.10	2.55	1.23	2.11	2.04						
	E GRAVEL OR STONE —UNTREATED 41-43			3.29	0.59		0.10			2.60								
	TOTAL NON HARD SURFACED			21.24	3.74		2.54	0.47	3.57	6.30	2.11	2.51						
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51		98.52	7.27	4.46	16.14	6.03	24.99	21.75	8.46	9.42						
		F2 GRAVEL OR STONE 52-53		16.07	4.09		1.60	0.45	0.30	8.11	1.48	0.04						
		F3 WATERBOUND MACADAM 54		0.17						0.17								
	G MIXED BITUMINOUS	G1 NONRIGID BASE 61																
		G2 RIGID BASE 61																
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																
		H2 RIGID BASE 62		0.06								0.06						
HIGH TYPE SURFACES	I BITUMINOUS CONCRETE I1 63			24.08	3.12	0.25	4.58	0.93	2.41	6.26	3.02	3.51						
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61		0.86						0.13	0.73							
		I3 ON BITUMINOUS CONCRETE 61		0.94				0.40		0.09	0.45							
		I4 ON OTHER TYPES THAN I2 AND I3 61		29.87	2.61	1.25	1.49	3.12	8.47	0.46	11.99	0.48						
	J PORTLAND CEMENT CONCRETE 70			4.39	2.93		0.19			1.07	0.20							
	K BRICK 80																	
	L BLOCK 90																	
TOTAL HARD SURFACED				174.96	20.02	5.96	24.00	10.93	36.17	38.04	26.39	13.45						
TOTAL MILEAGE				196.20	23.76	5.96	26.54	11.40	39.74	44.34	28.50	15.96						

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

22

MUNICIPAL SECONDARY ROAD SYSTEM

COMPLETED AS OF JANUARY 1, 1966

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 9

TYPE OF ROAD			MILEAGE TOTAL														
				DAVIDSON	DAVIE	FORSYTH	ROWAN	STOKES									
NON SURF'D	A PRIMITIVE	00															
	B UNIMPROVED	10	0.84	0.40	0.14	0.30											
	C GRADED AND DRAINED	20	2.83	0.38	0.20	0.97	0.20	1.08									
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	5.56	1.21	0.46	1.18	2.01	0.70									
	E GRAVEL OR STONE —UNTREATED	41-43	1.97		0.62	1.02	0.33										
	TOTAL NON HARD SURFACED		11.20	1.99	1.28	3.31	2.84	1.78									
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	56.13	17.19	1.93	17.95	17.28	1.78								
		F2 GRAVEL OR STONE	52-53	24.62	2.34	0.86	16.83	4.59									
		F3 WATERBOUND MACADAM	54														
	G MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x														
		G2 RIGID BASE	61 ^x	0.71			0.45	0.26									
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	62														
		H2 RIGID BASE	62	1.33				1.33									
HIGH TYPE SURFACES	I BITUMINOUS CONCRETE I1		63	41.75	7.22		23.81	10.72									
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61	3.83	1.32		2.51										
		I3 ON BITUMINOUS CONCRETE	61	1.57	0.80		0.65	0.12									
		I4 ON OTHER TYPES THAN I2 AND I3	61	6.67	4.14		0.10	2.43									
	J PORTLAND CEMENT CONCRETE		70	12.96	0.82		12.09	0.05									
	K BRICK		80														
	L BLOCK		90														
TOTAL HARD SURFACED			149.57	33.83	2.79	74.39	36.78	1.78									
TOTAL MILEAGE			160.77	35.82	4.07	77.70	39.62	3.56									

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

22

MUNICIPAL SECONDARY ROAD SYSTEM

COMPLETED AS OF JANUARY 1, 1966

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 10

TYPE OF ROAD				MILEAGE TOTAL														
					ANSON	CABARRUS	MECK- LENBURG	STANLY	UNION									
NON SURF'D	A PRIMITIVE 00																	
	B UNIMPROVED 10			1.57		0.37	0.07	1.03	0.10									
	C GRADED AND DRAINED 20			0.89			0.39	0.20	0.30									
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED 30			1.34	0.21	0.76		0.10	0.27									
	E GRAVEL OR STONE —UNTREATED 41-43			1.88			0.10	0.91	0.87									
	TOTAL NON HARD SURFACED			5.68	0.21	1.13	0.56	2.24	1.54									
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51		30.90	12.31	2.08	5.24	6.62	4.65									
		F2 GRAVEL OR STONE 52-53		30.28	1.31	0.80	9.27	7.79	11.11									
		F3 WATERBOUND MACADAM 54		0.92			0.92											
	G MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x		0.29	0.29													
	G MIXED BITUMINOUS	G2 RIGID BASE 61 ^x		0.50				0.50										
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 62																
		H2 RIGID BASE 62		0.26			0.26											
HIGH TYPE SURFACES	I BITUMINOUS CONCRETE I1 63			52.42	2.56	3.20	36.42	2.52	7.72									
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61		2.89			2.89											
		I3 ON BITUMINOUS CONCRETE 61		1.59	0.04		1.55											
		I4 ON OTHER TYPES THAN I2 AND I3 61		2.65	1.43		1.00		0.22									
	J PORTLAND CEMENT CONCRETE 70			3.61	1.83	0.59	0.16	0.24	0.79									
	K BRICK 80																	
	L BLOCK 90																	
TOTAL HARD SURFACED				126.31	19.77	6.67	57.71	17.67	24.49									
TOTAL MILEAGE				131.99	19.98	7.80	58.27	19.91	26.03									

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

MUNICIPAL SECONDARY ROAD SYSTEM

COMPLETED AS OF JANUARY 1, 19 66

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 11

TYPE OF ROAD			MILEAGE TOTAL															
				ALLEGHANY	ASHE	AVERY	CALDWELL	SURRY	WATAUGA	WILKES	YADKIN							
NON SURF'D	A	PRIMITIVE	00	0.10	0.10													
	B	UNIMPROVED	10	2.49		0.58	0.90	0.27			0.53	0.21						
	C	GRADED AND DRAINED	20	3.45	0.05	0.34	0.12	0.66		0.90	0.90	0.48						
LOW TYPE SURFACES	D	SOIL SURFACED —UNTREATED	30	0.76								0.76						
	E	GRAVEL OR STONE —UNTREATED	41-43	11.71	0.27	0.37	4.17	2.87	1.43	1.56	0.82	0.22						
	TOTAL NON HARD SURFACED			18.51	0.42	1.29	5.19	3.80	1.43	2.46	2.25	1.67						
	F	BITUMINOUS SURFACE TREATED	F1	TOPSOIL OR SAND-CLAY	51	15.29	0.30		0.79	7.32	1.84	2.01		3.03				
			F2	GRAVEL OR STONE	52-53	37.78	1.71	4.04	5.40	8.81	3.18	3.68	2.99	7.97				
			F3	WATERBOUND MACADAM	54	0.83			0.83									
	G	MIXED BITUMINOUS	G1	NONRIGID BASE	61 ^x													
	G	MIXED BITUMINOUS	G2	RIGID BASE	61 ^x	0.44		0.44										
	H	BITUMINOUS PENETRATION	H1	NONRIGID BASE	62													
			H2	RIGID BASE	62	0.20			0.20									
HIGH TYPE SURFACES	I	BITUMINOUS CONCRETE I1	63	10.89				0.60	5.41		0.43	4.45						
	SAND ASPHALT —HOT PREMIXED	I2	ON P. C. CONCRETE	61														
		I3	ON BITUMINOUS CONCRETE	61														
		I4	ON OTHER TYPES THAN I2 AND I3	61														
	J	PORTLAND CEMENT CONCRETE	70	5.86				1.50	2.85		0.10	1.41						
	K	BRICK	80															
	L	BLOCK	90															
TOTAL HARD SURFACED				71.29	2.01	4.04	7.46	18.43	13.28	5.69	3.52	16.86						
TOTAL MILEAGE				89.80	2.43	5.33	12.65	22.23	14.71	8.15	5.77	18.53						

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 12 _____

MUNICIPAL SECONDARY ROAD SYSTEM

COMPLETED AS OF JANUARY 1, 19 66

TYPE OF ROAD			MILEAGE TOTAL															
				ALEXANDER	CATAWBA	CLEVELAND	GASTON	IREDELL	LINCOLN									
SURF'D	A	PRIMITIVE	00															
	B	UNIMPROVED	10	0.42	0.27			0.15										
	C	GRADED AND DRAINED	20	0.39			0.39											
SURFACES	D	SOIL SURFACED —UNTREATED	30	8.53	0.21	0.94	1.92	2.20	0.98	2.28								
	E	GRAVEL OR STONE —UNTREATED	41-43	3.58		0.40	1.29	1.47	0.42									
	TOTAL NON HARD SURFACED			12.92	0.21	1.61	3.21	4.06	1.55	2.28								
	F	BITUMINOUS SURFACE TREATED	F1	TOPSOIL OR SAND-CLAY	51	33.41	0.85	10.73	7.25	6.23	4.18	4.17						
			F2	GRAVEL OR STONE	52-53	30.62	0.48	4.01	4.95	15.05	3.27	2.86						
			F3	WATERBOUND MACADAM	54													
	G	MIXED BITUMINOUS	G1	NONRIGID BASE	61 ^x													
	G	MIXED BITUMINOUS	G2	RIGID BASE	61 ^x	0.83	0.10		0.73									
	H	BITUMINOUS PENETRATION	H1	NONRIGID BASE	62													
			H2	RIGID BASE	62	0.22				0.22								
	I	BITUMINOUS CONCRETE I1	63	44.11	0.46	10.21	6.63	18.51	5.78	2.52								
	SURFACES	SAND ASPHALT —HOT PREMIXED	I2	ON P. C. CONCRETE	61													
I3			ON BITUMINOUS CONCRETE	61	1.96	0.49	0.72		0.74	0.01								
I4			ON OTHER TYPES THAN I2 AND I3	61	3.94		0.75	1.03	2.16									
J	PORTLAND CEMENT CONCRETE	70	4.31		3.14		0.82	0.29	0.06									
K	BRICK	80																
L	BLOCK	90																
TOTAL HARD SURFACED			119.40	2.38	29.56	19.86	44.46	13.53	9.61									
TOTAL MILEAGE			132.32	2.59	31.17	23.07	48.52	15.08	11.89									

NORTH CAROLINA STATE HIGHWAY COMMISSION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 13

MUNICIPAL SECONDARY ROAD SYSTEM COMPLETED AS OF JANUARY 1, 1966

TYPE OF ROAD			MILEAGE TOTAL														
				BUNCOMBE	BURKE	MADISON	MCDOWELL	MITCHELL	RUTHER- FORD	YANCEY							
SURF'D	A	PRIMITIVE	00														
	B	UNIMPROVED	10	2.19	0.20	0.80		0.30	0.89								
	C	GRADED AND DRAINED	20	0.48	0.15			0.10	0.23								
	D	SOIL SURFACED —UNTREATED	30	2.55	1.20				1.35								
	E	GRAVEL OR STONE —UNTREATED	41-43	12.20	1.72	1.15	1.58	0.94	2.85	3.57	0.39						
SURFACES	TOTAL NON HARD SURFACED			17.42	1.92	2.50	2.38	0.94	3.25	6.04	0.39						
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	25.56		9.78	1.14	0.49	0.39	13.56	0.20						
		F2 GRAVEL OR STONE	52-53	31.65	5.20	2.88	5.19	2.08	3.47	11.83	1.00						
		F3 WATERBOUND MACADAM	54														
	G MIXED BITUMINOUS	G1 NONRIGID BASE	61 ^x														
	G MIXED BITUMINOUS	G2 RIGID BASE	61 ^x	0.12	0.12												
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	62														
		H2 RIGID BASE	62														
	I	BITUMINOUS CONCRETE I1	63	33.26	13.70	7.54	2.43	0.89	0.59	6.25	1.86						
		SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	61													
I3 ON BITUMINOUS CONCRETE			61														
I4 ON OTHER TYPES THAN I2 AND I3			61	3.41	1.38	0.50	0.04			1.49							
J	PORTLAND CEMENT CONCRETE	70	5.12	0.84	0.14	1.27	2.10		0.25	0.52							
K	BRICK	80															
L	BLOCK	90															
TOTAL HARD SURFACED				99.12	21.24	20.84	10.07	5.56	4.45	33.38	3.58						
TOTAL MILEAGE				116.54	23.16	23.34	12.45	6.50	7.70	39.42	3.97						

22

COUNTY _____ DIVISION TOTALS _____
DIVISION No. 14 _____

TYPE OF ROAD			MILEAGE TOTAL														
				CHEROKEE	CLAY	GRAHAM	HAYWOOD	HENDERSON	JACKSON	MACON	POLK	SWAIN	TRANS- YLVANIA				
LOW TYPE SURF'D	A PRIMITIVE 00																
	B UNIMPROVED 10		3.39	0.65					1.89		0.22	0.45	0.18				
	C GRADED AND DRAINED 20		0.73				0.23		0.50								
	D SOIL SURFACED —UNTREATED 30																
	E GRAVEL OR STONE —UNTREATED 41-43		18.08	3.55	0.10		1.31	0.17	5.94	3.34	1.55	1.35	0.77				
LOW TYPE SURFACES	TOTAL NON HARD SURFACED		22.20	4.20	0.10		1.54	0.17	8.33	3.34	1.77	1.80	0.95				
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	4.55	0.15		0.06	1.38		0.15	1.00	1.81						
		F2 GRAVEL OR STONE 52-53	34.50	6.13	2.03	0.28	4.09	1.83	3.43	4.67	2.74	4.38	4.92				
		F3 WATERBOUND MACADAM 54															
	G MIXED BITUMINOUS	G1 NONRIGID BASE 61 ^x	0.05					0.05									
	G MIXED BITUMINOUS	G2 RIGID BASE 61 ^x															
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 62															
		H2 RIGID BASE 62	0.13								0.13						
	I BITUMINOUS CONCRETE I1	63	14.87	1.08		1.41	5.57	1.32	0.72	0.06	0.43	1.13	3.15				
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 61	0.28				0.20	0.08									
		I3 ON BITUMINOUS CONCRETE 61	3.34				1.20	2.14									
		I4 ON OTHER TYPES THAN I2 AND I3 61	1.85				1.48	0.12			0.25						
J PORTLAND CEMENT CONCRETE	70	4.41	0.40			0.42		1.17		1.43	0.99						
K BRICK	80																
L BLOCK	90																
TOTAL HARD SURFACED			63.98	7.76	2.03	1.75	14.34	5.54	5.47	5.73	6.79	6.50	8.07				
TOTAL MILEAGE			86.18	11.96	2.13	1.75	15.88	5.71	13.80	9.07	8.56	8.30	9.02				