

NORTH CAROLINA

HIGHWAY AND ROAD MILEAGE

PREPARED BY THE

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS

IN COOPERATION WITH THE

U. S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

TABLE OF CONTENTS

Table	Page	Table	Page
Explanation of Highway and Road System	1	Paved Mileage by Counties and Surface Width, Rural	NC 302 PR 32
Explanation of Surface Type	2	Type of Surface Mileage By Divisions, Municipal	NC 400 PM 36
SUMMARY MILEAGE TABLES		Type of Surface Mileage by Divisions and Counties, Municipal.	NC 401 PM 37
Paved and Unpaved Mileage by Years and Rural-Municipal	NC 100 TL 5	Paved Mileage by Counties and Surface Width, Municipal	NC 402 PM 51
Total Mileage Classified by Federal Aid System	PR 528 7	STATE SECONDARY HIGHWAY SYSTEM	
Surface Type by Divisions	NC 101 TL 8	Paved and Unpaved Mileage by Counties and Rural-Municipal	NC 500 ST 56
Paved and Unpaved Mileage by Divisions And Rural-Municipal	NC 102 TL 9	Type of Surface Mileage by Divisions, Rural	NC 600 SR 60
Rural-Municipal Mileage by Traffic Lanes	NC 103 TL 10	Type of Surface Mileage by Divisions and Counties, Rural	NC 601 SR 61
Rural-Municipal Mileage by Control of Access	NC 104 TL 11	Paved Mileage by Counties and Surface Width, Rural	NC 602 SR 75
STATE PRIMARY HIGHWAY SYSTEM			
Paved and Unpaved Mileage by Counties and Rural Municipal	NC 200 PT 13	Type of Surface Mileage by Divisions, Municipal	NC 700 SM 79
Type of Surface Mileage by Divisions, Rural	NC 300 PR 17	Type of Surface Mileage by Divisions and Counties, Municipal	NC 701 SM 80
Type of Surface Mileage by Divisions and Counties, Rural.	NC 301 PR 18	Paved Mileage by Counties and Surface Width, Municipal	NC 702 SM 94

EXPLANATION OF HIGHWAY AND ROAD SYSTEMS

THE RURAL STATE PRIMARY HIGHWAY SYSTEM is composed of all Interstate, U.S. and NC numbered highways, except those lying within the corporate limits of incorporated towns.

THE MUNICIPAL STATE PRIMARY HIGHWAY SYSTEM is composed of all Interstate, U.S. and N.C. numbered highways or streets lying within the corporate limits of incorporated towns.

THE RURAL SECONDARY ROAD SYSTEM is composed of all State-maintained roads, except Interstate, U.S. and N.C. numbered highways, lying outside the corporate limits of incorporated towns.

THE MUNICIPAL SECONDARY ROAD SYSTEM is composed of municipal extensions of the Rural Secondary Road System.

- NOTES:
1. The incorporated status of all towns is determined from official lists of the North Carolina Department of Transportation, Division of Highways. The date on which the status of incorporation is determined corresponds with the data of the mileage tabulation.
 2. Bridges are included in the surfaced mileage and are considered as being of the same type as the approach surface.

EXPLANATION OF SURFACE TYPES

A - PRIMITIVE: On the official system, but unimproved, with no maintenance, natural surface, barely passable but usable by 4-wheel vehicles, and publicly traveled by small numbers of vehicles.

B - UNIMPROVED: A road, composed wholly (or with minor local exceptions) of the natural ground of the region traversed, which may or may not have been bladed, which does not conform in respect to alignment, grade, and drainage; at least to the definition of "Graded and Drained", and on which the only work done by public authority is that required to maintain a condition of bare passability for horse-drawn or motor vehicles.

C - GRADED AND DRAINED: A road of natural earth (or with minor exceptions) aligned and graded to permit reasonably convenient use by motor vehicles, and drained by longitudinal and transverse drainage systems, natural or artificial, sufficiently to prevent serious impairment of the road by surface water.

D - SOIL SURFACED-UNTREATED: Topsoil, sand, sand-clay, natural or artificial; also stabilized earth (stabilized with sand, selected materials, tar, Portland cement, chemicals or other admixtures). Not bituminous surface treated.

E - GRAVEL OR STONE-UNTREATED: Crushed or natural gravel, crushed stone, slag, gravel, shale, shell, chert, marl, crushed brick, shist, disintegrated granite, iron ore, chats, screened gravel, and other similar fragmental material (coarser than sand), traffic bound macadam made of crushed stone, crushed gravel or slag. Not bituminous surface treated.

F - BITUMINOUS SURFACE-TREATED:

F-1. Topsoil or Sand-Clay: Same as "D" except Bituminous Surface-treated with a mat of about one inch or less in thickness.

F-2. Gravel or Stone: Same as "E" except Bituminous Surface-treated with a mat of about one inch or less in thickness.

F-3. Waterbound Macadam: Waterbound Macadam surfaced with Bituminous Surface treatment mat of about one inch or less in thickness.

G - MIXED BITUMINOUS: A road, the wearing surface of which is one inch or more in compacted thickness, composed of gravel, stone, sand, or similar material, mixed with bituminous material under partial control as to grading and proportions. Examples are Mixed-in-Place sand asphalt, or bituminous sand-road mix. (Does not include hot premixed sand asphalt.)

G-1. Non-rigid Base:

A mixed bituminous road the base course of which is of other than Types J, K, or L, and the combined compact thickness of surface and base is less than 7 inches, or the design is such as to produce a road having a characteristically low or non-uniform load-bearing capacity.

G-2. Rigid Base:

A mixed bituminous road on any base of Types J, K, or L; also on any other type of base where the combined compacted thickness of surface and base is 7 inches or more, or where, by reason of the presence of natural foundation materials which meet base requirements, the road has a characteristically high uniform load-bearing capacity.

H - BITUMINOUS PENETRATION: A gravel or stone road, consisting of a base course and a wearing course one inch or more in compacted thickness, bound with bituminous material introduced by downward or upward penetration.

H-1. Non-rigid Base:

A bituminous penetration road the base course of which is of other than Types J, K, or L, and the combined thickness of surface and base is less than 7 inches, or the design is such as to produce a road having a characteristically low or non-uniform load-bearing capacity.

H-2. Rigid Base:

A bituminous penetration road on any base of Types J, K, or L; also on any other type of base where the combined compacted thickness of surface and base is 7 inches or more, or where by reason of the presence of natural foundation materials which meet base requirements, the road has a characteristically high uniform load-bearing capacity.

I - BITUMINOUS CONCRETE: Bituminous concrete on any rigid or non-rigid base (of substantial thickness). Bituminous concrete includes sheet asphalt, topeka, rock asphalt, and similar bituminous mixes with precise control as to grading and proportions, temperature, etc.

SAND ASPHALT-HOT PREMIXED: Premixed Sand Asphalt prepared under reasonable precise specifications, and exact control as to grading and proportions, on any base as follows:

I-2. Sand asphalt hot premixed on existing Portland cement concrete pavement.

I-3. Sand asphalt hot premixed on existing bituminous concrete pavement.

I-4. Sand asphalt hot premixed on sand asphalt base, or on any other base or type, except in I-2 or I-3 above.

J - PORTLAND CEMENT CONCRETE: Wearing surface of plain or reinforced Portland Cement Concrete, with or without a bituminous mat or less than one inch in compacted thickness. Does not include Portland Cement Stabilization. Includes P.C. Concrete covered with a seal coat or Bituminous Surface-treated, or any layer less than about 1". Does not include P. C. Concrete covered with Retread, Sand-Mix, or Sand Asphalt over 1" thick. (See G-2 and I-2).

K - BRICK: Paving brick, with or without a bituminous mat less than one inch in compacted thickness. (See G-2 and I-4).

L - BLOCK: Paving block (either stone block, wooden block, asphalt block) or other form of block, except vitrified paving brick, with or without a bituminous mat less than one inch in compacted thickness. (see G-2 and I-4).



STATE PRIMARY AND SECONDARY HIGHWAY SYSTEM

PAVED AND UNPAVED MILEAGE BY YEARS AND RURAL - MUNICIPAL
NC 100 TL

5

END OF YEAR	RURAL STATE PRIMARY HIGHWAYS			MUNICIPAL STATE PRIMARY HIGHWAYS			TOTAL STATE PRIMARY HIGHWAYS	RURAL STATE SECONDARY ROADS			MUNICIPAL STATE SECONDARY ROADS			TOTAL STATE SECONDARY ROADS	ALL STATE SYSTEMS		
	UNPAVED	PAVED	TOTAL	UNPAVED	PAVED	TOTAL		UNPAVED	PAVED	TOTAL	UNPAVED	PAVED	TOTAL		UNPAVED	PAVED	TOTAL
1921				5,200 ^{/1}			5,200 ^{/1}								5,200 ^{/1}		
1922				5,600 ^{/2}			5,600 ^{/2}								5,600 ^{/2}		
1923	4,922	1,178	6,100				6,100								4,922	1,178	6,100
1924	4,416	1,808	6,224				6,224								4,416	1,808	6,224
1925	3,807	2,327	6,134				6,134								3,807	2,327	6,134
1926	3,370	2,848	6,218				6,218								3,370	2,848	6,218
1927	3,733	3,350	7,083				7,083								3,733	3,350	7,083
1928	3,358	3,779	7,137				7,137								3,358	3,779	7,137
1929	4,305	4,004	8,309				8,309								4,305	4,004	8,309
1930	4,490	4,215	8,705				8,705								4,490	4,215	8,705
1931	5,179	4,573	9,752				9,752								5,179	4,573	9,752
1932	5,401	4,632	10,033				10,033								5,401	4,632	10,033
1933	5,831	4,317	10,148	90	759	849	10,148	46,172	654	46,826					52,003	4,971	56,974
1934	2,819	7,511	10,330				11,179	45,996	1,070	47,066					48,905	9,340	58,245
1935	2,852	7,947	10,799	90	766	856	11,655	45,995	1,053	47,048					48,937	9,766	58,703
1936	2,778	8,097	10,875	90	766	856	11,731	45,857	1,125	46,982					46,982	48,725	9,988
1937	2,617	8,138	10,755	4	403	407	11,162	46,288	1,155	47,443					47,443	48,909	9,696
1938	2,311	8,508	10,819	4	404	408	11,227	46,345	1,552	47,897					47,897	48,660	10,464
1939	2,000	8,424	10,424	28	844	872	11,296	45,643	1,556	47,199					47,199	47,671	10,824
1940	1,690	8,727	10,417	25	856	881	11,298	45,818	1,824	47,642					47,642	47,533	11,407
1941	1,521	8,866	10,387	24	884	908 ^{/2}	11,295	45,879	1,995	47,874	507	420	927 ^{/2}	48,801	47,931	12,165	60,096
1942	1,456	8,937	10,393	23	912	935 ^{/2}	11,328	46,053	2,063	48,116	549	438	987 ^{/2}	49,103	48,081	12,350	60,431
1943	1,414	8,938	10,352	21	941	962 ^{/2}	11,314	46,033	2,103	48,136	593	418	1,011 ^{/2}	49,147	48,061	12,400	60,461
1944	1,359	8,941	10,300	20	969	989	11,289	46,220	2,152	48,372	633	436	1,069	49,441	48,232	12,498	60,730
1945	1,342	8,953	10,295	19	984	1,003	11,298	46,880	2,171	49,051	634	441	1,075	50,126	48,875	12,549	61,424
1946	1,266	9,076	10,342	21	986	1,007	11,349	46,896	2,856	49,752	615	478	1,093	50,845	48,798	13,396	62,194
1947	1,107	9,223	10,330	21	1,011	1,032	11,362	46,388	4,060	50,448	589	535	1,124	51,572	48,105	14,829	62,934
1948	825	9,526	10,351	19	1,037	1,056	11,407	45,922	5,109	51,031	550	614	1,164	52,195	47,316	16,286	63,602
1949	685	9,776	10,461	13	1,060	1,073	11,534	45,328	6,372	51,700	520	667	1,187	52,887	46,546	17,875	64,421
1950	457	10,064	10,521	10	1,082	1,092	11,613	42,028	10,794	52,822	481	760	1,241	54,063	42,976	22,700	65,676
1951	338	10,304	10,642	5	1,094	1,099	11,741	38,915	14,596	53,511	425	870	1,295	54,806	39,683	26,864	66,547
1952	252	10,477	10,729	4	1,117	1,121	11,850	36,086	18,182	54,268	368	923	1,291	55,559	36,710	30,699	67,409
1953	204	10,566	10,770	4	1,123	1,127	11,897	34,418	20,551	54,969	345	979	1,324	56,293	34,971	33,219	68,190
1954	146	10,736	10,882	4	1,123	1,127	12,009	34,150	21,364	55,514	346	1,042	1,388	56,902	34,646	34,265	68,911
1955	124	10,844	10,968	3	1,163	1,166	12,134	33,979	22,074	56,053	332	1,073	1,405	57,458	34,438	35,154	69,592
1956	99	11,015	11,114	2	1,169	1,171	12,285	33,763	22,735	56,498	321	1,127	1,448	57,946	34,185	36,046	70,231
1957	94	11,066	11,160	2	1,210	1,212	12,372	33,149	23,466	56,615	281	1,209	1,490	58,105	33,526	36,951	70,477
1958	85	11,167	11,252	2	1,225	1,227	12,479	32,869	23,985	56,854	257	1,280	1,537	58,391	33,213	37,657	70,870
1959	85	11,205	11,290	2	1,263	1,265	12,555	32,503	24,707	57,210	249	1,330	1,579	58,789	32,839	38,505	71,344
1960	84	11,209	11,293	2	1,345	1,347	12,640	31,627	25,040	56,667	229	1,378	1,607	58,274	31,942	38,972	70,914

^{1/} Approximate mileage, about 5,500 had been proposed for State System.^{2/} Estimated mileage

STATE PRIMARY AND SECONDARY HIGHWAY SYSTEM

PAVED AND UNPAVED MILEAGE BY YEARS AND RURAL - MUNICIPAL
NC 100 TL

6

END OF YEAR	RURAL STATE PRIMARY HIGHWAYS			MUNICIPAL STATE PRIMARY HIGHWAYS			TOTAL STATE PRIMARY HIGHWAYS	RURAL STATE SECONDARY ROADS			MUNICIPAL STATE SECONDARY ROADS			TOTAL STATE SECONDARY ROADS	ALL STATE SYSTEMS		
	UNPAVED	PAVED	TOTAL	UNPAVED	PAVED	TOTAL		UNPAVED	PAVED	TOTAL	UNPAVED	PAVED	TOTAL		UNPAVED	PAVED	TOTAL
1961	84	11,269	11,353	2	1,367	1,369	12,722	31,244	25,820	57,064	232	1,424	1,656	58,720	31,562	39,880	71,442
1962	83	11,356	11,439	2	1,402	1,404	12,843	29,905	27,435	57,340	214	1,448	1,662	59,002	30,204	41,641	71,845
1963	83	11,476	11,559	2	1,426	1,428	12,987	29,349	28,190	57,539	221	1,496	1,717	59,256	29,655	42,588	72,243
1964	82	11,466	11,548	2	1,456	1,458	13,006	28,755	28,927	57,682	231	1,579	1,810	59,492	29,070	43,428	72,498
1965	75	11,491	11,566	2	1,472	1,474	13,040	28,149	29,810	57,959	205	1,618	1,823	59,782	28,431	44,391	72,822
1966	67	11,521	11,588	2	1,524	1,526	13,114	27,311	30,736	58,047	206	1,676	1,882	59,929	27,586	45,457	73,043
1967	66	11,588	11,654	2	1,513	1,515	13,169	26,078	32,044	58,122	199	1,742	1,941	60,063	26,345	46,887	73,232
1968	66	11,646	11,712	2	1,521	1,523	13,235	25,001	33,268	58,269	183	1,762	1,945	60,214	25,252	48,197	73,449
1969	42	11,620	11,662	2	1,539	1,541	13,203	24,478	33,897	58,375	193	1,855	2,048	60,423	24,715	48,911	73,626
1970	43	11,668	11,711	2	1,556	1,558	13,269	23,517	35,084	58,601	178	1,945	2,123	60,724	23,740	50,253	73,993
1971	44	11,723	11,767	1	1,547	1,548	13,315	22,908	36,057	58,965	133	1,955	2,088	61,053	23,086	51,282	74,368
1972	44	11,787	11,831	1	1,587	1,588	13,419	22,241	36,870	59,111	127	2,017	2,144	61,255	22,413	52,261	74,674
1973	44	11,818	11,862	1	1,610	1,611	13,473	21,747	37,471	59,218	130	2,093	2,223	61,441	21,922	52,992	74,914
1974	44	11,824	11,868	1	1,650	1,651	13,519	21,224	37,891	59,115	125	2,148	2,273	61,388	21,394	53,513	74,907

JANUARY 1, 1975

STATE PRIMARY AND SECONDARY HIGHWAY SYSTEM

7

TOTAL MILEAGE CLASSIFIED BY FEDERAL-AID SYSTEMS

PR 528

LINE NO.	ROAD SYSTEM	INTERSTATE SYSTEM		TOTAL FEDERAL-AID PRIMARY		FEDERAL AID URBAN (6)	FEDERAL-AID SECOND.		NOT ON FEDERAL-AID SYSTEM (9)	TOTAL (Columns 3 thru 9) (10)
		RURAL (1)	URBAN (2)	RURAL (3)	URBAN TYPE I (4) TYPE II (5)		RURAL (7)	URBAN (8)		
1 STATE PRIMARY HIGHWAY SYSTEM	a. RURAL	683.39	52.28	3,626.36	196.28	.59	14.94	7,780.47	144.71	104.81 11,868.16
	b. MUNICIPAL - 5,000 AND OVER	-	102.56		424.75	11.88	57.98		335.22	31.63 861.46
	c. MUNICIPAL - UNDER 5,000	16.97	6.54	235.50	33.36	.88	1.77	433.33	47.18	36.83 788.85
2 STATE SECONDARY HIGHWAY SYSTEM	a. RURAL	8.40		17.80	4.80	49.63	6.39	19,016.79	332.44	39,687.12 59,114.97
	b. MUNICIPAL - 5,000 AND OVER		.11		60.33	90.64	76.30		415.39	517.58 1,160.24
	c. MUNICIPAL - UNDER 5,000	.49	.46	.49	.46	1.58		397.83	37.18	676.06 1,113.60
3 LOCAL ROADS UNDER STATE CONTROL	a. RURAL									
	b. MUNICIPAL - 5,000 AND OVER									
	c. MUNICIPAL - UNDER 5,000									
4 COUNTY ROADS - RURAL										
5 TOWN AND TOWNSHIP ROADS - RURAL										
6 LOCAL CITY STREETS				4.75	389.93	44.55		17.85	10,688.09	11,145.17
7 MILEAGE NOT INCLUDED WITH THE ROAD AND STREET SYSTEMS CLASSIFIED ABOVE	a. STATE PARK, FOREST, AND RESERVATION ROADS								459.20	459.20
	b. NATIONAL PARK, FOREST, AND RESERVATION ROADS			16.79			6.70	1.00	2,087.40	2,111.89
	c. TOLL ROADS, BRIDGES, AND TUNNELS									
	d. OTHER ROADS									
8 TOTAL EXISTING MILEAGE	709.25	161.95	3,896.94	724.73	545.13	201.93	27,635.12	1,330.97	54,288.72	88,623.54

Interstate system mileages reported separately in columns 1 and 2 are also in the total Federal-aid primary system mileages in columns 3 and 4

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 101 TL

SYSTEM ALL SYSTEMS 8

COUNTY STATE TOTALS

DIVISION No. 1-14

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL																
			1	2	3	4	5	6	7	8	9	10	11	12	13	14		
NON SURFD	A PRIMITIVE	00	9.90						.50		.60		4.40		.90	3.50		
	B UNIMPROVED	10	1,293.12	130.51	78.13	83.43	50.55	34.55	98.09	56.89	49.65	170.00	36.47	230.56	15.12	86.88	172.29	
	C GRADED AND DRAINED	20	4,174.77	562.75	758.61	299.28	363.08	367.01	285.01	319.14	217.72	242.52	102.50	259.54	89.82	148.23	159.56	
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	6,310.67	310.14	361.71	663.61	611.88	464.72	968.61	183.57	754.13	511.80	148.77	151.96	863.80	198.77	117.11	
	E GRAVEL OR STONE —UNTREATED	41	9,605.51	259.20	117.66	13.49	112.67	883.84	19.49	925.12	477.83	442.22	630.65	2094.33	463.40	1441.52	1724.18	
	TOTAL NON HARD SURFACED		21,393.97	1262.60	1316.11	1059.81	1138.18	1750.12	1371.11	1485.22	1400.33	1367.23	918.39	2740.79	1432.14	1876.30	2176.64	
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	11,898.28	611.20	184.99	133.31	1293.75	1148.85	660.28	675.06	1849.04	1709.04	980.19	347.75	1791.65	395.16	118.01
		F2 GRAVEL OR STONE	52	11,294.54	555.47	131.61	19.19	160.42	885.10	45.33	1439.40	617.37	890.55	1622.34	1757.49	733.20	1382.72	1034.26
		F3 WATERBOUND MACADAM	54	35.50		.69			1.00		.20	.17	9.60	5.30	11.54	.40	5.20	1.40
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE	60	370.73	86.29	99.62	105.95	6.51	1.30	66.86		1.00		.22		.20	2.78	
	G MIXED BITUMINOUS	G2 RIGID BASE	61	238.31	16.70	29.75	19.64	55.74	7.51	3.26	32.85	4.32	1.65	.50	40.50	2.07	12.36	11.46
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64	6.80	6.30			.20									.30	
		H2 RIGID BASE	62	12.84	.10		.90		.72		5.48	.26	.90			.67	3.81	
	I BITUMINOUS CONCRETE I1		63	15,072.86	555.76	964.21	1208.66	1254.19	1521.93	1242.45	1267.38	1159.43	669.22	1143.35	650.09	1309.65	1163.42	963.12
	I2 ON P. C. CONCRETE —HOT PREMIXED	I2 ON P. C. CONCRETE	67	233.64	77.34	32.95	3.87	37.07	7.59	3.39	11.53	13.79	20.30	11.09	.30	.63	1.76	12.03
		I3 ON BITUMINOUS CONCRETE	66	1,281.88	86.78	103.59	122.19	505.03	1.45	323.74	14.38	65.70	11.72	3.24	22.36	4.14	4.09	12.57
		I4 ON OTHER TYPES THAN I2 AND I3	65	12,023.69	1440.91	1878.84	2342.92	1258.47	272.41	2238.65	44.05	1209.36	213.32	301.22	172.95	207.01	79.15	364.43
	J PORTLAND CEMENT CONCRETE		70	1,033.88	48.87	22.77	7.66	64.85	163.77	3.32	105.47	35.50	180.56	105.89	57.55	92.40	113.74	31.53
	K BRICK		80	10.36	.10	10.00							.26					
	L BLOCK		90															
TOTAL HARD SURFACED			53,513.31	3485.82	3459.02	3964.29	4657.13	4011.72	4587.28	3595.80	4955.94	3737.12	4173.34	3060.53	4142.02	3164.49	2548.81	
TOTAL MILEAGE			74,907.28	4748.42	4775.13	5024.10	5795.31	5761.84	5953.30	5081.02	6455.27	5074.35	5391.73	5801.32	5574.15	5040.79	4725.45	

JANUARY 1, 1975

STATE PRIMARY AND SECONDARY HIGHWAY SYSTEM

PAVED AND UNPAVED MILEAGE BY DIVISIONS AND RURAL - MUNICIPAL
NC 102 TL

9

DIVISION	P R I M A R Y				S E C O N D A R Y				TOTAL ALL SYSTEMS		
	R U R A L		M U N I C I P A L		R U R A L		M U N I C I P A L				
	PAVED	UNPAVED	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	PAVED	UNPAVED		
01	1073.31		114.90		1188.21	2219.30	1257.00	78.31	5.60	3560.21	4748.42
02	858.18		90.69		948.87	2392.33	1305.40	117.82	10.71	3826.26	4775.13
03	947.94		100.34		1048.28	2751.80	1051.70	164.21	8.11	3975.82	5024.10
04	1062.50		127.66		1190.16	3319.06	1133.70	147.91	4.48	4605.15	5795.31
05	805.79		142.53		948.32	2850.11	1739.30	213.29	10.82	4813.52	5761.84
06	1120.26		115.30		1235.56	3202.60	1359.40	149.12	11.71	4722.83	5958.39
07	757.61		170.30		927.91	2452.46	1478.60	215.43	6.62	4153.11	5081.02
08	865.58		125.18		990.76	3733.60	1486.50	231.58	12.83	5464.51	6455.27
09	667.56		100.46		768.02	2751.10	1360.30	188.00	6.93	4306.33	5074.35
10	641.88		153.72		795.60	3204.53	916.20	173.21	2.19	4296.13	5091.73
11	781.96	8.37	86.82		877.15	2107.00	2722.30	84.75	10.12	4924.17	5801.32
12	678.17		143.04		821.21	3146.07	1422.90	174.74	9.24	4752.95	5574.16
13	784.22	21.28	127.07	.43	933.00	2117.86	1842.90	135.34	11.69	4107.79	5040.79
14	778.86	14.69	51.87		845.42	1643.35	2147.60	74.73	14.35	3880.03	4725.45
TOTALS	11823.82	44.34	1649.88	.43	13518.47	37891.17	21223.80	2148.44	125.40	61388.81	74907.28

JANUARY 1, 1975

STATE PRIMARY AND SECONDARY HIGHWAY SYSTEM

10

RURAL - MUNICIPAL MILEAGE BY NUMBER OF LANES

NC 103 TL

STATE TOTALS


2 LANES	3 LANES	4 LANES OR MORE			TOTALS	
		DIVIDED	UNDIVIDED	1 WAY PAIR		
INTERSTATE RURAL		562.20			562.20	
INTERSTATE MUNIC		69.82			69.82	
INTER T/W RURAL	49.86	117.97	14.27		182.10	
INTER T/W MUNIC	10.39	37.64	7.73	2.24	58.00	
US ROUTES RURAL	3,556.34	45.58	603.37	93.48	4,298.82	
US ROUTES MUNIC	513.23	10.64	148.39	178.54	22.36	873.16
NC ROUTES RURAL	6,728.98	3.88	71.47	29.11		6,833.44
NC ROUTES MUNIC	542.86	0.62	26.15	76.99	3.77	650.39
SR ROUTES RURAL	59,053.91		9.39	43.27		59,106.57
SR ROUTES MUNIC	2,055.78	1.61	42.26	173.13		2,272.78
TOTALS	72,511.35	62.33	1,688.66	616.52	28.42	74,907.28

RURAL - MUNICIPAL MILEAGE BY CONTROL OF ACCESS

NC 104 TL

STATE TOTALS

FULL CONTROL		PARTIAL CONTROL		NO CONTROL			TOTALS	
2 LANES	4 LN OR MORE	2 LANES	4 LN OR MORE	2-3 LANE	4 OR MORE	1-W PAIR		
INTERSTATE RURAL	562.20						562.20	
INTERSTATE MUNIC	69.82						69.82	
INTER T/W RURAL	19.12	8.42	27.36	41.44	85.76		182.10	
INTER T/W MUNIC	12.56		7.58	10.39	25.23	2.24	58.00	
US ROUTES RURAL	37.92	154.03	48.43	71.50	3,515.57	471.32	0.05	4,298.82
US ROUTES MUNIC	0.98	31.97	7.42	20.08	515.47	274.88	22.36	873.16
NC ROUTES RURAL	0.19	1.87	33.64	8.81	6,699.03	89.90		6,833.44
NC ROUTES MUNIC		4.05	1.35	0.34	542.13	98.75	3.77	650.39
SR ROUTES RURAL		0.60		4.20	59,053.91	47.86		59,106.57
SR ROUTES MUNIC		2.43		1.02	2,057.39	211.94		2,272.78
TOTALS	39.09	858.65	99.26	140.89	72,435.33	1,305.64	28.42	74,907.28



PAVED AND UNPAVED MILEAGE BY COUNTIES AND RURAL - MUNICIPAL
 NC 200 PT

13

COUNTY	R - U - R - A - L			M - U - N - I - C - I - P - A - L			T - O T - A - L - S		
	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	TOTAL
ALAMANCE	123.07		123.07	32.93		32.93	156.00		156.00
ALEXANDER	43.74		43.74	1.65		1.65	45.39		45.39
ALLEGHANY	80.67		80.67	3.28		3.28	83.95		83.95
ANSON	112.47		112.47	14.10		14.10	126.57		126.57
ASHE	111.80		111.80	4.66		4.66	116.46		116.46
AVERY	76.78		76.78	7.67		7.67	84.45		84.45
BEAUFORT	160.78		160.78	12.08		12.08	172.86		172.86
BERTIE	129.15		129.15	12.08		12.08	141.23		141.23
BLADEN	262.13		262.13	12.14		12.14	274.27		274.27
BRUNSWICK	172.64		172.64	10.16		10.16	182.80		182.80
BUNCOMBE	172.10	11.67	183.77	53.75	.43	54.18	225.85	12.10	237.95
BURKE	126.73		126.73	21.54		21.54	148.27		148.27
CABARRUS	109.90		109.90	12.59		12.59	122.49		122.49
CALDWELL	93.43	8.37	101.80	23.27		23.27	116.70	8.37	125.07
CAMDEN	44.28		44.28	.04		.04	44.32		44.32
CARTERET	93.41		93.41	8.43		8.43	101.84		101.84
CASWELL	121.37		121.37	1.16		1.16	122.53		122.53
CATAWBA	96.86		96.86	25.17		25.17	122.03		122.03
CHATHAM	146.19		146.19	8.52		8.52	154.71		154.71
CHEROKEE	69.06		69.06	4.59		4.59	73.65		73.65
CHOWAN	42.16		42.16	5.46		5.46	47.62		47.62
CLAY	36.17		36.17	.82		.82	36.99		36.99
CLEVELAND	148.81		148.81	30.42		30.42	179.23		179.23
COLUMBUS	221.06		221.06	27.61		27.61	248.67		248.67
CRAVEN	122.30		122.30	13.56		13.56	135.86		135.86

PAVED AND UNPAVED MILEAGE BY COUNTIES AND RURAL - MUNICIPAL
 NC (200 PT)

14

COUNTY	R - U - R - A - L			M - U - N - I - C - I - P - A - L			T - O - T - A - L - S		
	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	TOTAL
CUMBERLAND	173.03		173.03	32.88		32.88	205.91		205.91
CURRITUCK	70.75		70.75				70.75		70.75
DARE	123.19		123.19	24.40		24.40	147.59		147.59
DAVIDSON	166.07		166.07	13.65		13.65	179.72		179.72
DAVIE	100.87		100.87	6.08		6.08	106.95		106.95
DUPLIN	179.33		179.33	22.80		22.80	202.13		202.13
DURHAM	68.16		68.16	50.71		50.71	118.87		118.87
EDGECOMBE	157.87		157.87	18.90		18.90	176.77		176.77
FORSYTH	141.35		141.35	55.19		55.19	196.54		196.54
FRANKLIN	145.85		145.85	9.08		9.08	154.93		154.93
GASTON	102.91		102.91	52.26		52.26	155.17		155.17
GATES	81.22		81.22	2.89		2.89	84.11		84.11
GRAHAM	47.82		47.82	.87		.87	48.69		48.69
GRANVILLE	123.46		123.46	11.47		11.47	134.93		134.93
GREENE	79.04		79.04	4.53		4.53	83.57		83.57
GUILFORD	206.02		206.02	81.04		81.04	287.06		287.06
HALIFAX	213.72		213.72	19.88		19.88	233.60		233.60
HARNETT	168.45		168.45	15.34		15.34	183.79		183.79
HAYWOOD	144.51		144.51	9.88		9.88	154.39		154.39
HENDERSON	98.49		98.49	5.20		5.20	103.69		103.69
HERTFORD	94.33		94.33	12.08		12.08	106.41		106.41
HOKE	54.25		54.25	6.59		6.59	60.84		60.84
HYDE	76.94		76.94				76.94		76.94
IREDELL	183.84		183.84	31.45		31.45	215.29		215.29
JACKSON	104.22	9.59	113.81	9.51		9.51	113.73	9.59	123.32

PAVED AND UNPAVED MILEAGE BY COUNTIES AND RURAL - MUNICIPAL
 NC 200 PT

15

COUNTY	R-U-R-A-L			M U N I C I P A L			T O T A L S		
	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	TOTAL
JOHNSTON	263.62		263.62	21.25		21.25	284.87		284.87
JONES	69.78		69.78	3.18		3.18	72.96		72.96
LEE	65.99		65.99	13.44		13.44	79.43		79.43
LENOIR	102.21		102.21	7.54		7.54	109.75		109.75
LINCOLN	102.01		102.01	2.09		2.09	104.10		104.10
MACON	91.36		91.36	8.16		8.16	99.52		99.52
MADISON	111.78	3.70	115.48	10.69		10.69	122.47	3.70	126.17
MARTIN	118.90		118.90	18.78		18.78	137.68		137.68
MCDOWELL	130.33		130.33	3.49		3.49	133.82		133.82
MECKLENBURG	155.39		155.39	95.18		95.18	250.57		250.57
MITCHELL	57.07		57.07	6.94		6.94	64.01		64.01
MONTGOMERY	110.22		110.22	16.53		16.53	126.75		126.75
MOORE	153.12		153.12	20.30		20.30	173.42		173.42
NASH	173.60		173.60	29.66		29.66	203.26		203.26
NEW HANOVER	61.14		61.14	22.82		22.82	83.96		83.96
NORTHAMPTON	137.40		137.40	19.33		19.33	156.73		156.73
ONSLOW	145.04		145.04	6.44		6.44	151.48		151.48
ORANGE	100.89		100.89	17.08		17.08	117.97		117.97
PAMLICO	47.33		47.33	11.67		11.67	59.00		59.00
PASQUOTANK	32.93		32.93	7.37		7.37	40.30		40.30
PENDER	168.21		168.21	14.88		14.88	183.09		183.09
PERQUIMANS	23.62		23.62	8.02		8.02	31.64		31.64
PERSON	88.54		88.54	9.08		9.08	97.62		97.62
PITT	183.33		183.33	29.70		29.70	213.03		213.03
POLK	46.60		46.60	4.36		4.36	50.96		50.96

JANUARY 1, 1975

STATE PRIMARY HIGHWAY SYSTEM

PAVED AND UNPAVED MILEAGE BY COUNTIES AND RURAL + MUNICIPAL
NC 200 PT

16

COUNTY	R - U - R - A - L			M - U - N - I - C - I - P - A - L			T - O - T - A - L S		
	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	TOTAL
RANDOLPH	167.16		167.16	29.27		29.27	196.43		196.43
RICHMOND	99.20		99.20	14.24		14.24	113.44		113.44
ROBESON	295.59		295.59	27.33		27.33	322.92		322.92
ROCKINGHAM	206.26		206.26	38.09		38.09	244.35		244.35
ROWAN	122.85		122.85	19.87		19.87	142.72		142.72
RUTHERFORD	105.40		105.40	28.23		28.23	133.63		133.63
SAMPSON	221.58		221.58	23.24		23.24	244.82		244.82
SCOTLAND	69.45		69.45	16.29		16.29	85.74		85.74
STANLY	102.47		102.47	18.63		18.63	121.10		121.10
STOKES	136.42		136.42	5.67		5.67	142.09		142.09
SURRY	120.87		120.87	15.12		15.12	135.99		135.99
SWAIN	53.83		53.83	2.88		2.88	56.71		56.71
TRANSYLVANIA	86.80	5.10	91.90	5.60		5.60	92.40	5.10	97.50
TYRRELL	45.51		45.51	1.17		1.17	46.68		46.68
UNION	161.65		161.65	13.22		13.22	174.87		174.87
VANCE	71.01		71.01	9.75		9.75	80.76		80.76
WAKE	226.65		226.65	48.36		48.36	275.01		275.01
WARREN	82.12		82.12	4.08		4.08	86.20		86.20
WASHINGTON	52.93		52.93	3.28		3.28	56.21		56.21
WATAUGA	78.55		78.55	12.33		12.33	90.88		90.88
WAYNE	144.00		144.00	20.07		20.07	164.07		164.07
WILKES	137.22		137.22	12.16		12.16	149.38		149.38
WILSON	109.69		109.69	17.90		17.90	127.59		127.59
YADKIN	82.64		82.64	8.33		8.33	90.97		90.97
YANCEY	80.81	5.91	86.72	2.43		2.43	83.24	5.91	89.15
TOTALS	11823.82	44.34	11868.16	1649.88	.43	1650.31	13473.70	44.77	13518.47

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 300 PR

SYSTEM RURAL STATE PRIMARY HIGHWAY 17

COUNTY STATE TOTALS

DIVISION No. 1-14

COMPLETED AS OF JANUARY 1 19 75

TYPE OF ROAD		MILEAGE TOTAL															
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	
NON SURFD	A PRIMITIVE	00															
	B UNIMPROVED	10	2.80										2.80				
	C GRADED AND DRAINED	20															
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30															
	E GRAVEL OR STONE —UNTREATED	41	41.54									5.57		21.28	14.69		
	TOTAL NON HARD SURFACED		44.34									8.37		21.28	14.69		
	F BITUMINOUS SURFACE	F1 TOPSOIL OR SAND-CLAY	51	497.33	26.71	10.14	1.12	5.56	36.22	37.32	63.42	107.69	77.34	58.77	45.93	16.81	
	TREATED	F2 GRAVEL OR STONE	52	744.50	41.78	1.45				.70	36.61	22.87	49.05	56.15	226.79	2.93	166.22
		F3 WATERBOUND MACADAM	54	8.04										8.04			
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE	60	55.45	17.59	1.32	12.76			23.78							
	G MIXED BITUMINOUS	G2 RIGID BASE	61	74.51	10.42	7.45	9.34		.13	.48	21.53	1.18	.07	14.29	.09	2.24	7.29
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64														
		H2 RIGID BASE	62														
	I BITUMINOUS CONCRETE I1		63	8,095.29	395.84	603.30	829.42	672.18	643.02	765.49	566.77	625.23	396.87	444.25	430.91	584.11	541.72
SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	146.23	57.76	27.63	.45	23.66	.07	.36	8.78	10.86	15.71			.10		.85
	I3 ON BITUMINOUS CONCRETE	66	379.01	61.44	37.37	10.81	141.77		95.49	.05	2.70	5.59	1.89	21.90			
	I4 ON OTHER TYPES THAN I2 AND I3	65	1,183.47	435.26	155.65	81.94	162.19	6.05	195.54	3.02	79.11	21.60	19.12	4.19	8.64	.21	10.95
J PORTLAND CEMENT CONCRETE		70	639.99	26.51	13.87	2.10	57.14	120.30	1.10	57.43	15.94	101.33	61.70	29.91	65.49	71.13	16.04
	K BRICK		80														
	L BLOCK		90														
TOTAL HARD SURFACED			11,823.82	1073.31	858.18	947.94	1062.50	805.79	1120.26	757.61	865.58	667.56	641.88	781.96	678.17	784.22	778.96
TOTAL MILEAGE			11,868.16	1073.31	858.18	947.94	1062.50	805.79	1120.26	757.61	865.58	667.56	641.88	790.33	678.17	805.50	793.55

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 301 PR

SYSTEM RURAL STATE PRIMARY HIGHWAY 18

COUNTY DIVISION TOTALS

COMPLETED AS OF JANUARY 1 1975

DIVISION No. 1

TYPE OF ROAD		MILEAGE TOTAL															
			BERTIE	CAMDEN	CHOWAN	CURRI-TUCK	DARF	GATES	HERT-FORD	HYDE	MARTIN	NORTH-HAMPTON	PASQUO-TANK	PERQUI-MANS	TYRRELL	WASH-INGTON	
NON SURF'D	A PRIMITIVE	00															
	B UNIMPROVED	10															
	C GRADED AND DRAINED	20															
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30															
	E GRAVEL OR STONE —UNTREATED	41															
	TOTAL NON HARD SURFACED																
	F BITUMINOUS SURFACE	F1 TOPSOIL OR SAND-CLAY	51	26.71	.58		1.52			22.26				2.35			
	TREATED	F2 GRAVEL OR STONE	52	41.78			2.42	9.29	1.45	13.52		6.22		5.50	3.38		
		F3 WATERBOUND MACADAM	54														
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE	60	17.59			17.50										
	G2 RIGID BASE	61	10.42			5.32								5.10			
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64														
	H2 RIGID BASE	62															
	I BITUMINOUS CONCRETE I1	63	395.84	71.27	36.81	16.90	8.52	14.40	10.42	37.64		79.98	45.78	17.23	23.14	7.12	26.63
	SAND ASPHALT	I2 ON P. C. CONCRETE	67	57.76	3.27	2.60		36.14			15.30			.21	.24		
	—HOT PREMIXED	I3 ON BITUMINOUS CONCRETE	66	61.44	19.48	.20		.40		14.91			26.45				
		I4 ON OTHER TYPES THAN I2 AND I3	65	435.26	34.55	4.67	19.59	16.43	80.31	66.38	40.33	25.44	38.92	50.36	15.44	24.10	18.74
	J PORTLAND CEMENT CONCRETE	70	26.51			5.67		1.60	4.42		.42		8.59	.05	.24	1.34	4.18
	K BRICK	80															
	L BLOCK	90															
TOTAL HARD SURFACED			1,073.31	129.15	44.28	42.16	70.75	123.19	81.22	94.33	76.94	118.90	137.40	32.93	23.62	45.51	52.93
TOTAL MILEAGE			1,073.31	129.15	44.28	42.16	70.75	123.19	81.22	94.33	76.94	118.90	137.40	32.93	23.62	45.51	52.93

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 301 PR

SYSTEM RURAL STATE PRIMARY HIGHWAY 19

COUNTY DIVISION TOTALS

DIVISION No. 2

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL											
NON SURFD	A PRIMITIVE	00											
	B UNIMPROVED	10											
	C GRADED AND DRAINED	20											
	D SOIL SURFACED —UNTREATED	30											
LOW TYPE SURFACES	E GRAVEL OR STONE —UNTREATED	41											
	TOTAL NON HARD SURFACED												
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	10.14							10.14			
		F2 GRAVEL OR STONE 52	1.45			.97	.59						
HIGH TYPE SURFACES	G MIXED BITUMINOUS	F3 WATERBOUND MACADAM 54											
	G MIXED BITUMINOUS	G1 NONRIGID BASE 60	1.32		1.32								
	H BITUMINOUS PENETRATION	G2 RIGID BASE 61	7.45		2.50	4.95							
	H1 NONRIGID BASE 64												
	H2 RIGID BASE 62												
	I BITUMINOUS CONCRETE I1	63	603.30	127.12	60.80	94.12	48.60	60.25	83.17	16.65	112.59		
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 67	27.63		6.47	10.94		9.53			.69		
		I3 ON BITUMINOUS CONCRETE 66	37.37				7.88		7.16	4.59	17.74		
		I4 ON OTHER TYPES THAN I2 AND I3 65	155.65	21.24	22.02	10.70	21.98		11.88	26.09	41.74		
	J PORTLAND CEMENT CONCRETE	70	13.87	12.42	.30	.72					.43		
	K BRICK	80											
	L BLOCK	90											
TOTAL HARD SURFACED		858.18	160.78	93.41	122.30	79.04	69.78	102.21	47.33	183.33			
TOTAL MILEAGE		858.18	160.78	93.41	122.30	79.04	69.78	102.21	47.33	183.33			

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 301 PR

SYSTEM RURAL STATE PRIMARY HIGHWAY 20

COUNTY DIVISION TOTALS

DIVISION No. 3

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL										
			BRUNS- WICK	DUPLIN	NEW HANOVER	ONslow	PENDER	SAMPSON				
NON SURF'D	A PRIMITIVE	00										
	B UNIMPROVED	10										
	C GRADED AND DRAINED	20										
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30										
	E GRAVEL OR STONE —UNTREATED	41										
	TOTAL NON HARD SURFACED											
	F BITUMINOUS SURFACE	F1 TOPSOIL OR SAND-CLAY 51	1.12		1.02		.10					
		F2 GRAVEL OR STONE 52										
HIGH TYPE SURFACES		F3 WATERBOUND MACADAM 54										
	G MIXED BITUMINOUS	G1 NONRIGID BASE 60	12.76	7.66	1.38	3.48	.24					
	G2 RIGID BASE 61	9.34	9.34									
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 64										
		H2 RIGID BASE 62										
	I BITUMINOUS CONCRETE I1	63	829.42	123.14	178.02	58.42	115.95	142.21	211.68			
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 67	.45	.13				.32				
		I3 ON BITUMINOUS CONCRETE 66	10.81	4.12			5.48	1.21				
		I4 ON OTHER TYPES THAN I2 AND I3 65	81.94	28.25	.44	.24	20.13	24.14	8.74			
	J PORTLAND CEMENT CONCRETE	70	2.10		.87	.08		.41	.74			
	K BRICK	80										
	L BLOCK	90										
TOTAL HARD SURFACED		947.94	172.64	179.33	61.14	145.04	168.21	221.58				
TOTAL MILEAGE		947.94	172.64	179.33	61.14	145.04	168.21	221.58				

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 301 PR

SYSTEM RURAL STATE PRIMARY HIGHWAY 21

COUNTY DIVISION TOTALS

DIVISION No. 4

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL	EDGE-COMBE	HALIFAX	JOHN-STON	NASH	WAYNE	WILSON						
NON SURFD	A PRIMITIVE	00												
	B UNIMPROVED	10												
	C GRADED AND DRAINED	20												
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30												
	E GRAVEL OR STONE —UNTREATED	41												
	TOTAL NON HARD SURFACED													
HIGH TYPE SURFACES	F BITUMINOUS SURFACE	F1 TOPSOIL OR SAND-CLAY	51	5.56	5.56									
	TREATED	F2 GRAVEL OR STONE	52											
		F3 WATERBOUND MACADAM	54											
	G MIXED BITUMINOUS	G1 NONRIGID BASE	60											
	G MIXED BITUMINOUS	G2 RIGID BASE	61											
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64											
	H2 RIGID BASE	62												
	I BITUMINOUS CONCRETE I1	63	672.18	137.84	127.42	150.84	130.33	59.98	65.77					
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	23.66	6.05	7.50	.97	9.14						
	I3 ON BITUMINOUS CONCRETE	66	141.77		1.84	57.13	6.06	50.93	25.81					
	I4 ON OTHER TYPES THAN I2 AND I3	65	162.19	13.88	46.41	29.50	21.20	33.09	18.11					
	J PORTLAND CEMENT CONCRETE	70	57.14	.10	24.99	25.18	6.87							
	K BRICK	80												
	L BLOCK	90												
TOTAL HARD SURFACED		1,062.50	157.87	213.72	263.62	173.60	144.00	109.69						
TOTAL MILEAGE		1,062.50	157.87	213.72	263.62	173.60	144.00	109.69						

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 301 PR

SYSTEM RURAL STATE PRIMARY HIGHWAY 22

COUNTY DIVISION TOTALS

DIVISION No. 5

COMPLETED AS OF JANUARY 1 19 75

TYPE OF ROAD		MILEAGE TOTAL										
			DURHAM	FRANK- LIN	GRAN- VILLE	PERSON	VANCE	WAKE	WARREN			
NON SURFD	A PRIMITIVE	00										
	B UNIMPROVED	10										
	C GRADED AND DRAINED	20										
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30										
	E GRAVEL OR STONE —UNTREATED	41										
	TOTAL NON HARD SURFACED											
	F BITUMINOUS SURFACE	F1 TOPSOIL OR SAND-CLAY 51	36.22	1.25	12.43			.84	21.70			
	TREATED	F2 GRAVEL OR STONE 52										
		F3 WATERBOUND MACADAM 54										
	G MIXED BITUMINOUS	G1 NONRIGID BASE 60										
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G2 RIGID BASE 61	.13			.13						
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 64										
		H2 RIGID BASE 62										
	I BITUMINOUS CONCRETE I1	63	643.02	50.69	117.76	97.67	82.19	56.04	194.57	44.10		
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 67	.07					.07				
		I3 ON BITUMINOUS CONCRETE 66										
		I4 ON OTHER TYPES THAN I2 AND I3 65	6.05		.45	2.16		2.93	.51			
	J PORTLAND CEMENT CONCRETE	70	120.30	16.22	15.21	23.63	6.22	11.97	30.73	16.32		
	K BRICK	80										
	L BLOCK	90										
TOTAL HARD SURFACED			805.79	68.16	145.95	123.46	88.54	71.01	226.65	82.12		
TOTAL MILEAGE			805.79	68.16	145.85	123.46	88.54	71.01	226.65	82.12		

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 301 PR

SYSTEM RURAL STATE PRIMARY HIGHWAY 23

COUNTY DIVISION TOTALS

DIVISION No. 6

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL	3/4							
			BLADEN	COLUM- BUS	CUMBER- LAND	HARNETT	KCRESON			
NON SURF'D	A PRIMITIVE	00								
	B UNIMPROVED	10								
	C GRADED AND DRAINED	20								
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30								
	E GRAVEL OR STONE —UNTREATED	41								
	TOTAL NON HARD SURFACED									
	F BITUMINOUS SURFACE	F1 TOPSOIL OR SAND-CLAY 51	37.32	6.97	4.20	3.64	11.17	11.34		
		F2 GRAVEL OR STONE 52	.70				.21	.49		
		F3 WATERBOUND MACADAM 54								
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE 60	23.78	4.50	8.53	10.75				
	G2 RIGID BASE 61	.48	.48							
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 64								
		H2 RIGID BASE 62								
	I BITUMINOUS CONCRETE I1	63	765.49	165.65	128.80	122.30	133.95	214.79		
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 67	.36		.36					
		I3 ON BITUMINOUS CONCRETE 66	95.49	15.33	20.38	21.09	18.69	20.00		
		I4 ON OTHER TYPES THAN I2 AND I3 65	105.54	69.20	58.79	14.29	4.43	48.83		
	J PORTLAND CEMENT CONCRETE	70	1.10			.96		.14		
	K BRICK	80								
	L BLOCK	90								
TOTAL HARD SURFACED			1,120.26	262.13	221.06	173.03	168.45	295.59		
TOTAL MILEAGE			1,120.26	262.13	221.06	173.03	168.45	295.59		

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 301 PR

SYSTEM RURAL STATE PRIMARY HIGHWAY 24

COUNTY DIVISION TOTALS

DIVISION No. 7

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL							
			ALA- MANCE	CASWELL	GUIL- FORD	ORANGE	ROCK- INGHAM		
NON SURFD	A PRIMITIVE	00							
	B UNIMPROVED	10							
	C GRADED AND DRAINED	20							
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30							
	E GRAVEL OR STONE —UNTREATED	41							
	TOTAL NON HARD SURFACED								
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	63.42	11.29	22.09	8.48	20.43	1.13	
		F2 GRAVEL OR STONE 52	36.61		29.50	4.76	1.06	1.29	
		F3 WATERBOUND MACADAM 54							
	G MIXED BITUMINOUS	G1 NONRIGID BASE 60							
	G MIXED BITUMINOUS	G2 RIGID BASE 61	21.53		20.45		.53	.55	
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 64							
		H2 RIGID BASE 62							
HIGH TYPE SURFACES	I BITUMINOUS CONCRETE I1	63	566.77	109.14	42.50	171.30	61.80	182.03	
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 67	8.78	2.46	2.90	2.19		1.23	
		I3 ON BITUMINOUS CONCRETE 66	.05			.05			
		I4 ON OTHER TYPES THAN I2 AND I3 65	3.02			.26		2.76	
	J PORTLAND CEMENT CONCRETE	70	57.43	.18	3.93	18.98	17.07	17.27	
	K BRICK	80							
	L BLOCK	90							
	TOTAL HARD SURFACED		757.61	123.07	121.37	206.02	100.89	206.26	
	TOTAL MILEAGE		757.61	123.07	121.37	206.02	100.89	206.26	

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 301 PR

SYSTEM RURAL STATE PRIMARY HIGHWAY 25

COUNTY DIVISION TOTALS

DIVISION No. 8

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL										
			CHATHAM	HOKE	LEE	MONT- GOMERY	MOORE	RAN- DOLPH	RICH- MOND	SCOT- LAND		
NON SURFD	A PRIMITIVE	00										
	B UNIMPROVED	10										
	C GRADED AND DRAINED	20										
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30										
	E GRAVEL OR STONE —UNTREATED	41										
	TOTAL NON HARD SURFACED											
	F BITUMINOUS SURFACE	F1 TOPSOIL OR SAND-CLAY	51	107.69	14.03	6.76	5.50	18.07	32.60	20.58	10.15	
		F2 GRAVEL OR STONE	52	22.87	4.61		2.09	10.89	.26	5.02		
		F3 WATERBOUND MACADAM	54									
	G MIXED BITUMINOUS	G1 NONRIGID BASE	60									
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G2 RIGID BASE	61	1.18						1.18		
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64									
		H2 RIGID BASE	62									
	I BITUMINOUS CONCRETE I1		63	625.23	115.66	28.04	57.94	77.35	86.87	136.14	76.19	47.04
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	10.86	.17	.81			4.58	.38		4.92
		I3 ON BITUMINOUS CONCRETE	66	2.70					.30			2.40
		I4 ON OTHER TYPES THAN I2 AND I3	65	79.11	.17	17.75		1.54	27.96	5.04	12.74	13.91
	J PORTLAND CEMENT CONCRETE		70	15.94	11.55	.89	.46	2.37	.55		.12	
	K BRICK		80									
	L BLOCK		90									
TOTAL HARD SURFACED			865.58	146.19	54.25	65.99	110.22	153.12	167.16	99.20	69.45	
TOTAL MILEAGE			865.58	146.19	54.25	65.99	110.22	153.12	167.16	99.20	69.45	

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 301 PR

SYSTEM RURAL STATE PRIMARY HIGHWAY 26

COUNTY DIVISION TOTALS

DIVISION No. 9

COMPLETED AS OF JANUARY 1 19 75

TYPE OF ROAD		MILEAGE TOTAL										
			DAVID- SON	DAVIE	FORSYTH	ROWAN	STCKES					
NON SURFD	A PRIMITIVE	00										
	B UNIMPROVED	10										
	C GRADED AND DRAINED	20										
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30										
	E GRAVEL OR STONE —UNTREATED	41										
	TOTAL NON HARD SURFACED											
	F BITUMINOUS SURFACE TREATED	F ₁ TOPSOIL OR SAND-CLAY 51	77.34	9.62	11.33	5.75		50.64				
		F ₂ GRAYEL OR STONE 52	49.05	7.99	4.86	3.36		32.84				
		F ₃ WATERBOUND MACADAM 54										
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G ₁ NONRIGID BASE 60										
	G MIXED BITUMINOUS	G ₂ RIGID BASE 61	.07				.07					
	H BITUMINOUS PENETRATION	H ₁ NONRIGID BASE 64										
		H ₂ RIGID BASE 62										
	I BITUMINOUS CONCRETE I ₁	63	396.87	125.13	63.16	91.61	77.24	39.73				
	SAND ASPHALT —HOT PREMIXED	I ₂ ON P. C. CONCRETE 67	15.71	.31		1.09	14.31					
		I ₃ ON BITUMINOUS CONCRETE 66	5.59		2.20	2.40	.99					
		I ₄ ON OTHER TYPES THAN I ₂ AND I ₃ 65	21.60	12.98		.25	8.37					
	J PORTLAND CEMENT CONCRETE	70	101.33	10.04	19.32	36.89	21.87	13.21				
	K BRICK	80										
	L BLOCK	90										
TOTAL HARD SURFACED			667.56	166.07	100.87	141.35	122.85	136.42				
TOTAL MILEAGE			667.56	166.07	100.87	141.35	122.85	136.42				

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 301 PR

SYSTEM RURAL STATE PRIMARY HIGHWAY 27

COUNTY DIVISION TOTALS

DIVISION No. 10

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL								
			ANSON	CABAR- RUS	MECK- LENBURG	STANLY	UNION			
NON SURF'D	A PRIMITIVE	00								
	B UNIMPROVED	10								
	C GRADED AND DRAINED	20								
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30								
	E GRAVEL OR STONE —UNTREATED	41								
	TOTAL NON HARD SURFACED									
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	58.77	6.65	8.38	3.01	17.61	23.12		
		F2 GRAVEL OR STONE 52	56.15	3.19	1.42	2.84	18.98	29.72		
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE 60								
	G MIXED BITUMINOUS	G2 RIGID BASE 61								
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 64								
		H2 RIGID BASE 62								
	I BITUMINOUS CONCRETE I1	63	444.25	77.40	76.81	128.89	56.55	104.60		
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 67								
		I3 ON BITUMINOUS CONCRETE 66	1.89				1.89			
		I4 ON OTHER TYPES THAN I2 AND I3 65	19.12	17.22	1.90					
	J PORTLAND CEMENT CONCRETE	70	61.70	8.01	21.39	20.65	9.33	2.32		
	K BRICK	80								
	L BLOCK	90								
TOTAL HARD SURFACED			641.88	112.47	109.90	155.39	102.47	161.65		
TOTAL MILEAGE			641.88	112.47	109.90	155.39	102.47	161.65		

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 301 PR

SYSTEM RURAL STATE PRIMARY HIGHWAY 28
COUNTY DIVISION TOTALS
DIVISION No. 11

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL										
			ALLE- GHANY	ASHE	AVERY	CALD- WELL	SURRY	WATAUGA	WILKES	YADKIN		
NON SURFD	A PRIMITIVE	00										
	B UNIMPROVED	10	2.80				2.80					
	C GRADED AND DRAINED	20										
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30										
	E GRAVEL OR STONE —UNTREATED	41	5.57				5.57					
	TOTAL NON HARD SURFACED		8.37				8.37					
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	45.93				11.61	23.22		11.10		
		F2 GRAVEL OR STONE 52	226.79	33.47	43.46	44.14	34.11	5.49	36.76	29.36		
HIGH TYPE SURFACES	G MIXED BITUMINOUS	F3 WATERBOUND MACADAM 54	8.04	4.61		3.43						
	G1 NONRIGID BASE	60										
	G2 RIGID BASE	61	14.29		10.90	3.39						
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 64										
		H2 RIGID BASE 62										
	I BITUMINOUS CONCRETE I1	63	430.91	38.80	57.44	25.53	42.69	81.27	40.71	78.93	65.54	
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 67										
		I3 ON BITUMINOUS CONCRETE 66	21.90						.68	17.83	3.39	
		I4 ON OTHER TYPES THAN I2 AND I3 65	4.19	3.79					.40			
	J PORTLAND CEMENT CONCRETE	70	29.91			.29	5.02	10.89		13.71		
	K BRICK	80										
	L BLOCK	90										
TOTAL HARD SURFACED			781.96	80.67	111.80	76.78	93.43	120.87	78.55	137.22	82.64	
TOTAL MILEAGE			790.33	80.67	111.80	76.78	101.80	120.87	78.55	137.22	82.64	

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 301 PR

SYSTEM RURAL STATE PRIMARY HIGHWAY 29

COUNTY DIVISION TOTALS

DIVISION No. 12

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL	ALEX- ANDER	CATAWBA	CLEVE- LAND	GASTON	I REDELL	LINCOLN						
NON SURF'D	A PRIMITIVE	00												
	B UNIMPROVED	10												
	C GRADED AND DRAINED	20												
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30												
	E GRAVEL OR STONE —UNTREATED	41												
	TOTAL NON HARD SURFACED													
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	16.81		.08	4.29		1.89	10.55				
		F2 GRAVEL OR STONE	52	2.93		.36	2.52			.05				
		F3 WATERBOUND MACADAM	54											
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE	60											
	G MIXED BITUMINOUS	G2 RIGID BASE	61	.09					.09					
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64											
		H2 RIGID BASE	62											
	I BITUMINOUS CONCRETE I1		63	584.11	43.74	81.98	140.89	92.00	141.67	83.83				
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	.10					.10					
		I3 ON BITUMINOUS CONCRETE	66											
		I4 ON OTHER TYPES THAN I2 AND I3	65	8.64			1.06			7.58				
	J PORTLAND CEMENT CONCRETE		70	65.49		14.44	.05	10.72	40.28					
	K BRICK	80												
	L BLOCK	90												
TOTAL HARD SURFACED			678.17	43.74	96.86	148.81	102.91	183.84	102.01					
TOTAL MILEAGE			678.17	43.74	96.86	148.81	102.91	183.84	102.01					

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 301 PR

SYSTEM RURAL STATE PRIMARY HIGHWAY 30

COUNTY DIVISION TOTALS

DIVISION No. 13

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL								
			BUN- COMBE	BURKE	MADISON	MCDOW- ELL	MIT- CHELL	RUTHER- FORD	YANCEY	
NON SURF'D	A PRIMITIVE	00								
	B UNIMPROVED	10								
	C GRADED AND DRAINED	20								
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30								
	E GRAVEL OR STONE —UNTREATED	41	21.28	11.67		3.70			5.91	
	TOTAL NON HARD SURFACED		21.28	11.67		3.70			5.91	
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	2.70						2.70	
		F2 GRAVEL OR STONE 52	166.22	28.68	4.64	55.96	12.21	18.49	4.47	41.77
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE	60							
	G MIXED BITUMINOUS	G2 RIGID BASE	61	2.24	1.94				.30	
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64							
		H2 RIGID BASE	62							
	I BITUMINOUS CONCRETE I1		63	541.72	120.74	93.98	55.82	96.93	38.55	99.66
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 67								
		I3 ON BITUMINOUS CONCRETE 66								
		I4 ON OTHER TYPES THAN I2 AND I3 65		.21					.21	
J PORTLAND CEMENT CONCRETE		70	71.13	20.74	28.11		21.19	.03	1.06	
K BRICK		80								
L BLOCK		90								
TOTAL HARD SURFACED			784.22	172.10	126.73	111.78	130.33	57.07	105.40	80.81
TOTAL MILEAGE			805.50	183.77	126.73	115.48	130.33	57.07	105.40	86.72

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 301 PR

SYSTEM RURAL STATE PRIMARY HIGHWAY 31

COUNTY DIVISION TOTALS

DIVISION NO. 14

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL											
			CHERO- KEE	CLAY	GRAHAM	HAYWOOD	HENDER- SON	JACKSON	MACON	POLK	SWAIN	TRAVS- YLVANIA	
NON SURFD	A PRIMITIVE	00											
	B UNIMPROVED	10											
	C GRADED AND DRAINED	20											
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30											
	E GRAVEL OR STONE —UNTREATED	41	14.69					9.59			5.10		
	TOTAL NON HARD SURFACED		14.69					9.59			5.10		
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	7.60			.37				7.23			
		F2 GRAVEL OR STONE 52	139.95	13.53	5.16	1.36	29.34	2.01	23.55	12.11	11.60	.14	41.15
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE 60											
	G MIXED BITUMINOUS	G2 RIGID BASE 61	7.29					6.35	.94				
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 64											
		H2 RIGID BASE 62											
	I BITUMINOUS CONCRETE I1	63	596.18	55.53	31.01	46.46	114.23	80.44	71.23	78.31	19.63	53.69	45.65
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 67	.85						.85				
		I3 ON BITUMINOUS CONCRETE 66											
		I4 ON OTHER TYPES THAN I2 AND I3 65	10.95				.57		2.24		8.14		
	J PORTLAND CEMENT CONCRETE	70	16.04					16.04					
	K BRICK	80											
	L BLOCK	90											
TOTAL HARD SURFACED			778.86	69.06	36.17	47.82	144.51	98.49	104.22	91.36	46.60	53.83	86.80
TOTAL MILEAGE			793.55	69.06	36.17	47.82	144.51	98.49	113.81	91.36	46.60	53.83	91.90

JANUARY 1, 1975

STATE PRIMARY HIGHWAY SYSTEM

RURAL - PAVED MILEAGE BY COUNTIES AND SURFACE WIDTH
NC 302 PR

32

COUNTY	PAVED		SURFACE	WIDTH	IN	FEET	TOTALS			
	16-UNDER	17-19	20-21	22-23	24-26	27-35	36-43	44-47	48-OVER	
ALAMANCE		21.93	24.43	34.78	26.16	.18			15.59	123.07
ALEXANDER			8.82	16.31	17.38	1.17			.06	43.74
ALLEGHANY	10.45	33.67	31.17	5.38						80.67
ANSON		31.93	34.55	9.74	24.95			4.94	6.36	112.47
ASHE		53.20	36.03	19.58	1.36				1.63	111.80
AVERY	4.23	18.20	32.39	14.41	3.83		2.67		1.05	76.78
BEAUFORT		36.01	31.17	31.25	57.23	.25			4.87	160.78
BERTIE			46.11	42.32	29.05	.10		1.73	9.84	129.15
BLADEN		62.53	84.96	32.13	80.58	.19	.38		1.36	262.13
BRUNSWICK		53.46	48.09	20.95	40.29		.08	3.25	6.52	172.64
BUNCOMBE	8.32	25.60	31.57	28.94	15.17	.52	4.55	.72	56.71	172.10
BURKE		19.80	12.70	43.66	20.77	.19	1.01		28.60	126.73
CABARRUS	2.36	7.61	3.84	8.10	57.41	1.12	.62	.55	28.29	109.90
CALDWELL	26.59	16.90	18.25	4.41	15.58				11.70	93.43
CAMDEN		11.67	14.62	17.59				.10	.30	44.28
CARTERET	4.62	2.50	42.41	17.99	12.22	.43			13.24	93.41
CASWELL		29.38	26.25	32.45	33.09		.10		.10	121.37
CATAWBA	.08		10.93	21.35	47.52		.39	.32	16.27	96.86
CHATHAM		29.99	48.53	30.71	27.95	1.44		.17	7.40	146.19
CHEROKEE		14.84	28.30	6.49					19.43	69.06
CHOWAN		4.30	24.10	11.87	1.83	.06				42.16
CLAY		3.26	10.11	7.22	15.58					36.17
CLEVELAND		17.35	31.05	4.04	61.52	.43	.15	1.34	32.93	148.81
COLUMBUS		50.72	74.65	26.96	56.79		.51	4.95	6.48	221.06
RAVEN		16.17	35.58	15.52	27.43	1.22	.39		25.99	122.30

COUNTY	PAVED SURFACE		WIDTH IN FEET	TOTALS						
	16-UNDER	17-19	20-21	22-23	24-26	27-35	36-43	44-47	48-OVER	
CUMBERLAND		19.77	52.56	9.10	42.74		1.68	4.18	43.00	173.03
CURRITUCK	5.84	5.32	10.37	37.32	11.49			.41		70.75
DARE		38.91	50.31	10.32	22.33	.54		.78		123.19
DAVIDSON		10.68	59.23	11.76	55.13	2.10	2.16		25.01	166.07
DAVIE		6.80	37.11	19.29	18.35				19.32	100.87
DUPLIN		22.08	57.52	75.52	21.39	.24		1.02	1.56	179.33
DURHAM		11.23	10.92	5.52	3.01	.14	.12	4.76	32.46	68.16
EDGECOMBE			72.13	34.65	50.80	.10		.07	.12	157.87
FORSYTH		16.77	31.44	41.14	19.60	.29			32.11	141.35
FRANKLIN		26.25	67.51	21.24	27.25				3.60	145.85
GASTON		8.60	11.93	8.16	41.98	.19	1.20	.48	30.37	102.91
GATES		2.15	65.43	11.48	2.16					81.22
GRAHAM			5.43	34.36						47.82
GRANVILLE	8.03	22.72	26.67	18.71	30.84		.44		24.08	123.46
GREENE			24.51	17.93	36.08		.52			79.04
GUILFORD	3.20	26.61	32.28	32.66	43.33	13.81	.08		54.05	206.02
HALIFAX		35.48	102.30	25.89	26.66				23.39	213.72
HARNETT		16.84	66.63	1.04	71.84		.14	.04	11.92	168.45
HAYWOOD	2.40	22.80	38.60	5.09	6.10	3.62	.33		65.57	144.51
HENDERSON			18.08	39.97	16.74	1.07	.94		21.69	98.49
HERTFORD		19.13	39.77	.81	34.09			.53		94.33
HOKE			3.23	22.54	28.48					54.25
HYDE		28.26	29.58	19.10						76.94
IREDELL		2.56	27.19	76.61	20.02	.95	.49	.15	55.87	183.84
JACKSON	.85	36.95	29.89	9.81	17.92	.06	.21	.45	8.08	104.22

JANUARY 1, 1975

STATE PRIMARY HIGHWAY SYSTEM

RURAL-PAVED MILEAGE BY COUNTIES AND SURFACE WIDTH
NC 302 PR

34

COUNTY	PAVED		SURFACE	WIDTH	IN	FEET				TOTALS
	16-UNDER	17-19	20-21	22-23	24-26	27-35	36-43	44-47	48-OVER	
JOHNSTON	22.28	137.23	14.35	46.52			.79	42.45		263.62
JONES	9.53	20.04	15.95	20.05				4.21		69.78
LEE	12.69	12.41	10.34	15.07	.25		2.03	.56	12.64	65.99
LENOIR	3.85	22.28	29.83	13.93	.07		1.61	1.17	29.47	102.21
LINCOLN	12.52	6.39	19.03	61.42		1.28	.87	.41	.09	102.01
MACON	19.24	14.73	21.36	17.04	9.02		.70		9.27	91.36
MADISON	8.21	65.79	7.79	15.67	3.28		7.82		3.22	111.78
MARTIN		23.77	15.15	26.40	49.24		.18	.23	3.93	118.90
MCDOWELL		34.34	21.14	33.88	12.82	.30		4.91	22.94	130.33
MECKLENBURG		43.04	.30	8.22	57.55	.06	1.26	.45	44.51	155.39
MITCHELL		36.35	3.74	4.00	12.98					57.07
MONTGOMERY		22.74	26.25	20.17	40.82	.24				110.22
MOORE		6.63	58.19	22.49	55.99		3.49	3.10	9.23	153.12
NASH		1.41	112.90	10.37	21.94	.37	.49	1.61	24.51	173.60
NEW HANOVER		1.38	1.02	1.76	29.15	10.74	.90	3.15	13.04	61.14
NORTHAMPTON		6.28	91.98	.58	26.48	4.58			7.50	137.40
ONSLOW		14.97	26.47	54.78	16.68	12.71		2.13	17.30	145.04
ORANGE		15.42	23.79	18.93	20.94	.09	.26	1.87	19.59	100.89
PAMLICO		10.43	8.14	21.13	7.63					47.33
PASQUOTANK		10.04	.20	12.16	.21		.05	1.46	8.81	32.93
PENDER		51.99	26.27	19.49	54.96	15.50				168.21
PERQUIMANS			8.07	6.69	7.39		.27		1.20	23.62
PERSON		16.77	47.55	.12	23.10			1.00		88.54
PITT		14.00	57.12	68.30	23.06		2.68	.34	17.83	183.33
POLK		21.89	14.87	3.42	.48	.31			5.63	46.60

JANUARY 1, 1975

STATE PRIMARY HIGHWAY SYSTEM

RURAL - PAVED MILEAGE BY COUNTIES AND SURFACE WIDTH
NC 302 PR

35

COUNTY	PAVED SURFACE WIDTH IN FEET								TOTALS	
	16-UNDER	17-19	20-21	22-23	24-26	27-35	36-43	44-47		
RANDOLPH	9.17	49.64	27.72	49.78	3.83	2.23	.13	24.66	167.16	
RICHMOND	11.96	17.28	27.99	21.04	.08	.06	2.95	17.84	99.20	
ROBESON	35.80	82.50	79.94	57.01	.04	.04	.29	39.97	295.59	
ROCKINGHAM	22.89	43.40	14.07	105.11			.12	20.67	206.26	
ROWAN	29.34	16.20	7.07	34.39		10.61	.20	25.04	122.85	
RUTHERFORD	15.16	9.50	41.61	26.99	.85			11.29	105.40	
SAMPSON	35.58	76.40	31.92	70.41	.30		.06	6.91	221.58	
SCOTLAND		4.52	7.19	43.42	.68		4.18	9.46	69.45	
STANLY	37.15	13.56	7.47	42.36	.33		.09	1.51	102.47	
STOKES	39.16	80.68	10.07					6.51	136.42	
SURRY	60.99	16.36	5.48	3.70	8.50	.11	.13	25.60	120.87	
SWAIN	2.98	1.44	40.11	5.05	3.82			.43	53.83	
TRANSYLVANIA	6.03	29.63	41.69		6.43	.05	.09	2.88	86.80	
TYRRELL		32.01	1.00	6.77	5.34	.31		.08	45.51	
UNION		66.24	36.67	2.25	37.16	.04		2.32	161.65	
VANCE		4.41	15.09	16.50	18.90	.07	.16	.44	71.01	
WAKE		20.07	87.82	20.54	38.79	.60	.86	.36	226.65	
WARREN		15.37	25.03	17.65	12.38			11.69	82.12	
WASHINGTON			20.99	28.35	3.38	.21			52.93	
WATAUGA	9.16	18.78	17.88	23.30	6.30	.18	1.27		78.55	
WAYNE		8.47	69.85	2.18	37.74	.55	1.05	4.00	20.16	144.00
WILKES		28.38	54.66	7.41	43.30			.05	3.42	137.22
WILSON			36.06	20.21	24.71		2.83	.68	25.20	109.69
YADKIN			29.34	17.40	18.75		.04		17.11	82.64
YANCEY	11.93	44.18	14.06	.61	10.03					80.81
TOTAL	134.52	1973.95	3432.17	1978.02	2673.97	93.53	61.12	70.20	1406.34	11823.82

**NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD**

NC 400 PM

SYSTEM MUNICIPAL STATE PRIMARY HIGHWAY 36

COUNTY STATE TOTALS

DIVISION No. 1-14

COMPLETED AS OF JANUARY 1 **19** 75

TYPE OF ROAD		MILEAGE TOTAL																		
			1	2	3	4	5	6	7	8	9	10	11	12	13	14				
NON SURF'D	A PRIMITIVE	00																		
	B UNIMPROVED	10																		
	C GRADED AND DRAINED	20																		
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30																		
	E GRAVEL OR STONE —UNTREATED	41	.43													.43				
	TOTAL NON HARD SURFACED		.43													.43				
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	24.55	.79	.91		1.83	1.98	2.47	1.11	7.37	1.50	5.39	.76	.44				
		F2 GRAVEL OR STONE	52	31.77	1.22	.15		.51	.27	.43	2.03	2.25	5.82	6.16	5.80	.81	5.00			
		F3 WATERBOUND MACADAM	54														1.3			
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE	60	1.46			1.37	.09												
	G MIXED BITUMINOUS	G2 RIGID BASE	61	3.00	.58						.78	.42	.54	.11		.25	.15			
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64																	
		H2 RIGID BASE	62	2.30							.12						.67			
	I BITUMINOUS CONCRETE I1		63	1,243.87	51.76	74.90	91.40	88.35	103.84	93.01	139.46	93.70	59.12	111.27	75.76	115.38	100.24	45.6		
SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	21.58	5.91	2.75	.41	5.53	1.23	1.08	.74	1.45	1.19				.23	1.06			
	I3 ON BITUMINOUS CONCRETE	66	61.03	7.60	1.40	2.28	21.32	.75	6.17	8.79	1.78	3.47				.39	2.94	2.11	2.0	
	I4 ON OTHER TYPES THAN I2 AND I3	65	91.75	43.73	6.70	2.52	6.90	2.10	10.79		13.33					1.37	.36	.03	1.25	2.6
J PORTLAND CEMENT CONCRETE		70	168.57	3.31	3.88	2.36	3.13	32.24	.57	17.75	4.76	29.25	29.53	3.50	22.39	15.90				
K BRICK		80																		
L BLOCK		90																		
TOTAL HARD SURFACED			1,649.88	114.90	90.69	100.34	127.66	142.53	115.30	170.30	125.18	100.46	153.72	86.82	143.04	127.07	51.8			
TOTAL MILEAGE			1,650.31	114.90	90.69	100.34	127.66	142.53	115.30	170.30	125.18	100.46	153.72	86.82	143.04	127.50	51.8			

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 401 PM

SYSTEM MUNICIPAL STATE PRIMARY HIGHWAY 37
COUNTY DIVISION TOTALS
DIVISION No. 1

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL																	
			BERTIE	CAMDEN	CHOWAN	CURRI-TUCK	DARE	GATES	HERT-FORD	HYDE	MARTIN	NORTH-HAMPTON	PASQUO-TANK	PERQUI-MANS	TYRRELL	WASH-INGTON			
NON SURFD	A PRIMITIVE	00																	
	B UNIMPROVED	10																	
	C GRADED AND DRAINED	20																	
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30																	
	E GRAVEL OR STONE —UNTREATED	41																	
	TOTAL NON HARD SURFACED																		
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	.79	.47														
		F2 GRAVEL OR STONE	52	1.22															
		F3 WATERBOUND MACADAM	54																
	G MIXED BITUMINOUS	G1 NONRIGID BASE	60																
	G MIXED BITUMINOUS	G2 RIGID BASE	61	.58															
H HIGH TYPE SURFACES	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64																
		H2 RIGID BASE	62																
	I BITUMINOUS CONCRETE I1	63	51.76	5.37	.04	5.13		1.36	.07	7.14		15.48	7.41	4.99	2.72	.50	1.55		
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	5.91	.45					.06	.37			.78	4.25				
		I3 ON BITUMINOUS CONCRETE	66	7.60	1.68														
		I4 ON OTHER TYPES THAN I2 AND I3	65	43.73	4.11		.04		23.04	2.76	2.34		2.62	6.39	1.00	.63	.19	.61	
	J PORTLAND CEMENT CONCRETE	70	3.31				.29				.28			.36		.36	.42	.48	1.12
	K BRICK	80																	
	L BLOCK	90																	
	TOTAL HARD SURFACED		114.90	12.08	.04	5.46		24.40	2.89	12.08		18.78	19.33	7.37	8.02	1.17	3.28		
	TOTAL MILEAGE		114.90	12.08	.04	5.46		24.40	2.89	12.08		18.78	19.33	7.37	8.02	1.17	3.28		

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 401 PM

SYSTEM MUNICIPAL STATE PRIMARY HIGHWAY .38

COUNTY DIVISION TOTALS

DIVISION No. 2

COMPLETED AS OF JANUARY 1 19 75

TYPE OF ROAD		MILEAGE TOTAL										
			BEAU- FORD	CART- ERET	CRAVEN	GREENE	JONES	LENOIR	PAMLICO	PITT		
NON SURFD	A PRIMITIVE	00										
	B UNIMPROVED	10										
	C GRADED AND DRAINED	20										
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30										
	E GRAVEL OR STONE —UNTREATED	41										
	TOTAL NON HARD SURFACED											
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	.91							.91		
		F2 GRAVEL OR STONE 52	.15			.15						
		F3 WATERBOUND MACADAM 54										
	G MIXED BITUMINOUS	G1 NONRIGID BASE 60										
	G MIXED BITUMINOUS	G2 RIGID BASE 61										
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 64										
		H2 RIGID BASE 62										
HIGH TYPE SURFACES	I BITUMINOUS CONCRETE I1	63	74.90	8.95	7.37	13.47	3.26	2.20	7.30	7.41	24.94	
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 67	2.75	.28						1.71	.76	
		I3 ON BITUMINOUS CONCRETE 66	1.40					.98			.42	
		I4 ON OTHER TYPES THAN I2 AND I3 65	6.70	.65	.69	.03	1.12		.24	2.50	1.47	
	J PORTLAND CEMENT CONCRETE	70	3.88	2.20	.37	.06				.05	1.20	
	K BRICK	80										
	L BLOCK	90										
TOTAL HARD SURFACED			90.69	12.08	8.43	13.56	4.53	3.18	7.54	11.67	29.70	
TOTAL MILEAGE			90.69	12.08	8.43	13.56	4.53	3.18	7.54	11.67	29.70	

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 401 PM

SYSTEM MUNICIPAL STATE PRIMARY HIGHWAY 39

COUNTY DIVISION TOTALS

DIVISION No. 3

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL						
			BRUNS- WICK	DUPLIN	NEW HANOVER	ONslow	PENDER	SAMPSON
NON SURFD	A PRIMITIVE	00						
	B UNIMPROVED	10						
	C GRADED AND DRAINED	20						
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30						
	E GRAVEL OR STONE —UNTREATED	41						
	TOTAL NON HARD SURFACED							
	F BITUMINOUS SURFACE	F1 TOPSOIL OR SAND-CLAY 51						
		F2 GRAVEL OR STONE 52						
		F3 WATERBOUND MACADAM 54						
	G MIXED BITUMINOUS	G1 NONRIGID BASE 60	1.37	1.37				
	G MIXED BITUMINOUS	G2 RIGID BASE 61						
HIGH TYPE SURFACES	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 64						
		H2 RIGID BASE 62						
	I BITUMINOUS CONCRETE I1	63	91.40	8.58	21.54	22.42	4.50	14.88 19.48
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 67	.41					.41
		I3 ON BITUMINOUS CONCRETE 66	2.28	.11	.85		1.32	
		I4 ON OTHER TYPES THAN I2 AND I3 65	2.52	.10	.33	.33	.62	1.14
	J PORTLAND CEMENT CONCRETE	70	2.36		.08	.07		2.21
	K BRICK	80						
	L BLOCK	90						
TOTAL HARD SURFACED		100.34	10.16	22.80	22.82	6.44	14.88	23.24
TOTAL MILEAGE		100.34	10.16	22.80	22.82	6.44	14.88	23.24

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 401 PM

SYSTEM MUNICIPAL STATE PRIMARY HIGHWAY 40

COUNTY DIVISION TOTALS

COMPLETED AS OF JANUARY 1 1975

DIVISION No. 4

TYPE OF ROAD		MILEAGE TOTAL	EDGE-COMBE	HALIFAX	JOHN-STON	NASH	WAYNE	WILSON							
NON SURFD	A PRIMITIVE	00													
	B UNIMPROVED	10													
	C GRADED AND DRAINED	20													
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30													
	E GRAVEL OR STONE —UNTREATED	41													
	TOTAL NON HARD SURFACED														
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	1.83		.81	.16	.28	.13	.45					
		F2 GRAVEL OR STONE	52	.51		.36		.15							
		F3 WATERBOUND MACADAM	54												
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE	60	.09					.09						
	G2 RIGID BASE	61													
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64												
		H2 RIGID BASE	62												
	I BITUMINOUS CONCRETE I1	63	88.35	14.98	15.75	9.76	20.11	13.10	14.65						
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	5.53	1.66	.10	1.52	2.25							
		I3 ON BITUMINOUS CONCRETE	66	21.32	.91	1.65	6.27	5.09	5.86	1.54					
		I4 ON OTHER TYPES THAN I2 AND I3	65	6.90	1.11	.99	.94	1.71	.89	1.26					
	J PORTLAND CEMENT CONCRETE	70	3.13	.24	.22	2.60	.07								
	K BRICK	80													
	L BLOCK	90													
TOTAL HARD SURFACED		127.66	18.90	19.88	21.25	29.66	20.07	17.90							
TOTAL MILEAGE		127.66	18.90	19.88	21.25	29.66	20.07	17.90							

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 401 PM

SYSTEM MUNICIPAL STATE PRIMARY HIGHWAY 41

COUNTY DIVISION TOTALS

DIVISION No. 5

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL										
			DURHAM	FRANK-LIN	GRANVILLE	PERSON	VANCE	WAKE	WARREN			
NON SURF'D	A PRIMITIVE	00										
	B UNIMPROVED	10										
	C GRADED AND DRAINED	20										
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30										
	E GRAVEL OR STONE —UNTREATED	41										
	TOTAL NON HARD SURFACED											
	F BITUMINOUS SURFACE	F1 TOPSOIL OR SAND-CLAY	51	1.98		1.31	.18	.37	.12			
		F2 GRAVEL OR STONE	52	.27				.27				
		F3 WATERBOUND MACADAM	54									
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE	60									
	G2 RIGID BASE	61										
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64									
		H2 RIGID BASE	62	.12				.12				
	I BITUMINOUS CONCRETE I1	63	103.84	40.56	6.59	11.29	3.70	8.04	30.41	3.25		
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	1.23		.09			1.14			
		I3 ON BITUMINOUS CONCRETE	66	.75	.75							
		I4 ON OTHER TYPES THAN I2 AND I3	65	2.10	.78	.09		.31	.92			
	J PORTLAND CEMENT CONCRETE	70	32.24	8.62	1.00		4.74	1.28	15.77	.83		
	K BRICK	80										
	L BLOCK	90										
TOTAL HARD SURFACED		142.53	50.71	9.08	11.47	9.08	9.75	48.36	4.08			
TOTAL MILEAGE		142.53	50.71	9.08	11.47	9.08	9.75	48.36	4.08			

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 401 PM

SYSTEM MUNICIPAL STATE PRIMARY HIGHWAY 42

COUNTY DIVISION TOTALS

DIVISION No. 6

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL							
			BLADEN	COLUM- BUS	CUMBER- LAND	HARNETT	ROBESON		
NON SURFD	A PRIMITIVE	00							
	B UNIMPROVED	10							
	C GRADED AND DRAINED	20							
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30							
	E GRAVEL OR STONE —UNTREATED	41							
	TOTAL NON HARD SURFACED								
	F BITUMINOUS SURFACE	51	2.47	.12	.43	.08	1.84		
	F1 TOPSOIL OR SAND-CLAY	51							
HIGH TYPE SURFACES	F2 GRAVEL OR STONE	52	.43		.05		.38		
	F3 WATERBOUND MACADAM	54							
	G MIXED BITUMINOUS	60							
	G1 NONRIGID BASE	60							
	G2 RIGID BASE	61	.78	.11	.67				
H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64							
	H2 RIGID BASE	62							
	I BITUMINOUS CONCRETE I1	63	93.01	9.98	21.63	29.33	14.22	17.85	
SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	1.08		.57			.51	
	I3 ON BITUMINOUS CONCRETE	66	6.17		2.08	.29	.66	3.14	
	I4 ON OTHER TYPES THAN I2 AND I3	65	10.79	1.93	2.97	2.02		3.87	
J PORTLAND CEMENT CONCRETE		70	.57		.31	.14		.12	
K BRICK		80							
L BLOCK		90							
TOTAL HARD SURFACED			115.30	12.14	27.61	32.88	15.34	27.33	
TOTAL MILEAGE			115.30	12.14	27.61	32.88	15.34	27.33	

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 401 PM

SYSTEM MUNICIPAL STATE PRIMARY HIGHWAY 43

COUNTY DIVISION TOTALS

DIVISION No. 7

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL									
NON SURFD	A PRIMITIVE	00	ALA- MANCE	CASWELL	GUIL- FORD	ORANGE	ROCK- INGHAM				
	B UNIMPROVED										
	C GRADED AND DRAINED										
	D SOIL SURFACED —UNTREATED		30								
LOW TYPE SURFACES	E GRAVEL OR STONE —UNTREATED	41									
	TOTAL NON HARD SURFACED										
	F BITUMINOUS SURFACE	F1 TOPSOIL OR SAND-CLAY	51	1.11		.46	.15	.50			
	TREATED	F2 GRAYEL OR STONE	52	2.03	.22	.24	.48	.56	.53		
		F3 WATERBOUND MACADAM	54								
	G MIXED BITUMINOUS	G1 NONRIGID BASE	60								
	G2 RIGID BASE	61	.42					.42			
HIGH TYPE SURFACES	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64								
	H2 RIGID BASE	62									
	I BITUMINOUS CONCRETE I1	63	139.46	31.85	.46	55.74	15.01	36.40			
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	.74	.60		.14				
		I3 ON BITUMINOUS CONCRETE	66	8.79			8.79				
		I4 ON OTHER TYPES THAN I2 AND I3		65							
	J PORTLAND CEMENT CONCRETE	70	17.75	.26		15.74	1.01	.74			
K BRICK		80									
L BLOCK		90									
TOTAL HARD SURFACED			170.30	32.93	1.16	81.04	17.08	38.09			
TOTAL MILEAGE			170.30	32.93	1.16	81.04	17.08	38.09			

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 401 PM

SYSTEM MUNICIPAL STATE PRIMARY HIGHWAY 44

COUNTY DIVISION TOTALS

DIVISION No. 8

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL										
			CHATHAM	HOKE	LEE	MONT- GOMERY	MOORE	RAN- DOLPH	RICH- MOND	SCOT- LAND		
NON SURFD	A PRIMITIVE	00										
	B UNIMPROVED	10										
	C GRADED AND DRAINED	20										
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30										
	E GRAVEL OR STONE —UNTREATED	41										
	TOTAL NON HARD SURFACED											
	F BITUMINOUS SURFACE	F1 TOPSOIL OR SAND-CLAY 51	7.37	.28	1.99	.44	1.27	1.66	1.73			
		F2 GRAVEL OR STONE 52	2.25	.37		.27	.62	.44	.55			
HIGH TYPE SURFACES	F3 WATERBOUND MACADAM	54										
	G MIXED BITUMINOUS	G1 NONRIGID BASE	60									
	G2 RIGID BASE	61	.54							.54		
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64									
		H2 RIGID BASE	62									
	I BITUMINOUS CONCRETE I1	63	93.70	4.24	1.82	12.73	13.47	12.15	25.54	10.74	13.01	
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 67	1.45		.64				.81			
		I3 ON BITUMINOUS CONCRETE 66	1.78		.68				.02	.40	.68	
		I4 ON OTHER TYPES THAN I2 AND I3 65	13.33		1.46			.94	5.77	3.10	2.06	
	J PORTLAND CEMENT CONCRETE	70	4.76	3.63				.23	.26	.64		
	K BRICK	80										
	L BLOCK	90										
TOTAL HARD SURFACED			125.18	8.52	6.59	13.44	16.53	20.30	29.27	14.24	16.29	
TOTAL MILEAGE			125.18	8.52	6.59	13.44	16.53	20.30	29.27	14.24	16.29	

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 401 PM

SYSTEM MUNICIPAL STATE PRIMARY HIGHWAY 45

COUNTY DIVISION TOTALS

DIVISION No. 9

COMPLETED AS OF JANUARY 1 19 75

TYPE OF ROAD		MILEAGE TOTAL								
			DAVID- SON	DAVIE	FORSYTH	ROWAN	STOKES			
NON SURF'D	A PRIMITIVE	00								
	B UNIMPROVED	10								
	C GRADED AND DRAINED	20								
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30								
	E GRAVEL OR STONE —UNTREATED	41								
	TOTAL NON HARD SURFACED									
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	1.50		.40		1.10			
		F2 GRAVEL OR STONE 52	5.82	.43	1.15	3.73	.31	.20		
		F3 WATERBOUND MACADAM 54								
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE 60								
	G MIXED BITUMINOUS	G2 RIGID BASE 61	.11	.11						
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 64								
		H2 RIGID BASE 62								
	I BITUMINOUS CONCRETE I1	63	59.12	11.41	4.62	22.28	16.74	4.07		
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 67	1.19	.14	.07	.98				
		I3 ON BITUMINOUS CONCRETE 66	3.47	.21		2.98	.28			
		I4 ON OTHER TYPES THAN I2 AND I3 65								
	J PORTLAND CEMENT CONCRETE	70	29.25	1.35	.24	24.82	2.54	.30		
	K BRICK	80								
	L BLOCK	90								
TOTAL HARD SURFACED			100.46	13.65	6.08	55.19	19.87	5.67		
TOTAL MILEAGE			100.46	13.65	6.08	55.19	19.87	5.67		

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 401 PM

SYSTEM MUNICIPAL STATE PRIMARY HIGHWAY 46

COUNTY DIVISION TOTALS

DIVISION No. 10

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL												
			ANSON	CABAR-RUS	MECK-LENBURG	STANLY	UNION							
NON SURFD	A PRIMITIVE	00												
	B UNIMPROVED	10												
	C GRADED AND DRAINED	20												
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30												
	E GRAVEL OR STONE —UNTREATED	41												
	TOTAL NON HARD SURFACED													
	F BITUMINOUS SURFACE	F1 TOPSOIL OR SAND-CLAY	51	5.39	.30		1.09	4.00						
		F2 GRAVEL OR STONE	52	6.16			5.16	1.00						
HIGH TYPE SURFACES	F3 WATERBOUND MACADAM	54												
	G MIXED BITUMINOUS	G1 NONRIGID BASE	60											
	G2 RIGID BASE	61												
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64											
	H2 RIGID BASE	62												
	I BITUMINOUS CONCRETE I1	63	111.27	12.39	12.25	61.11	13.13	12.39						
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67											
		I3 ON BITUMINOUS CONCRETE	66											
		I4 ON OTHER TYPES THAN I2 AND I3	65	1.37		.34		.50	.53					
	J PORTLAND CEMENT CONCRETE	70	29.53	1.41		27.82		.30						
	K BRICK	80												
	L BLOCK	90												
TOTAL HARD SURFACED		153.72	14.10	12.59	95.18	18.63	13.22							
TOTAL MILEAGE		153.72	14.10	12.59	95.18	18.63	13.22							

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 401 PM

SYSTEM MUNICIPAL STATE PRIMARY HIGHWAY 47

COUNTY DIVISION TOTALS

DIVISION No. 11

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL									
NON SURF'D	ALLE- GHANY		ASHE	AVERY	CALD- WELL	SURRY	WATAUGA	WILKES	YADKIN		
	A PRIMITIVE	00									
	B UNIMPROVED	10									
	C GRADED AND DRAINED	20									
	D SOIL SURFACED —UNTREATED	30									
	E GRAVEL OR STONE —UNTREATED	41									
	TOTAL NON HARD SURFACED										
	F BITUMINOUS SURFACE	F1 TOPSOIL OR SAND-CLAY 51	.76			.05	.71				
	TREATED	F2 GRAVEL OR STONE 52	5.80	.42	2.31	.95	1.34	.53	.25		
		F3 WATERBOUND MACADAM 54									
LOW TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE 60									
	G MIXED BITUMINOUS	G2 RIGID BASE 61	.25		.25						
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 64									
		H2 RIGID BASE 62									
	I BITUMINOUS CONCRETE I1	63	75.76	2.86	4.66	5.11	19.38	12.10	11.80	11.52	8.33
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 67									
		I3 ON BITUMINOUS CONCRETE 66	.39							.39	
		I4 ON OTHER TYPES THAN I2 AND I3 65	.36		.36						
	J PORTLAND CEMENT CONCRETE	70	3.50			2.53	.97				
	K BRICK	80									
	L BLOCK	90									
TOTAL HARD SURFACED		86.82	3.28	4.66	7.67	23.27	15.12	12.33	12.16	8.33	
TOTAL MILEAGE		86.82	3.28	4.66	7.67	23.27	15.12	12.33	12.16	8.33	

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 401 PM

SYSTEM MUNICIPAL STATE PRIMARY HIGHWAY 48

COUNTY DIVISION TOTALS

DIVISION No. 12

COMPLETED AS OF JANUARY 1 19 75

TYPE OF ROAD		MILEAGE TOTAL									
			ALEX- ANDER	CATAWBA	CLEVE- LAND	GASTON	IREDELL	LINCOLN			
NON SURFD	A PRIMITIVE	00									
	B UNIMPROVED	10									
	C GRADED AND DRAINED	20									
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30									
	E GRAVEL OR STONE —UNTREATED	41									
	TOTAL NON HARD SURFACED										
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	.44				.44			
		F2 GRAVEL OR STONE	52	.81		.20	.55	.06			
		F3 WATERBOUND MACADAM	54								
	G MIXED BITUMINOUS	G1 NONRIGID BASE	60								
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G2 RIGID BASE	61	.15		.15					
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64								
		H2 RIGID BASE	62	.67				.67			
	I BITUMINOUS CONCRETE I1		63	115.38	1.65	21.56	29.21	37.74	23.13	2.09	
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	.23			.23				
		I3 ON BITUMINOUS CONCRETE	66	2.94			.04	2.31	.59		
		I4 ON OTHER TYPES THAN I2 AND I3	65	.03			.03				
	J PORTLAND CEMENT CONCRETE		70	22.39		3.26	.39	11.01	7.73		
	K BRICK		80								
	L BLOCK		90								
TOTAL HARD SURFACED			143.04	1.65	25.17	30.42	52.26	31.45	2.09		
TOTAL MILEAGE			143.04	1.65	25.17	30.42	52.26	31.45	2.09		

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 401 PM

SYSTEM MUNICIPAL STATE PRIMARY HIGHWAY 49

COUNTY DIVISION TOTALS

DIVISION No. 13

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL									
NON SURFD	A PRIMITIVE	00	BUN- COMBE	BURKE	MADISON	MCDOW- ELL	MIT- CHELL	RUTHER- FORD	YANCEY		
	B UNIMPROVED	10									
	C GRADED AND DRAINED	20									
	D SOIL SURFACED —UNTREATED	30									
	E GRAVEL OR STONE —UNTREATED	41	.43	.43							
	TOTAL NON HARD SURFACED		.43	.43							
	F BITUMINOUS SURFACE	51									
	TREATED	F1 TOPSOIL OR SAND-CLAY	5.00	2.21	.17	2.03		.59			
		F2 GRAVEL OR STONE	52								
	G MIXED BITUMINOUS	F3 WATERBOUND MACADAM	54								
		G1 NONRIGID BASE	60								
LOW TYPE SURFACES	G MIXED BITUMINOUS	G2 RIGID BASE	61								
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64								
	I BITUMINOUS CONCRETE I1	H2 RIGID BASE	62	1.51				1.51			
		I2 ON P. C. CONCRETE	67	1.06	.07				.99		
	—HOT PREMIXED	I3 ON BITUMINOUS CONCRETE	66	2.11	.65	1.24			.22		
		I4 ON OTHER TYPES THAN I2 AND I3	65	1.25	.07	.03	.41		.74		
	J PORTLAND CEMENT CONCRETE	70	15.90	10.89	.37		.29	.69	3.66		
	K BRICK	80									
	L BLOCK	90									
	TOTAL HARD SURFACED		127.07	53.75	21.54	10.69	3.49	6.94	28.23	2.43	
	TOTAL MILEAGE		127.50	54.18	21.54	10.69	3.49	6.94	28.23	2.43	

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 401 PM

SYSTEM MUNICIPAL STATE PRIMARY HIGHWAY 50

COUNTY DIVISION TOTALS

DIVISION No. 14

COMPLETED AS OF JANUARY 1 19 75

TYPE OF ROAD		MILEAGE TOTAL	CHERO-KEE	CLAY	GRAHAM	HAYWOOD	HENDER-SON	JACKSON	MACON	POLK	SWAIN	TRANS-YLVANIA			
NON SURFD	A PRIMITIVE	00													
	B UNIMPROVED	10													
	C GRADED AND DRAINED	20													
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30													
	E GRAVEL OR STONE —UNTREATED	41													
	TOTAL NON HARD SURFACED														
HIGH TYPE SURFACES	F BITUMINOUS SURFACE	51													
	TREATED	F1 TOPSOIL OR SAND-CLAY													
		F2 GRAVEL OR STONE	52	1.32			.16		.16	.94		.06			
	F3 WATERBOUND MACADAM	54													
	G MIXED BITUMINOUS	60													
	G1 NONRIGID BASE	61	.17				.17								
	G2 RIGID BASE	64													
	H BITUMINOUS PENETRATION	62													
	H1 NONRIGID BASE	63	45.68	4.59	.53	.87	8.65	5.11	8.00	5.24	4.36	2.88	5.45		
	H2 RIGID BASE	65													
	I BITUMINOUS CONCRETE I1	67													
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	66	2.03		.29		.72	.09		.84		.09		
		I3 ON BITUMINOUS CONCRETE	65	2.67				.18		1.35	1.14				
	J PORTLAND CEMENT CONCRETE	70													
	K BRICK	80													
	L BLOCK	90													
TOTAL HARD SURFACED		51.87	4.59	.82	.87	9.88	5.20	9.51	8.16	4.36	2.88	5.60			
TOTAL MILEAGE		51.87	4.59	.82	.87	9.88	5.20	9.51	8.16	4.36	2.88	5.60			

JANUARY 1, 1975

STATE PRIMARY HIGHWAY SYSTEM

MUNICIPAL - PAVED MILEAGE BY COUNTIES AND SURFACE WIDTH
NC 402 PM

51

COUNTY	PAVED		SURFACE	WIDTH	IN	F E E T				TOTALS
	16-UNDER	17-19	20-21	22-23	24-26	27-35	36-43	44-47	48-OVER	
ALAMANCE		.47	.22	7.18	4.56	2.37	2.92	2.98	12.23	32.93
ALEXANDER				.43		.66	.38		.18	1.65
ALLEGHANY		1.58	.83	.06		.15	.33	.33		3.28
ANSON		.34	.44	2.84	1.71	.17	1.78	2.25	4.57	14.10
ASHE		1.02	.11	.55	.40	.43		1.32	.83	4.66
AVERY		2.45	2.98	1.80	.24		.12	.08		7.67
BEAUFORT		1.54	.28	1.31	1.88	1.25	1.59	1.84	2.39	12.08
BERTIE			3.31	.69	4.18	.58	2.63	.32	.37	12.08
BLADEN		.17	.51	2.57	2.72	.95	.79	1.80	2.63	12.14
BRUNSWICK		1.47	1.21		5.38	.55		.73	.82	10.16
BUNCOMBE		.10	1.91	7.73	5.13	5.22	3.52	4.98	2.12	53.75
BURKE		.05		.12	4.48	.81	2.75	2.10	.68	10.55
CABARRUS			.40	.30	.87	3.90	2.38	2.11	.87	1.76
CALDWELL		.02	.40	6.07	1.28	4.86	2.47	.60	.18	23.27
CAMDEN										.04
CARTERET			.94	1.97	.91			1.30	3.31	8.43
CASWELL		.70		.18		.28				1.16
CATAWBA		.06		.55	7.03	1.43	4.41	3.22	.38	8.09
CHATHAM				.65	4.20	.35	.07	.31	1.82	1.12
CHEROKEE			.12	1.39	.72	.75		.38	.09	1.14
CHOWAN					1.27	1.31	.38	.98	1.15	.37
CLAY						.18		.19		.82
CLEVELAND		.04	1.12	4.52	.82	6.36	4.44	5.60	1.87	5.65
COLUMBUS			3.44	1.23	6.32	3.69	1.49	3.36	4.54	3.54
CRAVEN					.64	3.22	.27	1.48	7.95	13.56

JANUARY 1, 1975

STATE PRIMARY HIGHWAY SYSTEM

MUNICIPAL - PAVED MILEAGE BY COUNTIES AND SURFACE WIDTH
NC 402 PM

52

COUNTY	PAVED		SURFACE	WIDTH	IN	F E E T			TOTALS	
	16-UNDER	17-19	20-21	22-23	24-26	27-35	36-43	44-47	48-OVER	
CUMBERLAND		2.08	2.45	.69	5.04	.43	1.73	4.05	16.41	32.88
CURRITUCK										
DARE		12.77	.20		10.99	.20			.24	24.40
DAVIDSON		.71			.41	2.44	2.87	1.37	5.85	13.65
DAVIE		.07	.98	1.78	1.90	1.09	.09		.17	6.08
DUPLIN		1.72	3.45	3.38	4.15	.64	1.22	2.88	5.36	22.80
DURHAM		.05	1.08	.26	.24	6.60	6.31	4.36	7.21	24.60
EDGECOMBE			2.67	2.30	3.94	.55	3.43	2.55	3.46	18.90
FORSYTH		.72	4.23	2.95	2.12	5.83	8.81	1.46	29.07	55.19
FRANKLIN		1.96	.73	3.70	.85	.83	.30	.31	.40	9.08
GASTON		.05	2.36	4.27	6.67	5.77	6.82	5.07	21.25	52.26
GATES		.06	.14	2.06		.06	.04	.46	.07	2.89
GRAHAM										.87
GRANVILLE			2.70	2.11	2.58	.93	.71	.21	2.23	11.47
GREENE			.33	1.44	.45	.23	1.32	.52	.24	4.53
GUILFORD		.67	2.77	.70	2.68	13.66	6.96	.84	52.76	81.04
HALIFAX		.03	.28	.36	.47	5.41	2.30	1.89	1.86	7.28
HARNETT				3.57	.27	2.51		.53	3.89	4.57
HAYWOOD			.80	.51	.59	1.44	2.08	1.49	.51	2.46
HENDERSON			.16		2.01	.05	.55	.08	.19	2.16
HERTFORD			.67	3.16	.31	2.94	.38	1.02	2.30	12.08
HOKE					3.51	1.06	.77	.66	.10	.49
HYDE										6.59
IREDELL										
JACKSON										
		5.18	1.03	8.06	.74	6.59	4.76	1.07	9.20	31.45
			1.08	.11	.33	.37	.09	.24	2.11	9.51

JANUARY 1, 1975

STATE PRIMARY HIGHWAY SYSTEM

MUNICIPAL - PAVED MILEAGE BY COUNTIES AND SURFACE WIDTH
NC 402 PM

53

COUNTY	PAVED SURFACE WIDTH IN FEET								TOTALS
	16-UNDER	17-19	20-21	22-23	24-26	27-35	36-43	44-47	
JOHNSTON	.15	4.25	1.79	2.45	1.82	1.05	1.81	7.93	21.25
JONES			.64	1.08	.12		.34	1.00	3.18
LEE	.25	.16	.83	2.90	.31	1.98	1.06	5.95	13.44
LENOIR	.24	.10	.84		.07	1.03		5.26	7.54
LINCOLN	.02	.01		.12	.26	.04		1.12	.52
MACON	.79	1.30	2.13	1.05	1.31	.49	.14	.95	8.16
MADISON	5.64	3.34	.37	.67	.35	.32			10.69
MARTIN	.90	1.28	1.51	4.70	2.00	2.10	2.16	4.13	18.78
MCDOWELL	.08	.02	.03	.46	1.33	.38	.27	.92	3.49
MECKLENBURG	6.61	.56	6.94	1.54	2.55	9.83	12.35	54.80	95.18
MITCHELL		1.16	3.93	.43	1.03	.12	.27		6.94
MONTGOMERY	.70	3.47	.48	3.35	1.39	1.67	2.77	2.70	16.53
MOORE		6.28	3.13	1.10	.35	1.21	2.78	5.45	20.30
NASH	.05	4.92	3.60	2.81	3.13	3.98	1.73	9.44	29.66
NEW HANOVER	.04		.33	4.86	2.41	2.04	1.46	11.68	22.82
NORTHHAMPTON	.54	11.28		2.74	1.15	2.20	1.29	.13	19.33
ONSLOW			1.92	.30	.11		.42	3.69	6.44
ORANGE	1.35		3.67	2.86	1.39	.99	1.05	5.77	17.08
PAMLICO	.07	1.03	5.59	1.85	.35	2.47	.31		11.67
PASQUOTANK			1.13	.78	2.08	.26	.73	2.39	7.37
PENDER	8.43	1.83	1.26	1.65		1.34		.37	14.88
PERQUIMANS		.63	4.44	1.52	.53	.90			8.02
PERSON	.81	1.33	1.28	.29	1.94	1.94	1.49		9.08
PITT		1.93	2.51	2.92	3.01	4.51	.77	14.05	29.70
POLK		.59	1.27	.78	.81	.19	.24	.48	4.36


JANUARY 1, 1975

STATE PRIMARY HIGHWAY SYSTEM

MUNICIPAL - PAVED MILEAGE BY COUNTIES AND SURFACE WIDTH
NC 1402-PM

54

COUNTY	PAVED SURFACE		WIDTH IN FEET		TOTALS					
	16-UNDER	17-19	20-21	22-23	24-26	27-35	36-43	44-47	48-OVER	
RANDOLPH	.47	7.23	6.06	2.65	3.32	.98	3.69	4.87	29.27	
RICHMOND		.15	1.03	3.55	2.32	1.39	.78	5.02	14.24	
ROBESON	1.12	.86	2.01	4.13	3.10	3.89	5.74	6.48	27.33	
ROCKINGHAM	1.56	1.30	2.71	12.23	3.28	11.58	2.63	2.80	38.09	
ROWAN	.04	.77	.31	.50	.61	2.06	5.46	1.03	9.09	19.87
RUTHERFORD		1.70	1.07	8.30	2.40	7.78	1.96	.19	4.83	28.23
SAMPSON		.60	3.58	5.75	5.19	1.96	2.40	.49	3.27	23.24
SCOTLAND		.43	1.08	1.23	4.27	2.29	2.40	.58	4.01	16.29
STANLY		.61	3.71	.90	5.78	.41	4.03	1.32	1.87	18.63
STOKES			1.39	3.73					.55	5.67
SURRY	.07	1.03	3.34	.37	.03	3.18	2.96	.63	3.51	15.12
SWAIN			2.05		.34		.49			2.88
TRANSYLVANIA		.85		.04	.05	1.32	.26	.73	2.35	5.60
TYRRELL					.27	.21	.19	.50		1.17
UNION		.80	1.38		1.95	.44	.72	.14	7.79	13.22
VANCE				1.65		1.17	.83	2.69	3.41	9.75
WAKE	.58	1.25	6.26	.42	2.06	2.56	5.03	4.07	26.13	48.36
WARREN				1.15	1.33	.70	.55	.31	.04	4.08
WASHINGTON				.61	2.67					3.28
WATAUGA				.53	5.14	3.71	.64	.72	.12	1.47
WAYNE				4.35	.09	2.52	2.46	.20	2.68	7.77
WILKES				4.46	.51	.76	.81	1.31	1.93	2.38
WILSON				.73	.20	1.45	.62	.53	1.13	13.24
YADKIN				2.85	2.27		.38	1.37	.09	1.37
YANCEY				.59		1.84				2.43
TOTAL	2.91	70.59	180.34	183.34	218.65	149.99	175.32	128.97	539.77	1649.88



PAVED AND UNPAVED MILEAGE BY COUNTIES AND RURAL - MUNICIPAL
NC 500 ST

56

COUNTY	R - U - R - A - L			M - U - N - I - C - I - P - A - L			T - O - T - A - L - S		
	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	TOTAL
ALAMANCE	521.20	198.30	719.50	39.94	.45	40.39	561.14	198.75	759.89
ALEXANDER	314.90	181.50	496.40	2.54	.05	2.59	317.44	181.55	498.99
ALLEGHANY	131.10	246.70	377.80	2.22	.33	2.55	133.32	247.03	380.35
ANSON	517.80	167.20	685.00	20.88		20.88	538.68	167.20	705.88
ASHE	225.40	455.60	681.00	1.97	.38	2.35	227.37	455.98	683.35
AVERY	76.40	161.30	237.70	8.43	3.48	11.91	84.83	164.78	249.61
BEAUFORT	370.53	319.40	689.93	12.45	.32	12.77	382.98	319.72	702.70
BERTIE	278.70	204.50	483.20	11.02	1.46	12.48	289.72	205.96	495.68
BLADEN	347.60	228.40	576.00	16.31	6.14	22.45	363.91	234.54	598.45
BRUNSWICK	310.00	183.50	493.50	45.25	1.75	47.00	355.25	185.25	540.50
BUNCOMBE	548.70	384.40	933.10	33.00	1.75	34.75	581.70	386.15	967.85
BURKE	383.66	253.90	637.56	34.27	2.69	36.96	417.93	256.59	674.52
CABARRUS	614.50	137.30	751.80	9.98	.10	10.08	624.48	137.40	761.88
CALDWELL	252.50	275.80	528.30	20.51	.78	21.29	273.01	276.58	549.59
CAMDEN	89.00	59.70	148.70	9.18	.92	10.10	89.00	59.70	148.70
CARTERET	188.70	54.30	243.00	28.76	.04	28.80	217.46	54.34	271.80
CASWELL	310.30	189.00	499.30				310.30	189.00	499.30
CATAWBA	544.67	207.70	752.37	41.24	.89	42.13	585.91	208.59	794.50
CHATHAM	507.10	343.00	850.10	17.85	1.11	18.96	524.95	344.11	869.06
CHEROKEE	169.70	291.20	460.90	9.18	.92	10.10	178.88	292.12	471.00
CHOWAN	134.10	39.10	173.20	5.05		5.05	139.15	39.10	178.25
CLAY	106.70	104.80	211.50	2.13		2.13	108.83	104.80	213.63
CLEVELAND	668.60	282.70	951.30	40.58	4.69	45.27	709.18	287.39	996.57
COLUMBUS	622.00	308.30	930.30	22.92	2.13	25.05	644.92	310.43	955.35
CRAVEN	326.30	209.10	535.40	18.04	5.20	23.24	344.34	214.30	558.64

PAVED AND UNPAVED MILEAGE BY COUNTIES AND RURAL (- MUNICIPAL)
NC 500-ST

57

COUNTY	R - U - R - A - L			M - U - N - I - C - H - I - P - A - L			T - O - T - A - L - S		
	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	TOTAL
CUMBERLAND	635.10	243.90	879.00	38.63	.80	39.43	673.73	244.70	918.43
CURRITUCK	102.10	56.00	158.10				102.10	56.00	158.10
DARE	51.40	30.80	82.20	6.90		6.90	58.30	30.80	89.10
DAVIDSON	819.00	322.60	1141.60	37.57	.84	38.41	856.57	323.44	1180.01
DAVIE	215.40	163.90	379.30	2.51		2.51	217.91	163.90	381.81
DUPLIN	650.00	267.00	917.00	28.41	3.56	31.97	678.41	270.56	948.97
DURHAM	314.80	222.10	536.90	58.45	5.33	63.78	373.25	227.43	600.68
EDGECOMBE	398.10	98.70	496.80	21.27	1.06	22.33	419.37	99.76	519.13
FORSYTH	610.70	230.30	841.00	104.55	4.49	109.04	715.25	234.79	950.04
FRANKLIN	435.20	170.80	606.00	7.29	.06	7.35	442.49	170.86	613.35
GASTON	509.60	168.70	678.30	60.59	2.96	63.55	570.19	171.66	741.85
GATES	157.90	116.70	274.60	.09	.29	.38	157.99	116.99	274.98
GRAHAM	106.60	86.70	193.30	1.67		1.67	108.27	86.70	194.97
GRANVILLE	354.60	330.70	685.30	13.18	.43	13.61	367.78	331.13	698.91
GREENE	284.20	85.30	369.50	5.69	.30	5.99	289.89	85.60	375.49
GUILFORD	777.16	442.30	1219.46	124.11	3.51	127.62	901.27	445.81	1347.08
HALIFAX	432.00	203.10	635.10	15.99	.91	16.90	447.99	204.01	652.00
HARNETT	556.50	262.30	818.80	19.10		19.10	575.60	262.30	837.90
HAYWOOD	191.20	240.60	431.80	15.96	.27	16.23	207.16	240.87	448.03
HENDERSON	297.05	379.90	676.95	7.30	.14	7.44	304.35	380.04	684.39
HERTFORD	197.90	112.90	310.80	12.70	.81	13.51	210.60	113.71	324.31
HOKE	324.90	36.40	361.30	6.55		6.55	331.45	36.40	367.85
HYDE	129.00	68.40	197.40				129.00	68.40	197.40
IREDELL	715.50	411.70	1127.20	24.67	.65	25.32	740.17	412.35	1152.52
JACKSON	141.60	288.60	430.20	7.22	8.47	15.69	148.82	297.07	445.89

PAVED AND UNPAVED MILEAGE BY COUNTIES AND RURAL (- MUNICIPAL)
 NC 500 FT

58

COUNTY	R - U - R - A - L -			M - U - N - I - C - I - P - A - L -			T - O - T - A - L - S		
	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	TOTAL
JOHNSTON	824.68	372.80	1197.48	29.00	.85	29.85	853.68	373.65	1227.33
JONES	179.60	65.00	244.60	1.58		1.58	181.18	65.00	246.18
LEE	303.70	63.90	367.60	16.95	.39	17.34	320.65	64.29	384.94
LENOIR	401.20	211.40	612.60	15.97	.67	16.64	417.17	212.07	629.24
LINCOLN	392.80	170.60	563.40	5.12		5.12	397.92	170.60	568.52
MACON	242.50	304.30	546.80	8.61	2.18	10.79	251.11	306.48	557.59
MADISON	175.80	329.60	505.40	11.70	.89	12.59	187.50	330.49	517.99
MARTIN	235.30	154.80	390.10	11.81	1.72	13.53	247.11	156.52	403.63
MCDOWELL	267.50	179.10	446.60	7.30	.67	7.97	274.80	179.77	454.57
MECKLENBURG	729.33	123.30	852.63	93.64	.95	94.59	822.97	124.25	947.22
MITCHELL	107.80	157.30	265.10	6.35	.71	7.06	114.15	158.01	272.16
MONTGOMERY	363.30	125.20	488.50	13.15		13.15	376.45	125.20	501.65
MOORE	637.10	241.90	879.00	43.11	2.25	45.36	680.21	244.15	924.36
NASH	599.10	170.10	769.20	23.87	.85	24.72	622.97	170.95	793.92
NEW HANOVER	230.40	23.60	254.00	27.82	.20	28.02	258.22	23.80	282.02
NORTHAMPTON	273.30	129.90	403.20	10.89	.64	11.53	284.19	130.54	414.73
ONSLOW	385.90	116.80	502.70	13.01	.60	13.61	398.91	117.40	516.31
ORANGE	367.10	251.60	618.70	17.16	1.71	18.87	384.26	253.31	637.57
PAMLICO	117.50	76.80	194.30	7.68	2.78	10.46	125.18	79.58	204.76
PASQUOTANK	153.60	60.60	214.20	4.28	.10	4.38	157.88	60.70	218.58
PENDER	326.20	128.30	454.50	18.38	1.79	20.17	344.58	130.09	474.67
PERQUIMANS	199.80	83.30	283.10	3.85	.19	4.04	203.65	83.49	287.14
PERSON	247.90	314.00	561.90	7.56	.45	8.01	255.46	314.45	569.91
PITT	524.30	284.10	808.40	27.65	1.40	29.05	551.95	285.50	837.45
POLK	171.30	191.50	362.80	7.87	1.12	8.99	179.17	192.62	371.79

PAVED AND UNPAVED MILEAGE BY COUNTIES AND RURAL - (MUNICIPAL)
NC 500 FT

59

COUNTY	R-U-R-A-L			M-U-N-I-C-I-P-A-L			T-O-T-A-L-S		
	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	TOTAL
RANDOLPH	748.60	505.40	1254.00	79.58	7.54	87.12	828.18	512.94	1341.12
RICHMOND	491.90	107.50	599.40	26.50	1.06	27.56	518.40	108.56	626.96
ROBESON	1041.40	316.50	1357.90	52.16	2.64	54.80	1093.56	319.14	1412.70
ROCKINGHAM	476.70	397.40	874.10	34.22	.95	35.17	510.92	398.35	909.27
ROWAN	719.70	246.20	965.90	40.15	1.06	41.21	759.85	247.26	1007.11
RUTHERFORD	498.10	388.70	886.80	39.06	4.59	43.65	537.16	393.29	930.45
SAMPSON	849.30	332.50	1181.80	31.34	.21	31.55	880.64	332.71	1213.35
SCOTLAND	357.00	63.20	420.20	27.89	.48	28.37	384.89	63.68	448.57
STANLY	507.40	207.00	714.40	22.30	.47	22.77	529.70	207.47	737.17
STOKES	386.30	397.30	783.60	3.22	.54	3.76	389.52	397.84	787.36
SURRY	462.50	434.00	896.50	17.49	1.05	18.54	479.99	435.05	915.04
SWAIN	89.50	91.80	181.30	7.55	1.00	8.55	97.05	92.80	189.85
TRANSYLVANIA	127.20	168.20	295.40	7.24	.25	7.49	134.44	168.45	302.89
TYRRELL	90.40	54.60	145.00	.68		.68	91.08	54.60	145.68
UNION	835.50	281.40	1116.90	26.41	.67	27.08	861.91	282.07	1143.98
VANCE	277.31	83.60	360.91	11.88	1.29	13.17	289.19	84.89	374.08
WAKE	932.60	391.50	1324.10	110.57	2.68	113.25	1043.17	394.18	1437.35
WARREN	287.70	226.60	514.30	4.36	.58	4.94	292.06	227.18	519.24
WASHINGTON	126.80	85.70	212.50	11.04	.39	11.43	137.84	86.09	223.93
WATAUGA	149.20	308.40	457.60	11.41	2.35	13.76	160.61	310.75	471.36
WAYNE	644.38	175.10	819.48	23.83	.71	24.54	668.21	175.81	844.02
WILKES	492.20	593.70	1085.90	8.24	1.47	9.71	500.44	595.17	1095.61
WILSON	420.80	113.90	534.70	33.95	.10	34.05	454.75	114.00	568.75
YADKIN	317.70	246.80	564.50	14.48	.28	14.76	332.18	247.08	579.26
YANCEY	136.30	149.90	286.20	3.66	.39	4.05	139.96	150.29	290.25
TOTALS	37891.17	21223.80	59114.97	2148.44	125.40	2273.84	40039.61	21349.20	61388.81

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 600 SR

SYSTEM RURAL SECONDARY ROAD 60

COUNTY STATE TOTALS

DIVISION No. 1-14

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL																
			1	2	3	4	5	6	7	8	9	10	11	12	13	14		
NON SURF'D	A PRIMITIVE	00	9.90						.50		.60		4.40		.90	3.50		
	B UNIMPROVED	10	1,282.60	129.80	77.10	82.40	50.40	34.20	97.40	56.70	48.90	169.20	36.20	227.20	14.40	86.60	172.10	
	C GRADED AND DRAINED	20	4,147.90	559.90	753.80	296.70	361.70	366.30	279.70	317.90	216.70	241.10	101.90	256.60	89.60	147.70	158.30	
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	6,267.20	308.10	357.70	650.30	609.40	462.30	962.90	183.30	746.10	509.20	148.50	151.50	857.60	195.80	115.50	
	E GRAVEL OR STONE —UNTREATED	41	9,516.20	259.20	116.80	13.30	112.20	876.50	19.40	920.20	474.80	440.20	629.60	2082.60	461.30	1411.90	1698.20	
	TOTAL NON HARD SURFACED		21,223.80	1257.00	1305.40	1051.70	1133.70	1739.30	1359.40	1478.60	1486.50	1360.30	916.20	2722.30	1422.90	1842.90	2147.60	
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	10,986.12	570.20	165.50	127.50	1253.40	1067.98	596.10	588.80	1632.90	1585.70	887.50	291.00	1744.70	367.94	106.90
		F2 GRAVEL OR STONE	52	10,228.41	502.00	127.90	18.90	176.30	851.91	43.60	1343.60	571.10	814.40	1529.80	1499.50	698.98	1180.12	870.30
		F3 WATERBOUND MACADAM	54	26.70		.50			1.00		.20		9.60	5.30	3.50		5.20	1.40
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE	60	305.70	68.70	95.40	89.00	6.10	1.20	41.90		1.00				.20	2.20	
	G2 RIGID BASE	61	150.02	5.70	21.70	10.00	54.10	4.82	2.00	10.50	2.60	1.00		24.00		9.90	.3.70	
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64	6.80	6.30			.20									.30	
		H2 RIGID BASE	62	8.70	.10		.90		.60		4.70		.10				2.30	
	I BITUMINOUS CONCRETE I1		63	4,811.17	88.00	237.73	241.00	447.81	662.10	329.30	447.36	392.10	119.60	492.13	108.20	503.79	451.00	291.05
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	45.90	11.00	1.80	2.60	5.40	5.00	.60	.80	.20	.20	7.40	.30	.30	.70	9.60
		I3 ON BITUMINOUS CONCRETE	66	777.20	15.70	56.20	98.80	328.10	.70	212.90		57.10	.90	.20		.70	.60	5.30
		I4 ON OTHER TYPES THAN I2 AND I3	65	10,360.05	934.00	1670.70	2159.90	1044.85	248.90	1975.90	33.90	1063.30	185.50	272.20	159.10	195.60	75.00	341.20
	J PORTLAND CEMENT CONCRETE		70	174.40	17.60	4.90	3.20	2.80	5.90	.30	22.60	13.30	34.10	10.00	21.40	1.80	22.60	13.90
	K BRICK		80	10.00		10.00												
	L BLOCK		90															
TOTAL HARD SURFACED			37,891.17	2219.30	2392.33	2751.80	3319.06	2850.11	3202.60	2452.46	3733.60	2751.10	3204.53	2107.00	3146.07	2117.86	1643.35	
TOTAL MILEAGE			59,114.97	3476.30	3697.73	3803.50	4452.76	4589.41	4562.00	3931.06	5220.10	4111.40	4120.73	4829.30	4568.97	3960.76	3790.95	

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 601 SR

SYSTEM RURAL SECONDARY ROAD 61

COUNTY DIVISION TOTALS

DIVISION No. 1

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL																
			BERTIE	CAMDEN	CHOWAN	CURRI-TUCK	DARE	GATES	HERT-FORD	HYDE	MARTIN	NORTH-HAMPTON	PASQUO-TANK	PERQUI-MANS	TYRRELL	WASH-INGTON		
NON SURFD	A PRIMITIVE	00																
	B UNIMPROVED	10	129.80	30.50	5.00	4.20	8.10	6.80	6.30	7.80	10.70	7.20	3.50	5.00	11.10	7.80	15.80	
	C GRADED AND DRAINED	20	559.90	122.30	20.70	12.50	15.20	17.30	50.10	60.40	36.10	49.30	68.00	14.50	21.50	23.50	48.50	
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	308.10	33.10	6.60	19.90	5.40	5.70	22.20	42.60	19.10	57.30	51.90	4.60	12.70	10.50	16.50	
	E GRAVEL OR STONE —UNTREATED	41	259.20	18.60	27.40	2.50	27.30	1.00	38.10	2.10	2.50	41.00	6.50	36.50	38.00	12.80	4.90	
	TOTAL NON HARD SURFACED		1,257.00	204.50	59.70	39.10	56.00	30.80	116.70	112.90	68.40	154.80	129.90	60.60	83.30	54.60	85.70	
	F BITUMINOUS SURFACE	F ₁ TOPSOIL OR SAND-CLAY	51	570.20	97.60	27.30	7.20	31.10	4.30	11.30	130.40	7.30	90.10	150.70	.60	7.90	3.90	.50
	TREATED	F ₂ GRAVEL OR STONE	52	502.00	7.40	28.90	18.00	39.90	9.90	50.90	4.80	61.70	79.80	19.70	42.80	49.00	39.40	49.80
		F ₃ WATERBOUND MACADAM	54															
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G ₁ NONRIGID BASE	60	68.70		.20		19.20	11.90	2.80		22.10			7.00			5.50
	G ₂ RIGID BASE	61	5.70			.10	.10	3.80	1.40			.10	.20					
	H BITUMINOUS PENETRATION	H ₁ NONRIGID BASE	64	6.30													6.30	
	H ₂ RIGID BASE	62	.10					.10										
		I BITUMINOUS CONCRETE I ₁	63	88.00	.20	.80	.50		1.40	4.80	9.30	.40	51.50	4.20	6.50		8.40	
	SAND ASPHALT —HOT PREMIXED	I ₂ ON P. C. CONCRETE	67	11.00		.40		.60	.30			2.20	.30		3.20	3.20	.80	
		I ₃ ON BITUMINOUS CONCRETE	66	15.70	1.90		3.30				2.60			5.60		2.30		
		I ₄ ON OTHER TYPES THAN I ₂ AND I ₃	65	934.00	171.60	31.40	101.70	11.00	19.60	89.10	55.30	23.20	64.50	45.80	93.00	130.80	36.00	61.00
	J PORTLAND CEMENT CONCRETE	70	17.60			3.30	.20	1.50	1.00			3.10			2.80	.10	4.80	.80
	K BRICK	80																
	L BLOCK	90																
TOTAL HARD SURFACED			2,219.30	278.70	89.00	134.10	102.10	51.40	157.90	197.90	129.00	235.30	273.30	153.60	199.80	90.40	126.80	
TOTAL MILEAGE			3,476.30	483.20	148.70	173.20	158.10	82.20	274.60	310.80	197.40	390.10	403.20	214.20	283.10	145.00	212.50	

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 601 SR

SYSTEM RURAL SECONDARY ROAD 62

COUNTY DIVISION TOTALS

DIVISION No. 2

COMPLETED AS OF JANUARY 1 19 75

TYPE OF ROAD		MILEAGE TOTAL										
			BEAU- FORD	CART- ERET	CRAVEN	GREENE	JONES	LENOIR	PAMLICO	PITT		
NON SURFD	A PRIMITIVE	00										
	B UNIMPROVED	10	77.10	24.50	7.00	19.80	5.70	2.80	13.30	1.80	2.20	
	C GRADED AND DRAINED	20	753.80	184.20	28.00	100.90	36.70	36.30	129.40	43.60	194.70	
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	357.70	93.60	5.60	49.20	40.90	20.20	67.10	5.00	76.10	
	E GRAVEL OR STONE —UNTREATED	41	116.80	17.10	13.70	39.20	2.00	5.70	1.60	26.40	11.10	
	TOTAL NON HARD SURFACED	1,305.40	319.40	54.30	209.10	85.30	65.00	211.40	76.80	284.10		
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	165.50	8.40	19.60	14.50	65.90	10.80	4.50	29.50	12.30
		F2 GRAVEL OR STONE	52	127.90	43.90	21.40	28.70		11.80	4.70	12.60	4.80
		F3 WATERBOUND MACADAM	54	.50							.50	
	G MIXED BITUMINOUS	G1 NONRIGID BASE	60	95.40	22.90	15.40	23.00	13.80		9.70	10.60	
	G MIXED BITUMINOUS	G2 RIGID BASE	61	21.70	13.00	5.40	2.30				1.00	
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64									
		H2 RIGID BASE	62									
	I BITUMINOUS CONCRETE I1	63	237.73	9.93	33.40	60.80	13.40	13.20	43.80	.50	62.70	
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	1.80	1.10				.10		.60	
		I3 ON BITUMINOUS CONCRETE	66	56.20	6.60	5.20	10.00	8.40	11.40	11.80		2.80
		I4 ON OTHER TYPES THAN I2 AND I3	65	1,670.70	264.50	87.60	176.90	182.70	131.70	336.10	65.00	426.20
	J PORTLAND CEMENT CONCRETE	70	4.90	.20	.70	.10		.70	.20	.20	2.80	
	K BRICK	80	10.00			10.00						
	L BLOCK	90										
	TOTAL HARD SURFACED	2,392.33	370.53	188.70	326.30	284.20	179.60	401.20	117.50	524.30		
	TOTAL MILEAGE	3,697.73	689.93	243.00	535.40	369.50	244.60	612.60	194.30	808.40		

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 601 SR

SYSTEM RURAL SECONDARY ROAD 63
COUNTY DIVISION TOTALS
DIVISION No. 3

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL								
			BRUNS- WICK	DUPLIN	NEW HANOVER	ONSLOW	PENDER	SAMPSON		
NON SURFD	A PRIMITIVE	00								
	B UNIMPROVED	10	82.40	12.30	27.50	2.10	14.80	17.10	8.60	
	C GRADED AND DRAINED	20	296.70	49.90	92.50	1.00	47.90	20.00	85.40	
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	659.30	121.30	146.70	12.90	48.90	91.20	238.30	
	E GRAVEL OR STONE —UNTREATED	41	13.30		.30	7.60	5.20		.20	
	TOTAL NON HARD SURFACED		1,051.70	183.50	267.00	23.60	116.80	128.30	332.50	
	F BITUMINOUS SURFACE TREATED	F ₁ TOPSOIL OR SAND-CLAY	51	127.50	9.60	26.80	5.00	11.20	45.70	29.20
		F ₂ GRAVEL OR STONE	52	18.90			1.40	16.80		.70
		F ₃ WATERBOUND MACADAM	54							
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G ₁ NONRIGID BASE	60	89.00	59.50	8.20	2.70	6.80	9.70	2.10
	G MIXED BITUMINOUS	G ₂ RIGID BASE	61	10.00	3.50		3.10	1.10	.80	1.50
	H BITUMINOUS PENETRATION	H ₁ NONRIGID BASE	64							
	H BITUMINOUS PENETRATION	H ₂ RIGID BASE	62	.90	.90					
	I BITUMINOUS CONCRETE I ₁		63	241.00	23.10	56.70	40.20	25.60	37.50	57.90
	SAND ASPHALT —HOT PREMIXED	I ₂ ON P. C. CONCRETE	67	2.60					2.60	
		I ₃ ON BITUMINOUS CONCRETE	66	98.80	8.90	24.80	.10	1.00	18.70	45.30
		I ₄ ON OTHER TYPES THAN I ₂ AND I ₃	65	2,159.90	204.00	533.50	176.50	323.40	213.80	708.70
	J PORTLAND CEMENT CONCRETE		70	3.20	.50		1.40		1.30	
	K BRICK		80							
	L BLOCK		90							
TOTAL HARD SURFACED			2,751.80	310.00	650.00	230.40	385.90	326.20	849.30	
TOTAL MILEAGE			3,803.50	493.50	917.00	254.00	502.70	454.50	1181.80	

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 601 SR

SYSTEM RURAL SECONDARY ROAD 64
COUNTY DIVISION TOTALS
DIVISION No. 4

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL	EDGE-COMBE	HALIFAX	JOHN-STON	NASH	WAYNE	WILSON						
NON SURFD	A PRIMITIVE	00												
	B UNIMPROVED	10	50.40	1.90	17.80	13.70	11.10	3.40	2.50					
	C GRADED AND DRAINED	20	361.70	30.70	67.90	78.40	92.10	17.90	74.70					
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	609.40	53.60	99.40	239.90	41.70	148.40	26.40					
	E GRAVEL OR STONE —UNTREATED	41	112.20	12.50	18.00	40.80	25.20	5.40	10.30					
	TOTAL NON HARD SURFACED	1,133.70	98.70	203.10	372.80	170.10	175.10	113.90						
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	1,253.40	137.60	209.60	298.20	280.30	126.50	201.20				
		F2 GRAVEL OR STONE	52	176.30	50.60	49.80	27.50	25.60	14.70	8.10				
		F3 WATERBOUND MACADAM	54											
	G MIXED BITUMINOUS	G1 NONRIGID BASE	60	6.10				6.10						
	G MIXED BITUMINOUS	G2 RIGID BASE	61	54.10	1.50	.10	25.00	.90	26.00	.60				
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64	.20					.20					
		H2 RIGID BASE	62											
HIGH TYPE SURFACES	I BITUMINOUS CONCRETE I1	63	447.81	24.70	20.10	95.01	75.60	206.70	25.70					
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	5.40	.80	.20		4.40						
		I3 ON BITUMINOUS CONCRETE	66	328.10	28.40	33.20	61.30	57.00	129.70	18.50				
		I4 ON OTHER TYPES THAN I2 AND I3	65	1,044.85	154.50	119.00	317.67	146.40	140.58	166.70				
	J PORTLAND CEMENT CONCRETE	70	2.80					2.80						
	K BRICK	80												
	L BLOCK	90												
	TOTAL HARD SURFACED	3,319.06	398.10	432.00	824.68	599.10	644.38	420.80						
	TOTAL MILEAGE	4,452.76	496.80	635.10	1197.48	769.20	819.48	534.70						

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 601 SR

SYSTEM RURAL SECONDARY ROAD 65

COUNTY DIVISION TOTALS

DIVISION No. 5

COMPLETED AS OF JANUARY 1 19 75

TYPE OF ROAD		MILEAGE TOTAL									
			DURHAM	FRANK- LIN	GRAN- VILLE	PERSON	VANCE	WAKE	WARREN		
NON SURFD	A PRIMITIVE	00									
	B UNIMPROVED	10	34.20	2.60	1.20	2.00	13.30	.40	13.30	1.40	
	C GRADED AND DRAINED	20	366.30	54.30	12.30	98.20	95.90	7.10	49.70	48.80	
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	462.30	36.80	81.10	30.20	57.30	34.00	170.60	52.30	
	E GRAVEL OR STONE —UNTREATED	41	876.50	128.40	76.20	200.30	147.50	42.10	157.90	124.10	
	TOTAL NON HARD SURFACED		1,739.30	222.10	170.80	330.70	314.00	83.60	391.50	226.60	
	F BITUMINOUS SURFACE TREATED	F ₁ TOPSOIL OR SAND-CLAY	51	1,067.98	58.08	273.50	113.70	86.90	132.60	303.20	100.00
		F ₂ GRAYEL OR STONE	52	851.91	101.30	45.10	171.60	129.00	81.00	191.11	132.80
		F ₃ WATERBOUND MACADAM	54	1.00	1.00						
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G ₁ NONRIGID BASE	60	1.20	.50				.70		
	G MIXED BITUMINOUS	G ₂ RIGID BASE	61	4.82	4.82						
	H BITUMINOUS PENETRATION	H ₁ NONRIGID BASE	64								
		H ₂ RIGID BASE	62	.60		.60					
	I BITUMINOUS CONCRETE I ₁		63	662.10	93.90	76.20	51.30	16.90	55.21	317.99	50.60
	SAND ASPHALT —HOT PREMIXED	I ₂ ON P. C. CONCRETE	67	5.00	3.60				1.40		
		I ₃ ON BITUMINOUS CONCRETE	66	.70					.70		
		I ₄ ON OTHER TYPES THAN I ₂ AND I ₃	65	248.90	51.00	39.90	16.80	12.20	7.30	117.40	4.30
	J PORTLAND CEMENT CONCRETE		70	5.90	.60	.50	.60	2.90	1.20	.10	
	K BRICK		80								
	L BLOCK		90								
TOTAL HARD SURFACED			2,850.11	314.80	435.20	354.60	247.90	277.31	932.60	287.70	
TOTAL MILEAGE			4,589.41	536.90	606.00	685.30	561.90	360.91	1324.10	514.30	

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 601 SR

SYSTEM RURAL SECONDARY ROAD 66

COUNTY DIVISION TOTALS

DIVISION No. 6

COMPLETED AS OF JANUARY 1 19 75

TYPE OF ROAD		MILEAGE TOTAL								
			BLADEN	COLUM- BUS	CUMBER- LAND	HARNETT	ROBESON			
NON SURFD	A PRIMITIVE	00								
	B UNIMPROVED	10	97.40	17.90	29.00	4.80	6.20	39.50		
	C GRADED AND DRAINED	20	279.70	31.70	109.30	13.20	27.80	97.70		
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	962.90	178.80	169.90	225.90	211.40	176.90		
	E GRAVEL OR STONE —UNTREATED	41	19.40		.10		16.90	2.40		
	TOTAL NON HARD SURFACED	1,359.40	228.40	308.30	243.90	262.30	316.50			
	F BITUMINOUS SURFACE TREATED	51	596.10	50.80	161.70	65.90	136.60	181.10		
		52	43.60	.30	9.80	5.50	21.40	6.60		
		54								
	G MIXED BITUMINOUS	G1 NONRIGID BASE	60	41.90	15.40	10.20	16.30			
	G MIXED BITUMINOUS	G2 RIGID BASE	61	2.00	2.00					
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64							
		H2 RIGID BASE	62							
HIGH TYPE SURFACES	I BITUMINOUS CONCRETE I1	63	329.30	43.70	45.70	88.70	29.00	122.20		
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	.60		.60				
		I3 ON BITUMINOUS CONCRETE	66	212.90	27.50	24.40	95.40	20.20	45.40	
		I4 ON OTHER TYPES THAN I2 AND I3	65	1,975.90	207.90	370.20	362.70	349.30	685.80	
	J PORTLAND CEMENT CONCRETE	70	.30					.30		
	K BRICK	80								
	L BLOCK	90								
	TOTAL HARD SURFACED	3,202.60	347.60	622.00	635.10	556.50	1041.40			
	TOTAL MILEAGE	4,562.00	576.00	930.30	879.00	818.80	1357.90			

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 601 SR

SYSTEM RURAL SECONDARY ROAD 67

COUNTY DIVISION TOTALS

DIVISION No. 7

COMPLETED AS OF JANUARY 1 19 75

TYPE OF ROAD		MILEAGE TOTAL								
			ALA- MANCE	CASWELL	GUIL- FORD	ORANGE	ROCK- INGHAM			
NON SURFD	A PRIMITIVE	00	.50				.50			
	B UNIMPROVED	10	56.70	7.90	18.90	8.60	12.50	8.80		
	C GRADED AND DRAINED	20	317.90	34.00	79.20	70.10	95.30	39.30		
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	183.30	33.70	37.50	53.10	26.30	32.70		
	E GRAVEL OR STONE —UNTREATED	41	920.20	122.70	53.40	310.50	117.00	316.60		
	TOTAL NON HARD SURFACED		1,478.60	198.30	189.00	442.30	251.60	397.40		
	F BITUMINOUS SURFACE TREATED	F ₁ TOPSOIL OR SAND-CLAY	51	588.80	122.70	136.40	105.00	165.40	59.30	
		F ₂ GRAVEL OR STONE	52	1,343.60	290.80	131.60	475.30	139.20	306.70	
		F ₃ WATERBOUND MACADAM	54	.20			.20			
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G ₁ NONRIGID BASE	60							
	G MIXED BITUMINOUS	G ₂ RIGID BASE	61	10.50		9.90	.20		.40	
	H BITUMINOUS PENETRATION	H ₁ NONRIGID BASE	64							
		H ₂ RIGID BASE	62	4.70			4.70			
	I BITUMINOUS CONCRETE	I ₁	63	447.36	103.20	25.10	158.36	60.00	100.70	
	SAND ASPHALT —HOT PREMIXED	I ₂ ON P. C. CONCRETE	67	.80	.30		.50			
		I ₃ ON BITUMINOUS CONCRETE	66							
		I ₄ ON OTHER TYPES THAN I ₂ AND I ₃	65	33.90	2.20		26.90	1.90	2.90	
	J PORTLAND CEMENT CONCRETE		70	22.60	2.00	7.30	6.00	.60	6.70	
	K BRICK		80							
	L BLOCK		90							
TOTAL HARD SURFACED			2,452.46	521.20	310.30	777.16	367.10	476.70		
TOTAL MILEAGE			3,931.06	719.50	499.30	1219.46	618.70	874.10		

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 601 SR

SYSTEM RURAL SECONDARY ROAD 68

COUNTY DIVISION TOTALS

DIVISION No. 8

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL										
			CHATHAM	HOKE	LEE	MONT- GOMERY	MOORE	RAN- DOLPH	RICH- MOND	SCOT- LAND		
NON SURF'D	A PRIMITIVE	00										
	B UNIMPROVED	10	48.90	7.80	2.40	4.90	2.20	14.00	8.70	4.90	4.00	
	C GRADED AND DRAINED	20	216.70	60.70	10.20	6.50	12.90	40.50	58.50	10.40	17.00	
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	746.10	106.20	23.70	32.60	49.90	160.60	257.30	73.60	42.20	
	E GRAVEL OR STONE —UNTREATED	41	474.80	168.30	.10	19.90	60.20	26.80	180.90	18.60		
	TOTAL NON HARD SURFACED		1,486.50	343.00	36.40	63.90	125.20	241.90	505.40	107.50	63.20	
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	1,632.90	129.60	206.90	184.50	87.80	417.70	256.20	120.40	229.80	
		F2 GRAVEL OR STONE 52	571.10	154.60		24.50	43.80	26.30	303.00	17.20	1.70	
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE 60	1.00					.20	.80			
	G2 RIGID BASE 61	2.60					.30		2.30			
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 64										
		H2 RIGID BASE 62										
	I BITUMINOUS CONCRETE I1	63	392.10	75.00	21.90	40.80	6.00	16.70	142.40	45.50	43.80	
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 67	.20							.20		
		I3 ON BITUMINOUS CONCRETE 66	57.10		14.10	5.80	13.00			15.50	8.70	
		I4 ON OTHER TYPES THAN I2 AND I3 65	1,063.30	144.40	82.00	47.80	208.30	176.10	42.30	290.00	72.40	
	J PORTLAND CEMENT CONCRETE 70	13.30	3.50		.30	4.40		4.50		.60		
	K BRICK 80											
	L BLOCK 90											
TOTAL HARD SURFACED			3,733.60	507.10	324.90	303.70	363.30	637.10	748.60	491.90	357.00	
TOTAL MILEAGE			5,220.10	850.10	361.30	367.60	488.50	879.00	1254.00	599.40	420.20	

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 601 SR

SYSTEM RURAL SECONDARY ROAD 69

COUNTY DIVISION TOTALS

DIVISION No. 9

COMPLETED AS OF JANUARY 1 19 75

TYPE OF ROAD		MILEAGE TOTAL									
			DAVID- SON	DAVIE	FORSYTH	ROWAN	STOKES				
NON SURFD	A PRIMITIVE	00	.60					.60			
	B UNIMPROVED	10	169.20	47.00	3.70	7.60	56.40	54.50			
	C GRADED AND DRAINED	20	241.10	44.60	20.00	36.90	33.20	106.40			
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	509.20	177.10	65.20	78.70	49.90	138.30			
	E GRAVEL OR STONE —UNTREATED	41	440.20	53.90	75.00	107.10	106.70	97.50			
	TOTAL NON HARD SURFACED	1,360.30	322.60	163.90	230.30	246.20	397.30				
	F BITUMINOUS SURFACE TREATED	F₁ TOPSOIL OR SAND-CLAY	51	1,585.70	524.30	126.30	356.50	319.30	259.30		
		F₂ GRAVEL OR STONE	52	814.40	186.00	77.90	180.00	265.60	104.90		
		F₃ WATERBOUND MACADAM	54	9.60				9.60			
	G MIXED BITUMINOUS	G₁ NONRIGID BASE	60								
	G MIXED BITUMINOUS	G₂ RIGID BASE	61	1.00				1.00			
H HIGH TYPE SURFACES	H BITUMINOUS PENETRATION	H₁ NONRIGID BASE	64								
		H₂ RIGID BASE	62	.10				.10			
	I BITUMINOUS CONCRETE II		63	119.60	41.20	4.30	39.80	25.70	8.60		
	SAND ASPHALT —HOT PREMIXED	I₂ ON P. C. CONCRETE	67	.20	.20						
		I₃ ON BITUMINOUS CONCRETE	66	.90			.90				
		I₄ ON OTHER TYPES THAN I₂ AND I₃	65	185.50	61.10	6.10	20.40	95.90	2.00		
	J PORTLAND CEMENT CONCRETE		70	34.10	6.20	.80	13.10	2.50	11.50		
	K BRICK		80								
	L BLOCK		90								
	TOTAL HARD SURFACED		2,751.10	819.00	215.40	610.70	719.70	386.30			
	TOTAL MILEAGE		4,111.40	1141.60	379.30	841.00	965.90	783.60			

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 601 SR

SYSTEM RURAL SECONDARY ROAD 70

COUNTY DIVISION TOTALS

DIVISION No. 10

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL								
			ANSON	CABAR-RUS	MECK-LENBURG	STANLY	UNION			
NON SURFD	A PRIMITIVE	00								
	B UNIMPROVED	10	36.20	8.80	8.00	2.60	14.70	2.10		
	C GRADED AND DRAINED	20	101.90	15.30	12.90	8.10	31.00	34.60		
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	148.50	23.20	79.60	11.50	13.00	21.20		
	E GRAVEL OR STONE —UNTREATED	41	629.60	119.90	36.80	101.10	148.30	223.50		
	TOTAL NON HARD SURFACED		916.20	167.20	137.30	123.30	207.00	281.40		
	F BITUMINOUS SURFACE	F ₁ TOPSOIL OR SAND-CLAY	51	887.50	337.70	337.60	58.20	50.10	103.90	
		F ₂ GRAVEL OR STONE	52	1,529.80	154.90	200.30	277.60	421.00	476.00	
	F ₃ WATERBOUND MACADAM	54	5.30	3.90	.30	1.10				
	G MIXED BITUMINOUS	G ₁ NONRIGID BASE	60							
	G ₂ RIGID BASE	61								
HIGH TYPE SURFACES	H BITUMINOUS PENETRATION	H ₁ NONRIGID BASE	64							
		H ₂ RIGID BASE	62							
	I BITUMINOUS CONCRETE I ₁	63	492.13	16.90	65.60	346.83	34.50	28.30		
	SAND ASPHALT —HOT PREMIXED	I ₂ ON P. C. CONCRETE	67	7.40		5.50	1.90			
		I ₃ ON BITUMINOUS CONCRETE	66	.20			.20			
		I ₄ ON OTHER TYPES THAN I ₂ AND I ₃	65	272.20		3.30	43.10	.30	225.50	
	J PORTLAND CEMENT CONCRETE	70	10.00	4.40	1.90	.40	1.50	1.80		
	K BRICK	80								
	L BLOCK	90								
TOTAL HARD SURFACED			3,204.53	517.80	614.50	729.33	507.40	835.50		
TOTAL MILEAGE			4,120.73	685.00	751.80	852.63	714.40	1116.90		

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 601 SR

SYSTEM RURAL SECONDARY ROAD 71
 COUNTY DIVISION TOTALS
 DIVISION No. 11

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL										
			ALLE- GHANY	ASHE	AVERY	CALD- WELL	SURRY	WATAUGA	WILKES	YADKIN		
NON SURFED	A PRIMITIVE	00	4.40				.30		.50		3.60	
	B UNIMPROVED	10	227.20	26.20	58.00	6.80	7.10	20.80	61.80	38.00	8.50	
	C GRADED AND DRAINED	20	256.60	27.90	7.40	3.90	40.50	26.50	13.10	88.40	48.90	
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	151.50	9.50	17.40	1.40	54.80	10.30	.30	30.00	27.80	
	E GRAVEL OR STONE —UNTREATED	41	2,082.60	183.10	372.80	149.20	173.10	376.40	232.70	437.30	158.00	
	TOTAL NON HARD SURFACED		2,722.30	246.70	455.60	161.30	275.80	434.00	308.40	593.70	246.80	
	F BITUMINOUS SURFACE	F ₁ TOPSOIL OR SAND-CLAY 51	291.00	2.20	10.30	2.40	56.60	92.00	11.70	53.20	62.60	
	TREATED	F ₂ GRAVEL OR STONE 52	1,499.50	101.00	194.30	58.80	140.00	317.30	101.10	380.90	206.10	
		F ₃ WATERBOUND MACADAM 54	3.50	1.50		.90	.50			.60		
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G ₁ NONRIGID BASE 60										
	G ₂ RIGID BASE 61	24.00			7.90	3.20		2.30	5.00	5.60		
	H BITUMINOUS PENETRATION	H ₁ NONRIGID BASE 64										
	H ₂ RIGID BASE 62											
		I BITUMINOUS CONCRETE I ₁ 63	108.20	13.40	12.50	6.90	13.40	3.60	19.40	37.60	1.40	
	SAND ASPHALT —HOT PREMIXED	I ₂ ON P. C. CONCRETE 67	.30							.30		
		I ₃ ON BITUMINOUS CONCRETE 66										
		I ₄ ON OTHER TYPES THAN I ₂ AND I ₃ 65	159.10	13.00	.40	3.30	42.00	39.00	12.00	14.00	35.40	
	J PORTLAND CEMENT CONCRETE 70	21.40				.90		8.30		12.20		
	K BRICK 80											
	L BLOCK 90											
TOTAL HARD SURFACED			2,107.00	131.10	225.40	76.40	252.50	462.50	149.20	492.20	317.70	
TOTAL MILEAGE			4,829.30	377.80	681.00	237.70	528.30	896.50	457.60	1085.90	564.50	

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 601 SR

SYSTEM RURAL SECONDARY ROAD 72
COUNTY DIVISION TOTALS
DIVISION No. 12

COMPLETED AS OF JANUARY 1 19 75

TYPE OF ROAD		MILEAGE TOTAL	ALEX- ANDER	CATAWBA	CLEVE- LAND	GASTON	IREDELL	LINCOLN							
NON SURFD	A PRIMITIVE	00													
	B UNIMPROVED	10	14.40	.70	3.00	5.30	1.10	2.70	1.60						
	C GRADED AND DRAINED	20	89.60	6.70	22.70	37.90	4.80	10.90	6.60						
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	857.60	140.10	113.90	168.40	123.10	189.20	122.90						
	E GRAVEL OR STONE —UNTREATED	41	461.30	34.00	68.10	71.10	39.70	208.90	39.50						
	TOTAL NON HARD SURFACED		1,422.90	181.50	207.70	282.70	168.70	411.70	170.60						
HIGH TYPE SURFACES	F BITUMINOUS SURFACE	F1 TOPSOIL OR SAND-CLAY	51	1,744.70	234.20	301.30	379.60	207.60	359.50	262.50					
	TREATED	F2 GRAVEL OR STONE	52	698.98	45.70	117.80	101.88	188.20	181.30	64.10					
		F3 WATERBOUND MACADAM	54												
	G MIXED BITUMINOUS	G1 NONRIGID BASE	60	.20					.20						
	G MIXED BITUMINOUS	G2 RIGID BASE	61												
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64												
	I BITUMINOUS CONCRETE I:	H2 RIGID BASE	62												
		I1 ON P. C. CONCRETE	63	503.79	15.70	101.27	133.12	82.90	127.90	42.90					
		I2 ON P. C. CONCRETE	67	.30					.30						
	J PORTLAND CEMENT CONCRETE	I3 ON BITUMINOUS CONCRETE	66	.70			.40	.30							
		I4 ON OTHER TYPES THAN I2 AND I3	65	195.60	19.30	24.30	52.10	30.60	46.30	23.00					
			70	1.80			1.50			.30					
	K BRICK		80												
	L BLOCK		90												
	TOTAL HARD SURFACED		3,146.07	314.90	544.67	668.60	509.60	715.50	392.80						
TOTAL MILEAGE			4,568.97	496.40	752.37	951.30	678.30	1127.20	563.40						

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 601 SR

SYSTEM RURAL SECONDARY ROAD 73

COUNTY DIVISION TOTALS

DIVISION No. 13

COMPLETED AS OF JANUARY 1 19 75

TYPE OF ROAD		MILEAGE TOTAL										
			BUN- COMBE	BURKE	MADISON	MCDOW- ELL	MIT- CHELL	RUTHER- FORD	YANCEY			
NON SURF'D	A PRIMITIVE	00	.90			.20		.70				
	B UNIMPROVED	10	86.60	7.20	4.30	33.90	6.70	16.90	9.00	8.60		
	C GRADED AND DRAINED	20	147.70	13.70	25.10	9.60	9.50	4.10	84.70	1.00		
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	195.80	1.40	46.90	.20	8.10	.60	138.30	.30		
	E GRAVEL OR STONE —UNTREATED	41	1,411.90	362.10	177.60	285.70	154.80	135.00	156.70	140.00		
	TOTAL NON HARD SURFACED		1,842.90	384.40	253.90	329.60	179.10	157.30	388.70	149.90		
	F BITUMINOUS SURFACE	F1 TOPSOIL OR SAND-CLAY	51	367.94	9.10	99.94	29.50	19.20	4.30	205.40	.50	
	TREATED	F2 GRAVEL OR STONE	52	1,180.12	350.70	206.12	106.70	204.10	87.80	110.80	113.90	
		F3 WATERBOUND MACADAM	54	5.20			2.80		2.10		.30	
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE	60	2.20	.60	.90		.70				
	G2 RIGID BASE	61	9.90	2.10	.30			.10	2.10	2.80	2.50	
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64	.30	.30							
	H2 RIGID BASE	62	2.30					2.30				
	I BITUMINOUS CONCRETE I1	63	451.00	117.60	69.60	35.30	31.00	3.50	174.90	19.10		
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	.70	.70							
		I3 ON BITUMINOUS CONCRETE	66	.60	.60							
		I4 ON OTHER TYPES THAN I2 AND I3	65	75.00	57.50	5.60	1.50	4.70	2.80	2.90		
	J PORTLAND CEMENT CONCRETE	70	22.60	9.50	1.20			7.70	2.90	1.30		
	K BRICK	80										
	L BLOCK	90										
TOTAL HARD SURFACED			2,117.86	548.70	383.66	175.80	267.50	107.80	498.10	136.30		
TOTAL MILEAGE			3,960.76	933.10	637.56	505.40	446.60	265.10	886.80	286.20		

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 601 SR

SYSTEM RURAL SECONDARY ROAD 74

COUNTY DIVISION TOTALS

DIVISION No. 14

COMPLETED AS OF JANUARY 1 19 75

TYPE OF ROAD		MILEAGE TOTAL												
NON SURFD	A PRIMITIVE	00	3.50					1.60	1.90					
	B UNIMPROVED	10	172.10	17.30	8.50	2.60	14.10	6.20	47.20	50.10	4.30	7.40	14.40	
	C GRADED AND DRAINED	20	158.30	9.00	3.20	1.40	9.70	56.80	12.70	10.40	36.10	3.30	15.70	
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	115.50	6.50	1.70	1.10		1.70	23.30	9.00	60.10	1.30	10.80	
	E GRAVEL OR STONE —UNTREATED	41	1,698.20	258.40	91.40	81.60	216.80	313.60	203.50	234.80	91.00	79.80	127.30	
	TOTAL NON HARD SURFACED		2,147.60	291.20	104.80	86.70	240.60	379.90	288.60	304.30	191.50	91.80	168.20	
	F BITUMINOUS SURFACE TREATED	F ₁ TOPSOIL OR SAND-CLAY	51	106.90	1.30	.80	.90	14.20	13.80	13.00	10.10	27.20	12.90	12.70
	F ₂ GRAYEL OR STONE	52	870.30	101.70	64.50	86.50	125.00	127.50	78.60	81.10	56.10	64.10	85.20	
	F ₃ WATERBOUND MACADAM	54	1.40	.50				.90						
	G MIXED BITUMINOUS	G ₁ NONRIGID BASE	60											
	G ₂ RIGID BASE	61	3.70							3.70				
	H BITUMINOUS PENETRATION	H ₁ NONRIGID BASE	64											
	H ₂ RIGID BASE	62												
HIGH TYPE SURFACES	I BITUMINOUS CONCRETE I ₁	63	291.05	29.60	18.80	14.60	35.00	67.05	17.10	53.10	33.60	6.40	15.80	
	SAND ASPHALT —HOT PREMIXED	I ₂ ON P. C. CONCRETE	67	9.60				2.20	4.10		3.30			
	I ₃ ON BITUMINOUS CONCRETE	66	5.30		.60			3.70		.10		.90		
	I ₄ ON OTHER TYPES THAN I ₂ AND I ₃	65	341.20	36.60	22.00	4.60	13.90	79.90	27.90	84.40	54.40	4.00	13.50	
	J PORTLAND CEMENT CONCRETE	70	13.90				.90	.10	5.00	6.70		1.20		
	K BRICK	80												
	L BLOCK	90												
	TOTAL HARD SURFACED		1,643.35	169.70	106.70	106.60	191.20	297.05	141.60	242.50	171.30	89.50	127.20	
TOTAL MILEAGE		3,790.95	460.90	211.50	193.30	431.80	676.95	430.20	546.80	362.80	181.30	295.40		

RURAL - PAVED MILEAGE BY COUNTIES AND SURFACE WIDTH
NC 602 SR

COUNTY	PAVED SURFACE		WIDTH IN FEET						TOTALS	
	16-UNDER	17-19	20-21	22-23	24-26	27-35	36-43	44-47	48-OVER	
ALAMANCE	6.00	130.90	376.60	1.90	5.40	.40				521.20
ALEXANDER	10.20	234.70	60.30	3.90	4.50	1.30				314.90
ALLEGHANY	26.70	57.20	47.20							131.10
ANSON	224.40	261.70	18.60	4.40	8.50				.20	517.80
ASHE	72.30	65.60	86.30	1.20						225.40
AVERY	51.50	14.70	10.20							76.40
BEAUFORT	82.70	154.70	120.90	2.90	8.00	.30			.03	370.53
BERTIE	115.00	113.60	41.70	3.10	5.30					278.70
BLADEN	5.30	204.60	129.90	5.70	1.80		.30			347.60
BRUNSWICK		198.60	92.50	7.30	9.30	2.30				310.00
BUNCOMBE	297.60	131.50	98.20	1.20	18.50	1.00			.70	548.70
BURKE	9.30	300.76	61.30	2.70	7.80	1.10	.40	.10	.20	383.66
CABARRUS	258.00	252.80	64.20	1.40	21.90	11.10	2.00	1.70	1.40	614.50
CALDWELL	98.40	99.10	53.10	1.40	.40	.10				252.50
CAMDEN	36.00	37.70	14.80	.40	.10					89.00
CARTERET	65.10	50.40	55.80	3.80	11.50	1.20	.70		.20	188.70
CASWELL	5.70	109.30	188.20	4.70	.30	1.30	.80			310.30
CATAWBA	.30	382.10	114.70	21.10	22.30	1.70	1.50		.97	544.67
CHATHAM	95.90	208.10	188.30	13.10	1.50	.20				507.10
CHEROKEE	81.40	58.00	23.40	.20	6.70					169.70
CHOWAN	47.30	67.80	13.10	5.30		.60				134.10
CLAY	52.20	50.30	2.30		1.80	.10				106.70
CLEVELAND	10.50	482.60	159.50	1.00	11.50	2.60	.60	.30		668.60
COLUMBUS	.10	403.30	216.30	.20	1.70			.40		622.00
CRAYEN	105.00	127.40	74.10	7.20	11.10	1.00	.10		.40	326.30

JANUARY 1, 1975

STATE SECONDARY HIGHWAY SYSTEM

RURAL - PAVED MILEAGE BY COUNTIES AND SURFACE WIDTH
NC 602 SR

76

COUNTY	PAVED SURFACE WIDTH IN FEET								TOTALS
	16-UNDER	17-19	20-21	22-23	24-26	27-35	36-43	44-47	
CUMBERLAND	1.30	292.40	140.80	31.30	73.80	71.20	18.50	5.80	635.10
CURRITUCK	42.40	53.20	5.80	.60	.10				102.10
DARE	18.80	24.90	7.40	.30					51.40
DAVIDSON	141.20	385.60	270.80	1.10	15.00	4.40	.80	.10	819.00
DAVIE	16.70	92.70	100.60		5.40				215.40
DUPLIN	.60	425.40	210.70	9.90	.90	2.50			650.00
DURHAM	9.40	128.30	136.60	12.00	17.70	8.10	.60	2.10	314.80
EDGECOMBE	79.10	160.20	139.90	7.50	9.60	.60	1.10	.10	398.10
FORSYTH	3.30	281.60	300.90	7.80	13.10	1.60	1.10	1.30	610.70
FRANKLIN	5.50	294.70	124.70			9.70		.60	435.20
GASTON	6.20	322.90	116.70	8.00	40.40	10.80	3.70	.90	509.60
GATES	46.80	88.30	21.30			1.50			157.90
GRAHAM	63.50	23.40	11.30	8.00	.40				106.60
GRANVILLE	1.60	119.80	195.60	12.20	20.70	.60	4.10		354.60
GREENE	55.00	160.30	60.60		3.10	2.70	2.50		284.20
GUILFORD	19.30	320.50	364.30	22.10	35.16	11.30	1.70	2.80	777.16
HALIFAX	67.70	214.90	146.50	1.90	.80			.20	432.00
HARNETT	24.60	325.60	196.90	1.80	5.70	1.20	.50	.20	556.50
HAYWOOD	102.00	43.30	37.90	4.10	3.90				191.20
HENDERSON	138.20	98.30	49.30	2.80	6.35	2.00		.10	297.05
HERTFORD	55.10	113.50	25.10		4.20				197.90
HOKE	5.00	221.70	79.90	2.00	11.50	4.80			324.90
HYDE	32.50	64.40	30.30	1.80					129.00
IREDELL	8.20	548.20	129.90	7.90	11.60	8.50	.30	.70	715.50
JACKSON	64.00	52.60	13.40		3.60	8.00			141.60

JANUARY 1, 1975

STATE SECONDARY HIGHWAY SYSTEM

RURAL - PAVED MILEAGE BY COUNTIES AND SURFACE WIDTH
NC 602 SR

77

COUNTY	PAVED		SURFACE	WIDTH	IN	FEE ET			TOTALS	
	16-UNDER	17-19	20-21	22-23	24-26	27-35	36-43	44-47	48-OVER	
JOHNSTON	.70	439.73	367.90	1.60	10.05	4.70				824.68
JONES	60.90	59.10	56.30	1.00	2.30					179.60
LEE	10.60	171.40	108.90	4.90	6.70	1.20				303.70
LENOIR	54.80	210.30	121.90	3.30	7.00	3.20	.20	.10	.40	401.20
LINCOLN	2.10	277.30	90.80	11.40	10.50	.50	.20			392.80
MACON	113.60	112.80	12.50	1.30	2.30					242.50
MADISON	108.10	40.00	27.60		.10					175.80
MARTIN	70.00	133.50	25.40	3.20	3.20					235.30
MCDOWELL	13.90	192.40	53.90	3.70	1.70	1.80		.10		267.50
MECKLENBURG	253.80	272.20	101.60	20.60	43.93	25.90	3.00	7.20	1.10	729.33
MITCHELL	59.90	34.60	13.00			.30				107.80
MONTGOMERY	152.60	120.10	76.30	10.50	2.20	1.60				363.30
MOORE	63.20	325.40	198.40	38.30	9.40	2.20	.10		.10	637.10
NASH	.40	345.90	231.60		11.60	2.10	.10		7.40	599.10
NEW HANOVER	11.60	110.10	76.80	4.20	18.10	9.50	.10			230.40
NORTHAMPTON	112.40	118.20	37.00		5.70					273.30
ONSLOW	94.60	156.60	108.90	3.20	11.20	7.30	.90		3.20	385.90
ORANGE	1.80	105.50	255.00		1.10	3.50			.20	367.10
PAMLICO	36.50	58.60	21.50	.50	.20	.20				117.50
PASQUOTANK	53.90	81.70	11.70	2.80	3.30	.20				153.60
PENDER	.30	233.40	92.10				.40			326.20
PERQUIMANS	33.90	150.10	13.80	.10	1.90					199.80
PERSON	2.90	118.60	122.60		3.80					247.90
PITT	101.60	232.50	158.20	8.60	15.20	2.70	.30		5.20	524.30
POLK	22.90	113.30	33.30	.50	.70	.60				171.30

JANUARY 1, 1975

STATE SECONDARY HIGHWAY SYSTEM

RURAL - PAVED MILEAGE BY COUNTIES AND SURFACE WIDTH
NC 602 SR

78

COUNTY	PAVED		SURFACE	WIDTH	IN	FEET				TOTALS
	16-UNDER	17-19	20-21	22-23	24-26	27-35	36-43	44-47	48-OVER	
RANDOLPH	163.20	302.30	272.20	1.50	8.30		.20		.90	748.60
RICHMOND	214.30	188.10	67.20	14.90	4.60	2.60		.20		491.90
ROBESON	37.10	588.20	391.40	14.80	8.40		.30		1.20	1041.40
ROCKINGHAM	.30	211.10	242.00	9.10	10.00	4.20				476.70
ROWAN	236.20	258.50	204.40		16.80	3.70			.10	719.70
RUTHERFORD	11.50	373.80	111.60	.10	1.10					498.10
SAMPSON	.30	546.30	296.40	3.10	3.10	.10				849.30
SCOTLAND	30.20	186.80	105.30	10.50	23.00	.80	.20	.20		357.00
STANLY	183.00	267.40	43.50	.20	11.00	1.20	1.00	.10		507.40
STOKES	13.80	127.60	236.40	2.90	2.10	.30	3.20			386.30
SURRY	119.70	150.90	176.40	10.80	3.30	1.20	.20			462.50
SWAIN	68.80	11.80	5.60	2.60	.40	.30				89.50
TRANSYLVANIA	63.10	39.20	18.90	3.70	1.70	.60				127.20
TYRRELL	41.00	34.90	14.50							90.40
UNION	136.30	506.80	175.20	6.90	7.80	1.90	.60			835.50
VANCE	.90	180.50	83.40		8.20	3.70	.11	.50		277.31
WAKE	5.20	509.80	319.11	26.60	20.00	39.40	6.90	.70	4.89	932.60
WARREN	96.00	101.20	84.60	.50	4.70	.60	.10			287.70
WASHINGTON	36.40	62.00	25.60	.90	1.90					126.80
WATAUGA	66.20	41.30	35.10	5.80	.80					149.20
WAYNE	.20	416.10	215.88	3.90	5.30	2.20	.20		.60	644.38
WILKES	128.80	187.70	164.70	9.70	.80	.50				492.20
WILSON	2.30	248.90	149.00	8.90	9.50	1.70	.20		.30	420.80
YADKIN	53.80	159.80	103.40		.70					317.70
YANCEY	87.00	32.50	15.50		1.30					136.30
TOTAL	5997.50	19000.99	11202.99	494.30	769.89	308.30	59.70	12.64	44.86	37891.17

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 700 SM

SYSTEM MUNICIPAL SECONDARY ROAD 79
 COUNTY STATE TOTALS
 DIVISION No. 1-14

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL															
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	
NON SURFD	A PRIMITIVE	00															
	B UNIMPROVED	10	7.72	.71	1.03	1.03	.15	.35	.69	.19	.75	.80	.27	.56	.72	.28	
	C GRADED AND DRAINED	20	26.87	2.85	4.81	2.58	1.38	.71	5.31	1.24	1.02	1.42	.60	2.94	.22	.53	
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	43.47	2.04	4.01	4.31	2.48	2.42	5.71	.27	8.03	2.69	.27	.46	6.20	2.97	1.61
	E GRAVEL OR STONE —UNTREATED	41	47.34		.86	.19	.47	7.34		4.92	3.03	2.02	1.05	6.16	2.10	7.91	11.29
	TOTAL NON HARD SURFACED		125.40	5.60	10.71	8.11	4.48	10.82	11.71	6.62	12.83	6.93	2.19	10.12	9.24	11.69	14.35
	F BITUMINOUS SURFACE	F1 TOPSOIL OR SAND-CLAY	51	390.28	13.50	8.44	4.69	32.96	42.67	24.39	21.73	101.08	44.50	28.53	10.06	29.70	24.52
		F2 GRAVEL OR STONE	52	289.86	10.47	2.11	.29	3.61	33.01	.60	57.16	21.15	21.28	30.23	25.40	30.48	31.38
	F3 WATERBOUND MACADAM	54	.76		.19						.17				.40		
	G MIXED BITUMINOUS	G1 NONRIGID BASE	60	8.12		2.90	2.82	.32	.10	1.18				.22			.58
HIGH TYPE SURFACES	G2 RIGID BASE	61	10.78		.60	.30	1.64	2.56		.40		.47	.50	1.96	1.83	.22	.30
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64														
		H2 RIGID BASE	62	1.84							.78	.26	.80				
	I BITUMINOUS CONCRETE I1	63	922.53	20.16	48.28	46.84	45.85	112.97	54.65	113.79	48.40	93.63	95.70	35.22	106.37	70.46	30.21
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	19.93	2.67	.77	.41	2.48	1.29	1.35	1.21	1.28	3.20	3.69			1.58
		I3 ON BITUMINOUS CONCRETE	66	64.64	2.04	8.62	10.30	14.74		9.18	5.54	4.12	1.76	1.15	.07	.50	1.38
		I4 ON OTHER TYPES THAN I2 AND I3	65	388.42	27.92	45.79	98.56	44.53	15.36	56.42	7.13	53.62	6.22	8.53	9.30	2.74	2.69
	J PORTLAND CEMENT CONCRETE	70	50.92	1.45	.12		1.78	5.33	1.35	7.69	1.50	15.88	4.66	2.74	2.72	4.11	1.59
	K BRICK	80	.36	.10									.26				
	L BLOCK	90															
TOTAL HARD SURFACED			2,148.44	78.31	117.82	164.21	147.91	213.29	149.12	215.43	231.58	188.00	173.21	84.75	174.74	135.34	74.73
TOTAL MILEAGE			2,273.84	83.91	128.53	172.32	152.39	224.11	160.83	222.05	244.41	194.93	175.40	94.87	183.98	147.03	89.08

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 701 SM

SYSTEM MUNICIPAL SECONDARY ROAD 80
 COUNTY DIVISION TOTALS
 DIVISION No. 1

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL															
			BERTIE	CAMDEN	CHOWAN	CURRI-TUCK	DARE	GATES	HERT-FORD	HYDE	MARTIN	NORTH-HAMPTON	PASQUO-TANK	PERQUI-MANS	TYRRELL	WASH-INGTON	
NON SURF'D	A PRIMITIVE	00															
	B UNIMPROVED	10	.71						.09	.18	.38		.06				
	C GRADED AND DRAINED	20	2.85	.71						.51	.86	.24	.04	.10		.39	
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	2.04	.75					.20	.12	.48	.40		.09			
	E GRAVEL OR STONE —UNTREATED	41															
	TOTAL NON HARD SURFACED		5.60	1.46					.29	.81	1.72	.64	.10	.19		.39	
	F BITUMINOUS SURFACE	F1 TOPSOIL OR SAND-CLAY	51	13.50	2.54		.52		.11	.09	3.00	2.11	4.55	.08	.30	.20	
		F2 GRAVEL OR STONE	52	10.47					5.38		.13	2.79	.89	.04	.26	.72	
		F3 WATERBOUND MACADAM	54														
	G MIXED BITUMINOUS	G1 NONRIGID BASE	60														
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G2 RIGID BASE	61														
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64														
		H2 RIGID BASE	62														
	I BITUMINOUS CONCRETE I1	63	20.16	3.92		.90				3.56	1.88	1.81	2.46	2.41	.32	2.90	
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	2.67										.23		2.44	
		I3 ON BITUMINOUS CONCRETE	66	2.04	1.53					.43						.08	
		I4 ON OTHER TYPES THAN I2 AND I3	65	27.92	3.03		3.63		1.41		5.58	5.03	3.64	1.60	.65	3.35	
	J PORTLAND CEMENT CONCRETE	70	1.45												.10	1.35	
	K BRICK	80	.10											.10			
	L BLOCK	90															
	TOTAL HARD SURFACED		78.31	11.02		5.05		6.90	.09	12.70		11.81	10.89	4.28	3.85	.68	11.04
	TOTAL MILEAGE		83.91	12.48		5.05		6.90	.38	13.51		13.53	11.53	4.38	4.04	.68	11.43

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 701 SM

SYSTEM MUNICIPAL SECONDARY ROAD 81

COUNTY DIVISION TOTALS

DIVISION No. 2

COMPLETED AS OF JANUARY 1 19 75

TYPE OF ROAD		MILEAGE TOTAL	BEAU- FORD	CART- ERET	CRAVEN	GREENE	JONES	LENOIR	PAMLICO	PITT						
NON SURFD	A PRIMITIVE	00														
	B UNIMPROVED	10	1.03	.04		.68	.10			.21						
	C GRADED AND DRAINED	20	4.81	.05		2.13			.05	1.62	.96					
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	4.01	.23		1.67	.20		.62	.85	.44					
	E GRAVEL OR STONE —UNTREATED	41	.86		.04	.72				.10						
	TOTAL NON HARD SURFACED		10.71	.32	.04	5.20	.30		.67	2.78	1.40					
	F BITUMINOUS SURFACE	F ₁ TOPSOIL OR SAND-CLAY 51	8.44		.20	2.54	1.35		.78	3.08	.49					
	TREATED	F ₂ GRAVEL OR STONE 52	2.11	.94	.53	.20		.24		.20						
		F ₃ WATERBOUND MACADAM 54	.19								.19					
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G ₁ NONRIGID BASE 60	2.90		1.40		.40			.82	.28					
	G MIXED BITUMINOUS	G ₂ RIGID BASE 61	.60		.60											
	H BITUMINOUS PENETRATION	H ₁ NONRIGID BASE 64														
	H ₂ RIGID BASE 62															
	I BITUMINOUS CONCRETE I ₁	63	48.28	6.99	10.56	8.60	1.36		7.10	1.66	12.01					
	SAND ASPHALT —HOT PREMIXED	I ₂ ON P. C. CONCRETE 67	.77				.18		.05		.54					
		I ₃ ON BITUMINOUS CONCRETE 66	8.62	.45	1.99	1.30	.95		2.05		1.88					
		I ₄ ON OTHER TYPES THAN I ₂ AND I ₃ 65	45.79	4.07	13.48	5.40	1.33	1.34	5.99	1.92	12.26					
	J PORTLAND CEMENT CONCRETE	70	.12				.12									
	K BRICK	80														
	L BLOCK	90														
TOTAL HARD SURFACED		117.82	12.45	28.76	18.04	5.69	1.58	15.97	7.68	27.65						
TOTAL MILEAGE		128.53	12.77	28.80	23.24	5.99	1.58	16.64	10.46	29.05						

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 701 SM

SYSTEM MUNICIPAL SECONDARY ROAD 82

COUNTY DIVISION TOTALS

DIVISION No. 3

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL	BRUNS- WICK	DUPLIN	NEW HANOVER	ONSLOW	PENDER	SAMPSON						
NON SURFD	A PRIMITIVE	00												
	B UNIMPROVED	10	1.03	.50	.06	.20		.27						
	C GRADED AND DRAINED	20	2.58	.41	2.11			.06						
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	4.31	.84	1.39		.60	1.33	.15					
	E GRAVEL OR STONE —UNTREATED	41	.19					.19						
	TOTAL NON HARD SURFACED		8.11	1.75	3.56	.20	.60	1.79	.21					
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	4.69	1.44	1.34	.49	.23	1.10	.09					
HIGH TYPE SURFACES	F2 GRAVEL OR STONE 52		.29					.29						
	F3 WATERBOUND MACADAM 54													
	G MIXED BITUMINOUS	G1 NONRIGID BASE 60	2.82	1.44		.34		1.04						
	G2 RIGID BASE 61		.30		.18	.12								
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 64												
	H2 RIGID BASE 62													
	I BITUMINOUS CONCRETE I1	63	46.84		5.13	17.29	6.61	7.91	9.90					
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 67	.41		.35				.06					
	I3 ON BITUMINOUS CONCRETE 66	10.30		2.65	2.54	.41	.41	4.29						
	I4 ON OTHER TYPES THAN I2 AND I3 65	98.56	42.37	18.76	7.04	5.76	8.67	15.96						
J PORTLAND CEMENT CONCRETE 70														
K BRICK 80														
L BLOCK 90														
TOTAL HARD SURFACED			164.21	45.25	28.41	27.82	13.01	18.38	31.34					
TOTAL MILEAGE			172.32	47.00	31.97	28.02	13.61	20.17	31.55					

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 701 SM

SYSTEM MUNICIPAL SECONDARY ROAD 83
COUNTY DIVISION TOTALS
DIVISION No. 4

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL	EDGE-COMBE	HALIFAX	JOHN-STON	NASH	WAYNE	WILSON							
NON SURFD	A PRIMITIVE	00													
	B UNIMPROVED	10	.15			.05			.10						
	C GRADED AND DRAINED	20	1.38	.30	.80		.28								
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	2.48	.49	.11	.60	.57	.71							
	E GRAVEL OR STONE —UNTREATED	41	.47	.27		.20									
	TOTAL NON HARD SURFACED		4.48	1.06	.91	.85	.85	.71	.10						
	F BITUMINOUS SURFACE TREATED	51	32.96	4.45	4.57	6.84	7.50	2.31	7.29						
HIGH TYPE SURFACES	F1 TOPSOIL OR SAND-CLAY	51													
	F2 GRAVEL OR STONE	52	3.61	1.39	.69	.03	.58	.66	.26						
	F3 WATERBOUND MACADAM	54													
	G MIXED BITUMINOUS	60	.32				.32								
	G1 NONRIGID BASE	61	1.64	.25	.27	.56	.08	.10	.38						
	H BITUMINOUS PENETRATION	64													
	H1 NONRIGID BASE	64													
	H2 RIGID BASE	62													
	I BITUMINOUS CONCRETE I1	63	45.85	5.42	5.00	6.26	4.67	12.56	11.94						
	SAND ASPHALT —HOT PREMIXED	67	2.48	1.19	.18		.52		.59						
	I2 ON P. C. CONCRETE	67													
	I3 ON BITUMINOUS CONCRETE	66	14.74	1.94		4.86	3.49	1.65	2.80						
	I4 ON OTHER TYPES THAN I2 AND I3	65	44.53	6.63	4.95	10.45	6.54	6.55	9.41						
	J PORTLAND CEMENT CONCRETE	70	1.78		.33		.17		1.28						
	K BRICK	80													
	L BLOCK	90													
TOTAL HARD SURFACED		147.91	21.27	15.99	29.00	23.87	23.83	33.95							
TOTAL MILEAGE		152.39	22.33	16.90	29.85	24.72	24.54	34.05							

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 701 SM

SYSTEM MUNICIPAL SECONDARY ROAD 84

COUNTY DIVISION TOTALS

DIVISION No. 5

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL									
			DURHAM	FRANK- LIN	GRAN- VILLE	PERSON	VANCE	WAKE	WARREN		
NON SURFD	A PRIMITIVE	00									
	B UNIMPROVED	10	.35				.22		.07	.06	
	C GRADED AND DRAINED	20	.71	.39		.18	.05		.09		
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	2.42	.75	.03	.10		.49	.94	.11	
	E GRAVEL OR STONE —UNTREATED	41	7.34	4.19	.03	.15	.18	.80	1.58	.41	
	TOTAL NON HARD SURFACED		10.82	5.33	.06	.43	.45	1.29	2.68	.58	
	F BITUMINOUS SURFACE	F1 TOPSOIL OR SAND-CLAY	51	42.67	8.18	3.05	2.98	1.23	2.28	21.59	3.36
	TREATED	F2 GRAVEL OR STONE	52	33.01	13.97	.10	3.33	4.13	2.30	9.18	
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE	60	.10	.10						
	G MIXED BITUMINOUS	G2 RIGID BASE	61	2.56	2.56						
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64								
		H2 RIGID BASE	62								
	I BITUMINOUS CONCRETE I1	I1	63	112.97	26.82	3.33	6.47	.53	6.21	68.69	.92
SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	I2	67	1.29						1.29	
	I3 ON BITUMINOUS CONCRETE	I3	66								
	I4 ON OTHER TYPES THAN I2 AND I3	I4	65	15.36	5.38	.28	.40	.18	1.09	7.95	.08
J PORTLAND CEMENT CONCRETE		J	70	5.33	1.44	.53		1.49		1.87	
K BRICK		K	80								
L BLOCK		L	90								
TOTAL HARD SURFACED			213.29	58.45	7.29	13.18	7.56	11.88	110.57	4.36	
TOTAL MILEAGE			224.11	63.78	7.35	13.61	8.01	13.17	113.25	4.94	

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 701 SM

SYSTEM MUNICIPAL SECONDARY ROAD 85
COUNTY DIVISION TOTALS
DIVISION No. 6

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL								
			BLADEN	COLUM- BUS	CUMBER- LAND	HARNETT	ROBESON			
NON SURFD	A PRIMITIVE	00								
	B UNIMPROVED	10	.69	.40		.05		.24		
	C GRADED AND DRAINED	20	5.31	2.12	1.66			1.53		
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	5.71	3.62	.47	.75		.87		
	E GRAVEL OR STONE —UNTREATED	41								
	TOTAL NON HARD SURFACED		11.71	6.14	2.13	.80		2.64		
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	24.39	5.06	5.01	4.06	4.38	5.88	
		F2 GRAVEL OR STONE	52	.60			.10	.10	.40	
		F3 WATERBOUND MACADAM	54							
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE	60	1.18		.70	.31		.17	
	G MIXED BITUMINOUS	G2 RIGID BASE	61							
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64							
		H2 RIGID BASE	62							
	I BITUMINOUS CONCRETE I1		63	54.65	4.20	3.82	19.64	5.30	21.69	
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	1.35			.11		1.24	
		I3 ON BITUMINOUS CONCRETE	66	9.18	.43	1.05	5.03	.63	2.04	
		I4 ON OTHER TYPES THAN I2 AND I3	65	56.42	6.62	11.93	9.01	8.69	20.17	
	J PORTLAND CEMENT CONCRETE		70	1.35		.41	.37		.57	
	K BRICK		80							
	L BLOCK		90							
TOTAL HARD SURFACED			149.12	16.31	22.92	38.63	19.10	52.16		
TOTAL MILEAGE			160.83	22.45	25.05	39.43	19.10	54.80		

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 701 SM

SYSTEM MUNICIPAL SECONDARY ROAD 86

COUNTY DIVISION TOTALS

DIVISION No. 7

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL								
			ALA- MANCE	CASWELL	GUIL- FORD	ORANGE	ROCK- INGHAM			
NON SURFD	A PRIMITIVE	00								
	B UNIMPROVED	10	.19			.19				
	C GRADED AND DRAINED	20	1.24			1.08	.16			
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	.27	.10		.07	.10			
	E GRAVEL OR STONE —UNTREATED	41	4.92	.35		2.17	1.45	.95		
	TOTAL NON HARD SURFACED		6.62	.45		3.51	1.71	.95		
	F BITUMINOUS SURFACE	51	21.73	2.76		11.86	4.20	2.91		
HIGH TYPE SURFACES	TREATED	F1 TOPSOIL OR SAND-CLAY	51	57.16	12.32		35.05	2.16	7.63	
		F2 GRAVEL OR STONE	52							
		F3 WATERBOUND MACADAM	54							
	G MIXED BITUMINOUS	G1 NONRIGID BASE	60							
	G MIXED BITUMINOUS	G2 RIGID BASE	61	.40	.40					
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64							
		H2 RIGID BASE	62	.78		.78				
	I BITUMINOUS CONCRETE	I1	63	113.79	23.84		56.81	10.60	22.54	
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	1.21			1.21			
		I3 ON BITUMINOUS CONCRETE	66	5.54			5.46		.08	
		I4 ON OTHER TYPES THAN I2 AND I3	65	7.13			6.80		.33	
	J PORTLAND CEMENT CONCRETE		70	7.69	.62		6.14	.20	.73	
	K BRICK		80							
	L BLOCK		90							
TOTAL HARD SURFACED			215.43	39.94		124.11	17.16	34.22		
TOTAL MILEAGE			222.05	40.39		127.62	18.87	35.17		

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 701 SM

SYSTEM MUNICIPAL SECONDARY ROAD 87
COUNTY DIVISION TOTALS
DIVISION No. 8

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL										
			CHATHAM	HOKE	LEE	MONT- GOMERY	MOORE	RAN- DOLPH	RICH- MOND	SCOT- LAND		
NON SURFD	A PRIMITIVE	00										
	B UNIMPROVED	10	.75					.75				
	C GRADED AND DRAINED	20	1.02	.30			.07	.62		.03		
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	8.03			.23		2.18	4.11	1.06	.45	
	E GRAVEL OR STONE —UNTREATED	41	3.03	.81		.16			2.06			
	TOTAL NON HARD SURFACED		12.83	1.11		.39		2.25	7.54	1.06	.48	
	F BITUMINOUS SURFACE	F ₁ TOPSOIL OR SAND-CLAY	51	101.08	4.95	3.86	7.63	4.46	26.09	37.70	6.57	9.82
		F ₂ GRAVEL OR STONE	52	21.15	2.46		.62	.30	.80	15.94	1.01	.02
	F ₃ WATERBOUND MACADAM	54	.17						.17			
	G MIXED BITUMINOUS	G ₁ NONRIGID BASE	60									
	G MIXED BITUMINOUS	G ₂ RIGID BASE	61									
HIGH TYPE SURFACES	H BITUMINOUS PENETRATION	H ₁ NONRIGID BASE	64									
		H ₂ RIGID BASE	62	.26						.26		
	I BITUMINOUS CONCRETE II	63	48.40	4.12	.65	6.99	2.07	5.62	20.00	2.43	6.52	
	SAND ASPHALT —HOT PREMIXED	I ₂ ON P. C. CONCRETE	67	1.28	.80					.33	.15	
		I ₃ ON BITUMINOUS CONCRETE	66	4.12	.94	.13	.03	.97	.18	.09	.86	.92
		I ₄ ON OTHER TYPES THAN I ₂ AND I ₃	65	53.62	3.70	1.91	1.68	5.35	10.42	4.93	15.02	10.61
	J PORTLAND CEMENT CONCRETE	70	1.50	.88						.42	.20	
	K BRICK	80										
	L BLOCK	90										
TOTAL HARD SURFACED			231.58	17.85	6.55	16.95	13.15	43.11	79.58	26.50	27.89	
TOTAL MILEAGE			244.41	18.96	6.55	17.34	13.15	45.36	87.12	27.56	28.37	

**NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD**

NC 701 SM

SYSTEM MUNICIPAL SECONDARY ROAD 88

COUNTY DIVISION TOTALS

DIVISION No. 9

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL								
			DAVID- SON	DAVIE	FORSYTH	ROWAN	STOKES			
NON SURF'D	A PRIMITIVE	00								
	B UNIMPROVED	10	.80			.44	.36			
	C GRADED AND DRAINED	20	1.42	.13		.89	.20	.20		
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	2.69	.71		1.37	.27	.34		
	E GRAVEL OR STONE —UNTREATED	41	2.02			1.79	.23			
	TOTAL NON HARD SURFACED		6.93	.84		4.49	1.06	.54		
	F BITUMINOUS SURFACE TREATED	F ₁ TOPSOIL OR SAND-CLAY 51	44.50	7.98	1.65	18.66	13.29	2.92		
		F ₂ GRAVEL OR STONE 52	21.28	1.62	.86	14.02	4.78			
		F ₃ WATERBOUND MACADAM 54								
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G ₁ NONRIGID BASE 60								
	G MIXED BITUMINOUS	G ₂ RIGID BASE 61	.47			.26	.21			
	H BITUMINOUS PENETRATION	H ₁ NONRIGID BASE 64								
		H ₂ RIGID BASE 62	.80				.80			
	I BITUMINOUS CONCRETE I ₁	63	93.63	25.12		51.71	16.50	.30		
	SAND ASPHALT —HOT PREMIXED	I ₂ ON P. C. CONCRETE 67	3.20	.69		2.51				
		I ₃ ON BITUMINOUS CONCRETE 66	1.76	.75		.65	.36			
		I ₄ ON OTHER TYPES THAN I ₂ AND I ₃ 65	6.22	.78		1.33	4.11			
	J PORTLAND CEMENT CONCRETE	70	15.88	.63		15.15	.10			
	K BRICK	80	.26			.26				
	L BLOCK	90								
TOTAL HARD SURFACED			188.00	37.57	2.51	104.55	40.15	3.22		
TOTAL MILEAGE			194.93	38.41	2.51	109.04	41.21	3.76		

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 701 SM

SYSTEM MUNICIPAL SECONDARY ROAD 89

COUNTY DIVISION TOTALS

DIVISION No. 10

COMPLETED AS OF JANUARY 1 19 75

TYPE OF ROAD		MILEAGE TOTAL												
NON SURFD	A PRIMITIVE	00												
	B UNIMPROVED	10	.27				.17	.10						
	C GRADED AND DRAINED	20	.60		.10	.20		.30						
	D SOIL SURFACED —UNTREATED	30	.27					.27						
LOW TYPE SURFACES	E GRAVEL OR STONE —UNTREATED	41	1.05			.75	.30							
	TOTAL NON HARD SURFACED		2.19		.10	.95	.47	.67						
	F BITUMINOUS SURFACE	F1 TOPSOIL OR SAND-CLAY	51	28.53	11.57	3.04	4.49	6.42	3.01					
	TREATED	F2 GRAVEL OR STONE	52	30.23	1.86	1.27	10.04	10.19	6.87					
HIGH TYPE SURFACES	F3 WATERBOUND MACADAM	54												
	G MIXED BITUMINOUS	G1 NONRIGID BASE	60	.22	.22									
	G2 RIGID BASE	61	.50				.50							
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64											
H2 RIGID BASE		62												
I BITUMINOUS CONCRETE I1		63	95.70	3.93	5.08	69.45	4.45	12.79						
SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	3.69		.25	3.44								
	I3 ON BITUMINOUS CONCRETE	66	1.15	.04		1.11								
	I4 ON OTHER TYPES THAN I2 AND I3	65	8.53	1.43		4.10		3.00						
J PORTLAND CEMENT CONCRETE		70	4.66	1.83	.34	1.01	.74	.74						
K BRICK		80												
L BLOCK		90												
TOTAL HARD SURFACED			173.21	20.88	9.98	93.64	22.30	26.41						
TOTAL MILEAGE			175.40	20.88	10.08	94.59	22.77	27.08						

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 701 SM

SYSTEM MUNICIPAL SECONDARY ROAD 90

COUNTY DIVISION TOTALS

DIVISION No. 11

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL											
NON SURFD	A PRIMITIVE	00											
	B UNIMPROVED	10	.56				.11	.33	.12				
	C GRADED AND DRAINED	20	2.94		.34	.12	.07		1.43	.90	.08		
	D SOIL SURFACED —UNTREATED	30	.46	.10			.13	.11			.12		
LOW TYPE SURFACES	E GRAVEL OR STONE —UNTREATED	41	6.16	.23	.04	3.36	.47	.61	.80	.57	.08		
	TOTAL NON HARD SURFACED		10.12	.33	.38	3.48	.78	1.05	2.35	1.47	.28		
	F BITUMINOUS SURFACE TREATED	F ₁ TOPSOIL OR SAND-CLAY	51	10.06	.30		.64	2.34	2.08	1.85		2.85	
		F ₂ GRAVEL OR STONE	52	25.40	1.92	.82	2.48	3.57	4.41	3.30	3.26	5.64	
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G ₁ NONRIGID BASE	60										
	G MIXED BITUMINOUS	G ₂ RIGID BASE	61	1.96			.70			.98	.28		
	H BITUMINOUS PENETRATION	H ₁ NONRIGID BASE	64										
		H ₂ RIGID BASE	62										
	I BITUMINOUS CONCRETE I ₁	I ₁	63	35.22		1.15	4.61	6.02	10.05	5.05	2.93	5.41	
	SAND ASPHALT —HOT PREMIXED	I ₂ ON P. C. CONCRETE	67										
		I ₃ ON BITUMINOUS CONCRETE	66	.07								.07	
		I ₄ ON OTHER TYPES THAN I ₂ AND I ₃	65	9.30				7.08	.39	.23	1.60		
	J PORTLAND CEMENT CONCRETE	J	70	2.74				1.50	.56		.10	.58	
	K BRICK	K	80										
	L BLOCK	L	90										
	TOTAL HARD SURFACED		84.75	2.22	1.97	8.43	20.51	17.49	11.41	8.24	14.48		
TOTAL MILEAGE		94.87	2.55	2.35	11.91	21.29	18.54	13.76	9.71	14.76			

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 701 SM

SYSTEM MUNICIPAL SECONDARY ROAD 91

91

COUNTY DIVISION TOTALS

DIVISION TOTALS

COMPLETED AS OF JANUARY 1 **19**75

DIVISION No. 12

TYPE OF ROAD		MILEAGE TOTAL										
			ALEX- ANDER	CATAWBA	CLEVE- LAND	GASTON	IREDELL	LINCOLN				
NON SURF'D	A PRIMITIVE	00										
	B UNIMPROVED	10	.72		.27	.45						
	C GRADED AND DRAINED	20	.22		.03		.19					
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	6.20	.05	.28	3.28	2.30	.29				
	E GRAVEL OR STONE —UNTREATED	41	2.10		.31	.96	.47	.36				
	TOTAL NON HARD SURFACED			9.24	.05	.89	4.69	2.96	.65			
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	29.70	.95	3.98	15.47	5.00	3.71	.59			
		F2 GRAVEL OR STONE 52	30.48	.48	6.07	7.28	11.36	5.25	.04			
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE 60										
	G MIXED BITUMINOUS	G2 RIGID BASE 61	1.83	.10				.13	1.60			
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 64										
		H2 RIGID BASE 62										
	I BITUMINOUS CONCRETE I1	63	106.37	.52	29.62	15.68	42.36	13.76	4.43			
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 67										
		I3 ON BITUMINOUS CONCRETE 66	.50	.49					.01			
		I4 ON OTHER TYPES THAN I2 AND I3 65	2.74			1.75	.99					
	J PORTLAND CEMENT CONCRETE	70	2.72		1.57			.75	.34	.06		
	K BRICK	80										
	L BLOCK	90										
TOTAL HARD SURFACED			174.74	2.54	41.24	40.58	60.59	24.67	5.12			
TOTAL MILEAGE			183.98	2.59	42.13	45.27	63.55	25.32	5.12			

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 701 SM

SYSTEM MUNICIPAL SECONDARY ROAD 92

COUNTY DIVISION TOTALS

DIVISION No. 13

COMPLETED AS OF JANUARY 1 19 75

TYPE OF ROAD		MILEAGE TOTAL	BUN- COMBE	BURKE	MADISON	MCDOW- ELL	MIT- CHELL	RUTHER- FORD	YANCEY						
NON SURFD	A PRIMITIVE	00													
	B UNIMPROVED	10	.28	.20	.05	.03									
	C GRADED AND DRAINED	20	.53	.05				.10	.38						
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	2.97		1.74			.05	1.18						
	E GRAVEL OR STONE —UNTREATED	41	7.91	1.50	.90	.86	.67	.56	3.03	.39					
	TOTAL NON HARD SURFACED		11.69	1.75	2.69	.89	.67	.71	4.59	.39					
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	24.52	.40	11.41		1.14		11.57					
		F2 GRAVEL OR STONE	52	31.38	8.30	3.21	5.08	2.55	3.20	8.50	.54				
		F3 WATERBOUND MACADAM	54												
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE	60	.58		.06			.52						
	G MIXED BITUMINOUS	G2 RIGID BASE	61	.22	.22										
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64												
		H2 RIGID BASE	62												
	I BITUMINOUS CONCRETE I1		63	70.46	20.12	17.49	5.22	2.89	3.15	18.47	3.12				
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67												
		I3 ON BITUMINOUS CONCRETE	66	1.38	1.38										
		I4 ON OTHER TYPES THAN I2 AND I3	65	2.69	1.63	.50	.56								
	J PORTLAND CEMENT CONCRETE		70	4.11	.95	1.60	.84	.72							
	K BRICK		80												
	L BLOCK		90												
TOTAL HARD SURFACED			135.34	33.00	34.27	11.70	7.30	6.35	39.06	3.66					
TOTAL MILEAGE			147.03	34.75	36.96	12.59	7.97	7.06	43.65	4.05					

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

NC 701 SM

SYSTEM MUNICIPAL SECONDARY ROAD 93

COUNTY DIVISION TOTALS

DIVISION No. 14

COMPLETED AS OF JANUARY 1 1975

TYPE OF ROAD		MILEAGE TOTAL												
			CHERO- KEE	CLAY	GRAHAM	HAYWOOD	HENDER- SON	JACKSON	MACON	POLK	SWAIN	TRANS- YLVANIA		
NON SURFD	A PRIMITIVE	00												
	B UNIMPROVED	10	.19							.15				
	C GRADED AND DRAINED	20	1.26				.13		1.10				.03	
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	1.61	.22					1.39					
	E GRAVEL OR STONE —UNTREATED	41	11.29	.70			.14	.14	5.83	2.18	1.08	1.00	.22	
	TOTAL NON HARD SURFACED		14.35	.92			.27	.14	8.47	2.18	1.12	1.00	.25	
	F BITUMINOUS SURFACE TREATED	F₁ TOPSOIL OR SAND-CLAY	51	3.51	.15		.06	.23		.53	1.41	1.13		
		F₂ GRAVEL OR STONE	52	22.69	3.67	1.00	.18	2.50	.67	2.92	4.32	1.09	3.97	2.37
		F₃ WATERBOUND MACADAM	54											
	G MIXED BITUMINOUS	G₁ NONRIGID BASE	60											
		G₂ RIGID BASE	61		.30						.30			
	H BITUMINOUS PENETRATION	H₁ NONRIGID BASE	64											
		H₂ RIGID BASE	62											
HIGH TYPE SURFACES	I BITUMINOUS CONCRETE I₁		63	30.21	3.75	.61	1.43	9.14	3.04	2.80	.80	2.09	3.24	3.31
	SAND ASPHALT —HOT PREMIXED	I₂ ON P. C. CONCRETE	67		1.58				.13	.08	.37	.06	.94	
		I₃ ON BITUMINOUS CONCRETE	66		5.24	.83			1.25	2.83		.20	.13	
		I₄ ON OTHER TYPES THAN I₂ AND I₃	65		9.61	.38	.52		2.71	.68	.54	1.22	2.00	1.56
	J PORTLAND CEMENT CONCRETE		70		1.59	.40					.06	.30	.49	.34
	K BRICK		80											
	L BLOCK		90											
	TOTAL HARD SURFACED			74.73	9.18	2.13	1.67	15.96	7.30	7.22	8.61	7.87	7.55	7.24
	TOTAL MILEAGE			89.08	10.10	2.13	1.67	16.23	7.44	15.69	10.79	8.99	8.55	7.49

JANUARY 1, 1975

STATE SECONDARY HIGHWAY SYSTEM

MUNICIPAL - PAVED MILEAGE BY COUNTIES AND SURFACE WIDTH
INC 702 SM

94

COUNTY	PAVED		SURFACE	WIDTH	IN	F E E T			TOTALS	
	16-UNDER	17-19	20-21	22-23	24-26	27-35	36-43	44-47	48-OVER	
ALAMANCE	.07	8.24	20.56	1.51	2.15	2.64	2.30	.77	1.70	39.94
ALEXANDER	.82	.44	.66	.19	.25	.13		.05		2.54
ALLEGHANY	.85	1.37								2.22
ANSON	3.97	12.52	1.22	.30		1.29	.88		.70	20.88
ASHE	.48	.84		.65						1.97
AVERY	4.36	2.94	1.13							8.43
BEAUFORT	.94	1.81	1.92	.74	.11	.78	.07	3.49	2.59	12.45
BERTIE	1.56	4.92	3.04			.87	.43	.20		11.02
BLADEN		6.93	4.52	1.83	2.17	.40	.33		.13	16.31
BRUNSWICK		31.39	10.05	.46	.54	2.81				45.25
BUNCOMBE	9.32	5.74	4.74	.77	6.65	2.69	1.16	.10	1.83	33.00
BURKE	.62	13.59	9.04	.20	8.72	.42	.95	.73		34.27
CABARRUS	1.91	3.08	.75		1.46	1.35	1.18		.25	9.98
CALDWELL	6.15	7.14	3.74	.47	1.45	.37	1.04		.15	20.51
CAMDEN										
CARTERET	4.07	9.39	7.60	.26	3.43	1.13	.79	1.54	.55	28.76
CASWELL										
CATAWBA		10.96	5.37	2.46	9.65	6.59	3.21	1.00	2.00	41.24
CHATHAM	1.60	4.16	5.90	2.12	1.18	1.28	1.07	.54		17.85
CHEROKEE	2.65	3.11	2.08	.05	.15	.81	.16		.17	9.18
CHOWAN	.49	2.90	1.66							5.05
CLAY	.35	1.22			.05		.45		.06	2.13
CLEVELAND	1.26	23.44	6.94	.30	2.98	2.08	2.10	1.41	.07	40.58
COLUMBUS	.11	14.62	3.18	.41	.86	1.63	.60	1.34	.17	22.92
CRAVEN	.02	7.72	4.78	.15	1.61	.60	1.06	.17	1.93	18.04

JANUARY 1, 1975

STATE SECONDARY HIGHWAY SYSTEM

MUNICIPAL - PAVED MILEAGE BY COUNTIES AND SURFACE WIDTH
NC 702 SM

95

COUNTY	PAVED SURFACE WIDTH IN FEET										TOTALS
	16-UNDER	17-19	20-21	22-23	24-26	27-35	36-43	44-47	48-OVER		
CUMBERLAND	.17	13.34	4.08	1.87	4.99	.72	3.96	.30	9.20		38.63
CURRITUCK											
DARE		6.10	.44			.36					6.90
DAVIDSON	3.61	13.89	2.09	.15	3.33	3.81	5.09	1.33	4.27		37.57
DAVIE	.36	.89	1.26								2.51
DUPLIN		18.80	4.43	1.74	1.09	.62	.87	.56	.30		28.41
DURHAM	1.86	14.24	19.11	1.93	4.00	8.72	3.54	1.11	3.94		58.45
EDGECOMBE	.71	6.38	3.64	.22	1.14	3.13	2.69	2.09	1.27		21.27
FORSYTH	.16	30.64	14.99	8.15	5.04	8.66	12.47	1.94	22.50		104.55
FRANKLIN	.37	2.48	1.08		.26	2.14	.30	.66			7.29
GASTON	.51	14.14	7.88	6.71	12.56	5.13	2.69	.85	10.12		60.59
GATES						.09					.09
GRAHAM	.34	.78	.35	.02			.07	.11			1.67
GRANVILLE	.17	4.15	6.74		.70	.35	.77		.30		13.18
GREENE	.18	2.31	.71		.37	1.29	.49	.34			5.69
GUILFORD	2.23	39.70	27.60	5.41	5.36	11.98	7.30	4.29	20.24		124.11
HALIFAX	1.43	5.28	3.73	.55	1.67	.75	1.00				15.99
HARNETT	.53	8.11	6.83		1.79		.07	.74	1.03		19.10
HAYWOOD	4.96	1.93	.58	1.86	2.91	2.48	.17	.44	.63		15.96
HENDERSON	1.67	1.08	1.27		1.12	.78	.50		.88		7.30
HERTFORD	1.56	6.08	.41	.38	.14	2.07	1.42		.64		12.70
HOKE		2.36	1.04		2.03		.25	.87			6.55
HYDE											
IREDELL		8.41	2.54	1.54	2.87	5.90	1.92	.44	1.05		24.67
JACKSON	3.78	1.99	.32	.07	1.06						7.22

JANUARY 1, 1975

STATE SECONDARY HIGHWAY SYSTEM

MUNICIPAL - PAVED MILEAGE BY COUNTIES AND SURFACE WIDTH
NC 702 SM

96

COUNTY	PAVED SURFACE WIDTH IN FEET										TOTALS
	16-UNDER	17-19	20-21	22-23	24-26	27-35	36-43	44-47	48-OVER		
JOHNSTON	12.97	6.82	.53	2.25	3.26	3.02			.15		29.00
JONES	.52	.83	.17	.06							1.58
LEE	.22	5.90	2.39	.24	1.60	1.56	.88	1.21	2.95		16.95
LENOIR	.35	2.50	1.51	.68	1.82	2.61	2.50	2.32	1.68		15.97
LINCOLN		1.15	1.03	.64	.26	.99		.44	.61		5.12
MACON	4.22	1.66	2.45		.10	.08		.06	.04		8.61
MADISON	7.65	1.48	2.22	.29				.06			11.70
MARTIN	2.11	5.64	1.89	.31	.72	.75	.39				11.81
MCDOWELL	.15	4.28	.69	.07	.22	.51	.48		.90		7.30
MECKLENBURG	5.65	25.38	8.85	5.34	8.73	4.46	5.31	9.61	20.31		93.64
MITCHELL	.99	1.41	3.26	.59		.10					6.35
MONTGOMERY	1.16	6.13	1.90	.21	1.57		1.28	.85	.05		13.15
MOORE	1.01	20.94	8.05	1.69	3.08	3.49	2.71	.96	1.18		43.11
NASH	.90	9.44	6.30		1.72	1.36	2.21	.53	1.41		23.87
NEW HANOVER	.56	4.39	1.80	2.65	5.31	1.44	6.20	2.81	2.66		27.82
NORTHHAMPTON	2.08	6.90	.81	.50		.60					10.89
ONSLOW	1.42	1.59	1.24	.13	.98	2.42	.48	.37	4.38		13.01
ORANGE		7.09	5.83	.50	1.30	1.22	.62		.60		17.16
PAMILICO	3.07	1.74	2.34		.10	.12	.31				7.68
PASQUOTANK	.02	2.01	.13	.48	.15	.28	1.21				4.28
PENDER		12.50	3.80	.82		.47	.12		.67		18.38
PERQUIMANS	.05	1.53	.46		.80	.84	.17				3.85
PERSON	.47	.80	2.64		.68	2.20	.62		.15		7.56
PITT	.48	6.33	6.96	2.50	1.11	3.38	2.48	1.28	3.13		27.65
POLK	2.12	3.18	.91		1.48		.13		.05		7.87

MUNICIPAL - PAVED MILEAGE BY COUNTIES AND SURFACE WIDTH
NC 702 SM

COUNTY	PAVED		SURFACE	WIDTH	IN	F E E T			TOTALS	
	16-UNDER	17-19	20-21	22-23	24-26	27-35	36-43	44-47	48-OVER	
RANDOLPH	17.07	29.46	22.55	.40	2.59	2.51	2.27	1.08	1.65	79.58
RICHMOND	2.19	12.62	2.34	1.89	.82	4.48	1.61	.55	.55	26.50
ROBESON	1.95	18.44	9.83	1.76	2.52	5.37	3.87	2.97	5.45	52.16
ROCKINGHAM	1.56	5.89	8.73	2.38	4.91	1.45	6.56	.98	1.76	34.22
ROWAN	6.88	12.20	5.27	.36	5.11	6.65	2.37	.09	1.22	40.15
RUTHERFORD	5.51	17.18	11.15	.94	1.60	1.70	.26	.72	.72	39.06
SAMPSON		14.38	4.88	1.08	2.52	.60	5.76	.80	1.32	31.34
SCOTLAND	.48	8.41	7.25	1.65	2.34	1.45	2.98	2.82	.51	27.89
STANLY	4.15	9.21	.20		1.84	2.00	3.84	.50	.56	22.30
STOKES		1.34	1.88							3.22
SURRY	1.90	2.77	3.27	3.26	1.66	.63	2.05	.93	1.02	17.49
SWAIN	5.26	.96		.29	.23	.10	.15	.08	.48	7.55
TRANSYLVANIA	1.49	1.90	2.63		.60	.13		.17	.32	7.24
TYRRELL		.21	.05	.32			.10			.68
UNION	2.60	9.66	4.20	.17	4.46	.65	3.75	.44	.48	26.41
VANCE	1.06	3.68	1.82	.07	1.14	1.70	1.20	.19	1.02	11.88
WAKE	1.11	29.49	24.17	5.05	6.28	5.75	12.81	6.29	20.62	110.57
WARREN	1.43	.94	.08		.63	1.09	.19			4.36
WASHINGTON	.37	2.24	1.79	1.00	4.73	.46			.45	11.04
WATAUGA	5.20	2.69	1.71	.40	1.41					11.41
WAYNE		11.41	5.41	.65	.67	2.65	1.35	.08	1.61	23.83
WILKES	1.91	2.28	.84	2.12		1.09				8.24
WILSON	.92	7.22	6.68	1.22	3.97	6.64	6.55	.12	.63	33.95
YADKIN	1.76	7.98	2.18		1.11	.98	.07	.40		14.48
YANCEY	1.52	.31	.82		.49	.36			.16	3.66
TOTAL	165.90	742.57	413.96	87.12	181.45	167.55	152.08	66.06	171.75	2148.44