

NORTH CAROLINA

HIGHWAY AND ROAD MILEAGE

PREPARED BY THE

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS

IN COOPERATION WITH THE

U. S. DEPARTMENT OF TRANSPORTATION
FEDERAL HIGHWAY ADMINISTRATION

 TABLE OF CONTENTS 

Table	Page		Table	Page
Explanation of Highway and Road System	1	Type of Surface Mileage By Divisions, Municipal	NC 400 PM	36
Explanation of Surface Type	2	Type of Surface Mileage by Divisions and Counties, Municipal.	NC 401 PM	37
SUMMARY MILEAGE TABLES		Paved Mileage by Counties and Surface Width, Municipal	NC 402 PM	51
Paved and Unpaved Mileage by Years and Rural-Municipal	NC 100 TL 6	STATE SECONDARY HIGHWAY SYSTEM		
Surface Type by Divisions	NC 101 TL 8	Paved and Unpaved Mileage by Counties and Rural-Municipal	NC 500 ST	56
Paved and Unpaved Mileage by Divisions And Rural-Municipal	NC 102 TL 9	Type of Surface Mileage by Divisions, Rural	NC 600 SR	60
Rural-Municipal Mileage by Traffic Lanes	NC 103 TL 10	Type of Surface Mileage by Divisions and Counties, Rural	NC 601 SR	61
Rural-Municipal Mileage by Control of Access	NC 104 TL 11	Paved Mileage by Counties and Surface Width, Rural	NC 602 SR	75
STATE PRIMARY HIGHWAY SYSTEM		Type of Surface Mileage by Divisions, Municipal	NC 700 SM	79
Paved and Unpaved Mileage by Counties and Rural Municipal	NC 200 PT 13	Type of Surface Mileage by Divisions and Counties, Municipal	NC 701 SM	80
Type of Surface Mileage by Divisions, Rural	NC 300 PR 17	Paved Mileage by Counties and Surface Width, Municipal	NC 702 SN	94
Type of Surface Mileage by Divisions and Counties, Rural.	NC 301 PR 18			
Paved Mileage by Counties and Surface Width, Rural	NC 302 PR 32			

EXPLANATION OF HIGHWAY AND ROAD SYSTEMS

THE RURAL STATE PRIMARY HIGHWAY SYSTEM is composed of all Interstate, U.S. and NC numbered highways, except those lying within the corporate limits of incorporated towns.

THE MUNICIPAL STATE PRIMARY HIGHWAY SYSTEM is composed of all Interstate, U.S. and N.C. numbered highways or streets lying within the corporate limits of incorporated towns.

THE RURAL SECONDARY ROAD SYSTEM is composed of all State-maintained roads, except Interstate, U.S. and N.C. numbered highways, lying outside the corporate limits of incorporated towns.

THE MUNICIPAL SECONDARY ROAD SYSTEM is composed of municipal extensions of the Rural Secondary Road System.

- NOTES:
1. The incorporated status of all towns is determined from official lists of the North Carolina Department of Transportation, Division of Highways. The date on which the status of incorporation is determined corresponds with the data of the mileage tabulation.
 2. Bridges are included in the surfaced mileage and are considered as being of the same type as the approach surface.

EXPLANATION OF SURFACE TYPES

- A - PRIMITIVE: On the official system, but unimproved, with no maintenance, natural surface, barely passable but usable by 4-wheel vehicles, and publicly traveled by small numbers of vehicles.
- B - UNIMPROVED: A road, composed wholly (or with minor local exceptions) of the natural ground of the region traversed, which may or may not have been bladed, which does not conform in respect to alignment, grade, and drainage; at least to the definition of "Graded and Drained", and on which the only work done by public authority is that required to maintain a condition of bare passability for horse-drawn or motor vehicles.
- C - GRADED AND DRAINED: A road of natural earth (or with minor exceptions) aligned and graded to permit reasonably convenient use by motor vehicles, and drained by longitudinal and transverse drainage systems, natural or artificial, sufficiently to prevent serious impairment of the road by surface water.
- D - SOIL SURFACED-UNTREATED: Topsoil, sand, sand-clay, natural or artificial; also stabilized earth (stabilized with sand, selected materials, tar, Portland cement, chemicals or other admixtures). Not bituminous surface treated.

- E - GRAVEL OR STONE-UNTREATED: Crushed or natural gravel, crushed stone, slag, gravel, shale, shell, chert, marl, crushed brick, shist, disintegrated granite, iron ore, chats, screened gravel, and other similar fragmental material (coarser than sand), traffic bound macadam made of crushed stone, crushed gravel or slag. Not bituminous surface treated.
- F - BITUMINOUS SURFACE-TREATED:
 - F-1. Topsoil or Sand-Clay: Same as "D" except Bituminous Surface-treated with a mat of about one inch or less in thickness.
 - F-2. Gravel or Stone: Same as "E" except Bituminous Surface-treated with a mat of about one inch or less in thickness.
 - F-3. Waterbound Macadam: Waterbound Macadam surfaced with Bituminous Surface treatment mat of about one inch or less in thickness.
- G - MIXED BITUMINOUS: A road, the wearing surface of which is one inch or more in compacted thickness, composed of gravel, stone, sand, or similar material, mixed with bituminous material under

partial control as to grading and proportions. Examples are Mixed-in-Place sand asphalt, or bituminous sand-road mix. (Does not include hot premixed sand asphalt.)

G-1. Non-rigid Base:

A mixed bituminous road the base course of which is of other than Types J, K, or L, and the combined compact thickness of surface and base is less than 7 inches, or the design is such as to produce a road having a characteristically low or non-uniform load-bearing capacity.

G-2. Rigid Base:

A mixed bituminous road on any base of Types J, K, or L; also on any other type of base where the combined compacted thickness of surface and base is 7 inches or more, or where, by reason of the presence of natural foundation materials which meet base requirements, the road has a characteristically high uniform load-bearing capacity.

H - BITUMINOUS PENETRATION: A gravel or stone road, consisting of a base course and a wearing course one inch or more in compacted thickness, bound with bituminous material introduced by downward or upward penetration.

H-1. Non-rigid Base:

A bituminous penetration road the base course of which is of other than Types J, K, or L, and the combined thickness of surface and base is less than 7 inches, or the design is such as to produce a road having a characteristically low or non-uniform load-bearing capacity.

H-2. Rigid Base:

A bituminous penetration road on any base of Types J, K, or L; also on any other type of base where the combined compacted thickness of surface and base is 7 inches or more, or where by reason of the presence of natural foundation materials which meet base requirements, the road has a characteristically high uniform load-bearing capacity.

I - BITUMINOUS CONCRETE: Bituminous concrete on any rigid or non-rigid base (of substantial thickness). Bituminous concrete includes sheet asphalt, topeka, rock asphalt, and similar bituminous mixes with precise control as to grading and proportions, temperature, etc.

SAND ASPHALT-HOT PREMIXED: Premixed Sand Asphalt prepared under reasonable precise

specifications, and exact control as to grading and proportions, on any base as follows:

- I-2. Sand asphalt hot premixed on existing Portland cement concrete pavement.
- I-3. Sand asphalt hot premixed on existing bituminous concrete pavement.
- I-4. Sand asphalt hot premixed on sand asphalt base, or on any other base or type, except in I-2 or I-3 above.

J - PORTLAND CEMENT CONCRETE: Wearing surface of plain or reinforced Portland Cement Concrete, with or without a bituminous mat or less than one inch in compacted thickness. Does not include Portland Cement Stabilization. Includes P.C. Concrete covered with a seal coat or Bituminous Surface-treated, or any layer less than about 1". Does not include P. C. Concrete covered with Retread, Sand-Mix, or Sand Asphalt over 1" thick. (See G-2 and I-2)

K - BRICK: Paving brick, with or without a bituminous mat less than one inch in compacted thickness. (See G-2 and I-4).

L - BLOCK: Paving block (either stone block, wooden block, asphalt block) or other form of block, except vitrified paving brick, with or without a bituminous mat less than one inch in compacted thickness. (see G-2 and I-4).



STATE PRIMARY AND SECONDARY HIGHWAY SYSTEM

PAVED AND UNPAVED MILEAGE BY YEARS AND RURAL - MUNICIPAL
NC 100 TL

6

END OF YEAR	RURAL STATE PRIMARY HIGHWAYS			MUNICIPAL STATE PRIMARY HIGHWAYS			TOTAL STATE PRIMARY HIGHWAYS	RURAL STATE SECONDARY ROADS			MUNICIPAL STATE SECONDARY ROADS			TOTAL STATE SECONDARY ROADS	ALL STATE SYSTEMS		
	UNPAVED	PAVED	TOTAL	UNPAVED	PAVED	TOTAL		UNPAVED	PAVED	TOTAL	UNPAVED	PAVED	TOTAL		UNPAVED	PAVED	TOTAL
1921				5,200 ^{/1}			5,200 ^{/1}								5,200 ^{/1}		
1922				5,600 ^{/2}			5,600 ^{/2}								5,600 ^{/2}		
1923	4,922	1,178	6,100				6,100								4,922	1,178	6,100
1924	4,416	1,808	6,224				6,224								4,416	1,808	6,224
1925	3,807	2,327	6,134				6,134								3,807	2,327	6,134
1926	3,370	2,848	6,218				6,218								3,370	2,848	6,218
1927	3,733	3,350	7,083				7,083								3,733	3,350	7,083
1928	3,358	3,779	7,137				7,137								3,358	3,779	7,137
1929	4,305	4,004	8,309				8,309								4,305	4,004	8,309
1930	4,490	4,215	8,705				8,705								4,490	4,215	8,705
1931	5,179	4,573	9,752				9,752								5,179	4,573	9,752
1932	5,401	4,632	10,033				10,033								5,401	4,632	10,033
1933	5,831	4,317	10,148				10,148								52,003	4,971	56,974
1934	2,819	7,511	10,330	90	759	849	11,179	46,172	654	46,826					47,066	48,905	58,245
1935	2,852	7,947	10,799	90	766	856	11,655	45,995	1,053	47,048					47,048	48,937	58,703
1936	2,778	8,097	10,875	90	766	856	11,731	45,857	1,125	46,982					46,982	48,725	9,988
1937	2,617	8,138	10,755	4	403	407	11,162	46,288	1,155	47,443					47,443	48,909	9,696
1938	2,311	8,508	10,819	4	404	408	11,227	46,345	1,552	47,897					47,897	48,660	10,464
1939	2,000	8,424	10,424	28	844	872	11,296	45,643	1,556	47,199					47,199	47,671	10,824
1940	1,690	8,727	10,417	25	856	881	11,298	45,818	1,824	47,642					47,642	47,533	11,407
1941	1,521	8,866	10,387	24	884	908 ^{/2}	11,295	45,879	1,995	47,874	507	420	927 ^{/2}	48,801	47,931	12,165	60,096
1942	1,456	8,937	10,393	23	912	935 ^{/2}	11,328	46,053	2,063	48,116	549	438	987 ^{/2}	49,103	48,081	12,350	60,431
1943	1,414	8,938	10,352	21	941	962 ^{/2}	11,314	46,033	2,103	48,136	593	418	1,011 ^{/2}	49,147	48,061	12,400	60,461
1944	1,359	8,941	10,300	20	969	989	11,289	46,220	2,152	48,372	633	436	1,069	49,441	48,232	12,498	60,730
1945	1,342	8,953	10,295	19	984	1,003	11,298	46,880	2,171	49,051	634	441	1,075	50,126	48,875	12,549	61,424
1946	1,266	9,076	10,342	21	986	1,007	11,349	46,896	2,856	49,752	615	478	1,093	50,845	48,798	13,396	62,194
1947	1,107	9,223	10,330	21	1,011	1,032	11,362	46,388	4,060	50,448	589	535	1,124	51,572	48,105	14,829	62,934
1948	825	9,526	10,351	19	1,037	1,056	11,407	45,922	5,109	51,031	550	614	1,164	52,195	47,316	16,286	63,602
1949	685	9,776	10,461	13	1,060	1,073	11,534	45,328	6,372	51,700	520	667	1,187	52,887	46,546	17,875	64,421
1950	457	10,064	10,521	10	1,082	1,092	11,613	42,028	10,794	52,822	481	760	1,241	54,063	42,976	22,700	65,676
1951	338	10,304	10,642	5	1,094	1,099	11,741	38,915	14,596	53,511	425	870	1,295	54,806	39,683	26,864	66,547
1952	252	10,477	10,729	4	1,117	1,121	11,850	36,086	18,182	54,268	368	923	1,291	55,559	36,710	30,699	67,409
1953	204	10,566	10,770	4	1,123	1,127	11,897	34,418	20,551	54,969	345	979	1,324	56,293	34,971	33,219	68,190
1954	146	10,736	10,882	4	1,123	1,127	12,009	34,150	21,364	55,514	346	1,042	1,388	56,902	34,646	34,265	68,911
1955	124	10,844	10,968	3	1,163	1,166	12,134	33,979	22,074	56,053	332	1,073	1,405	57,458	34,438	35,154	69,592
1956	99	11,015	11,114	2	1,169	1,171	12,285	33,763	22,735	56,498	321	1,127	1,448	57,946	34,185	36,046	70,231
1957	94	11,066	11,160	2	1,210	1,212	12,372	33,149	23,466	56,615	281	1,209	1,490	58,105	33,526	36,951	70,477
1958	85	11,167	11,252	2	1,225	1,227	12,479	32,869	23,985	56,854	257	1,280	1,537	58,391	33,213	37,657	70,870
1959	85	11,205	11,290	2	1,263	1,265	12,555	32,503	24,707	57,210	249	1,330	1,579	58,789	32,839	38,505	71,344
1960	84	11,209	11,293	2	1,345	1,347	12,640	31,627	25,040	56,667	229	1,378	1,607	58,274	31,942	38,972	70,914

^{1/} Approximate mileage, about 5,500 had been proposed for State System.^{2/} Estimated mileage

STATE PRIMARY AND SECONDARY HIGHWAY SYSTEM

7

PAVED AND UNPAVED MILEAGE BY YEARS AND RURAL - MUNICIPAL
NC 100 TL

2a

END OF YEAR	RURAL STATE PRIMARY HIGHWAYS			MUNICIPAL STATE PRIMARY HIGHWAYS			TOTAL STATE PRIMARY HIGHWAYS	RURAL STATE SECONDARY ROADS			MUNICIPAL STATE SECONDARY ROADS			TOTAL STATE SECONDARY ROADS	ALL STATE SYSTEMS		
	UNPAVED	PAVED	TOTAL	UNPAVED	PAVED	TOTAL		UNPAVED	PAVED	TOTAL	UNPAVED	PAVED	TOTAL		UNPAVED	PAVED	TOTAL
1961	84	11,269	11,353	2	1,367	1,369	12,722	31,244	25,820	57,064	232	1,424	1,656	58,720	31,562	39,880	71,442
1962	83	11,356	11,439	2	1,402	1,404	12,843	29,905	27,435	57,340	214	1,448	1,662	59,002	30,204	41,641	71,845
1963	83	11,476	11,559	2	1,426	1,428	12,987	29,349	28,190	57,539	221	1,496	1,717	59,256	29,655	42,588	72,243
1964	82	11,466	11,548	2	1,456	1,458	13,006	28,755	28,927	57,682	231	1,579	1,810	59,492	29,070	43,428	72,498
1965	75	11,491	11,566	2	1,472	1,474	13,040	28,149	29,810	57,959	205	1,618	1,823	59,782	28,431	44,391	72,822
1966	67	11,521	11,588	2	1,524	1,526	13,114	27,311	30,736	58,047	206	1,676	1,882	59,929	27,586	45,457	73,043
1967	66	11,588	11,654	2	1,513	1,515	13,169	26,078	32,044	58,122	199	1,742	1,941	60,063	26,345	46,887	73,232
1968	66	11,646	11,712	2	1,521	1,523	13,235	25,001	33,268	58,269	183	1,762	1,945	60,214	25,252	48,197	73,449
1969	42	11,620	11,662	2	1,539	1,541	13,203	24,478	33,897	58,375	193	1,855	2,048	60,423	24,715	48,911	73,626
1970	43	11,668	11,711	2	1,556	1,558	13,269	23,517	35,084	58,601	178	1,945	2,123	60,724	23,740	50,253	73,993
1971	44	11,723	11,767	1	1,547	1,548	13,315	22,908	36,057	58,965	133	1,955	2,088	61,053	23,086	51,282	74,368
1972	44	11,787	11,831	1	1,587	1,588	13,419	22,241	36,870	59,111	127	2,017	2,144	61,255	22,413	52,261	74,674
1973	44	11,818	11,862	1	1,610	1,611	13,473	21,747	37,471	59,218	130	2,093	2,223	61,441	21,922	52,992	74,914

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

8

NC 101 TL

SYSTEM ALL SYSTEMS
COUNTY STATE TOTALS
DIVISION No. 1-14

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL															
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	
NON SURFD	A PRIMITIVE	00	11.70						.50		.60		6.20		.90	3.50	
	B UNIMPROVED	10	1,362.72	142.91	81.83	85.03	51.35	54.52	98.19	59.07	51.89	176.00	47.13	238.06	14.22	87.23	175.29
	C GRADED AND DRAINED <i>A99.</i>	20	4,303.75	568.55	775.38	304.00	366.68	378.87	298.70	336.70	223.19	259.92	115.50	270.24	94.42	152.15	159.36
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	6,423.07	323.34	364.81	686.45	626.68	482.42	992.48	197.57	763.93	489.59	153.96	154.36	872.00	197.77	117.71
	E GRAVEL OR STONE —UNTREATED <i>X</i>	41	9,820.56	263.91	117.56	13.89	114.18	910.02	19.50	949.71	489.97	448.45	662.68	2151.03	480.25	1448.60	1750.81
	TOTAL NON HARD SURFACED		21,021.80	1208.71	1334.53	1089.46	1158.89	1825.83	1408.87	1543.55	1528.98	1374.56	979.27	2819.89	1460.89	1886.65	2206.67
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	12,262.72	618.11	197.93	136.55	1322.70	1205.22	668.29	743.62	1877.64	1728.51	1044.89	357.63	1831.44	410.40	119.79
		F2 GRAVEL OR STONE 52	11,230.66	547.86	129.10	19.19	169.63	828.90	33.63	1457.11	626.11	858.90	1668.57	1746.03	708.45	1412.80	1024.38
	G MIXED BITUMINOUS	G1 NONRIGID BASE <i>Bit. Con.</i> 60	390.02	86.29	105.00	116.34	6.51	1.30	69.01		1.00	1.07	.22		.20	3.08	
	G MIXED BITUMINOUS	G2 RIGID BASE <i>Bit. Con.</i> 61	254.27	16.70	32.45	19.59	55.09	7.78	3.26	44.48	4.32	1.65	1.55	40.50	2.73	12.66	11.51
HIGH TYPE SURFACES	H BITUMINOUS PENETRATION	H1 NONRIGID BASE <i>Bit. Con.</i> 64	6.50	6.30			.20										
		H2 RIGID BASE <i>Bit. Con.</i> 62	27.47	.10		.90		.72		8.68	.26	.90	.78		6.76	8.37	
	I BITUMINOUS CONCRETE I1	<i>Bit. Con.</i> 63	14,085.63	515.12	910.04	1166.85	1197.59	1412.50	1157.82	1072.73	1081.35	614.16	1117.60	593.34	1236.91	1085.14	914.58
	SAND ASPHALT —HOT PREMIXED <i>Bit. Conc.</i>	I2 ON P. C. CONCRETE 67	269.52	84.03	33.05	3.87	53.67	7.59	3.39	11.53	16.48	20.30	14.28	.30	.63	2.96	17.44
		I3 ON BITUMINOUS CONCRETE 66	1,245.05	72.49	95.68	113.03	498.79	1.45	329.99	20.18	56.17	11.72	3.24	22.47	4.14	3.44	12.26
		I4 ON OTHER TYPES THAN I2 AND I3 65	12,131.92	1458.87	1883.45	2333.22	1253.77	288.28	2273.71	47.96	1224.97	212.41	308.66	185.15	209.38	81.32	370.77
	J PORTLAND CEMENT CONCRETE <i>X</i>	70	1,040.80	52.92	25.78	7.66	64.74	169.30	3.58	116.80	36.28	181.07	108.81	47.87	79.92	114.94	31.13
	K BRICK	80	.10.36	.10	10.00							.26					
	L BLOCK	90															
	TOTAL HARD SURFACED		52,992.42	3458.89	3433.07	3917.20	4622.69	3924.04	4542.68	3523.29	4924.75	3640.55	4275.90	3004.83	4080.96	3140.31	2503.26
	TOTAL MILEAGE		74,914.22	4757.60	4772.65	5006.66	5781.58	5749.87	5951.55	5066.84	6453.73	5015.11	5255.17	5824.72	5541.85	5026.96	4709.93

JANUARY 1, 1974

STATE PRIMARY AND SECONDARY HIGHWAY SYSTEM

PAVED AND UNPAVED MILEAGE BY DIVISIONS AND RURAL - MUNICIPAL
NC 102 TL

DIVISION	P R I M A R Y				S E C O N D A R Y				TOTAL		
	R U R A L		M U N I C I P A L		R U R A L		M U N I C I P A L		TOTAL	ALL SYSTEMS	
	PAVED	UNPAVED	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	PAVED	UNPAVED		
01	1069.35		115.03		1184.38	2196.10	1292.90	78.41	5.81	3573.22	4757.60
02	860.22		88.73		948.95	2364.50	1329.00	119.62	10.58	3823.70	4772.65
03	937.56		101.40		1038.96	2713.30	1078.90	164.94	10.56	3967.70	5006.66
04	1067.17		121.93		1189.10	3289.54	1153.10	144.05	5.79	4592.48	5781.58
05	804.27		143.57		947.84	2768.70	1814.50	207.50	11.33	4802.03	5749.87
06	1122.66		117.56		1240.22	3165.20	1403.10	137.26	5.77	4711.33	5951.55
07	759.90		166.77		926.67	2382.86	1535.60	213.76	7.95	4140.17	5066.84
08	866.85		123.59		990.44	3713.28	1515.80	221.03	13.18	5463.29	6453.73
09	671.14		96.98		768.12	2692.20	1369.50	180.23	5.06	4246.99	5015.11
10	664.45		134.42		798.87	3314.01	972.00	163.02	7.27	4456.30	5255.17
11	772.54	8.37	86.60		867.51	2058.60	2800.60	87.09	10.92	4957.21	5824.72
12	666.25		140.56		806.81	3102.87	1451.20	171.28	9.69	4735.04	5541.85
13	784.35	21.28	124.32	.43	930.38	2099.70	1852.90	131.94	12.04	4096.58	5026.96
14	770.84	14.69	49.40		834.93	1609.65	2178.01	73.37	13.97	3875.00	4709.93
TOTALS	11817.55	44.34	1610.86	.43	13473.18	37470.51	21747.11	2093.50	129.92	61441.04	74914.22

JANUARY 1, 1974

STATE PRIMARY AND SECONDARY HIGHWAY SYSTEM

10

RURAL - MUNICIPAL MILEAGE BY NUMBER OF LANES

NC 103 TL

STATE TOTALS

	2 LANES	3 LANES	4 LANES OR MORE			TOTALS
			DIVIDED	UNDIVIDED	1 WAY PAIR	
INTERSTATE RURAL			533			533
INTERSTATE MUNIC			59			59
INTER T/W RURAL	82		142	12		236
INTER T/W MUNIC	8		38	6	2	54
US ROUTES RURAL	3,559	46	590	67		4,262
US ROUTES MUNIC	519	13	167	140	22	861
NC ROUTES RURAL	6,737	4	70	20		6,831
NC ROUTES MUNIC	532	1	32	68	4	637
SR ROUTES RURAL	59,160		13	45		59,218
SR ROUTES MUNIC	2,027		34	162		2,223
TOTALS	72,624	64	1,678	520	28	74,914

JANUARY 1, 1974

STATE PRIMARY AND SECONDARY HIGHWAY SYSTEM


11

RURAL - MUNICIPAL MILEAGE BY CONTROL OF ACCESS

NC 104 TL

STATE TOTALS

	FULL CONTROL		PARTIAL CONTROL		NO CONTROL			TOTALS
	2 LANE	4 LN OR MORE	2 LANE	4 LN OR MORE	2-3 LANE	4 OR MORE	1-W PAIR	
INTERSTATE RURAL		533						533
INTERSTATE MUNIC		59						59
INTER T/W RURAL		14	8	31	74	109		236
INTER T/W MUNIC		7		8	8	29	2	54
US ROUTES RURAL	44	155	52	69	3,508	434		4,262
US ROUTES MUNIC	1	34	6	19	525	254	22	861
NC ROUTES RURAL			34	9	6,707	81		6,831
NC ROUTES MUNIC		5	1		532	95	4	637
SR ROUTES RURAL					59,160	58		59,218
SR ROUTES MUNIC					2,028	195		2,223
TOTALS	45	807	101	136	72,542	1,255	28	74,914



JANUARY 1, 1974

STATE PRIMARY HIGHWAY SYSTEM

13

PAVED AND UNPAVED MILEAGE BY COUNTIES AND RURAL - MUNICIPAL
NC 200 PT

	R U R A L			M U N I C I P A L			T O T A L S		
COUNTY	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	TOTAL
ALAMANCE	123.80		123.80	32.20		32.20	156.00		156.00
ALEXANDER	43.74		43.74	1.65		1.65	45.39		45.39
ALLEGHANY	80.67		80.67	3.28		3.28	83.95		83.95
ANSON	112.47		112.47	14.10		14.10	126.57		126.57
ASHE	111.80		111.80	4.66		4.66	116.46		116.46
AVERY	76.82		76.82	7.67		7.67	84.49		84.49
BEAUFORT	160.65		160.65	12.21		12.21	172.86		172.86
BERTIE	129.22		129.22	12.00		12.00	141.22		141.22
BLADEN	263.13		263.13	11.14		11.14	274.27		274.27
BRUNSWICK	172.83		172.83	9.97		9.97	182.80		182.80
BUNCOMBE	171.89	11.67	183.56	51.12	.43	51.55	223.01	12.10	235.11
BURKE	126.96		126.96	21.42		21.42	148.38		148.38
CABARRUS	110.65		110.65	11.83		11.83	122.48		122.48
CALDWELL	93.43	8.37	101.80	23.27		23.27	116.70	8.37	125.07
CAMDEN	44.28		44.28	.04		.04	44.32		44.32
CARTERET	93.92		93.92	7.92		7.92	101.84		101.84
CASWELL	121.37		121.37	1.16		1.16	122.53		122.53
CATAWBA	96.86		96.86	25.17		25.17	122.03		122.03
CHATHAM	146.19		146.19	8.52		8.52	154.71		154.71
CHEROKEE	69.06		69.06	4.59		4.59	73.65		73.65
CHOWAN	42.16		42.16	5.46		5.46	47.62		47.62
CLAY	36.17		36.17	.82		.82	36.99		36.99
CLEVELAND	148.86		148.86	30.42		30.42	179.28		179.28
COLUMBUS	221.06		221.06	27.61		27.61	248.67		248.67
RAVEN	122.30		122.30	13.56		13.56	135.86		135.86

JANUARY 1, 1974

STATE PRIMARY HIGHWAY SYSTEM

PAVED AND UNPAVED MILEAGE BY COUNTIES AND RURAL - MUNICIPAL
NC 200 PT

14

COUNTY	R U R A L			M U N I C I P A L			T O T A L S		
	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	TOTAL
CUMBERLAND	174.31		174.31	36.26		36.26	210.57		210.57
CURRITUCK	70.75		70.75				70.75		70.75
DARE	123.19		123.19	24.40		24.40	147.59		147.59
DAVIDSON	166.26		166.26	13.68		13.68	179.94		179.94
DAVIE	100.87		100.87	6.08		6.08	106.95		106.95
DUPLIN	179.36		179.36	22.77		22.77	202.13		202.13
DURHAM	69.07		69.07	48.97		48.97	118.04		118.04
EDGECOMBE	157.87		157.87	18.90		18.90	176.77		176.77
FORSYTH	144.62		144.62	51.78		51.78	196.40		196.40
FRANKLIN	145.84		145.84	9.08		9.08	154.92		154.92
GASTON	104.95		104.95	50.23		50.23	155.18		155.18
GATES	81.24		81.24	2.92		2.92	84.16		84.16
GRAHAM	47.82		47.82	.87		.87	48.69		48.69
GRANVILLE	120.13		120.13	10.79		10.79	130.92		130.92
GREENE	79.12		79.12	4.53		4.53	83.65		83.65
GUILFORD	208.03		208.03	78.26		78.26	286.29		286.29
HALIFAX	213.72		213.72	18.70		18.70	232.42		232.42
HARNETT	168.45		168.45	15.34		15.34	183.79		183.79
HAYWOOD	137.77		137.77	9.88		9.88	147.65		147.65
HENDERSON	98.83		98.83	4.84		4.84	103.67		103.67
HERTFORD	90.56		90.56	12.11		12.11	102.67		102.67
HOKE	54.25		54.25	6.59		6.59	60.84		60.84
HYDE	76.94		76.94				76.94		76.94
IREDELL	169.83		169.83	31.00		31.00	200.83		200.83
JACKSON	101.51	9.59	111.10	8.28		8.28	109.79	9.59	119.38

JANUARY 1, 1974

STATE PRIMARY HIGHWAY SYSTEM

15

PAVED AND UNPAVED MILEAGE BY COUNTIES AND RURAL - MUNICIPAL
NC 200 PT

COUNTY	R U R A L			M U N I C I P A L			T O T A L S		
	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	TOTAL
JOHNSTON	267.02		267.02	17.79		17.79	284.81		284.81
JONES	69.78		69.78	3.18		3.18	72.96		72.96
LEE	65.58		65.58	13.52		13.52	79.10		79.10
LENOIR	102.21		102.21	7.54		7.54	109.75		109.75
LINCOLN	102.01		102.01	2.09		2.09	104.10		104.10
MACON	91.75		91.75	8.09		8.09	99.84		99.84
MADISON	111.79	3.70	115.49	10.69		10.69	122.48	3.70	126.18
MARTIN	118.90		118.90	18.78		18.78	137.68		137.68
MCDOWELL	130.43		130.43	3.49		3.49	133.92		133.92
MECKLENBURG	173.25		173.25	80.55		80.55	253.80		253.80
MITCHELL	57.07		57.07	6.94		6.94	64.01		64.01
MONTGOMERY	110.22		110.22	16.53		16.53	126.75		126.75
MOORE	153.13		153.13	20.30		20.30	173.43		173.43
NASH	173.70		173.70	29.66		29.66	203.36		203.36
NEW HANOVER	61.14		61.14	22.82		22.82	83.96		83.96
NORTHAMPTON	137.40		137.40	19.33		19.33	156.73		156.73
ONSLOW	143.97		143.97	7.51		7.51	151.48		151.48
ORANGE	100.89		100.89	17.08		17.08	117.97		117.97
PAMLICO	48.91		48.91	10.09		10.09	59.00		59.00
PASQUOTANK	32.78		32.78	7.52		7.52	40.30		40.30
PENDER	158.64		158.64	14.88		14.88	173.52		173.52
PERQUIMANS	23.49		23.49	8.02		8.02	31.51		31.51
PERSON	88.54		88.54	9.08		9.08	97.62		97.62
PITT	183.33		183.33	29.70		29.70	213.03		213.03
POLK	46.60		46.60	4.36		4.36	50.96		50.96

JANUARY 1, 1974

STATE PRIMARY HIGHWAY SYSTEM

16

PAVED AND UNPAVED MILEAGE BY COUNTIES AND RURAL - MUNICIPAL
NC 200 PT

COUNTY	R U R A L			M U N I C I P A L			T O T A L S		
	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	TOTAL
RANDOLPH	166.09		166.09	30.34		30.34	196.43		196.43
RICHMOND	99.20		99.20	14.24		14.24	113.44		113.44
ROBESON	295.71		295.71	27.21		27.21	322.92		322.92
ROCKINGHAM	205.81		205.81	38.07		38.07	243.88		243.88
ROWAN	122.97		122.97	19.77		19.77	142.74		142.74
RUTHERFORD	105.40		105.40	28.23		28.23	133.63		133.63
SAMPSON	221.62		221.62	23.45		23.45	245.07		245.07
SCOTLAND	72.19		72.19	13.55		13.55	85.74		85.74
STANLY	106.08		106.08	15.06		15.06	121.14		121.14
STOKES	136.42		136.42	5.67		5.67	142.09		142.09
SURRY	120.87		120.87	15.12		15.12	135.99		135.99
SWAIN	53.83		53.83	2.88		2.88	56.71		56.71
TRANSYLVANIA	87.50	5.10	92.60	4.79		4.79	92.29	5.10	97.39
TYRRELL	45.51		45.51	1.17		1.17	46.68		46.68
UNION	162.00		162.00	12.88		12.88	174.88		174.88
VANCE	71.01		71.01	9.75		9.75	80.76		80.76
WAKE	227.56		227.56	50.64		50.64	278.20		278.20
WARREN	82.12		82.12	5.26		5.26	87.38		87.38
WASHINGTON	52.93		52.93	3.28		3.28	56.21		56.21
WATAUGA	78.55		78.55	12.33		12.33	90.88		90.88
WAYNE	144.54		144.54	19.61		19.61	164.15		164.15
WILKES	137.44		137.44	11.94		11.94	149.38		149.38
WILSON	110.32		110.32	17.27		17.27	127.59		127.59
YADKIN	72.96		72.96	8.33		8.33	81.29		81.29
YANCEY	80.81	5.91	86.72	2.43		2.43	83.24	5.91	89.15
TOTALS	11817.55	44.34	11861.89	1610.86	.43	1611.29	13428.41	44.77	13473.18

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

17

NC 300 PR

SYSTEM RURAL STATE PRIMARY HIGHWAY

COUNTY STATE TOTALS

COMPLETED AS OF JANUARY 1 1974

DIVISION No. 1-14

TYPE OF ROAD		MILEAGE TOTAL																
			1	2	3	4	5	6	7	8	9	10	11	12	13	14		
NON SURF'D	A PRIMITIVE	00																
	B UNIMPROVED	10	2.80										2.80					
	C GRADED AND DRAINED	20																
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30																
	E GRAVEL OR STONE —UNTREATED	41	41.54										5.57		21.28	14.69		
	TOTAL NON HARD SURFACED		44.34										8.37		21.28	14.69		
	F BITUMINOUS SURFACE	F ₁ TOPSOIL OR SAND-CLAY	51	618.00	31.18	10.14	1.12	10.79	58.72	37.32	109.80	113.76	88.81	73.56	46.12	22.61	6.49	7.58
		F ₂ GRAVEL OR STONE	52	887.11	41.78	1.45		4.67		.70	55.73	44.76	59.27	67.60	246.53	2.93	201.03	160.66
	F ₃ WATERBOUND MACADAM	54	8.04												8.04			
	G MIXED BITUMINOUS	G ₁ NONRIGID BASE	60	61.14	17.59	1.52	18.25			23.78								
HIGH TYPE SURFACES	G ₂ RIGID BASE	61	87.43	10.42	7.45	10.09		.13	.48	33.16	1.67	.07		14.26	.09	2.24	7.34	
	H BITUMINOUS PENETRATION	H ₁ NONRIGID BASE	64															
		H ₂ RIGID BASE	62	.08						3.20					5.72	.16		
	I BITUMINOUS CONCRETE I ₁	63	7,659.35	359.79	567.76	795.28	635.04	615.74	761.82	472.43	578.23	375.60	452.36	406.94	572.58	502.95	562.83	
	SAND ASPHALT —HOT PREMIXED	I ₂ ON P. C. CONCRETE	67	178.03	66.35	27.63	.45	38.76	.07	.36	8.78	13.40	16.69			.10	5.44	
		I ₃ ON BITUMINOUS CONCRETE	66	371.12	43.20	37.37	11.33	140.44		95.49	4.31	2.75	7.44	1.89	21.90			
		I ₄ ON OTHER TYPES THAN I ₂ AND I ₃	65	1,292.15	463.73	193.03	98.94	178.00	3.89	201.61	4.97	96.31	21.43	1.90	8.46	8.64	.21	10.95
	J PORTLAND CEMENT CONCRETE	70	646.10	30.26	13.87	2.10	59.47	125.72	1.10	67.52	15.97	101.83	67.14	20.23	53.58	71.27	16.04	
	K BRICK	80																
	L BLOCK	90																
	TOTAL HARD SURFACED		11,817.55	1069.35	860.22	937.56	1067.17	804.27	1122.66	759.90	866.85	671.14	664.45	772.54	666.25	784.35	770.84	
	TOTAL MILEAGE		11,861.89	1069.35	860.22	937.56	1067.17	804.27	1122.66	759.90	866.85	671.14	664.45	780.91	666.25	805.63	785.53	

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

18

NC 301 PR

SYSTEM RURAL STATE PRIMARY HIGHWAY

COUNTY DIVISION TOTALS

COMPLETED AS OF JANUARY 1 1974

DIVISION No. 1

TYPE OF ROAD		MILEAGE TOTAL																
			BERTIE	CAMDEN	CHOWAN	CURRI-TUCK	DARE	GATES	HERT-FORD	HYDE	MARTIN	NORTH-HAMPTON	PASQUO-TANK	PERQUI-MANS	TYRRELL	WASH-INGTON		
NON SURF'D	A PRIMITIVE	00																
	B UNIMPROVED	10																
	C GRADED AND DRAINED	20																
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30																
	E GRAVEL OR STONE —UNTREATED	41																
	TOTAL NON HARD SURFACED																	
	F BITUMINOUS SURFACE	F ₁ TOPSOIL OR SAND-CLAY	51	31.18	.53	4.47		1.52			22.26				2.35			
	TREATED	F ₂ GRAVEL OR STONE	52	41.78				2.42	9.29	1.45	13.52		6.22		5.50	3.38		
		F ₃ WATERBOUND MACADAM	54															
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G ₁ NONRIGID BASE	60	17.59				17.59										
	G ₂ RIGID BASE	61	10.42				5.32								5.10			
	H BITUMINOUS PENETRATION	H ₁ NONRIGID BASE	64															
	H ₂ RIGID BASE	62																
		I BITUMINOUS CONCRETE I ₁	63	359.79	61.38	36.81	12.60	8.52	1.60	10.41	33.87		79.98	40.70	17.16	23.01	7.12	26.63
	SAND ASPHALT —HOT PREMIXED	I ₂ ON P. C. CONCRETE	67	66.35	11.94	2.60		36.14			15.30			.13	.24			
		I ₃ ON BITUMINOUS CONCRETE	66	48.20	6.24	.20		.40			14.91			26.45				
		I ₄ ON OTHER TYPES THAN I ₂ AND I ₃	65	463.78	49.08	.20	23.89	16.43	89.40	66.37	40.33	25.44	38.92	55.44	15.44	24.10	18.74	
	J PORTLAND CEMENT CONCRETE	70	30.26			5.67			5.31	4.46		.42		8.59	.05	.24	1.34	4.18
	K BRICK	80																
	L BLOCK	90																
TOTAL HARD SURFACED			1,060.35	129.22	44.28	42.16	70.75	123.19	81.24	90.56	76.94	118.90	137.40	32.78	23.49	45.51	52.93	
TOTAL MILEAGE			1,060.35	120.22	44.28	42.16	70.75	123.19	81.24	90.56	76.94	118.90	137.40	32.78	23.49	45.51	52.93	

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

19

NC 301 PR

SYSTEM RURAL STATE PRIMARY HIGHWAY

COUNTY DIVISION TOTALS

DIVISION No. 2

COMPLETED AS OF JANUARY 1 19 74

TYPE OF ROAD		MILEAGE TOTAL	BEAU- FORD	CART- ERET	GRAVEN	GREENE	JONES	LENCTR	PAML TCO	PITT				
NON SURFD	A PRIMITIVE	00												
	B UNIMPROVED	10												
	C GRADED AND DRAINED	20												
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30												
	E GRAVEL OR STONE —UNTREATED	41												
	TOTAL NON HARD SURFACED													
HIGH TYPE SURFACES	F BITUMINOUS SURFACE	F1 TOPSOIL OR SAND-CLAY	51	10.14							10.14			
	TREATED	F2 GRAVEL OR STONE	52	1.45		.37	.58							
		F3 WATERBOUND MACADAM	54											
	G MIXED BITUMINOUS	G1 NONRIGID BASE	60	1.52	1.52									
	G2 RIGID BASE	61	7.45		2.50	4.95								
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64											
	H2 RIGID BASE	62												
	I BITUMINOUS CONCRETE I1	63	567.76	126.99	52.23	64.12	42.39	44.75	76.70	18.16	112.42			
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	27.63		6.47	10.94		9.53		.69			
	I3 ON BITUMINOUS CONCRETE	66	37.37				7.88		7.16	4.50	17.74			
	I4 ON OTHER TYPES THAN I2 AND I3	65	193.03	21.24	30.90	10.70	28.27	15.50	18.35	26.16	41.91			
	J PORTLAND CEMENT CONCRETE	70	13.87	12.42	.30	.72					.43			
	K BRICK	80												
	L BLOCK	90												
	TOTAL HARD SURFACED		860.22	160.65	93.92	122.30	79.12	69.78	102.21	48.91	183.33			
TOTAL MILEAGE		860.22	160.65	93.92	122.30	79.12	69.78	102.21	48.91	183.33				

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

20

NC 301 PR

SYSTEM RURAL STATE PRIMARY HIGHWAY
COUNTY DIVISION TOTALS
DIVISION No. 3

COMPLETED AS OF JANUARY 1 19 74

TYPE OF ROAD		MILEAGE TOTAL	BRUNS- WICK	DUPLIN	NEW HANOVER	ONSLOW	PENDER	SAMPSON							
NON SURF'D	A PRIMITIVE	00													
	B UNIMPROVED	10													
	C GRADED AND DRAINED	20													
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30													
	E GRAVEL OR STONE —UNTREATED	41													
	TOTAL NON HARD SURFACED														
HIGH TYPE SURFACES	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	1.12		1.02			.10						
		F2 GRAVEL OR STONE	52												
		F3 WATERBOUND MACADAM	54												
	G MIXED BITUMINOUS	G1 NONRIGID BASE	60	18.25	13.15		1.38	3.48	.24						
	G2 RIGID BASE	61	10.09	9.34					.75						
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64												
		H2 RIGID BASE	62												
I BITUMINOUS CONCRETE II	63	795.28	109.18	178.05	58.42	110.87	127.56	211.20							
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	.45	.13					.32					
		I3 ON BITUMINOUS CONCRETE	66	11.33	4.12			5.48	1.21	.52					
		I4 ON OTHER TYPES THAN I2 AND I3	65	98.94	36.91	.44	.24	24.14	28.47	8.74					
	J PORTLAND CEMENT CONCRETE	70	2.10		.87	.08		.41	.74						
	K BRICK	80													
	L BLOCK	90													
TOTAL HARD SURFACED		937.56	172.83	179.36	61.14	143.97	158.64	221.62							
TOTAL MILEAGE		937.56	172.83	179.36	61.14	143.97	158.64	221.62							

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

21

NC 301 PR

SYSTEM RURAL STATE PRIMARY HIGHWAY

COUNTY DIVISION TOTALS

DIVISION No. 4

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL									
			EDGE-COMBE	HALIFAX	JOHN-STON	NASH	WAYNE	WILSON			
NON SURFD	A PRIMITIVE	00									
	B UNIMPROVED	10									
	C GRADED AND DRAINED	20									
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30									
	E GRAVEL OR STONE —UNTREATED	41									
	TOTAL NON HARD SURFACED										
	F BITUMINOUS SURFACE	F1 TOPSOIL OR SAND-CLAY	51	10.79		5.56			5.23		
	TREATED	F2 GRAVEL OR STONE	52	4.67		4.67					
	F3 WATERBOUND MACADAM	54									
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE	60								
	G2 RIGID BASE	61									
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64								
	H2 RIGID BASE	62									
	I BITUMINOUS CONCRETE I1	63	635.04	127.76	122.91	153.07	110.38	60.52	60.50		
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	38.75	16.12	12.52	.97	9.14			
		I3 ON BITUMINOUS CONCRETE	66	140.44		1.43	55.97	6.06	50.93	26.05	
		I4 ON OTHER TYPES THAN I2 AND I3	65	178.00	13.88	41.74	29.50	41.25	33.09	18.54	
	J PORTLAND CEMENT CONCRETE	70	59.47	.10	24.99	27.51	6.87				
	K BRICK	80									
	L BLOCK	90									
TOTAL HARD SURFACED			1,067.17	157.87	213.72	267.02	173.70	144.54	110.32		
TOTAL MILEAGE			1,067.17	157.87	213.72	267.02	173.70	144.54	110.32		

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

22

NC 301 PR

SYSTEM RURAL STATE PRIMARY HIGHWAY

COUNTY DIVISION TOTALS

DIVISION No. 5

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL										
			DURHAM	FRANK- LIN	GRAN- VILLE	PERSON	VANCE	WAKE	WARREN			
NON SURFD	A PRIMITIVE	00										
	B UNIMPROVED	10										
	C GRADED AND DRAINED	20										
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30										
	E GRAVEL OR STONE —UNTREATED	41										
	TOTAL NON HARD SURFACED											
	F BITUMINOUS SURFACE	F1 TOPSOIL OR SAND-CLAY	51	58.72	1.25	12.43	1.37	21.13	.84	21.70		
		F2 GRAVEL OR STONE	52									
		F3 WATERBOUND MACADAM	54									
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE	60									
	G MIXED BITUMINOUS	G2 RIGID BASE	61	.13				.13				
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64									
		H2 RIGID BASE	62									
	I BITUMINOUS CONCRETE I1	63	615.74	46.19	117.75	95.13	61.06	56.04	195.47	44.10		
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	.07					.07			
		I3 ON BITUMINOUS CONCRETE	66									
		I4 ON OTHER TYPES THAN I2 AND I3	65	3.89		.45		2.93	.51			
	J PORTLAND CEMENT CONCRETE	70	125.72	21.63	15.21	23.63	6.22	11.97	30.74	16.32		
	K BRICK	80										
	L BLOCK	90										
TOTAL HARD SURFACED			804.27	69.07	145.84	120.13	88.54	71.01	227.56	82.12		
TOTAL MILEAGE			804.27	69.07	145.84	120.13	88.54	71.01	227.56	82.12		

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

23

NC 301 PR

SYSTEM RURAL STATE PRIMARY HIGHWAY

COUNTY DIVISION TOTALS

DIVISION No. 6

COMPLETED AS OF JANUARY 1 19 74

TYPE OF ROAD		MILEAGE TOTAL	BLADEN	COLUM- BUS	CUMBER- LAND	HARNETT	ROBESON								
NON SURF'D	A PRIMITIVE	00													
	B UNIMPROVED	10													
	C GRADED AND DRAINED	20													
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30													
	E GRAVEL OR STONE —UNTREATED	41													
	TOTAL NON HARD SURFACED														
HIGH TYPE SURFACES	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	37.32	6.97	4.20	3.64	11.17	11.34						
		F2 GRAVEL OR STONE	52	.70				.21	.49						
		F3 WATERBOUND MACADAM	54												
	G MIXED BITUMINOUS	G1 NONRIGID BASE	60	23.78	4.50	8.53	10.75								
	G MIXED BITUMINOUS	G2 RIGID BASE	61	.48	.48										
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64												
		H2 RIGID BASE	62												
I BITUMINOUS CONCRETE II		63	761.82	166.65	128.80	123.58	133.95	208.84							
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	.36		.36									
		I3 ON BITUMINOUS CONCRETE	66	95.49	15.33	20.38	21.09	18.69	20.00						
		I4 ON OTHER TYPES THAN I2 AND I3	65	201.61	69.20	58.79	14.29	4.43	54.90						
	J PORTLAND CEMENT CONCRETE		70	1.10			.96		.14						
	K BRICK		80												
	L BLOCK		90												
TOTAL HARD SURFACED			1,122.66	263.13	221.06	174.31	168.45	295.71							
TOTAL MILEAGE			1,122.66	263.13	221.06	174.31	168.45	295.71							

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

24

NC 301 PR

SYSTEM RURAL STATE PRIMARY HIGHWAY

COUNTY DIVISION TOTALS

DIVISION No. 7

COMPLETED AS OF JANUARY 1 19 74

TYPE OF ROAD		MILEAGE TOTAL								
			ALA- MANCE	CASWELL	GUIL- FORD	ORANGE	ROCK- INGHAM			
NON SURFD	A PRIMITIVE	00								
	B UNIMPROVED	10								
	C GRADED AND DRAINED	20								
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30								
	E GRAVEL OR STONE —UNTREATED	41								
	TOTAL NON HARD SURFACED									
	F BITUMINOUS SURFACE	F1 TOPSOIL OR SAND-CLAY 51	109.80	36.32	22.09	8.73	25.12	17.54		
		F2 GRAVEL OR STONE 52	55.73	10.81	31.30	10.05	1.06	2.51		
HIGH TYPE SURFACES	F3 WATERBOUND MACADAM 54									
	G MIXED BITUMINOUS	G1 NONRIGID BASE 60								
	G2 RIGID BASE 61	33.16		26.18		.53	6.45			
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 64								
		H2 RIGID BASE 62	3.20			3.20				
	I BITUMINOUS CONCRETE I1	63	472.43	63.93	34.97	158.36	57.11	158.06		
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 67	8.78	2.46	2.90	2.19		1.23		
		I3 ON BITUMINOUS CONCRETE 66	4.31			4.31				
		I4 ON OTHER TYPES THAN I2 AND I3 65	4.97			2.21		2.76		
	J PORTLAND CEMENT CONCRETE	70	67.52	10.28	3.93	18.98	17.07	17.26		
	K BRICK	80								
	L BLOCK	90								
TOTAL HARD SURFACED			759.90	123.80	121.37	208.03	100.89	205.81		
TOTAL MILEAGE			759.90	123.80	121.37	208.03	100.89	205.81		

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

25

NC 301 PR

SYSTEM RURAL STATE PRIMARY HIGHWAY

COUNTY DIVISION TOTALS

DIVISION No. 8

COMPLETED AS OF JANUARY 1 19 74

TYPE OF ROAD		MILEAGE TOTAL										
			CHATHAM	HOKE	LEE	MONT- GOMERY	MOORE	RAN- DOLPH	RICH- MOND	SCOT- LAND		
NON SURFD	A PRIMITIVE	00										
	B UNIMPROVED	10										
	C GRADED AND DRAINED	20										
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30										
	E GRAVEL OR STONE —UNTREATED	41										
	TOTAL NON HARD SURFACED											
	F BITUMINOUS SURFACE	F1 TOPSOIL OR SAND-CLAY	51	113.76	14.03	7.12	5.50	18.07	38.00	20.89	10.15	
		F2 GRAVEL OR STONE	52	44.76	23.26		2.09	13.99	.26	5.16		
HIGH TYPE SURFACES	F3 WATERBOUND MACADAM	54										
	G MIXED BITUMINOUS	G1 NONRIGID BASE	60									
	G2 RIGID BASE	61	1.67								1.67	
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64									
		H2 RIGID BASE	62									
	I BITUMINOUS CONCRETE I1	63	578.23	91.55	23.04	57.53	74.25	75.84	134.59	72.14	49.29	
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	13.40	1.61	1.91		4.58	.38		4.92	
		I3 ON BITUMINOUS CONCRETE	66	2.75				.30		.05	2.40	
		I4 ON OTHER TYPES THAN I2 AND I3	65	96.31	4.19	21.29		1.54	33.60	5.04	16.74	13.91
	J PORTLAND CEMENT CONCRETE	70	15.97	11.55	.89	.46	2.37	.55	.03	.12		
K BRICK	80											
L BLOCK	90											
TOTAL HARD SURFACED		866.85	146.19	54.25	65.58	110.22	153.13	166.09	99.20	72.19		
TOTAL MILEAGE		866.85	146.19	54.25	65.58	110.22	153.13	166.09	99.20	72.19		

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

26

NC 301 PR

SYSTEM RURAL STATE PRIMARY HIGHWAY

COUNTY DIVISION TOTALS

DIVISION No. 9

COMPLETED AS OF JANUARY 1 19 74

TYPE OF ROAD		MILEAGE TOTAL	DAVID- SON	DAVIE	FORSYTH	ROWAN	STOKES								
NON SURF'D	A PRIMITIVE	00													
	B UNIMPROVED	10													
	C GRADED AND DRAINED	20													
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30													
	E GRAVEL OR STONE —UNTREATED	41													
	TOTAL NON HARD SURFACED														
	F BITUMINOUS SURFACE TREATED	F ₁ TOPSOIL OR SAND-CLAY	51	88.81	10.06	11.33	7.18	60.24							
		F ₂ GRAVEL OR STONE	52	59.27	7.99	4.86	4.82	41.60							
		F ₃ WATERBOUND MACADAM	54												
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G ₁ NONRIGID BASE	60												
	G MIXED BITUMINOUS	G ₂ RIGID BASE	61	.07				.07							
	H BITUMINOUS PENETRATION	H ₁ NONRIGID BASE	64												
		H ₂ RIGID BASE	62												
	I BITUMINOUS CONCRETE I ₁		63	375.60	125.05	63.02	89.03	77.13	21.37						
	SAND ASPHALT —HOT PREMIXED	I ₂ ON P. C. CONCRETE	67	16.69	.31		2.07	14.31							
		I ₃ ON BITUMINOUS CONCRETE	66	7.44		2.20	4.25	.99							
		I ₄ ON OTHER TYPES THAN I ₂ AND I ₃	65	21.43	12.81		.25	8.37							
	J PORTLAND CEMENT CONCRETE	70	101.83	10.04	19.46	37.02	22.10	13.21							
	K BRICK	80													
	L BLOCK	90													
TOTAL HARD SURFACED			671.14	166.26	100.87	144.62	122.97	136.42							
TOTAL MILEAGE			671.14	166.26	100.87	144.62	122.97	136.42							

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

27

NC 301 PR

SYSTEM RURAL STATE PRIMARY HIGHWAY
COUNTY DIVISION TOTALS
DIVISION No. 10

COMPLETED AS OF JANUARY 1 19 74

TYPE OF ROAD		MILEAGE TOTAL								
			ANSON	CABAR- RUS	MECK- LENBURG	STANLY	UNION			
A PRIMITIVE	00									
B UNIMPROVED	10									
C GRADED AND DRAINED	20									
D SOIL SURFACED —UNTREATED	30									
E GRAVEL OR STONE —UNTREATED	41									
TOTAL NON HARD SURFACED										
F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	73.56	19.87	8.38	3.01	19.18	23.12		
	F2 GRAVEL OR STONE	52	67.60	14.00	1.42	3.13	19.17	29.88		
	F3 WATERBOUND MACADAM	54								
G MIXED BITUMINOUS	G1 NONRIGID BASE	60								
G MIXED BITUMINOUS	G2 RIGID BASE	61								
H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64								
	H2 RIGID BASE	62								
I BITUMINOUS CONCRETE I1		63	452.36	70.59	77.56	141.02	58.40	104.79		
SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67								
	I3 ON BITUMINOUS CONCRETE	66	1.89					1.89		
	I4 ON OTHER TYPES THAN I2 AND I3	65	1.90		1.90					
J PORTLAND CEMENT CONCRETE		70	67.14	8.01	21.39	26.09	9.33	2.32		
K BRICK		80								
L BLOCK		90								
TOTAL HARD SURFACED		664.45	112.47	110.65	173.25	106.08	162.00			
TOTAL MILEAGE		664.45	112.47	110.65	173.25	106.08	162.00			

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

28

NC 301 PR

SYSTEM RURAL STATE PRIMARY HIGHWAY

COUNTY DIVISION TOTALS

DIVISION No. 11

COMPLETED AS OF JANUARY 1 19 74

TYPE OF ROAD		MILEAGE TOTAL										
NON SURF'D	A PRIMITIVE	00		ALLE- GHANY	ASHE	AVERY	CALD- WELL	SURRY	WATAUGA	WILKES	YADKIN	
	B UNIMPROVED	10	2.80				2.80					
	C GRADED AND DRAINED	20										
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30										
	E GRAVEL OR STONE —UNTREATED	41	5.57				5.57					
	TOTAL NON HARD SURFACED		8.37				8.37					
	F BITUMINOUS SURFACE	F1 TOPSOIL OR SAND-CLAY	51	46.12			11.61	23.22		11.29		
	TREATED	F2 GRAVEL OR STONE	52	246.53	36.82	48.29	44.14	34.11	5.49	36.76	40.92	
		F3 WATERBOUND MACADAM	54	8.04	4.61		3.43					
	G MIXED BITUMINOUS	G1 NONRIGID BASE	60									
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G2 RIGID BASE	61	14.29		10.90	3.39					
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64									
		H2 RIGID BASE	62									
		I BITUMINOUS CONCRETE I1	63	406.94	35.45	52.61	25.57	42.69	81.27	36.41	67.40	65.54
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67									
		I3 ON BITUMINOUS CONCRETE	66	21.90					.68	17.83	3.39	
		I4 ON OTHER TYPES THAN I2 AND I3	65	8.49	3.79				4.70			
	J PORTLAND CEMENT CONCRETE		70	20.23			.29	5.02	10.89		4.03	
	K BRICK		80									
	L BLOCK		90									
TOTAL HARD SURFACED			772.54	80.67	111.80	76.82	93.43	120.87	78.55	137.44	72.96	
TOTAL MILEAGE			780.91	80.67	111.80	76.82	101.80	120.87	78.55	137.44	72.96	

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

29

NC 301 PR

SYSTEM RURAL STATE PRIMARY HIGHWAY
COUNTY DIVISION TOTALS
DIVISION No. 12

COMPLETED AS OF JANUARY 1 19 74

TYPE OF ROAD		MILEAGE TOTAL	ALEX- ANDER	CATAWBA	CLEVE- LAND	GASTON	IREDELL	LINCOLN						
NON SURFD	A PRIMITIVE	09												
	B UNIMPROVED	10												
	C GRADED AND DRAINED	20												
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30												
	E GRAVEL OR STONE —UNTREATED	41												
	TOTAL NON HARD SURFACED													
HIGH TYPE SURFACES	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	22.61		.08	4.29		1.89	16.35				
		F2 GRAVEL OR STONE	52	2.93		.36	2.52			.05				
		F3 WATERBOUND MACADAM	54											
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE	60											
	G MIXED BITUMINOUS	G2 RIGID BASE	61	.09					.09					
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64											
		H2 RIGID BASE	62	5.72					5.72					
HIGH TYPE SURFACES	I BITUMINOUS CONCRETE I1		63	572.58	43.74	80.40	140.94	87.21	142.26	78.03				
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	.10					.10					
		I3 ON BITUMINOUS CONCRETE	66											
		I4 ON OTHER TYPES THAN I2 AND I3	65	8.64			1.06			7.58				
HIGH TYPE SURFACES	J PORTLAND CEMENT CONCRETE		70	53.58		16.02	.05	11.83	25.68					
	K BRICK		80											
	L BLOCK		90											
TOTAL HARD SURFACED				666.25	43.74	96.86	148.86	104.95	169.83	102.01				
TOTAL MILEAGE				666.25	43.74	96.86	148.86	104.95	169.83	102.01				

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

30

NC 301 PR

SYSTEM RURAL STATE PRIMARY HIGHWAY

COUNTY DIVISION TOTALS

DIVISION No. 13

COMPLETED AS OF JANUARY 1 19 74

TYPE OF ROAD		MILEAGE TOTAL										
			BUN- COMBE	BURKE	MADISON	MCDOW- ELL	MIT- CHELL	RUTHER- FORD	YANCEY			
NON SURFD	A PRIMITIVE	00										
	B UNIMPROVED	10										
	C GRADED AND DRAINED	20										
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30										
	E GRAVEL OR STONE —UNTREATED	41	21.28	11.67		3.70			5.91			
	TOTAL NON HARD SURFACED		21.28	11.67		3.70			5.91			
	F BITUMINOUS SURFACE TREATED	51	6.49		3.79				2.70			
		52	201.03	28.68	26.24	65.11	16.27	18.49	4.47	41.77		
	G MIXED BITUMINOUS	54										
	G1 NONRIGID BASE	60										
HIGH TYPE SURFACES	G2 RIGID BASE	61	2.24	1.94					.30			
	H BITUMINOUS PENETRATION	64										
	H2 RIGID BASE	62	.16						.16			
	I BITUMINOUS CONCRETE I1	63	502.95	120.39	68.82	46.68	92.97	38.55	99.50	36.04		
	SAND ASPHALT —HOT PREMIXED	67										
	I2 ON P. C. CONCRETE	66										
	I3 ON BITUMINOUS CONCRETE	65										
	I4 ON OTHER TYPES THAN I2 AND I3	65	.21						.21			
	J PORTLAND CEMENT CONCRETE	70	71.27	20.88	28.11		21.19	.03	1.06			
	K BRICK	80										
	L BLOCK	90										
TOTAL HARD SURFACED			784.35	171.89	126.96	111.79	130.43	57.07	105.40	80.81		
TOTAL MILEAGE			805.63	183.56	126.96	115.49	130.43	57.07	105.40	86.72		

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

31

NC 301 PR

SYSTEM RURAL STATE PRIMARY HIGHWAY

COUNTY DIVISION TOTALS

DIVISION No. 14

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL													
NON SURFD	A PRIMITIVE	00		CHERO- KEE	CLAY	GRAHAM	HAYWOOD	HENDER- SON	JACKSON	MACON	POLK	SWAIN	TRANS- YLVANIA		
	B UNIMPROVED	10													
	C GRADED AND DRAINED	20													
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30													
	E GRAVEL OR STONE —UNTREATED	41	14.69						9.59			5.10			
	TOTAL NON HARD SURFACED		14.69					9.59			5.10				
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	7.58				.35			7.23				
		F2 GRAVEL OR STONE	52	160.66	13.53	4.92	1.36	31.11	2.01	23.55	24.38	11.60	.14	48.06	
	G MIXED BITUMINOUS	G1 NONRIGID BASE	60												
	G MIXED BITUMINOUS	G2 RIGID BASE	61	7.34					6.35	.99					
HIGH TYPE SURFACES	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64												
		H2 RIGID BASE	62												
	I BITUMINOUS CONCRETE I1	63	562.83	55.53	31.25	46.46	105.74	76.19	68.52	66.38	19.63	53.69	39.44		
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	5.44					4.50	.85					
		I3 ON BITUMINOUS CONCRETE	66												
		I4 ON OTHER TYPES THAN I2 AND I3	65	10.95				.57		2.24		8.14			
	J PORTLAND CEMENT CONCRETE	70	16.04					16.04							
K BRICK	80														
L BLOCK	90														
TOTAL HARD SURFACED		770.84	69.06	36.17	47.82	137.77	98.83	101.51	91.75	46.60	53.83	87.50			
TOTAL MILEAGE		785.53	69.06	36.17	47.82	137.77	98.83	111.10	91.75	46.60	53.83	92.60			

RURAL - PAVED MILEAGE BY COUNTIES AND SURFACE WIDTH
NC 302 PR

COUNTY	16-UNDER	PAVED SURFACE		WIDTH IN FEET	TOTALS				
		17-19	20-21						
ALAMANCE		31.92	24.43	35.34	16.24	.11		15.76	123.80
ALEXANDER			8.82	16.31	17.38	1.17		.06	43.74
ALLEGHANY	10.45	33.67	31.17	5.38					80.67
ANSON		31.93	34.55	9.74	24.95		4.94	6.36	112.47
ASHE		53.20	36.03	19.58	1.36			1.63	111.80
AVERY	4.23	18.20	32.44	14.41	3.90		2.67	.97	76.82
BEAUFORT		36.01	31.17	33.53	57.10	.25		2.59	160.65
BERTIE		.40	45.85	42.32	28.98	.10		9.84	129.22
BLADEN		62.53	84.96	32.13	81.58	.19	.38	1.36	263.13
BRUNSWICK		53.46	48.28	20.95	40.29		.08	3.25	172.83
BUNCOMBE	8.32	25.60	31.59	29.86	15.17	.52	4.55	.72	171.89
BURKE		26.05	13.16	43.78	15.66	.19	.10	28.02	126.96
CABARRUS	2.36	7.61	3.84	8.10	58.17	1.12	.62	.55	28.28
CALDWELL	26.59	16.90	18.25	4.41	15.58			11.70	93.43
CAMDEN		11.67	14.62	17.59				.10	.30
CARTERET	4.82	2.30	42.49	18.42	12.22	.43		13.24	93.92
CASWELL		29.38	26.25	38.18	27.36		.10	.10	121.37
CATAWBA	.08		10.93	21.35	47.52		.39	.32	96.86
CHATHAM		29.99	51.35	30.71	27.95	1.44		.17	146.19
CHEROKEE		14.84	28.30	10.95				14.97	69.06
CHOWAN		4.30	24.10	11.87	1.83	.06			42.16
CLAY		3.26	9.88	7.19	15.84				36.17
CLEVELAND		17.35	31.16	3.92	64.46	.43	.13	1.33	30.08
COLUMBUS		50.72	74.65	26.96	56.79		.51	4.95	6.48
CRAVEN		16.17	35.58	15.52	27.43	1.22	.39	25.99	122.30

JANUARY 1, 1974

STATE PRIMARY HIGHWAY SYSTEM

33

RURAL - PAVED MILEAGE BY COUNTIES AND SURFACE WIDTH
NC 302 PR

COUNTY	16-UNDER	PAVED		SURFACE	W I D T H	IN	F E E T			TOTALS
		17-19	20-21	22-23	24-26	27-35	36-43	44-47	48-OVER	
CUMBERLAND		19.77	52.56	9.10	42.52		1.68	4.18	44.50	174.31
CURRI TUCK	5.84	5.32	10.37	37.32	11.49			.41		70.75
DARE		38.91	50.31	10.32	22.33	.54		.78		123.19
DAVIDSON	6.49	2.10	62.71	11.76	54.96	2.10	1.10		25.04	166.26
DAVIE		6.80	37.11	18.18	19.46				19.32	100.87
DUPLIN		22.08	57.52	81.73	15.21	.24		1.02	1.56	179.36
DURHAM		11.23	16.33	5.52	3.01	.14	.12	4.76	27.96	69.07
EDGE COMBE			71.41	35.37	50.80	.10		.07	.12	157.87
FORSYTH		17.26	32.38	43.17	22.33	.41	.56		28.51	144.62
FRANKLIN		26.25	67.51	21.24	27.24				3.60	145.84
GASTON		8.60	11.93	8.16	41.98	.19	1.20	.48	32.41	104.95
GATES		2.15	65.46	11.48	2.15					81.24
GRAHAM	8.03		5.43	34.36						47.82
GRANVILLE		22.72	26.67	18.65	28.01				24.08	120.13
GREENE			24.61	17.90	36.09		.52			79.12
GUILFORD	3.20	27.34	38.57	32.66	40.73	13.89			51.64	208.03
HALIFAX		35.48	107.32	25.89	21.64				23.39	213.72
HARNETT		16.84	66.63	1.04	71.84		.14	.04	11.92	168.45
HAYWOOD	5.27	23.31	37.43	5.09	3.96	3.61	.33		58.77	137.77
HENDERSON			18.08	40.23	16.71	1.13	.94	.05	21.69	98.83
HERTFORD		19.13	39.77	.81	30.32			.53		90.56
HOKE			3.23	22.54	28.48					54.25
HYDE		28.26	29.58	19.10						76.94
IREDELL		2.56	27.19	77.69	20.50	.95		.15	40.79	169.83
JACKSON	.85	36.95	29.89	9.81	20.29	.06		.45	3.21	101.51

RURAL - PAVED MILEAGE BY COUNTIES AND SURFACE WIDTH
NC 302 PR

COUNTY	16-UNDER	PAVED		SURFACE	W I D T H	IN	F E E T			TOTALS
		17-19	20-21	22-23	24-26	27-35	36-43	44-47	48-OVER	
JOHNSTON		22.28	137.23	14.43	38.79	8.33	.10	.79	45.07	267.02
JONES		9.53	20.04	15.95	20.05				4.21	69.78
LEE		12.69	12.41	10.34	15.26		2.03	.56	12.29	65.58
LENOIR		3.85	22.28	29.83	13.93	.07	1.61	1.17	29.47	102.21
LINCOLN		12.52	6.39	19.03	61.42	1.28	.87	.41	.09	102.01
MACON	22.04	15.43	21.30	17.11	6.62				9.25	91.75
MADISON	8.21	65.84	7.74	18.85	3.02		7.82		.31	111.79
MARTIN		23.77	15.15	26.40	49.24		.18	.23	3.93	118.90
MCDOWELL		34.34	21.24	33.88	12.82	.30		4.91	22.94	130.43
MECKLENBURG		43.06	1.30	10.55	58.85	.06	1.26	1.89	56.28	173.25
MITCHELL		36.35	3.74	4.00	12.98					57.07
MONTGOMERY		22.74	26.25	20.17	40.82	.24				110.22
MOORE		.63	58.19	22.49	55.99		3.49	3.11	9.23	153.13
NASH		13.76	100.55	10.37	24.50	.37	.49	1.61	22.05	173.70
NEW HANOVER		1.38	1.02	1.76	31.35	8.54	.90	3.15	13.04	61.14
NORTHAMPTON		6.28	91.98	.58	26.48	4.58			7.50	137.40
ONSLOW		14.97	26.47	54.78	16.68	12.71		2.13	16.23	143.97
ORANGE		20.11	23.79	18.93	16.25	.09	.26	1.87	19.59	100.89
PAMLICO		10.50	8.14	21.13	9.09		.05			48.91
PASQUOTANK		10.04	.20	12.16	.13		.05	1.46	8.74	32.78
PENDER		42.42	26.27	19.49	54.96	15.50				158.64
PERQUIMANS			8.07	6.69	7.23		.27		1.23	23.49
PERSON		16.77	47.55	.12	23.10			1.00		88.54
PITT		14.17	57.12	68.30	24.95		2.68	.34	15.77	183.33
POLK		21.89	14.87	3.42	.48	.31			5.63	46.60

JANUARY 1, 1974

STATE PRIMARY HIGHWAY SYSTEM

RURAL - PAVED MILEAGE BY COUNTIES AND SURFACE WIDTH
NC 302 PR

35

COUNTY	16-UNDER	PAVED		SURFACE	WIDTH	IN	F E E T	TOTALS			
		17-19	20-21	22-23	24-26	27-35	36-43				
RANDOLPH		9.17	49.64	26.17	52.78	.83	2.23	.13	25.14	166.09	
RICHMOND		11.96	17.28	27.99	21.04	.08	.06	2.95	17.84	99.20	
ROBESON		35.80	82.50	80.06	57.01	.04	.04	.29	39.97	295.71	
ROCKINGHAM		32.62	43.05	13.48	95.88			.12	20.66	205.81	
ROWAN		29.34	16.20	6.71	34.39	.36	10.67	.20	25.10	122.97	
RUTHERFORD		15.16	9.50	41.61	26.99	.85			11.29	105.40	
SAMPSON		35.58	76.40	33.06	70.42	.30			5.86	221.62	
SCOTLAND				5.01	7.19	44.41	1.10	4.32	10.16	72.19	
STANLY		37.34	15.13	7.75	43.93	.33		.09	1.51	106.08	
STOKES		57.52	62.32	10.07					6.51	136.42	
SURRY		60.99	16.44	5.48	3.70	8.50	.11	.13	25.52	120.87	
SWAIN	2.98	1.44	40.11	5.05	3.82				.43	53.83	
TRANSYLVANIA	6.03	29.63	41.69		6.43	.05	.09		3.58	87.50	
TYRRELL		32.01	1.00	6.77	5.34	.31		.08		45.51	
UNION		66.40	36.67	2.25	37.01	.04		2.32	17.31	162.00	
VANCE		4.41	15.09	16.50	18.90	.07	.16	.44	15.44	71.01	
WAKE		20.07	89.42	20.82	38.67	.60	.65	.36	56.97	227.56	
WARR EN		15.37	25.03	17.65	12.38				11.69	82.12	
WASHINGTON				20.99	28.35	3.38	.21			52.93	
WATAUGA	9.16	18.78	17.88	23.30	6.30	.18	1.27		1.68	78.55	
WAYNE		8.47	70.29	2.18	40.52	.55	1.05	4.00	17.48	144.54	
WILKES		28.38	54.66	7.41	43.33			.05	3.61	137.44	
WILSON				36.06	20.21	24.95		2.59	.68	25.83	
YADKIN				30.17	17.40	18.66				6.73	
YANCEY		11.93	44.18	14.06	.61	10.03				72.96	
TOTAL		146.88	2020.46	3429.73	2006.45	2635.07	97.37	57.49	71.77	1352.33	11817.55

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

36

NC 400 PM

SYSTEM MUNICIPAL STATE PRIMARY HIGHWAY

COUNTY STATE TOTALS

COMPLETED AS OF JANUARY 1 19 74

DIVISION No. 1-14

TYPE OF ROAD		MILEAGE TOTAL																
			1	2	3	4	5	6	7	8	9	10	11	12	13	14		
NON SURFD	A PRIMITIVE	00																
	B UNIMPROVED	10																
	C GRADED AND DRAINED	20																
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30																
	E GRAVEL OR STONE —UNTREATED	41	.43													.43		
	TOTAL NON HARD SURFACED		.43													.43		
	F BITUMINOUS SURFACE TREATED	F ₁ TOPSOIL OR SAND-CLAY	51	26.27	.79	.91		2.49	3.11	2.60	1.11	8.56	1.43	4.07	.76	.44		
		F ₂ GRAVEL OR STONE	52	34.07	1.22	.15		.51	.41	.43	2.73	2.25	4.76	6.43	7.77	.81	5.28	
		F ₃ WATERBOUND MACADAM	54															
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G ₁ NONRIGID BASE	60	2.53			1.37	.09					1.07					
	G ₂ RIGID BASE	61	2.51	.58						.78	.42	.05	.11		.25	.15	.17	
	H BITUMINOUS PENETRATION	H ₁ NONRIGID BASE	64															
		H ₂ RIGID BASE	62	3.45					.12						.78	1.04	1.51	
	I BITUMINOUS CONCRETE I ₁	63	1,199.33	50.57	73.20	92.23	83.33	102.78	92.65	132.73	90.71	58.52	97.20	73.46	113.10	95.81	43.04	
	SAND ASPHALT —HOT PREMIXED	I ₂ ON P. C. CONCRETE	67	21.33	4.31	2.75	.41	6.03	1.23	1.08	.74	1.60	.21			.23	2.26	.48
		I ₃ ON BITUMINOUS CONCRETE	66	60.76	7.30	1.34	2.28	20.96	.75	7.56	10.33	2.00	1.62		.50	2.94	1.46	1.72
		I ₄ ON OTHER TYPES THAN I ₂ AND I ₃ 65	96.77	46.05	6.50	2.75	7.80	2.10	11.36		13.66		1.37	.36	.03	1.22	2.67	
	J PORTLAND CEMENT CONCRETE	70	163.84	3.31	3.88	2.36	.72	33.07	1.10	18.71	4.76	29.26	24.57	3.50	21.82	16.78		
	K BRICK	80																
	L BLOCK	90																
TOTAL HARD SURFACED			1,610.86	115.03	88.73	101.40	121.93	143.57	117.56	166.77	123.59	96.98	134.42	86.60	140.56	124.32	49.40	
TOTAL MILEAGE			1,611.29	115.03	88.73	101.40	121.93	143.57	117.56	166.77	123.59	96.98	134.42	86.60	140.56	124.75	49.40	

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

37

NC 401 PM

SYSTEM MUNICIPAL STATE PRIMARY HIGHWAY

COUNTY DIVISION TOTALS

COMPLETED AS OF JANUARY 1 1974

DIVISION No. 1

TYPE OF ROAD		MILEAGE TOTAL																
			BERTIE	CAMDEN	CHOWAN	CURRI-TUCK	DARE	GATES	HERT-FORD	HYDE	MARTIN	NORTH-HAMPTON	PASQUO-TANK	PERQUI-MANS	TYRRELL	WASH-INGTON		
NON SURFD	A PRIMITIVE	00																
	B UNIMPROVED	10																
	C GRADED AND DRAINED	20																
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30																
	E GRAVEL OR STONE —UNTREATED	41																
	TOTAL NON HARD SURFACED																	
	F BITUMINOUS SURFACE	F ₁ TOPSOIL OR SAND-CLAY	51	.70	.47								.32					
		F ₂ GRAVEL OR STONE	52	1.22						1.22								
HIGH TYPE SURFACES	F ₃ WATERBOUND MACADAM	54																
	G MIXED BITUMINOUS	G ₁ NONRIGID BASE	60															
	G ₂ RIGID BASE	61	.58										.58					
	H BITUMINOUS PENETRATION	H ₁ NONRIGID BASE	64															
		H ₂ RIGID BASE	62															
	I BITUMINOUS CONCRETE	I ₁	63	50.57	5.25	.04	5.13			.07	7.17		15.48	5.92	5.06	4.40	.50	1.55
	SAND ASPHALT —HOT PREMIXED	I ₂ ON P. C. CONCRETE	67	4.31	.45					.06	.37				.86	2.57		
		I ₃ ON BITUMINOUS CONCRETE	66	7.30	1.38						.73			4.95	.24			
		I ₄ ON OTHER TYPES THAN I ₂ AND I ₃	65	46.95	4.45		.04		24.40	2.70	2.34		2.62	7.88	1.00	.63	.19	.61
	J PORTLAND CEMENT CONCRETE	70	3.31				.29				.28		.36		.36	.42	.48	1.12
K BRICK	80																	
L BLOCK	90																	
TOTAL HARD SURFACED		115.03	12.00	.04	5.46		24.40	2.92	12.11		18.78	19.33	7.52	8.02	1.17	3.28		
TOTAL MILEAGE		115.03	12.00	.04	5.46		24.40	2.92	12.11		18.78	19.33	7.52	8.02	1.17	3.28		

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

38

NC 401 PM

SYSTEM MUNICIPAL STATE PRIMARY HIGHWAY
COUNTY DIVISION TOTALS
DIVISION No. 2

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL	BRAJU- FORD	CAR T- ERFT	CRAVEN	GREENE	JONES	LEN CIR	PAMLICO	PITT				
NON SURF'D	A PRIMITIVE		00											
LOW TYPE SURFACES	B UNIMPROVED	10												
	C GRADED AND DRAINED	20												
	D SOIL SURFACED —UNTREATED	30												
	E GRAVEL OR STONE —UNTREATED	41												
	TOTAL NON HARD SURFACED													
HIGH TYPE SURFACES	F BITUMINOUS SURFACE	F1 TOPSOIL OR SAND-CLAY	51	.01							.91			
	TREATED	F2 GRAVEL OR STONE	52	.15			.15							
		F3 WATERBOUND MACADAM	54											
	G MIXED BITUMINOUS	G1 NONRIGID BASE	60											
	G MIXED BITUMINOUS	G2 RIGID BASE	61											
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64											
		H2 RIGID BASE	62											
	I BITUMINOUS CONCRETE	I1	63	73.20	9.08	6.99	13.47	3.26	2.20	7.30	5.90	25.00		
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	2.75	.28						1.71	.76		
		I3 ON BITUMINOUS CONCRETE	66	1.34					.98			.36		
		I4 ON OTHER TYPES THAN I2 AND I3	65	6.50	.65	.56	.03	1.12		.24	2.43	1.47		
	J PORTLAND CEMENT CONCRETE		70	3.88	2.20	.37	.06				.05	1.20		
	K BRICK		80											
	L BLOCK		90											
	TOTAL HARD SURFACED		88.73	12.21	7.92	13.56	4.53	3.18	7.54	10.09	29.70			
	TOTAL MILEAGE		88.73	12.21	7.92	13.56	4.53	3.18	7.54	10.09	29.70			

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

39

NC 401 PM

SYSTEM MUNICIPAL STATE PRIMARY HIGHWAY

COUNTY DIVISION TOTALS

COMPLETED AS OF JANUARY 1 19 74

DIVISION No. 3

TYPE OF ROAD		MILEAGE TOTAL									
NON SURF'D	A PRIMITIVE		00								
	B UNIMPROVED	10									
	C GRADED AND DRAINED	20									
	D SOIL SURFACED —UNTREATED	30									
	E GRAVEL OR STONE —UNTREATED	41									
	TOTAL NON HARD SURFACED										
	F BITUMINOUS SURFACE	F ₁ TOPSOIL OR SAND-CLAY	51								
	TREATED	F ₂ GRAVEL OR STONE	52								
		F ₃ WATERBOUND MACADAM	54								
	G MIXED BITUMINOUS	G ₁ NONRIGID BASE	60	1.37	1.37						
LOW TYPE SURFACES	G MIXED BITUMINOUS	G ₂ RIGID BASE	61								
	H BITUMINOUS PENETRATION	H ₁ NONRIGID BASE	64								
	H ₂ RIGID BASE	62									
	I BITUMINOUS CONCRETE I ₁	63	92.23	8.39	21.51	22.42	5.34	14.88	19.69		
	SAND ASPHALT —HOT PREMIXED	I ₂ ON P. C. CONCRETE	67	.41					.41		
		I ₃ ON BITUMINOUS CONCRETE	66	2.28	.11	.85		1.32			
		I ₄ ON OTHER TYPES THAN I ₂ AND I ₃	65	2.75	.10	.33	.33	.85	1.14		
	J PORTLAND CEMENT CONCRETE	70	2.36		.08	.07			2.21		
	K BRICK	80									
	L BLOCK	90									
TOTAL HARD SURFACED			101.40	9.97	22.77	22.82	7.51	14.88	23.45		
TOTAL MILEAGE			101.40	9.97	22.77	22.82	7.51	14.88	23.45		

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

40

NC 401 PM

SYSTEM MUNICIPAL STATE PRIMARY HIGHWAY
COUNTY DIVISION TOTALS
DIVISION No. 4

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL	EDGE-COMBE	HALIFAX	JOHN-STON	NASH	WAYNE	WILSON								
NON SURF'D	A PRIMITIVE	00														
	B UNIMPROVED	10														
	C GRADED AND DRAINED	20														
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30														
	E GRAVEL OR STONE —UNTREATED	41														
	TOTAL NON HARD SURFACED															
HIGH TYPE SURFACES	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	2.49		.70	.16	.65	.13	.85						
		F2 GRAVEL OR STONE	52	.51		.36		.15								
		F3 WATERBOUND MACADAM	54													
	G MIXED BITUMINOUS	G1 NONRIGID BASE	60	.09					.09							
	G MIXED BITUMINOUS	G2 RIGID BASE	61													
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64													
		H2 RIGID BASE	62													
	I BITUMINOUS CONCRETE I1		63	83.33	14.98	14.79	9.63	17.24	12.64	14.05						
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	6.03	1.66	.10	1.52	2.75								
		I3 ON BITUMINOUS CONCRETE	66	20.96	.91	1.62	5.27	5.76	5.86	1.54						
		I4 ON OTHER TYPES THAN I2 AND I3	65	7.80	1.11	.99	.94	3.04	.89	.83						
	J PORTLAND CEMENT CONCRETE		70	.72	.24	.14	.27	.07								
	K BRICK		80													
	L BLOCK		90													
TOTAL HARD SURFACED			121.93	18.90	18.70	17.79	29.66	19.61	17.27							
TOTAL MILEAGE			121.93	18.90	18.70	17.79	29.66	19.61	17.27							

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

41

NC 401 PM

SYSTEM MUNICIPAL STATE PRIMARY HIGHWAY
COUNTY DIVISION TOTALS
DIVISION No. 5

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL									
			DURHAM	FRANK- LIN	GRAN- VILLE	PERSON	VANCE	WAKE	WARREN		
NON SURF'D	A PRIMITIVE	00									
	B UNIMPROVED	10									
	C GRADED AND DRAINED	20									
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30									
	E GRAVEL OR STONE —UNTREATED	41									
	TOTAL NON HARD SURFACED										
	F BITUMINOUS SURFACE	F ₁ TOPSOIL OR SAND-CLAY	51	3.11	.40	1.31	.53	.64		.12	.11
		F ₂ GRAVEL OR STONE	52	.41				.41			
		F ₃ WATERBOUND MACADAM	54								
	G MIXED BITUMINOUS	G ₁ NONRIGID BASE	60								
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G ₂ RIGID BASE	61								
	H BITUMINOUS PENETRATION	H ₁ NONRIGID BASE	64								
		H ₂ RIGID BASE	62	.12				.12			
	I BITUMINOUS CONCRETE I ₁	I ₁	63	102.78	37.67	6.59	10.26	3.29	8.04	32.69	4.24
	SAND ASPHALT —HOT PREMIXED	I ₂ ON P. C. CONCRETE	67	1.23		.09				1.14	
		I ₃ ON BITUMINOUS CONCRETE	66	.75	.75						
		I ₄ ON OTHER TYPES THAN I ₂ AND I ₃	55	2.10	.78	.09		.31	.92		
	J PORTLAND CEMENT CONCRETE	J	70	33.07	9.37	1.00		4.74	1.28	15.77	.91
	K BRICK	K	80								
	L BLOCK	L	90								
TOTAL HARD SURFACED			143.57	48.97	9.08	10.79	9.08	9.75	50.64	5.26	
TOTAL MILEAGE			143.57	48.97	9.08	10.79	9.08	9.75	50.64	5.26	

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

42

NC 401 PM

SYSTEM MUNICIPAL STATE PRIMARY HIGHWAY
COUNTY DIVISION TOTALS
DIVISION No. 6

COMPLETED AS OF JANUARY 1 19 74

TYPE OF ROAD		MILEAGE TOTAL										
			BLADEN	COLUM- BUS	CUMBER- LAND	HARNETT	ROBESON					
A PRIMITIVE	00											
B UNIMPROVED	10											
C GRADED AND DRAINED	20											
D SOIL SURFACED —UNTREATED	30											
E GRAVEL OR STONE —UNTREATED	41											
TOTAL NON HARD SURFACED												
F BITUMINOUS SURFACE TREATED	F ₁ TOPSOIL OR SAND-CLAY	51	.260	.12	.43	.08	1.97					
	F ₂ GRAVEL OR STONE	52	.43		.05	.38						
	F ₃ WATERBOUND MACADAM	54										
G MIXED BITUMINOUS	G ₁ NONRIGID BASE	60										
G MIXED BITUMINOUS	G ₂ RIGID BASE	61	.78	.11	.67							
H BITUMINOUS PENETRATION	H ₁ NONRIGID BASE	64										
	H ₂ RIGID BASE	62										
I BITUMINOUS CONCRETE I ₁		63	92.65	8.98	21.63	31.95	14.22	15.87				
SAND ASPHALT —HOT PREMIXED	I ₂ ON P. C. CONCRETE	67	1.08		.57			.51				
	I ₃ ON BITUMINOUS CONCRETE	66	7.56		2.08	.68	.66	4.14				
	I ₄ ON OTHER TYPES THAN I ₂ AND I ₃	65	11.36	1.93	2.97	2.02		4.44				
J PORTLAND CEMENT CONCRETE		70	1.10		.31	.51		.28				
K BRICK		80										
L BLOCK		90										
TOTAL HARD SURFACED		117.56	11.14	27.61	36.26	15.34	27.21					
TOTAL MILEAGE		117.56	11.14	27.61	36.26	15.34	27.21					

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

43

NC 401 PM

SYSTEM MUNICIPAL STATE PRIMARY HIGHWAY
COUNTY DIVISION TOTALS
DIVISION No. 7

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL									
			ALA- MANC	CASWELL	GUIL- FORD	ORANGE	ROCK- INGHAM				
NON SURFD	A PRIMITIVE	00									
	B UNIMPROVED	10									
	C GRADED AND DRAINED	20									
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30									
	E GRAVEL OR STONE —UNTREATED	41									
	TOTAL NON HARD SURFACED										
	F BITUMINOUS SURFACE	F1 TOPSOIL OR SAND-CLAY	51	1.11		.46	.15	.50			
		F2 GRAVEL OR STONE	52	2.73	.69	.24	.48	.56	.76		
		F3 WATERBOUND MACADAM	54								
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE	60								
	G2 RIGID BASE	61	.42					.42			
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64								
		H2 RIGID BASE	62								
	I BITUMINOUS CONCRETE I1	63	132.73	30.65	.46	51.41	14.06	36.15			
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	.74	.60		.14				
		I3 ON BITUMINOUS CONCRETE	66	10.33			10.33				
		I4 ON OTHER TYPES THAN I2 AND I3	65								
	J PORTLAND CEMENT CONCRETE	70	18.71	.26		15.75	1.06	.74			
	K BRICK	80									
	L BLOCK	90									
TOTAL HARD SURFACED			166.77	32.20	1.16	78.26	17.08	38.07			
TOTAL MILEAGE			166.77	32.20	1.16	78.26	17.08	38.07			

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

44

NC 401 PM

SYSTEM MUNICIPAL STATE PRIMARY HIGHWAY
COUNTY DIVISION TOTALS
DIVISION No. 8

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL	CHATHAM	HOKE	LEE	MONT- GOMERY	MOORE	RAN- DOLPH	RICH- MOND	SCOT- LAND				
NON SURF'D	A PRIMITIVE	00												
	B UNIMPROVED	10												
	C GRADED AND DRAINED	20												
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30												
	E GRAVEL OR STONE —UNTREATED	41												
	TOTAL NON HARD SURFACED													
HIGH TYPE SURFACES	F BITUMINOUS SURFACE TREATED	F ₁ TOPSOIL OR SAND-CLAY	51	8.56	.28	1.99	.44	2.46	1.66	1.73				
		F ₂ GRAVEL OR STONE	52	2.25	.37		.27	.62	.44	.55				
		F ₃ WATERBOUND MACADAM	54											
	G MIXED BITUMINOUS	G ₁ NONRIGID BASE	60											
	G MIXED BITUMINOUS	G ₂ RIGID BASE	61	.05							.05			
	H BITUMINOUS PENETRATION	H ₁ NONRIGID BASE	64											
		H ₂ RIGID BASE	62											
I BITUMINOUS CONCRETE I ₁	63	90.71	4.24	1.82	12.81	11.73	12.00	26.61	10.74	10.76				
	SAND ASPHALT —HOT PREMIXED	I ₂ ON P. C. CONCRETE	67	1.60		.64			.15	.81				
		I ₃ ON BITUMINOUS CONCRETE	66	2.00		.68		.22	.02		.40	.68		
		I ₄ ON OTHER TYPES THAN I ₂ AND I ₃	65	13.66		1.46		1.27	5.77		3.10	2.06		
	J PORTLAND CEMENT CONCRETE	70	4.76	3.63			.23	.26	.64					
	K BRICK	80												
	L BLOCK	90												
TOTAL HARD SURFACED		123.59	8.52	6.59	13.52	16.53	20.30	30.34	14.24	13.55				
TOTAL MILEAGE		123.59	8.52	6.59	13.52	16.53	20.30	30.34	14.24	13.55				

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

45

NC 401 PM

SYSTEM MUNICIPAL STATE PRIMARY HIGHWAY

COUNTY DIVISION TOTALS

DIVISION No. 9

COMPLETED AS OF JANUARY 1 19 74

TYPE OF ROAD		MILEAGE TOTAL						
			DAVID- SON	DAVIE	FORSYTH	ROWAN	STOKES	
NON SURFD	A PRIMITIVE	00						
	B UNIMPROVED	10						
	C GRADED AND DRAINED	20						
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30						
	E GRAVEL OR STONE —UNTREATED	41						
	TOTAL NON HARD SURFACED							
	F BITUMINOUS SURFACE TREATED	51	1.43	.12	.21	1.10		
	F ₂ GRAVEL OR STONE	52	4.76	.31	.21	3.73	.31	.20
HIGH TYPE SURFACES	F ₃ WATERBOUND MACADAM	54						
	G MIXED BITUMINOUS	G ₁ NONRIGID BASE	60	1.07		1.07		
	G MIXED BITUMINOUS	G ₂ RIGID BASE	61	.11	.11			
	H BITUMINOUS PENETRATION	H ₁ NONRIGID BASE	64					
		H ₂ RIGID BASE	62					
	I BITUMINOUS CONCRETE I ₁	63	58.52	11.44	5.56	20.76	16.69	4.07
	SAND ASPHALT —HOT PREMIXED	I ₂ ON P. C. CONCRETE	67	.21	.14	.07		
		I ₃ ON BITUMINOUS CONCRETE	66	1.62	.21		1.13	.28
		I ₄ ON OTHER TYPES THAN I ₂ AND I ₃	65					
	J PORTLAND CEMENT CONCRETE	70	29.26	1.35	.24	24.88	2.49	.30
K BRICK		80						
L BLOCK		90						
TOTAL HARD SURFACED			96.98	13.68	6.08	51.78	19.77	5.67
TOTAL MILEAGE			96.98	13.68	6.08	51.78	19.77	5.67

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

46

NC 401 PM

SYSTEM MUNICIPAL STATE PRIMARY HIGHWAY
COUNTY DIVISION TOTALS
DIVISION No. 10

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL							
NON SURFD	ANSON CABAR-RUS MECK-LENBURG STANLY UNION								
A PRIMITIVE	00								
B UNIMPROVED	10								
C GRADED AND DRAINED	20								
D SOIL SURFACED —UNTREATED	30								
E GRAVEL OR STONE —UNTREATED	41								
TOTAL NON HARD SURFACED									
F BITUMINOUS SURFACE TREATED	F ₁ TOPSOIL OR SAND-CLAY	51	4.07	.55	1.09	2.43			
	F ₂ GRAVEL OR STONE	52	6.43	.34	5.09	1.00			
	F ₃ WATERBOUND MACADAM	54							
G MIXED BITUMINOUS	G ₁ NONRIGID BASE	60							
G MIXED BITUMINOUS	G ₂ RIGID BASE	61							
H BITUMINOUS PENETRATION	H ₁ NONRIGID BASE	64							
	H ₂ RIGID BASE	62	.78		.78				
I BITUMINOUS CONCRETE I ₁		63	97.20	11.80	11.49	51.20	10.66	12.05	
SAND ASPHALT —HOT PREMIXED	I ₂ ON P. C. CONCRETE	67							
	I ₃ ON BITUMINOUS CONCRETE	66							
	I ₄ ON OTHER TYPES THAN I ₂ AND I ₃	65	1.37	.34	.50	.53			
J PORTLAND CEMENT CONCRETE		70	24.57	1.41	22.39	.47	.30		
K BRICK		80							
L BLOCK		90							
TOTAL HARD SURFACED		134.42	14.10	11.83	80.55	15.06	12.88		
TOTAL MILEAGE		134.42	14.10	11.83	80.55	15.06	12.88		

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

47

NC 401 PM

SYSTEM MUNICIPAL STATE PRIMARY HIGHWAY
COUNTY DIVISION TOTALS
DIVISION No. 11

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL										
			ALLE- GHANY	ASHE	AVERY	CALD- WELL	SURRY	WATAUGA	WILKES	YADKIN		
NON SURFD	A PRIMITIVE	00										
	B UNIMPROVED	10										
	C GRADED AND DRAINED	20										
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30										
	E GRAVEL OR STONE —UNTREATED	41										
	TOTAL NON HARD SURFACED											
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	.76			.05	.71				
		F2 GRAVEL OR STONE	52	7.77	.42	2.31	.95	1.76	.53	1.80		
		F3 WATERBOUND MACADAM	54									
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE	60									
	G MIXED BITUMINOUS	G2 RIGID BASE	61	.25		.25						
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64									
		H2 RIGID BASE	62									
	I BITUMINOUS CONCRETE I1		63	73.46	2.86	4.66	5.11	19.38	11.68	11.80	9.64	8.33
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67									
		I3 ON BITUMINOUS CONCRETE	66	.50							.50	
		I4 ON OTHER TYPES THAN I2 AND I3	65	.36			.36					
	J PORTLAND CEMENT CONCRETE		70	3.50			2.53	.97				
	K BRICK		80									
	L BLOCK		90									
TOTAL HARD SURFACED			86.60	3.28	4.66	7.67	23.27	15.12	12.33	11.94	8.33	
TOTAL MILEAGE			86.60	3.28	4.66	7.67	23.27	15.12	12.33	11.94	8.33	

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

48

NC 401 PM

SYSTEM MUNICIPAL STATE PRIMARY HIGHWAY
COUNTY DIVISION TOTALS
DIVISION No. 12

COMPLETED AS OF JANUARY 1 **19** 74

TYPE OF ROAD		MILEAGE TOTAL											
			AL EX- ANDER	CATAWBA	CLEVE- LAND	GASTON	I REDELL	LINCOLN					
NON SURFD	A PRIMITIVE	00											
	B UNIMPROVED	10											
	C GRADED AND DRAINED	20											
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30											
	E GRAVEL OR STONE —UNTREATED	41											
	TOTAL NON HARD SURFACED												
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	.44				.44					
		F2 GRAVEL OR STONE	52	.81		.20	.55	.06					
		F3 WATERBOUND MACADAM	54										
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE	60										
	G MIXED BITUMINOUS	G2 RIGID BASE	61	.15		.15							
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64										
		H2 RIGID BASE	62	1.04				1.04					
	I BITUMINOUS CONCRETE I1		63	113.10	1.65	21.16	29.21	36.31	22.68	2.09			
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	.23			.23						
		I3 ON BITUMINOUS CONCRETE	66	2.94			.04	2.31	.59				
		I4 ON OTHER TYPES THAN I2 AND I3	65	.03				.03					
	J PORTLAND CEMENT CONCRETE		70	21.82		3.66	.39	10.04	7.73				
	K BRICK		80										
	L BLOCK		90										
TOTAL HARD SURFACED				140.56	1.65	25.17	30.42	50.23	31.00	2.09			
TOTAL MILEAGE				140.56	1.65	25.17	30.42	50.23	31.00	2.09			

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

49

NC 401 PM

SYSTEM MUNICIPAL STATE PRIMARY HIGHWAY
COUNTY DIVISION TOTALS
DIVISION No. 13

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL										
			BUN- COMBE	BURKE	MADISON	MCDOW- ELL	MIT- CHELL	RUTHER- FORD	YANCEY			
NON SURFD	A PRIMITIVE	00										
	B UNIMPROVED	10										
	C GRADED AND DRAINED	20										
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30										
	E GRAVEL OR STONE —UNTREATED	41	.43	.43								
	TOTAL NON HARD SURFACED		.43	.43								
	F BITUMINOUS SURFACE	F1 TOPSOIL OR SAND-CLAY	51									
		F2 GRAVEL OR STONE	52	5.28	2.49	.17	2.03		.59			
		F3 WATERBOUND MACADAM	54									
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE	60									
	G MIXED BITUMINOUS	G2 RIGID BASE	61									
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64									
		H2 RIGID BASE	62	1.51				1.51				
	I BITUMINOUS CONCRETE I1		63	95.81	35.55	19.61	8.25	3.20	4.15	22.62	2.43	
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	2.26	1.27					.99		
		I3 ON BITUMINOUS CONCRETE	66	1.46		1.24				.22		
		I4 ON OTHER TYPES THAN I2 AND I3	65	1.22	.04	.03	.41			.74		
	J PORTLAND CEMENT CONCRETE		70	16.78	11.77	.37		.29	.69	3.66		
	K BRICK		80									
	L BLOCK		90									
TOTAL HARD SURFACED			124.32	51.12	21.42	10.69	3.49	6.94	28.23	2.43		
TOTAL MILEAGE			124.75	51.55	21.42	10.69	3.49	6.94	28.23	2.43		

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

50

NC 401 PM

SYSTEM MUNICIPAL STATE PRIMARY HIGHWAY

COUNTY DIVISION TOTALS

DIVISION No. 14

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL	CHERO- KEE	CLAY	GRAHAM	HAYWOOD	HENDER- SON	JACKSON	MACON	POLK	SWAIN	TRANS- YLVANIA		
NON SURF'D	A PRIMITIVE	00												
	B UNIMPROVED	10												
	C GRADED AND DRAINED	20												
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30												
	E GRAVEL OR STONE —UNTREATED	41												
	TOTAL NON HARD SURFACED													
HIGH TYPE SURFACES	F BITUMINOUS SURFACE TREATED	F ₁ TOPSOIL OR SAND-CLAY	51											
		F ₂ GRAVEL OR STONE	52	1.32			.16		.16	.94		.06		
		F ₃ WATERBOUND MACADAM	54											
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G ₁ NONRIGID BASE	60											
	G MIXED BITUMINOUS	G ₂ RIGID BASE	61	.17			.17							
	H BITUMINOUS PENETRATION	H ₁ NONRIGID BASE	64											
		H ₂ RIGID BASE	62											
	I BITUMINOUS CONCRETE I ₁		63	43.04	4.59	.53	.87	8.65	4.27	6.77	5.48	4.36	2.88	4.64
	SAND ASPHALT —HOT PREMIXED	I ₂ ON P. C. CONCRETE	67	.48					.48					
		I ₃ ON BITUMINOUS CONCRETE	66	1.72		.29		.72	.09		.53		.09	
		I ₄ ON OTHER TYPES THAN I ₂ AND I ₃	65	2.67				.18		1.35	1.14			
	J PORTLAND CEMENT CONCRETE		70											
	K BRICK		80											
	L BLOCK		90											
TOTAL HARD SURFACED			49.40	4.59	.82	.87	9.88	4.84	8.28	8.09	4.36	2.88	4.79	
TOTAL MILEAGE			49.40	4.59	.82	.87	9.88	4.84	8.28	8.09	4.36	2.88	4.79	

JANUARY 1, 1974

STATE PRIMARY HIGHWAY SYSTEM

MUNICIPAL - PAVED MILEAGE BY COUNTIES AND SURFACE WIDTH
NC 402 PM

51

COUNTY	16-UNDER	PAVED		SURFACE	WIDTH	IN	F E E T		TOTALS	
		17-19	20-21	22-23	24-26	27-35	36-43	44-47		
ALAMANCE		.47	.22	6.62	4.56	2.37	2.92	2.98	12.06	32.20
ALEXANDER				.43		.66	.38		.18	1.65
ALLEGHANY			1.58	.83	.06		.15	.33	.33	3.28
ANSON		.34	.44	2.84	1.71	.17	1.78	2.25	4.57	14.10
ASHE		1.02	.11	.55	.40	.43		1.32	.83	4.66
AVERY		2.45	2.98	1.80	.24		.12	.08		7.67
BEAUFORT		1.54	.28	1.31	2.01	1.25	1.59	1.84	2.39	12.21
BERTIE			3.20	.69	4.18	.61	2.63	.32	.37	12.00
BLADEN		.17	.51	2.57	1.72	.95	.79	1.80	2.63	11.14
BRUNSWICK		1.47	1.02		5.38	.55		.73	.82	9.97
BUNCOMBE		2.19	8.01	4.21	4.77	3.57	4.90	2.12	21.35	51.12
BURKE	.05		.12	4.36	4.77	2.75	2.10	.68	6.59	21.42
CABARRUS		.40	.30	.87	3.14	2.38	2.11	.87	1.76	11.83
CALDWELL	.02	.40	6.04	1.28	4.86	2.47	.60	.18	7.42	23.27
CAMDEN									.04	.04
CARTERET			.86	1.54	.91			1.30	3.31	7.92
CASWELL		.70	.18		.28					1.16
CATAWBA	.06		.55	7.03	1.43	4.41	3.22	.66	7.81	25.17
CHATHAM			.65	4.20	.35	.07	.31	1.82	1.12	8.52
CHEROKEE		.12	1.39	.72	.75		.38	.09	1.14	4.59
CHOWAN				1.27	1.31	.38	.98	1.15	.37	5.46
CLAY			.45		.18		.19			.82
CLEVELAND	.04	1.12	4.52	.82	6.36	4.44	5.60	1.87	5.65	30.42
COLUMBUS		3.44	1.23	6.32	3.69	1.49	3.36	4.54	3.54	27.61
CRAVEN				.64	3.22	.27	1.48		7.95	13.56

JANUARY 1, 1974

STATE PRIMARY HIGHWAY SYSTEM

52

MUNICIPAL - PAVED MILEAGE BY COUNTIES AND SURFACE WIDTH
NC 402 PM

COUNTY	16-UNDER	PAVED		SURFACE	W I D T H	IN	F E E T			TOTALS
		17-19	20-21	22-23	24-26	27-35	36-43	44-47	48-OVER	
CUMBERLAND		2.08	2.45	.69	5.27	.43	1.58	3.92	19.84	36.26
CURRITUCK										
DARE			12.77	.20	10.99	.20			.24	24.40
DAVIDSON	.22	.23	.71		.41	1.85	2.99	1.41	5.86	13.68
DAVIE		.07	.98	1.78	1.90	1.09	.09		.17	6.08
DUPLIN		1.72	3.45	3.35	4.15	.64	1.22	2.88	5.36	22.77
DURHAM	.05	1.08	.26	.24	6.60	6.51	3.96	7.71	22.56	48.97
EDGECOMBE			2.67	2.30	3.94	.55	3.43	2.55	3.46	18.90
FORSYTH		.53	2.99	.92	2.11	5.83	8.81	1.46	29.13	51.78
FRANKLIN		1.96	.73	3.70	.85	.83	.30	.31	.40	9.08
GASTON		.05	2.36	4.38	6.67	5.77	6.82	4.96	19.22	50.23
GATES	.06	.14	2.09		.06	.04	.46	.07		2.92
GRAHAM				.87						.87
GRANVILLE			2.70	1.43	2.58	.93	.71	.21	2.23	10.79
GREENE		.33	1.44		.45	.23	1.32	.52	.24	4.53
GUILFORD	.67		5.88	.70	2.68	13.66	6.97	.84	46.86	78.26
HALIFAX	.03	.28	.36	.47	5.21	2.05	1.35	1.86	7.09	18.70
HARNETT			3.57	.27	2.51		.53	3.89	4.57	15.34
HAYWOOD		.80	.51	.59	1.44	2.08	1.49	.51	2.46	9.88
HENDERSON	.16			1.85	.23	.47	.29	.07	1.77	4.84
HERTFORD		.67	3.16	.31	2.94	.38	1.02	2.33	1.30	12.11
HOKE				3.51	1.06	.77	.66	.10	.49	6.59
HYDE										
IREDELL			1.03	7.61	.74	6.59	4.76	1.07	9.20	31.00
JACKSON		5.18	1.08	.11	.69	.37	.09	.24	.52	8.28

MUNICIPAL - PAVED MILEAGE BY COUNTIES AND SURFACE WIDTH
NC 402 PM

COUNTY	16-UNDER	PAVED		SURFACE	WIDTH	IN	FEET			TOTALS
		17-19	20-21	22-23	24-26	27-35	36-43	44-47	48-OVER	
JOHNSTON		.15	4.25	1.71	1.79	1.82	.95	1.81	5.31	17.79
JONES				.64	1.08	.12		.34	1.00	3.18
LEE		.25	.16	.83	2.26	.31	1.98	1.06	6.67	13.52
LENOIR		.24	.10	.99		.07	.88		5.26	7.54
LINCOLN	.02	.01		.12	.26	.04		1.12	.52	2.09
MACON	.79	1.30	2.15	1.37	1.01	.49	.14		.84	8.09
MADISON		5.64	3.34	.37	.67	.35	.32			10.69
MARTIN				.90	1.28	1.51	4.70	2.00	2.16	18.78
MCDOWELL	.08			.02		.03	.46	1.33	.38	.27
MECKLENBURG		6.54	.50	4.17	.24	2.55	11.12	11.13	44.30	80.55
MITCHELL		1.16	3.93	.43	1.03	.12	.27			6.94
MONTGOMERY		.70	3.47	.48	3.35	1.39	1.67	2.77	2.70	16.53
MOORE				6.79	3.13	1.10	.35	1.21	2.27	5.45
NASH	.05			5.42	3.60	2.81	3.13	3.98	1.71	8.96
NEW HANOVER	.04				.33	4.86	2.41	2.04	1.46	11.68
NORTHHAMPTON		.54	11.28		2.74	1.15	2.20	1.29	.13	19.33
ONSLOW				1.92	.30	.11		.42	4.76	7.51
ORANGE		1.35		3.67	2.86	1.39	.99	1.05	5.77	17.08
PAMLICO			1.03	5.59	.39	.35	2.42	.31		10.09
PASQUOTANK				1.13	.86	2.08	.26	.73	2.46	7.52
PENDER	8.43		1.83	1.26	1.65		1.34		.37	14.88
PERQUIMANS			.63	4.44	1.52	.53	.90			8.02
PERSON	.81		1.33	1.28	.29	1.94	1.94	1.49		9.08
PITT			1.93	2.51	3.37	2.95	4.51	.77	13.66	29.70
POLK			.59	1.27	.78	.81	.19	.24	.48	4.36


JANUARY 1, 1974

STATE PRIMARY HIGHWAY SYSTEM

54

MUNICIPAL - PAVED MILEAGE BY COUNTIES AND SURFACE WIDTH
NC 402 PM

COUNTY	16-UNDER	PAVED		SURFACE	WIDTH	IN	FEET			TOTALS	
		17-19	20-21	22-23	24-26	27-35	36-43	44-47	48-OVER		
RANDOLPH		.47	7.23	7.61	2.65	3.32	.98	3.69	4.39	30.34	
RICHMOND			.15	1.03	3.55	2.32	1.39	.78	5.02	14.24	
ROBESON		1.12	.86	1.89	4.13	3.10	3.89	5.74	6.48	27.21	
ROCKINGHAM		1.56	1.67	2.71	12.07	3.38	11.48	2.63	2.57	38.07	
ROWAN	.04	.77	.31	.50	.61	2.06	5.41	1.03	9.04	19.77	
RUTHERFORD		1.70	1.07	8.30	2.40	7.78	1.96	.19	4.83	28.23	
SAMPSON		.60	3.58	5.75	5.04	1.83	2.62	.49	3.54	23.45	
SCOTLAND		.43	.59	1.23	3.28	1.87	2.40	.44	3.31	13.55	
STANLY		.61	2.14	.62	3.76	.71	4.03	1.32	1.87	15.06	
STOKES			1.39	3.73					.55	5.67	
SURRY	.10	1.03	3.34	.37	.03	3.18	2.96	.63	3.48	15.12	
SWAIN			2.15		.34		.39			2.88	
TRANSYLVANIA		.85		.04		.05	1.32	.26	.71	1.56	
TYRRELL					.27	.21	.19	.50		4.79	
UNION		.80	1.38			1.95	.44	.72	.14	7.45	
VANCE		.66		1.65		1.17	.87	1.99	3.41	9.75	
WAKE	.58	1.25	5.93	.42	2.11	2.56	6.08	4.07	27.64	50.64	
WARREN				1.15	1.53	.95	1.09	.31	.23	5.26	
WASHINGTON		.61	2.67							3.28	
WATAUGA		.53	5.14		3.71	.64	.72	.12	1.47	12.33	
WAYNE		3.91	.09	3.75	2.46	.20	2.68	6.52		19.61	
WILKES		4.46	.51	.73	.81	1.31	1.93	2.19		11.94	
WILSON		.73	.20	1.45	.62	.53	1.13	12.61		17.27	
YADKIN		3.80	2.27			.38	1.37	.09	.42	8.33	
YANCEY		.59			1.84					2.43	
TOTAL		3.06	71.43	181.67	176.84	215.39	149.39	177.08	126.85	509.15	1610.86



JANUARY 1, 1974

STATE SECONDARY HIGHWAY SYSTEM

PAVED AND UNPAVED MILEAGE BY COUNTIES AND RURAL - MUNICIPAL
NC 500 ST

56

COUNTY	R U R A L			M U N I C I P A L			T O T A L S		
	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	TOTAL
ALAMANCE	490.70	228.30	719.00	42.79	2.70	45.49	533.49	231.00	764.49
ALEXANDER	309.00	186.20	495.20	2.54	.05	2.59	311.54	186.25	497.79
ALLEGHANY	135.80	252.50	388.30	2.41	.36	2.77	138.21	252.86	391.07
ANSON	514.60	169.60	684.20	21.03		21.03	535.63	169.60	705.23
ASHE	222.80	456.90	679.70	1.97	.38	2.35	224.77	457.28	682.05
AVERY	75.10	163.00	238.10	8.75	3.68	12.43	83.85	166.68	250.53
BEAUFORT	360.40	331.40	691.80	12.85	.32	13.17	373.25	331.72	704.97
BERTIE	273.60	210.00	483.60	11.18	1.46	12.64	284.78	211.46	496.24
BLADEN	347.00	243.80	590.80	10.11	.34	10.45	357.11	244.14	601.25
BRUNSWICK	306.10	185.70	491.80	42.80	3.60	46.40	348.90	189.30	538.20
BUNCOMBE	549.10	387.20	936.30	32.79	2.11	34.90	581.89	389.31	971.20
BURKE	378.20	255.10	633.30	31.28	2.48	33.76	409.48	257.58	667.06
CABARRUS	601.20	146.70	747.90	15.73	2.05	17.78	616.93	148.75	765.68
CALDWELL	246.90	289.50	536.40	22.53	1.11	23.64	269.43	290.61	560.04
CAMDEN	88.10	60.20	148.30				88.10	60.20	148.30
CARTERET	187.00	55.80	242.80	28.08	.04	28.12	215.08	55.84	270.92
CASWELL	306.10	193.00	499.10				306.10	193.00	499.10
CATAWBA	535.57	211.90	747.47	41.24	.89	42.13	576.81	212.79	789.60
CHATHAM	499.80	350.70	850.50	17.85	1.11	18.96	517.65	351.81	869.46
CHEROKEE	169.00	291.20	460.20	9.18	.92	10.10	178.18	292.12	470.30
CHOWAN	131.70	40.90	172.60	4.89		4.89	136.59	40.90	177.49
CLAY	106.70	104.80	211.50	2.13		2.13	108.83	104.80	213.63
CLEVELAND	661.20	288.80	950.00	40.18	4.69	44.87	701.38	293.49	994.87
COLUMBUS	619.40	310.40	929.80	22.92	2.13	25.05	642.32	312.53	954.85
CRAVEN	319.10	215.50	534.60	21.68	5.30	26.98	340.78	220.80	561.58

PAVED AND UNPAVED MILEAGE BY COUNTIES AND RURAL - MUNICIPAL
 NC 500 ST

COUNTY	R U R A L			M U N I C I P A L			T O T A L S		
	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	TOTAL
CUMBERLAND	622.90	246.90	869.80	33.73	.80	34.53	656.63	247.70	904.33
CURRITUCK	101.70	68.20	169.90				101.70	68.20	169.90
DARE	50.90	32.00	82.90	7.10		7.10	58.00	32.00	90.00
DAVIDSON	792.30	321.70	1114.00	37.05	.94	37.99	829.35	322.64	1151.99
DAVIE	211.70	163.20	374.90	2.51		2.51	214.21	163.20	377.41
DUPLIN	637.30	279.10	916.40	29.10	4.10	33.20	666.40	283.20	949.60
DURHAM	314.98	226.80	541.78	56.38	5.28	61.66	371.36	232.08	603.44
EDGECOMBE	398.20	98.70	496.90	21.11	1.06	22.17	419.31	99.76	519.07
FORSYTH	602.30	237.20	839.50	97.55	2.67	100.22	699.85	239.87	939.72
FRANKLIN	431.50	174.80	606.30	7.24	.11	7.35	438.74	174.91	613.65
GASTON	499.40	171.90	671.30	60.59	3.41	64.00	559.99	175.31	735.30
GATES	154.10	120.00	274.10	.09	.29	.38	154.19	120.29	274.48
GRAHAM	102.00	92.90	194.90	1.67		1.67	103.67	92.90	196.57
GRANVILLE	340.60	350.80	691.40	13.80	.43	14.23	354.40	351.23	705.63
GREENE	283.10	86.40	369.50	5.69	.30	5.99	288.79	86.70	375.49
GUILFORD	758.16	450.10	1208.26	122.76	3.74	126.50	880.92	453.84	1334.76
HALIFAX	428.00	207.10	635.10	14.41	.91	15.32	442.41	208.01	650.42
HARNETT	544.60	274.40	819.00	18.90		18.90	563.50	274.40	837.90
HAYWOOD	180.50	249.60	430.10	15.96	.27	16.23	196.46	249.87	446.33
HENDERSON	288.35	386.10	674.45	6.87	.04	6.91	295.22	386.14	681.36
HERTFORD	192.50	117.80	310.30	12.70	.81	13.51	205.20	118.61	323.81
HOKE	323.80	37.20	361.00	5.86		5.86	329.66	37.20	366.86
HYDE	128.90	67.30	196.20				128.90	67.30	196.20
IREDELL	710.00	410.50	1120.50	21.49	.65	22.14	731.49	411.15	1142.64
JACKSON	139.20	289.60	428.80	6.68	8.19	14.87	145.88	297.79	443.67

JANUARY 1, 1974

STATE SECONDARY HIGHWAY SYSTEM

58

PAVED AND UNPAVED MILEAGE BY COUNTIES AND RURAL - MUNICIPAL
NC 500 ST

COUNTY	R U R A L			M U N I C I P A L			T O T A L S		
	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	TOTAL
JOHNSTON	813.66	382.70	1196.36	29.02	1.46	30.48	842.68	384.16	1226.84
JONES	179.60	65.00	244.60	1.58		1.58	181.18	65.00	246.18
LEE	300.40	66.80	367.20	16.91	.28	17.19	317.31	67.08	384.39
LENOIR	398.10	211.90	610.00	15.97	.67	16.64	414.07	212.57	626.64
LINCOLN	387.70	181.90	569.60	5.24		5.24	392.94	181.90	574.84
MACON	239.70	306.20	545.90	8.61	2.18	10.79	248.31	308.38	556.69
MADISON	173.80	329.80	503.60	11.70	.89	12.59	185.50	330.69	516.19
MARTIN	236.90	158.70	395.60	11.60	1.93	13.53	248.50	160.63	409.13
MCDOWELL	259.30	185.00	444.30	7.30	.67	7.97	266.60	185.67	452.27
MECKLENBURG	879.01	140.20	1019.21	79.50	4.08	83.58	958.51	144.28	1102.79
MITCHELL	107.80	157.00	264.80	6.15	.91	7.06	113.95	157.91	271.86
MONTGOMERY	362.00	125.90	487.90	13.01		13.01	375.01	125.90	500.91
MOORE	629.30	246.90	876.20	43.02	2.25	45.27	672.32	249.15	921.47
NASH	595.00	168.60	763.60	24.06	.85	24.91	619.06	169.45	788.51
NEW HANOVER	216.90	24.50	241.40	29.53	.30	29.83	246.43	24.80	271.23
NORTHAMPTON	269.70	133.50	403.20	10.89	.64	11.53	280.59	134.14	414.73
ONSLOW	379.00	118.50	497.50	12.38	.63	13.01	391.38	119.13	510.51
ORANGE	359.10	260.20	619.30	14.74	.56	15.30	373.84	260.76	634.60
PAMLICO	116.20	79.30	195.50	6.83	2.55	9.38	123.03	81.85	204.88
PASQUOTANK	151.60	61.30	212.90	4.39	.10	4.49	155.99	61.40	217.39
PENDER	333.80	129.80	463.60	19.16	1.72	20.88	352.96	131.52	484.48
PERQUIMANS	199.70	83.10	282.80	3.85	.19	4.04	203.55	83.29	286.84
PERSON	238.90	322.60	561.50	7.56	.45	8.01	246.46	323.05	569.51
PITT	521.00	283.70	804.70	26.94	1.40	28.34	547.94	285.10	833.04
POLK	167.80	196.50	364.30	7.87	1.12	8.99	175.67	197.62	373.29

PAVED AND UNPAVED MILEAGE BY COUNTIES AND RURAL - MUNICIPAL
 NC 500 ST

COUNTY	R U R A L			M U N I C I P A L			T O T A L S		
	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	TOTAL	PAVED	UNPAVED	TOTAL
RANDOLPH	736.68	513.70	1250.38	79.05	8.17	87.22	815.73	521.87	1337.60
RICHMOND	488.20	108.00	596.20	26.62	1.06	27.68	514.82	109.06	623.88
ROBESON	1031.30	327.60	1358.90	51.60	2.50	54.10	1082.90	330.10	1413.00
ROCKINGHAM	468.80	404.00	872.80	33.47	.95	34.42	502.27	404.95	907.22
ROWAN	709.20	245.10	954.30	39.90	.91	40.81	749.10	246.01	995.11
RUTHERFORD	495.20	390.00	885.20	39.06	4.59	43.65	534.26	394.59	928.85
SAMPSON	840.20	341.30	1181.50	31.97	.21	32.18	872.17	341.51	1213.68
SCOTLAND	373.10	66.60	439.70	18.71	.31	19.02	391.81	66.91	458.72
STANLY	504.60	213.90	718.50	20.53	.47	21.00	525.13	214.37	739.50
STOKES	376.70	402.30	779.00	3.22	.54	3.76	379.92	402.84	782.76
SURRY	450.50	441.00	891.50	17.93	1.19	19.12	468.43	442.19	910.62
SWAIN	88.70	92.61	181.31	7.53	1.00	8.53	96.23	93.61	189.84
TRANSYLVANIA	127.70	168.50	296.20	6.87	.25	7.12	134.57	168.75	303.32
TYRRELL	89.90	55.50	145.40	.68		.68	90.58	55.50	146.08
UNION	814.60	301.60	1116.20	26.23	.67	26.90	840.83	302.27	1143.10
VANCE	266.71	91.90	358.61	11.46	1.61	13.07	278.17	93.51	371.68
WAKE	900.11	411.40	1311.51	104.28	2.87	107.15	1004.39	414.27	1418.66
WARREN	275.90	236.20	512.10	6.78	.58	7.36	282.68	236.78	519.46
WASHINGTON	126.80	84.40	211.20	11.04	.39	11.43	137.84	84.79	222.63
WATAUGA	142.80	320.30	463.10	11.41	2.35	13.76	154.21	322.65	476.86
WAYNE	638.18	177.90	816.08	21.55	1.41	22.96	659.73	179.31	839.04
WILKES	486.90	612.40	1099.30	7.61	1.47	9.08	494.51	613.87	1108.38
WILSON	416.50	118.10	534.60	33.90	.10	34.00	450.40	118.20	568.60
YADKIN	297.80	265.00	562.80	14.48	.38	14.86	312.28	265.38	577.66
YANCEY	136.30	148.80	285.10	3.66	.39	4.05	139.96	149.19	289.15
TOTALS	37470.51	21747.11	59217.62	2093.50	129.92	2223.42	39564.01	21877.03	61441.04

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

60

NC 600 SR

SYSTEM RURAL SECONDARY ROAD

COUNTY STATE TOTALS

DIVISION No. 1-14

COMPLETED AS OF JANUARY 1 19 74

TYPE OF ROAD		MILEAGE TOTAL															
			1	2	3	4	5	6	7	8	9	10	11	12	13	14	
NON SURFD	A PRIMITIVE	00	11.70						.50		.60		6.20		.90	3.50	
	B UNIMPROVED	10	1,351.90	142.20	80.70	83.80	51.20	54.20	97.90	58.60	51.00	175.50	46.50	234.70	13.50	87.00	
	C GRADED AND DRAINED	20	4,277.90	565.70	770.80	301.20	365.30	378.30	295.30	334.80	222.20	258.80	114.90	267.10	94.10	151.30	
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	6,378.40	321.30	360.80	680.20	623.50	479.90	990.40	197.20	755.60	486.90	152.10	153.80	865.50	195.10	
	E GRAVEL OR STONE —UNTREATED	41	9,727.21	263.70	116.70	13.70	113.10	902.10	19.50	944.50	487.00	447.70	658.50	2138.80	478.10	1418.60	
	TOTAL NON HARD SURFACED		21,747.11	1292.90	1329.00	1078.90	1153.10	1814.50	1403.10	1535.60	1515.80	1369.50	972.00	2800.60	1451.20	1852.90	
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	11,219.28	572.80	174.20	130.30	1275.20	1098.78	606.80	608.60	1654.50	1595.80	936.00	300.00	1778.20	
		F2 GRAVEL OR STONE	52	10,015.31	493.80	125.20	18.90	161.70	795.91	31.90	1334.20	556.90	774.50	1565.70	1466.60	674.00	1175.90
		F3 WATERBOUND MACADAM	54	28.70		.50			1.00		.20		9.60	7.30	3.50		5.20
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE	60	318.20	68.70	101.30	92.90	6.10	1.20	44.30		1.00				.20	2.50
	G MIXED BITUMINOUS	G2 RIGID BASE	61	152.10	5.70	24.40	9.20	53.50	4.40	2.00	10.50	2.60	1.00	.90	24.00		10.20
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64	6.50	6.30			.20									
		H2 RIGID BASE	62	13.10	.10		.90		.60		4.70		.10				6.70
	I BITUMINOUS CONCRETE I1		63	4,368.33	85.00	230.20	231.80	435.96	591.41	256.30	365.76	371.48	91.80	484.50	75.80	450.17	
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	48.80	10.70	1.90	2.60	5.40	5.00	.60	.80	.20	.20	10.50	.30	.30	
		I3 ON BITUMINOUS CONCRETE	66	752.71	15.70	49.50	89.30	323.10	.70	218.30		47.30	.90	1.31		.70	.60
		I4 ON OTHER TYPES THAN I2 AND I3	65	10,357.28	919.40	1639.60	2134.20	1025.68	264.20	2004.60	35.10	1065.80	184.20	296.20	167.00	197.50	77.20
	J PORTLAND CEMENT CONCRETE		70	180.20	17.90	7.70	3.20	2.70	5.50	.40	23.00	13.50	34.10	11.60	21.40	1.80	24.20
	K BRICK		80	10.00		10.00											
	L BLOCK		90														
TOTAL HARD SURFACED			37,470.51	2196.10	2364.50	2713.30	3289.54	2768.70	3165.20	2382.86	3713.28	2692.20	3314.01	2058.60	3102.87	2099.70	1609.65
TOTAL MILEAGE			59,217.62	3489.00	3693.50	3792.20	4442.64	4583.20	4568.30	3918.46	5229.08	4061.70	4286.01	4859.20	4554.07	3952.60	3787.66

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

61

NC 601 SR

SYSTEM RURAL SECONDARY ROAD
COUNTY DIVISION TOTALS
DIVISION No. 1

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL																
			BERTIE	CAMDEN	CHOWAN	CURRI-TUCK	DARE	GATES	HERT-FORD	HYDE	MARTIN	NORTH-HAMPTON	PASQUO-TANK	PERQUI-MANS	TYRRELL	WASH-INGTON		
NON SURF'D	A PRIMITIVE	00																
	B UNIMPROVED	10	142.20	31.20	5.00	4.20	19.80	6.80	6.30	7.80	10.70	7.20	3.50	5.00	11.10	7.80	15.80	
	C GRADED AND DRAINED	20	565.70	123.70	20.70	12.50	15.20	18.60	50.00	60.60	36.10	49.60	70.40	14.50	21.50	23.80	48.50	
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	321.30	36.70	6.60	19.70	5.90	5.70	23.00	45.10	18.00	60.90	51.90	4.60	12.70	11.10	19.40	
	E GRAVEL OR STONE —UNTREATED	41	263.70	18.40	27.90	4.50	27.30	.90	40.70	4.30	2.50	41.00	7.70	37.20	37.80	12.80	.70	
	TOTAL NON HARD SURFACED		1,292.90	210.00	60.20	40.90	68.20	32.00	120.00	117.80	67.30	158.70	133.50	61.30	83.10	55.50	84.40	
	F BITUMINOUS SURFACE TREATED	F₁ TOPSOIL OR SAND-CLAY	51	572.80	95.60	27.30	6.70	30.70	3.80	11.30	133.40	7.40	95.40	149.00	.60	7.90	3.20	.50
		F₂ GRAVEL OR STONE	52	493.80	7.40	27.30	16.00	39.90	9.90	47.30	4.80	66.90	74.80	17.80	41.90	50.30	39.60	49.90
		F₃ WATERBOUND MACADAM	54															
	G MIXED BITUMINOUS	G₁ NONRIGID BASE	60	68.70		.20		19.20	11.90	2.80		22.10			7.00			5.50
HIGH TYPE SURFACES	G₂ RIGID BASE	61	5.70			.10	.10	3.80	1.40		.10	.20						
	H BITUMINOUS PENETRATION	H₁ NONRIGID BASE	64	6.30													6.30	
		H₂ RIGID BASE	62	.10					.10									
	I BITUMINOUS CONCRETE I₁	63	85.00	.20		.50			1.40	4.80	9.30	.20	51.50	2.30	6.40		8.40	
	SAND ASPHALT —HOT PREMIXED	I₂ ON P. C. CONCRETE	67	10.70		.40		.60	.30			2.20	.30		3.20	3.20		.50
		I₃ ON BITUMINOUS CONCRETE	66	15.70	1.90		3.30				2.60			5.60		2.30		
		I₄ ON OTHER TYPES THAN I₂ AND I₃	65	919.40	168.50	32.90	101.80	11.00	19.60	88.90	46.90	17.80	66.00	45.80	93.80	129.50	36.00	60.90
	J PORTLAND CEMENT CONCRETE	70	17.90			3.30	.20	1.50	1.00		3.10			2.80	.10	4.80	1.10	
	K BRICK	80																
	L BLOCK	90																
	TOTAL HARD SURFACED		2,196.10	273.60	88.10	131.70	101.70	50.90	154.10	192.50	128.90	236.90	269.70	151.60	199.70	89.90	126.80	
	TOTAL MILEAGE		3,489.00	483.60	148.30	172.60	169.90	82.90	274.10	310.30	196.20	395.60	403.20	212.90	282.80	145.40	211.20	

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

62

NC 601 SR

SYSTEM RURAL SECONDARY ROAD
COUNTY DIVISION TOTALS
DIVISION No. 2

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL											
			BEAU- FORD	CART- ERET	CRAVEN	GREENE	JONES	LEN CIR	PAMLICO	PITT			
NON SURFD	A PRIMITIVE	00											
	B UNIMPROVED	10	80.70	24.50	7.70	20.70	6.80	2.80	14.00	2.00	2.20		
	C GRADED AND DRAINED	20	770.80	185.50	28.00	108.70	37.60	36.30	134.50	43.80	196.40		
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	360.80	104.30	5.40	46.90	40.00	20.20	63.40	5.70	74.90		
	E GRAVEL OR STONE —UNTREATED	41	116.70	17.10	14.70	39.20	2.00	5.70		27.80	10.20		
	TOTAL NON HARD SURFACED		1,329.00	331.40	55.80	215.50	86.40	65.00	211.90	79.30	283.70		
	F BITUMINOUS SURFACE	F ₁ TOPSOIL OR SAND-CLAY	51	174.20	16.40	19.90	14.10	67.00	10.80	4.50	29.50	12.00	
		F ₂ GRAVEL OR STONE	52	125.20	46.60	17.60	27.20		11.80	4.60	12.60	4.80	
HIGH TYPE SURFACES	F ₃ WATERBOUND MACADAM	54	.50								.50		
	G MIXED BITUMINOUS	G ₁ NONRIGID BASE	60	101.30	23.50	19.20	23.80	13.80		10.40	10.60		
	G ₂ RIGID BASE	61	24.40	13.00	7.70	2.30				.40	1.00		
	H BITUMINOUS PENETRATION	H ₁ NONRIGID BASE	64										
		H ₂ RIGID BASE	62										
	I BITUMINOUS CONCRETE I ₁	63	230.20	6.40	30.70	62.00	13.40	13.20	43.50		61.00		
	SAND ASPHALT —HOT PREMIXED	I ₂ ON P. C. CONCRETE	67	1.90	1.20					.10	.60		
		I ₃ ON BITUMINOUS CONCRETE	66	49.50	4.90	2.50	9.80	8.40	11.40	11.80		.70	
		I ₄ ON OTHER TYPES THAN I ₂ AND I ₃	65	1,639.60	245.40	88.70	169.80	180.50	131.70	333.40	63.10	427.00	
	J PORTLAND CEMENT CONCRETE	70	7.70	3.00	.70	.10		.70	.20	.20	2.80		
K BRICK	80	10.00			10.00								
L BLOCK	90												
TOTAL HARD SURFACED		2,364.50	360.40	187.00	319.10	283.10	179.60	398.10	116.20	521.00			
TOTAL MILEAGE		3,693.50	691.80	242.80	534.60	369.50	244.60	610.00	195.50	804.70			

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

63

NC 601 SR

SYSTEM RURAL SECONDARY ROAD
COUNTY DIVISION TOTALS
DIVISION No. 3

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL								
			BRUNS- WICK	DUPLIN	NEW HANOVER	ONSLOW	PENDER	SAMPSON		
A PRIMITIVE	00									
B UNIMPROVED	10	83.80	12.70	27.50	2.30	15.60	17.10	8.60		
C GRADED AND DRAINED	20	301.20	49.90	93.40	1.20	49.30	20.00	87.40		
D SOIL SURFACED —UNTREATED	30	680.20	123.10	157.90	13.00	48.40	92.70	245.10		
E GRAVEL OR STONE —UNTREATED	41	13.70		.30	8.00	5.20		.20		
TOTAL NON HARD SURFACED		1,078.90	185.70	279.10	24.50	118.50	129.80	341.30		
F BITUMINOUS SURFACE TREATED	F ₁ TOPSOIL OR SAND-CLAY	51	130.30	9.60	26.60	5.00	11.20	45.70	32.20	
	F ₂ GRAVEL OR STONE	52	18.90			1.40	16.80		.70	
	F ₃ WATERBOUND MACADAM	54								
G MIXED BITUMINOUS	G ₁ NONRIGID BASE	60	92.90	62.50	8.20	3.60	6.80	9.70	2.10	
G MIXED BITUMINOUS	G ₂ RIGID BASE	61	9.20	3.50		3.10	1.10		1.50	
H BITUMINOUS PENETRATION	H ₁ NONRIGID BASE	64								
	H ₂ RIGID BASE	62	.90	.90						
I BITUMINOUS CONCRETE I ₁		63	231.80	23.40	56.70	30.40	21.90	41.70	.57.70	
SAND ASPHALT —HOT PREMIXED	I ₂ ON P. C. CONCRETE	67	2.60						2.60	
	I ₃ ON BITUMINOUS CONCRETE	66	89.30	6.70	24.80	.10	.60	14.50	42.60	
	I ₄ ON OTHER TYPES THAN I ₂ AND I ₃	65	2,134.20	199.00	521.00	171.90	320.60	222.20	699.50	
J PORTLAND CEMENT CONCRETE		70	3.20	.50		1.40			1.30	
K BRICK		80								
L BLOCK		90								
TOTAL HARD SURFACED		2,713.30	306.10	637.30	216.90	379.00	333.80	840.20		
TOTAL MILEAGE		3,792.20	491.80	916.40	241.40	497.50	463.60	1181.50		

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

64

NC 601 SR

SYSTEM RURAL SECONDARY ROAD
COUNTY DIVISION TOTALS
DIVISION No. 4

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL								
			EDGE-COMBE	HALIFAX	JOHN-STON	NASH	WAYNE	WILSON		
NON SURF'D	A PRIMITIVE	00								
	B UNIMPROVED	10	51.20	1.90	17.80	13.70	11.10	4.20	2.50	
	C GRADED AND DRAINED	20	365.30	30.70	67.90	78.50	92.70	18.00	77.50	
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	623.50	53.60	103.40	248.30	39.80	150.30	28.10	
	E GRAVEL OR STONE —UNTREATED	41	113.10	12.50	18.00	42.20	25.00	5.40	10.00	
	TOTAL NON HARD SURFACED		1,153.10	98.70	207.10	382.70	168.60	177.90	118.10	
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY 51	1,275.20	137.60	212.30	299.60	293.50	126.60	205.60	
		F2 GRAVEL OR STONE 52	161.70	50.50	49.80	17.30	23.80	12.20	8.10	
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE 60	6.10				6.10			
	G2 RIGID BASE 61	53.50	1.50	.10	24.20	.90	26.20	.60		
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE 64	.20					.20		
		H2 RIGID BASE 62								
	I BITUMINOUS CONCRETE I1	63	435.96	24.70	20.10	96.86	67.10	202.30	24.90	
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE 67	5.40	.80	.20		4.40			
		I3 ON BITUMINOUS CONCRETE 66	323.10	28.40	33.20	59.50	55.50	129.90	16.60	
		I4 ON OTHER TYPES THAN I2 AND I3 65	1,025.68	154.70	112.30	316.20	141.00	140.78	160.70	
	J PORTLAND CEMENT CONCRETE	70	2.70				2.70			
	K BRICK	80								
	L BLOCK	90								
TOTAL HARD SURFACED			3,289.54	398.20	428.00	813.66	595.00	638.18	416.50	
TOTAL MILEAGE			4,442.64	496.90	635.10	1196.36	763.60	816.08	534.60	

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

65

NC 601 SR

SYSTEM RURAL SECONDARY ROAD
COUNTY DIVISION TOTALS
DIVISION No. 5

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL										
			DURHAM	FRANK-LIN	GRANVILLE	PERSON	VANCE	WAKE	WARREN			
NON SURF'D	A PRIMITIVE	00										
	B UNIMPROVED	10	54.20	2.60	5.30	11.20	16.40	2.40	13.00	3.30		
	C GRADED AND DRAINED	20	378.30	55.80	10.70	102.70	102.00	8.00	49.50	49.60		
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	479.90	37.70	82.10	29.50	57.50	34.60	182.20	56.30		
	E GRAVEL OR STONE —UNTREATED	41	902.10	130.70	76.70	207.40	146.70	46.90	166.70	127.00		
	TOTAL NON HARD SURFACED		1,814.50	226.80	174.80	350.80	322.60	91.90	411.40	236.20		
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	1,098.78	62.58	281.60	114.00	88.00	133.30	313.40	105.90	
		F2 GRAVEL OR STONE	52	795.91	99.40	40.30	156.60	126.70	73.10	171.01	128.80	
		F3 WATERBOUND MACADAM	54	1.00	1.00							
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE	60	1.20	.50				.70			
	G MIXED BITUMINOUS	G2 RIGID BASE	61	4.40	4.40							
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64									
		H2 RIGID BASE	62	.60			.60					
	I BITUMINOUS CONCRETE I1		63	591.41	88.80	69.20	45.70	9.10	50.71	291.00	36.90	
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	5.00	3.60					1.40		
		I3 ON BITUMINOUS CONCRETE	66	.70						.70		
		I4 ON OTHER TYPES THAN I2 AND I3	65	264.20	54.50	39.90	23.10	12.20	8.40	121.80	4.30	
	J PORTLAND CEMENT CONCRETE		70	5.50	.20	.50	.60	2.90	1.20	.10		
	K BRICK		80									
	L BLOCK		90									
TOTAL HARD SURFACED			2,768.70	314.98	431.50	340.60	238.90	266.71	900.11	275.90		
TOTAL MILEAGE			4,583.20	541.78	606.30	691.40	561.50	358.61	1311.51	512.10		

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

66

NC 601 SR

SYSTEM RURAL SECONDARY ROAD
COUNTY DIVISION TOTALS
DIVISION No. 6

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL										
			BLADEN	COLUM- BUS	CUMBER- LAND	HARNETT	ROBESON					
NON SURF'D	A PRIMITIVE	00										
	B UNIMPROVED	10	97.90	18.30	29.00	5.00	6.40	39.20				
	C GRADED AND DRAINED	20	295.30	38.80	109.30	13.20	35.30	98.70				
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	990.40	186.50	172.10	228.70	215.80	187.30				
	E GRAVEL OR STONE —UNTREATED	41	19.50	.20			16.90	2.40				
	TOTAL NON HARD SURFACED		1,403.10	243.80	310.40	246.90	274.40	327.60				
	F BITUMINOUS SURFACE TREATED	F ₁ TOPSOIL OR SAND-CLAY	51	606.80	54.10	167.00	69.40	137.00	179.30			
		F ₂ GRAVEL OR STONE	52	31.90	.30	9.80	3.80	10.20	7.80			
HIGH TYPE SURFACES	F ₃ WATERBOUND MACADAM	54										
	G MIXED BITUMINOUS	G ₁ NONRIGID BASE	60	44.30	16.90	10.20	16.30		.90			
	G ₂ RIGID BASE	61	2.00	2.00								
	H BITUMINOUS PENETRATION	H ₁ NONRIGID BASE	64									
		H ₂ RIGID BASE	62									
	I BITUMINOUS CONCRETE I ₁	63	256.30	32.30	27.90	71.60	19.60	104.90				
	SAND ASPHALT —HOT PREMIXED	I ₂ ON P. C. CONCRETE	67	.60			.60					
		I ₃ ON BITUMINOUS CONCRETE	66	218.30	27.50	24.50	100.70	20.20	45.40			
		I ₄ ON OTHER TYPES THAN I ₂ AND I ₃	65	2,004.60	213.90	380.00	360.50	357.60	692.60			
	J PORTLAND CEMENT CONCRETE	70	.40					.40				
K BRICK	80											
L BLOCK	90											
TOTAL HARD SURFACED		3,165.20	347.00	619.40	622.90	544.60	1031.30					
TOTAL MILEAGE		4,568.30	590.80	929.80	869.80	819.00	1358.90					

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

67

NC 601 SR

SYSTEM RURAL SECONDARY ROAD
COUNTY DIVISION TOTALS
DIVISION No. 7

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL							
			ALA- MANCE	CASWELL	GUIL- FORD	ORANGE	ROCK- INGHAM		
NON SURF'D	A PRIMITIVE	00	.50			.50			
	B UNIMPROVED	10	58.60	7.90	18.90	10.00	12.50	9.30	
	C GRADED AND DRAINED	20	334.80	37.60	82.90	70.20	104.70	39.40	
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	197.20	43.20	37.50	57.50	26.30	32.70	
	E GRAVEL OR STONE —UNTREATED	41	944.50	139.60	53.70	312.40	116.20	322.60	
	TOTAL NON HARD SURFACED		1,535.60	228.30	193.00	450.10	260.20	404.00	
	F BITUMINOUS SURFACE	F₁ TOPSOIL OR SAND-CLAY	51	608.60	123.80	136.40	110.90	172.70	64.80
		F₂ GRAVEL OR STONE	52	1,334.20	279.20	127.40	485.70	129.30	312.60
		F₃ WATERBOUND MACADAM	54	.20		.20			
	G MIXED BITUMINOUS	G₁ NONRIGID BASE	60						
		G₂ RIGID BASE	61	10.50		9.90	.20	.40	
HIGH TYPE SURFACES	H BITUMINOUS PENETRATION	H₁ NONRIGID BASE	64						
		H₂ RIGID BASE	62	4.70		4.70			
	I BITUMINOUS CONCRETE I₁		63	365.76	83.20	25.10	123.06	53.00	81.40
	SAND ASPHALT —HOT PREMIXED	I₂ ON P. C. CONCRETE	67	.80	.30		.50		
		I₃ ON BITUMINOUS CONCRETE	66						
		I₄ ON OTHER TYPES THAN I₂ AND I₃	65	35.10	2.20		26.90	3.10	2.90
	J PORTLAND CEMENT CONCRETE		70	23.00	2.00	7.30	6.00	1.00	6.70
	K BRICK		80						
	L BLOCK		90						
	TOTAL HARD SURFACED		2,382.86	490.70	306.10	758.16	359.10	468.80	
	TOTAL MILEAGE		3,918.46	719.00	499.10	1208.26	619.30	872.80	

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

68

NC 601 SR

SYSTEM RURAL SECONDARY ROAD

COUNTY DIVISION TOTALS

DIVISION No. 8

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL										
			CHATHAM	HOKE	LEE	MONT- GOMERY	MOORE	RAN- DOLPH	RICH- MOND	SCOT- LAND		
NON SURFD	A PRIMITIVE	00										
	B UNIMPROVED	10	51.00	7.80	2.40	4.90	2.20	14.00	8.70	4.90	6.10	
	C GRADED AND DRAINED	20	222.20	64.70	10.20	6.50	13.00	41.50	58.90	10.40	17.00	
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	755.60	106.50	24.50	35.40	50.50	164.60	256.80	73.80	43.50	
	E GRAVEL OR STONE —UNTREATED	41	487.00	171.70	.10	20.00	60.20	26.80	189.30	18.90		
	TOTAL NON HARD SURFACED		1,515.80	350.70	37.20	66.80	125.90	246.90	513.70	108.00	66.60	
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	1,654.50	137.20	207.10	188.10	87.60	418.00	258.00	120.50	238.00
		F2 GRAVEL OR STONE	52	556.90	147.60		21.80	43.80	21.10	303.30	17.40	1.90
	G MIXED BITUMINOUS	G1 NONRIGID BASE	60	1.00					.20	.80		
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G2 RIGID BASE	61	2.60				.30		2.30		
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64									
		H2 RIGID BASE	62									
	I BITUMINOUS CONCRETE I1	63	371.48	66.00	21.20	40.10	6.00	12.70	128.18	51.40	45.90	
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	.20						.20		
		I3 ON BITUMINOUS CONCRETE	66	47.30		14.10	5.80	13.00		5.50	8.90	
		I4 ON OTHER TYPES THAN I2 AND I3	65	1,065.80	145.50	81.40	44.30	207.20	177.20	42.30	290.10	77.80
	J PORTLAND CEMENT CONCRETE	70	13.50	3.50		.30	4.40		4.70		.60	
	K BRICK	80										
	L BLOCK	90										
TOTAL HARD SURFACED			3,713.28	499.80	323.80	300.40	362.00	629.30	736.68	488.20	373.10	
TOTAL MILEAGE			5,229.08	850.50	361.00	367.20	487.90	876.20	1250.38	596.20	439.70	

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

69

NC 601 SR

SYSTEM RURAL SECONDARY ROAD

COUNTY DIVISION TOTALS

DIVISION No. 9

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL								
			DAVID- SON	DAVIE	FORSYTH	ROWAN	STOKES			
A PRIMITIVE	00	.60					.60			
B UNIMPROVED	10	175.50	46.50	8.60	7.90	58.60	53.90			
C GRADED AND DRAINED	20	258.80	46.00	29.40	39.80	34.70	108.90			
D SOIL SURFACED —UNTREATED	30	486.90	169.50	51.50	79.20	47.90	138.80			
E GRAVEL OR STONE —UNTREATED	41	447.70	59.70	73.70	110.30	103.90	100.10			
TOTAL NON HARD SURFACED		1,369.50	321.70	163.20	237.20	245.10	402.30			
F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	1,595.80	515.60	125.40	376.10	319.40	259.30		
	F2 GRAVEL OR STONE	52	774.50	174.80	75.10	173.80	255.00	95.80		
	F3 WATERBOUND MACADAM	54	9.60				9.60			
G MIXED BITUMINOUS	G1 NONRIGID BASE	60								
G MIXED BITUMINOUS	G2 RIGID BASE	61	1.00				1.00			
H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64								
	H2 RIGID BASE	62	.10				.10			
I BITUMINOUS CONCRETE I1		63	91.80	35.70	4.30	18.00	25.70	8.10		
SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	.20	.20						
	I3 ON BITUMINOUS CONCRETE	66	.90			.90				
	I4 ON OTHER TYPES THAN I2 AND I3	65	184.20	59.80	6.10	20.40	95.90	2.00		
J PORTLAND CEMENT CONCRETE		70	34.10	6.20	.80	13.10	2.50	11.50		
K BRICK		80								
L BLOCK		90								
TOTAL HARD SURFACED		2,692.20	792.30	211.70	602.30	709.20	376.70			
TOTAL MILEAGE		4,061.70	1114.00	374.90	839.50	954.30	779.00			

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

70

NC 601 SR

SYSTEM RURAL SECONDARY ROAD
 COUNTY DIVISION TOTALS
 DIVISION No. 10

COMPLETED AS OF JANUARY 1 19 74

TYPE OF ROAD		MILEAGE TOTAL								
			ANSON	CABAR-RUS	MECK-LENBURG	STANLY	UNION			
NON SURF'D	A PRIMITIVE	.00								
	B UNIMPROVED	10	46.50	8.80	17.50	3.10	15.00	2.10		
	C GRADED AND DRAINED	20	114.90	15.60	21.60	8.20	33.20	36.30		
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	152.10	24.70	70.80	14.40	13.20	29.00		
	E GRAVEL OR STONE —UNTREATED	41	658.50	120.50	36.80	114.50	152.50	234.20		
	TOTAL NON HARD SURFACED		972.00	169.60	146.70	140.20	213.90	301.60		
	F BITUMINOUS SURFACE	F₁ TOPSOIL OR SAND-CLAY	51	936.00	337.80	362.60	71.10	60.50	104.00	
		F₂ GRAVEL OR STONE	52	1,565.70	152.60	190.70	323.10	439.60	459.70	
	G MIXED BITUMINOUS	G₁ NONRIGID BASE	60							
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G₂ RIGID BASE	61	.90			.90			
	H BITUMINOUS PENETRATION	H₁ NONRIGID BASE	64							
		H₂ RIGID BASE	62							
	I BITUMINOUS CONCRETE I₁		63	484.50	15.90	36.90	405.90	2.20	23.60	
	SAND ASPHALT —HOT PREMIXED	I₂ ON P. C. CONCRETE	67	10.50		5.50	5.00			
		I₃ ON BITUMINOUS CONCRETE	66	1.31			1.31			
		I₄ ON OTHER TYPES THAN I₂ AND I₃	65	296.20		3.30	67.10	.30	225.50	
	J PORTLAND CEMENT CONCRETE		70	11.60	4.40	1.90	1.50	2.00	1.80	
	K BRICK		80							
	L BLOCK		90							
TOTAL HARD SURFACED			3,314.01	514.60	601.20	879.01	504.60	814.60		
TOTAL MILEAGE			4,286.01	684.20	747.00	1019.21	718.50	1116.20		

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

71

NC 601 SR

SYSTEM RURAL SECONDARY ROAD

COUNTY DIVISION TOTALS

COMPLETED AS OF JANUARY 1 1974

DIVISION No. 11

TYPE OF ROAD		MILEAGE TOTAL										
			ALLE- GHANY	ASHE	AVERY	CALD- WELL	SURRY	WATAUGA	WILKES	YADKIN		
NON SURF'D	A PRIMITIVE	00	6.20			.30		2.30		3.60		
	B UNIMPROVED	10	234.70	26.50	57.20	8.10	8.90	21.10	66.60	37.80	8.50	
	C GRADED AND DRAINED	20	267.10	28.10	7.40	3.90	45.90	26.50	13.10	91.40	50.80	
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	153.80	9.50	17.40	1.40	55.60	10.30	.30	30.00	29.30	
	E GRAVEL OR STONE —UNTREATED	41	2,138.80	188.40	374.90	149.60	178.80	383.10	238.00	453.20	172.80	
	TOTAL NON HARD SURFACED		2,800.60	252.50	456.90	163.00	289.50	441.00	320.30	612.40	265.00	
	F BITUMINOUS SURFACE	F ₁ TOPSOIL OR SAND-CLAY	51	300.00	2.20	10.30	2.40	61.90	92.40	11.70	56.30	62.80
	TREATED	F ₂ GRAVEL OR STONE	52	1,466.60	108.30	191.70	57.50	134.70	308.50	94.70	381.40	189.80
HIGH TYPE SURFACES	F ₃ WATERBOUND MACADAM	54	3.50	1.50		.90	.50			.60		
	G MIXED BITUMINOUS	G ₁ NONRIGID BASE	60									
	G ₂ RIGID BASE	61	24.00		7.90	3.20		2.30	5.00	5.60		
	H BITUMINOUS PENETRATION	H ₁ NONRIGID BASE	64									
	H ₂ RIGID BASE	62										
	I BITUMINOUS CONCRETE I ₁	63	75.80	10.80	12.50	6.90	8.10	3.20	19.40	14.00	.90	
	SAND ASPHALT —HOT PREMIXED	I ₂ ON P. C. CONCRETE	67	.30						.30		
	I ₃ ON BITUMINOUS CONCRETE	66										
	I ₄ ON OTHER TYPES THAN I ₂ AND I ₃	65	167.00	13.00	.40	3.30	41.70	35.80	12.00	28.70	32.10	
	J PORTLAND CEMENT CONCRETE	70	21.40			.90		8.30			12.20	
K BRICK	80											
L BLOCK	90											
TOTAL HARD SURFACED		2,058.60	135.80	222.80	75.10	246.90	450.50	142.80	486.90	297.80		
TOTAL MILEAGE		4,859.20	388.30	679.70	238.10	536.40	891.50	463.10	1099.30	562.80		

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

72

NC 601 SR

SYSTEM RURAL SECONDARY ROAD

COUNTY DIVISION TOTALS

DIVISION No. 12

COMPLETED AS OF JANUARY 1 19 74

TYPE OF ROAD		MILEAGE TOTAL								
			ALEX- ANDER	CATAWBA	CLEVE- LAND	GASTON	IREDELL	LINCOLN		
NON SURFD	A PRIMITIVE	00								
	B UNIMPROVED	10	13.50	.70	2.20	5.70	1.10	2.70	1.10	
	C GRADED AND DRAINED	20	94.10	7.10	22.80	40.90	4.60	11.90	6.80	
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	865.50	142.10	115.70	167.80	124.80	189.50	125.60	
	E GRAVEL OR STONE —UNTREATED	41	478.10	36.30	71.20	74.40	41.40	206.40	48.40	
	TOTAL NON HARD SURFACED		1,451.20	186.20	211.90	288.80	171.90	410.50	181.90	
	F BITUMINOUS SURFACE TREATED	F₁ TOPSOIL OR SAND-CLAY	51	1,778.20	233.60	311.50	393.10	206.10	371.40	262.50
		F₂ GRAVEL OR STONE	52	674.00	40.40	108.30	94.40	192.40	179.50	59.00
		F₃ WATERBOUND MACADAM	54							
	G MIXED BITUMINOUS	G₁ NONRIGID BASE	60	.20				.20		
HIGH TYPE SURFACES	G₂ RIGID BASE	61								
	H BITUMINOUS PENETRATION	H₁ NONRIGID BASE	64							
		H₂ RIGID BASE	62							
	I BITUMINOUS CONCRETE I₁	63	450.17	15.70	91.47	117.70	70.00	112.20	43.10	
	SAND ASPHALT —HOT PREMIXED	I₂ ON P. C. CONCRETE	67	.30				.30		
		I₃ ON BITUMINOUS CONCRETE	66	.70			.40	.30		
		I₄ ON OTHER TYPES THAN I₂ AND I₃	65	197.50	19.30	24.30	54.10	30.60	46.40	22.80
	J PORTLAND CEMENT CONCRETE	70	1.80			1.50			.30	
	K BRICK	80								
	L BLOCK	90								
	TOTAL HARD SURFACED		3,102.87	309.00	535.57	661.20	499.40	710.00	387.70	
	TOTAL MILEAGE		4,554.07	495.20	747.47	950.00	671.30	1120.50	569.60	

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

73

NC 601 SR

SYSTEM RURAL SECONDARY ROAD
 COUNTY DIVISION TOTALS
 DIVISION No. 13

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL										
			BUN- COMBE	BURKE	MADISON	MCDOW- ELL	MIT- CHELL	RUTHER- FORD	YANCEY			
NON SURFD	A PRIMITIVE	00	.90			.20		.70				
	B UNIMPROVED	10	87.00	7.20	4.70	33.90	6.70	16.90	9.00	8.60		
	C GRADED AND DRAINED	20	151.30	14.20	25.80	9.60	10.90	4.10	85.70	1.00		
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	195.10	1.40	47.90	.20	7.40	.30	137.60	.30		
	E GRAVEL OR STONE —UNTREATED	41	1,418.60	364.40	176.70	285.90	160.00	135.00	157.70	138.90		
	TOTAL NON HARD SURFACED		1,852.90	387.20	255.10	329.80	185.00	157.00	390.00	148.80		
	F BITUMINOUS SURFACE	F ₁ TOPSOIL OR SAND-CLAY	51	379.40	9.70	99.20	29.50	19.20	4.30	217.00	.50	
		F ₂ GRAVEL OR STONE	52	1,175.90	352.80	202.30	106.10	199.10	87.80	113.90	113.90	
	F ₃ WATERBOUND MACADAM	54	5.20			2.80		2.10		.30		
	G MIXED BITUMINOUS	G ₁ NONRIGID BASE	60	2.50	.60	.90		.70		.30		
HIGH TYPE SURFACES	G ₂ RIGID BASE	61	10.20	2.40	.30		.10	2.10	2.80	2.50		
	H BITUMINOUS PENETRATION	H ₁ NONRIGID BASE	64									
		H ₂ RIGID BASE	62	6.70	4.40			2.30				
	I BITUMINOUS CONCRETE I ₁	63	417.10	105.30	68.70	33.90	31.00	3.50	155.60	19.10		
	SAND ASPHALT —HOT PREMIXED	I ₂ ON P. C. CONCRETE	67	.70	.70							
		I ₃ ON BITUMINOUS CONCRETE	66	.60	.60							
		I ₄ ON OTHER TYPES THAN I ₂ AND I ₃	65	77.20	62.90	5.60	1.50	1.50	2.80	2.90		
	J PORTLAND CEMENT CONCRETE	70	24.20	9.70	1.20		7.70	2.90	2.70			
	K BRICK	80										
	L BLOCK	90										
TOTAL HARD SURFACED			2,099.70	549.10	378.20	173.80	259.30	107.80	495.20	136.30		
TOTAL MILEAGE			3,952.60	936.30	633.30	503.60	444.30	264.80	885.20	285.10		

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

74

NC 601 SR

SYSTEM RURAL SECONDARY ROAD
COUNTY DIVISION TOTALS
DIVISION No. 14

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL												
			CHERO- KEE	CLAY	GRAHAM	HAYWOOD	HENDER- SON	JACKSON	MACON	POLK	SWAIN	TRANS- YLVANIA		
NON SURF'D	A PRIMITIVE	00	3.50				1.60	1.90						
	B UNIMPROVED	10	175.10	19.40	8.50	2.60	14.30	6.00	47.50	50.70	4.30	7.40	14.40	
	C GRADED AND DRAINED	20	158.10	7.50	3.20	3.20	10.00	55.70	12.80	10.40	36.10	3.30	15.90	
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	116.10	6.20	1.70	1.10		1.50	24.10	9.00	60.40	1.30	10.80	
	E GRAVEL OR STONE —UNTREATED	41	1,725.21	258.10	91.40	86.00	225.30	321.30	203.30	236.10	95.70	80.61	127.40	
	TOTAL NON HARD SURFACED		2,178.01	291.20	104.80	92.90	249.60	386.10	289.60	306.20	196.50	92.61	168.50	
	F BITUMINOUS SURFACE TREATED	F₁ TOPSOIL OR SAND-CLAY	51	108.70	1.20	.80	.90	14.20	15.40	13.30	10.10	27.20	12.90	12.70
		F₂ GRAVEL OR STONE	52	840.10	101.10	64.50	82.10	114.30	119.00	78.70	79.00	52.40	63.30	85.70
	G MIXED BITUMINOUS	G₁ NONRIGID BASE	60					.90						
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G₂ RIGID BASE	61	3.70						3.70				
	H BITUMINOUS PENETRATION	H₁ NONRIGID BASE	64											
		H₂ RIGID BASE	62											
	I BITUMINOUS CONCRETE I₁		63	281.05	29.60	18.80	14.40	35.00	59.85	14.30	53.10	33.80	6.40	15.80
	SAND ASPHALT —HOT PREMIXED	I₂ ON P. C. CONCRETE	67	9.60				2.20	4.10		3.30			
		I₃ ON BITUMINOUS CONCRETE	66	5.30		.60			3.70		.10		.90	
		I₄ ON OTHER TYPES THAN I₂ AND I₃	65	346.60	36.60	22.00	4.60	13.90	85.30	27.90	84.40	54.40	4.00	13.50
	J PORTLAND CEMENT CONCRETE		70	13.20				.90	.10	5.00	6.00	1.20		
	K BRICK		80											
	L BLOCK		90											
	TOTAL HARD SURFACED		1,609.65	169.00	106.70	102.00	180.50	288.35	139.20	239.70	167.80	88.70	127.70	
	TOTAL MILEAGE		3,787.66	460.20	211.50	194.90	430.10	674.45	428.80	545.90	364.30	181.31	296.20	

RURAL - PAVED MILEAGE BY COUNTIES AND SURFACE WIDTH
NC 602 SR

COUNTY	PAVED	SURFACE	WIDTH	IN	FEE 1					TOTALS
					16-UNDER	17-19	20-21	22-23	24-26	
ALAMANCE	6.00	134.40	342.80	1.90		5.20	.40			490.70
ALEXANDER	10.10	234.10	55.30	3.90		4.30	1.30			309.00
ALLEGHANY	26.70	67.70	41.40							135.80
ANSON	224.60	261.90	15.20	4.20		8.50			.20	514.60
ASHE	71.10	66.40	84.10	1.20						222.80
AVERY	51.50	13.40	10.20							75.10
BEAUFORT	93.70	157.30	100.20	2.90		5.90	.30		.10	360.40
BERTIE	123.50	116.60	25.10	3.10		5.30				273.60
BLADEN	5.30	207.50	126.40	5.70		1.80		.30		347.00
BRUNSWICK		199.40	87.80	7.30		9.30	2.30			306.10
BUNCOMBE	300.50	131.10	96.90	1.00		18.50	.80		.30	549.10
BURKE	9.20	301.20	56.60	2.70		7.40	.80		.20	378.20
CABARRUS	258.10	252.00	53.60	.70		21.80	9.90	2.00	1.70	601.20
CALDWELL	98.40	99.20	47.40	1.40		.40	.10			246.90
CAMDEN	43.70	36.90	7.00	.40		.10				88.10
CARTERET	65.00	60.10	48.30			11.50	1.20	.70	.20	187.00
CASWELL	5.70	109.30	184.00	4.70		.30	1.30	.80		306.10
CATAWBA	.30	381.50	106.90	21.10		21.60	1.70	1.50		535.57
CHATHAM	95.90	207.90	181.30	13.10		1.50	.10			499.80
CHEROKEE	81.30	58.00	22.80	.20		6.70				169.00
CHOWAN	47.30	67.40	11.10	5.30			.60			131.70
CLAY	52.20	50.30	2.30			1.80	.10			106.70
CLEVELAND	10.50	484.00	152.10			11.20	2.60	.50	.30	661.20
COLUMBUS	.10	402.30	214.70	.20		1.70			.40	619.40
CRAVEN	105.00	128.00	66.80	7.20		11.10	.50	.10	.40	319.10

JANUARY 1, 1974

STATE SECONDARY HIGHWAY SYSTEM

76

RURAL - PAVED MILEAGE BY COUNTIES AND SURFACE WIDTH
NC 602 SR

COUNTY	16-UNDER	17-19	20-21	22-23	24-26	27-35	36-43	44-47	48-OVER	TOTALS
										PAVED
CUMBERLAND	1.30	298.70	134.00	29.70	70.70	65.00	18.40	.30	4.80	622.90
CURRITUCK	42.40	53.30	5.30	.60	.10					101.70
DARE	18.80	24.90	6.90	.30						50.90
DAVIDSON	140.30	385.30	247.20	1.10	13.30	4.40	.60	.10		792.30
DAVIE	16.70	92.70	97.80		4.50					211.70
DUPLIN	.60	424.90	198.50	9.90	.90	2.50				637.30
DURHAM	9.40	132.68	130.20	12.00	19.20	8.70	.60	.10	2.10	314.98
EDGECOMBE	79.30	160.20	140.30	7.30	9.60	.30	1.10	.10		398.20
FORSYTH	3.40	289.30	287.30	5.30	13.10	1.60	1.00		1.30	602.30
FRANKLIN	5.50	294.60	120.20			9.70			1.50	431.50
GASTON	6.20	324.50	110.20	7.60	38.50	9.60	1.90		.90	499.40
GATES	46.80	89.90	15.90			1.50				154.10
GRAHAM	63.50	16.70	11.10	8.30	2.40					102.00
GRANVILLE	1.60	119.80	177.80	14.70	21.70	.60	4.40			340.60
GREENE	57.20	160.30	57.30		3.10	2.70	2.50			283.10
GUILFORD	19.30	320.70	350.90	22.10	31.66	8.90	1.80		2.80	758.16
HALIFAX	69.20	219.40	136.50	1.90	.80				.20	428.00
HARNETT	24.60	325.80	185.70	1.80	4.80	1.20	.50	.20		544.60
HAYWOOD	103.30	40.80	29.00	3.50	3.90					180.50
HENDERSON	139.60	98.20	41.10	2.80	5.15	1.40			.10	288.35
HERTFORD	59.70	113.50	15.50		3.80					192.50
HOKE	5.00	222.00	78.90	2.00	11.10	4.80				323.80
HYDE	38.90	65.70	22.50	1.80						128.90
TREDELL	8.20	551.00	121.42	8.30	11.00	8.50	.30	.70	.58	710.00
JACKSON	65.90	52.20	11.30		2.00	7.80				139.20

JANUARY 1, 1974

STATE SECONDARY HIGHWAY SYSTEM

RURAL - PAVED MILEAGE BY COUNTIES AND SURFACE WIDTH
NC 602 SR

77

COUNTY	16-UNDER	17-19	20-21	22-23	W I D T H	IN	F E E T				TOTALS
							24-26	27-35	36-43	44-47	
JOHNSTON	.70	462.96	335.20	1.60	8.50	4.70					813.66
JONES	63.10	59.10	54.10	1.00	2.30						179.60
LEE	10.60	171.70	105.30	4.90	6.70	1.20					300.40
LENOIR	59.00	210.80	114.10	3.30	7.00	3.20	.20	.10	.40		398.10
LINCOLN	2.10	277.80	85.60	11.60	9.90	.50	.20				387.70
MACON	112.90	110.50	12.80	1.30	2.20						239.70
MADISON	108.30	40.00	25.50								173.80
MARTIN	73.90	141.20	15.60	3.00	3.20						236.90
MCDOWELL	13.90	192.40	46.70	2.70	1.70	1.80			.10		259.30
MECKLENBURG	287.20	307.70	106.90	27.40	74.41	60.90	5.10	7.70	1.70		879.01
MITCHELL	59.90	34.60	13.00		.30						107.80
MONTGOMERY	152.60	120.20	74.90	10.50	2.20	1.60					362.00
MOORE	65.00	325.50	188.70	38.30	9.40	2.20	.10		.10		629.30
NASH	.40	346.20	238.20		3.90	2.00			4.30		595.00
NEW HANOVER	12.20	109.30	66.80	3.80	17.30	7.40	.10				216.90
NORTHHAMPTON	125.00	121.50	17.50		5.70						269.70
ONSLOW	94.60	157.00	103.90	3.20	9.40	6.60	.70		3.60		379.00
ORANGE	1.80	106.90	246.20		1.20	2.80			.20		359.10
PAMLICO	36.70	58.60	20.00	.50		.40					116.20
PASQUOTANK	53.90	81.50	10.00	2.70	3.30	.20					151.60
PENDER	.30	242.90	90.20				.40				333.80
PERQUIMANS	35.20	151.10	11.50		1.90						199.70
PERSON	2.90	113.90	117.80		3.80	.50					238.90
PITT	102.20	242.10	153.70	9.10	6.00	2.30	.40		5.20		521.00
POLK	22.90	113.70	29.40	.50	.70	.60					167.80

JANUARY 1, 1974

STATE SECONDARY HIGHWAY SYSTEM

RURAL - PAVED MILEAGE BY COUNTIES AND SURFACE WIDTH
NC 602 SR

78

COUNTY	PAVED		SURFACE	W I D T H	IN	F E E T					TOTALS
	16-UNDER	17-19	20-21	22-23	24-26	27-35	36-43	44-47	48-OVER		
RANDOLPH	166.70	299.40	259.60	1.50	8.40		.20		.88		736.68
RICHMOND	217.10	186.60	65.50	11.70	4.50	2.60			.20		488.20
ROBESON	40.80	588.50	377.20	14.90	8.40		.30		1.20		1031.30
ROCKINGHAM	.30	212.60	233.50	7.40	10.80	4.20					468.80
ROWAN	236.30	258.50	193.80		16.80	3.70			.10		709.20
RUTHERFORD	11.50	374.50	108.00	.10	1.10						495.20
SAMPSON	.30	546.30	287.30	3.10	3.10	.10					840.20
SCOTLAND	30.20	195.60	110.20	7.70	24.60	2.90	.20	1.30	.40		373.10
STANLY	184.50	271.80	34.80	.20	11.10	1.20	.90	.10			504.60
STOKES	13.80	127.60	227.10	2.90	2.10		3.20				376.70
SURRY	119.70	150.90	164.40	10.80	3.30	1.20	.20				450.50
SWAIN	68.00	11.80	5.60	2.60	.40	.30					88.70
TRANSYLVANIA	63.10	39.60	18.80	3.70	1.90	.60					127.70
TYRRELL	41.20	34.20	14.50								89.90
UNION	136.30	512.00	154.00	2.60	7.40	1.70	.60				814.60
VANCE	.90	178.80	74.50		8.20	3.70		.11	.50		266.71
WAKE	5.20	509.10	295.01	23.70	19.40	35.60	6.90	.70	4.50		900.11
WARREN	95.90	102.40	72.20		4.70	.60	.10				275.90
WASHINGTON	40.20	63.60	20.60	.80	1.60						126.80
WATAUGA	66.00	39.70	30.50	5.80	.80						142.80
WAYNE	.20	426.30	199.58	3.90	5.00	2.30	.20		.70		638.18
WILKES	134.10	197.00	147.50	7.00	.80	.50					486.90
WILSON	2.30	249.70	147.30	8.90	6.10	1.70	.20		.30		416.50
YADKIN	54.50	160.40	82.40		.50						297.80
YANCEY	87.00	32.50	15.50		1.30						136.30
TOTAL	6125.80	19173.54	10496.11	473.90	760.22	325.30	59.20	15.51	40.93		37470.51

**NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD**

79

NC 700 SM

SYSTEM MUNICIPAL SECONDARY ROAD

COUNTY STATE TOTALS

DIVISION No. 1-14

COMPLETED AS OF JANUARY 1 **19**74

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

80

NC 701 SM

SYSTEM MUNICIPAL SECONDARY ROAD

COUNTY DIVISION TOTALS

COMPLETED AS OF JANUARY 1 1974

DIVISION No. 1

TYPE OF ROAD		MILEAGE TOTAL																
			BERTIE	CAMDEN	CHOWAN	CURRI-TUCK	DARE	GATES	HERT-FORD	HYDE	MARTIN	NORTH-HAMPTON	PASQUO-TANK	PERQUI-MANS	TYRRELL	WASH-INGTON		
NON SURFD	A PRIMITIVE	00																
	B UNIMPROVED	10	.71						.09	.18		.38		.06				
	C GRADED AND DRAINED	20	2.85	.71						.51		.86	.24	.04	.10	.39		
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	2.04	.75					.20	.12		.48	.40		.09			
	E GRAVEL OR STONE —UNTREATED	41	.21									.21						
	TOTAL NON HARD SURFACED		5.81	1.46					.29	.81		1.93	.64	.10	.19	.39		
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	13.34	2.70				.31	.09	3.00		2.11	4.55	.08	.30	.20	
		F2 GRAVEL OR STONE	52	11.06			.36		5.38		.13		2.94	.89	.04	.34	.26	.72
		F3 WATERBOUND MACADAM	54															
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE	60															
	G MIXED BITUMINOUS	G2 RIGID BASE	61															
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64															
		H2 RIGID BASE	62															
	I BITUMINOUS CONCRETE I1	63	19.76	4.67		.90				2.86		1.88	1.81	2.01	2.41	.32	2.90	
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	2.67											.23		2.44	
		I3 ON BITUMINOUS CONCRETE	66	1.29	.78						.43						.08	
		I4 ON OTHER TYPES THAN I2 AND I3	65	28.74	3.03		3.63		1.41		6.28		4.67	3.64	2.16	.57	3.35	
	J PORTLAND CEMENT CONCRETE	70	1.45													.10	1.35	
	K BRICK	80	.10											.10				
	L BLOCK	90																
TOTAL HARD SURFACED			78.41	11.18		4.89		7.10	.09	12.70		11.60	10.89	4.39	3.85	.68	11.04	
TOTAL MILEAGE			84.22	12.64		4.89		7.10	.38	13.51		13.53	11.53	4.49	4.04	.68	11.43	

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

81

NC 701 SM

SYSTEM MUNICIPAL SECONDARY ROAD
COUNTY DIVISION TOTALS
DIVISION No. 2

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL									
			BEAU-FORD	CARTERET	CRAVEN	GREENE	JONES	LENOIR	PAMLICO	PITT	
NON SURF'D	A PRIMITIVE	00									
	B UNIMPROVED	10	1.13	.04		.78	.10		.21		
	C GRADED AND DRAINED	20	4.58	.05		2.13		.05	1.39	.96	
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	4.01	.23		1.67	.20	.62	.85	.44	
	E GRAVEL OR STONE —UNTREATED	41	.86		.04	.72			.10		
	TOTAL NON HARD SURFACED		10.58	.32	.04	5.30	.30	.67	2.55	1.40	
	F BITUMINOUS SURFACE	F1 TOPSOIL OR SAND-CLAY	51	12.68		.14	6.18	1.35	.92	3.13	.96
	TREATED	F2 GRAVEL OR STONE	52	2.30	1.13	.53	.20	.24	.20		
	F3 WATERBOUND MACADAM	54	.19							.19	
	G MIXED BITUMINOUS	G1 NONRIGID BASE	60	2.18		1.40		.40		.10	.28
HIGH TYPE SURFACES	G2 RIGID BASE	61	.60			.60					
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64								
		H2 RIGID BASE	62								
	I BITUMINOUS CONCRETE I1	63	48.78	6.95	11.71	8.60	1.36		6.96	1.48	11.72
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	.77			.18		.05		.54
		I3 ON BITUMINOUS CONCRETE	66	7.47	.45	.84	1.30	.95		2.05	1.88
		I4 ON OTHER TYPES THAN I2 AND I3	65	44.32	4.25	12.86	5.40	1.33	1.34	5.99	1.92
	J PORTLAND CEMENT CONCRETE	70	.33	.07			.12				.14
	K BRICK	80									
	L BLOCK	90									
	TOTAL HARD SURFACED		119.62	12.85	28.08	21.68	5.69	1.58	15.97	6.83	26.94
	TOTAL MILEAGE		130.20	13.17	28.12	26.98	5.99	1.58	16.64	9.38	28.34

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

82

NC 701 SM

SYSTEM MUNICIPAL SECONDARY ROAD

COUNTY DIVISION TOTALS

DIVISION No. 3

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL						
			BRUNS- WICK	DUPLIN	NEW HANOVER	ONSLOW	PENDER	SAMPSON
A PRIMITIVE	00							
B UNIMPROVED	10	1.23	.50	.16	.30		.27	
C GRADED AND DRAINED	20	2.89	.41	2.42				.06
D SOIL SURFACED —UNTREATED	30	6.25	2.69	1.52		.63	1.26	.15
E GRAVEL OR STONE —UNTREATED	41	.19					.19	
TOTAL NON HARD SURFACED		10.56	3.60	4.10	.30	.63	1.72	.21
F BITUMINOUS SURFACE TREATED	F ₁ TOPSOIL OR SAND-CLAY	51	5.13	1.44	1.66	.49	.23	1.22
	F ₂ GRAVEL OR STONE	52	.29					.29
	F ₃ WATERBOUND MACADAM	54						
G MIXED BITUMINOUS	G ₁ NONRIGID BASE	60	3.82	2.44		.34		1.04
G MIXED BITUMINOUS	G ₂ RIGID BASE	61	.30		.18	.12		
H BITUMINOUS PENETRATION	H ₁ NONRIGID BASE	64						
	H ₂ RIGID BASE	62						
I BITUMINOUS CONCRETE I ₁		63	47.54		5.36	18.13	5.78	8.57
SAND ASPHALT —HOT PREMIXED	I ₂ ON P. C. CONCRETE	67	.41		.35			.06
	I ₃ ON BITUMINOUS CONCRETE	66	10.12		2.42	2.54	.41	.41
	I ₄ ON OTHER TYPES THAN I ₂ AND I ₃	65	97.33	38.92	19.13	7.91	5.96	8.67
J PORTLAND CEMENT CONCRETE		70						
K BRICK		80						
L BLOCK		90						
TOTAL HARD SURFACED		164.94	42.80	29.10	29.53	12.38	19.16	31.97
TOTAL MILEAGE		175.50	46.40	33.20	29.83	13.01	20.88	32.18

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

83

NC 701 SM

SYSTEM MUNICIPAL SECONDARY ROAD
COUNTY DIVISION TOTALS
DIVISION No. 4

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL								
			EDGE-COMBE	HALIFAX	JOHN-STON	NASH	WAYNE	WILSON		
NON SURFD	A PRIMITIVE	00								
	B UNIMPROVED	10	.15		.05			.10		
	C GRADED AND DRAINED	20	1.38	.30	.80		.28			
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	3.18	.49	.11	.60	.57	1.41		
	E GRAVEL OR STONE —UNTREATED	41	1.08	.27		.81				
	TOTAL NON HARD SURFACED		5.79	1.06	.91	1.46	.85	1.41	.10	
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	34.22	4.45	4.48	7.79	7.35	2.33	7.82
		F2 GRAVEL OR STONE	52	2.75	1.23	.18	.20	.58	.30	.26
HIGH TYPE SURFACES	F3 WATERBOUND MACADAM	54								
	G MIXED BITUMINOUS	G1 NONRIGID BASE	60	.32			.32			
	G2 RIGID BASE	61	1.59	.25	.27	.51	.08	.10	.38	
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64							
		H2 RIGID BASE	62							
	I BITUMINOUS CONCRETE I1	63	43.26	5.42	4.57	5.79	4.25	11.09	12.14	
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	3.48	1.19	.18		1.52		.59
		I3 ON BITUMINOUS CONCRETE	66	14.29	1.94		4.86	3.49	1.40	2.60
		I4 ON OTHER TYPES THAN I2 AND I3	65	42.29	6.63	4.40	9.87	6.23	6.33	8.83
	J PORTLAND CEMENT CONCRETE	70	1.85		.33		.24		1.28	
	K BRICK	80								
	L BLOCK	90								
TOTAL HARD SURFACED			144.05	21.11	14.41	29.02	24.06	21.55	33.90	
TOTAL MILEAGE			149.84	22.17	15.32	30.48	24.91	22.96	34.00	

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

84

NC 701 SM

SYSTEM MUNICIPAL SECONDARY ROAD

COUNTY DIVISION TOTALS

DIVISION No. 5

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL										
			DURHAM	FRANK- LIN	GRAN- VILLE	PERSON	VANCE	WAKE	WARREN			
NON SURFD	A PRIMITIVE	00										
	B UNIMPROVED	10	.32				.22		.04	.06		
	C GRADED AND DRAINED	20	.57	.34		.18	.05					
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	2.52	.75	.03	.10		.49	1.04	.11		
	E GRAVEL OR STONE —UNTREATED	41	7.92	4.19	.08	.15	.18	1.12	1.79	.41		
	TOTAL NON HARD SURFACED	11.33	5.28	.11	.43	.45	1.61	2.87	.58			
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	44.61	7.78	3.43	2.98	1.73	2.28	21.59	4.82	
		F2 GRAVEL OR STONE	52	32.58	13.25	.10	3.33	4.01	2.54	8.94	.41	
		F3 WATERBOUND MACADAM	54									
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE	60	.10	.10							
	G MIXED BITUMINOUS	G2 RIGID BASE	61	3.25	3.25							
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64									
		H2 RIGID BASE	62									
	I BITUMINOUS CONCRETE I1		63	102.57	25.00	2.90	7.09	.47	5.55	60.64	.92	
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	1.29						1.29		
		I3 ON BITUMINOUS CONCRETE	66									
		I4 ON OTHER TYPES THAN I2 AND I3	65	18.09	5.56	.28	.40	.18	1.09	9.95	.63	
	J PORTLAND CEMENT CONCRETE		70	5.01	1.44	.53		1.17		1.87		
	K BRICK		80									
	L BLOCK		90									
	TOTAL HARD SURFACED		207.50	56.38	7.24	13.80	7.56	11.46	104.28	6.78		
	TOTAL MILEAGE		218.83	61.66	7.35	14.23	8.01	13.07	107.15	7.36		

**NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD**

85

NC 701 SM

SYSTEM MUNICIPAL SECONDARY ROAD

COUNTY DIVISION TOTALS

DIVISION No. 6

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL								
			BLADEN	COLUM- BUS	CUMBER- LAND	HARNETT	ROBESON			
NON SURFD	A PRIMITIVE	00								
	B UNIMPROVED	10	.29			.05		.24		
	C GRADED AND DRAINED	20	3.40	.12	1.66			1.62		
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	2.08	.22	.47	.75		.64		
	E GRAVEL OR STONE —UNTREATED	41								
	TOTAL NON HARD SURFACED			5.77	.34	2.13	.80	2.50		
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	21.57	1.16	5.01	3.97	4.38	7.05	
		F2 GRAVEL OR STONE	52	.60			.10	.10	.40	
		F3 WATERBOUND MACADAM	54							
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE	60	.93		.70	.06		.17	
	G MIXED BITUMINOUS	G2 RIGID BASE	61							
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64							
		H2 RIGID BASE	62							
	I BITUMINOUS CONCRETE I1		63	47.05	4.10	3.10	16.11	5.30	18.44	
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	1.35			.11		1.24	
		I3 ON BITUMINOUS CONCRETE	66	8.64	.43	1.05	4.49	.63	2.04	
		I4 ON OTHER TYPES THAN I2 AND I3 65		56.14	4.42	12.65	8.89	8.49	21.69	
	J PORTLAND CEMENT CONCRETE		70	.98		.41			.57	
	K BRICK		80							
	L BLOCK		90							
TOTAL HARD SURFACED			137.26	10.11	22.92	33.73	18.90	51.60		
TOTAL MILEAGE			143.03	10.45	25.05	34.53	18.90	54.10		

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

83

NC 701 SM

SYSTEM MUNICIPAL SECONDARY ROAD

COUNTY DIVISION TOTALS

DIVISION No. 7

COMPLETED AS OF JANUARY 1 19 74

TYPE OF ROAD		MILEAGE TOTAL	ALA- MANCE	CASWELL	GUIL- FORD	ORANGE	ROCK- INGHAM							
NON SURF'D	A PRIMITIVE	00												
	B UNIMPROVED	10	.47	.28		.19	.							
	C GRADED AND DRAINED	20	1.90	.66		1.08	.16							
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	.37	.20		.07	.10							
	E GRAVEL OR STONE —UNTREATED	41	5.21	1.56		2.40	.30	.95						
	TOTAL NON HARD SURFACED		7.95	2.70		3.74	.56	.95						
HIGH TYPE SURFACES	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	24.11	2.97	12.30	4.89	3.95						
		F2 GRAVEL OR STONE	52	64.45	18.05	34.84	2.24	9.32						
		F3 WATERBOUND MACADAM	54											
	G MIXED BITUMINOUS	G1 NONRIGID BASE	60											
	G MIXED BITUMINOUS	G2 RIGID BASE	61	.40	.40									
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64											
		H2 RIGID BASE	62	.78		.78								
I BITUMINOUS CONCRETE I1		63	101.81	20.67	54.69	7.39	19.06							
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	1.21		1.21								
		I3 ON BITUMINOUS CONCRETE	66	5.54		5.46		.08						
		I4 ON OTHER TYPES THAN I2 AND I3	65	7.89		7.34	.22	.33						
	J PORTLAND CEMENT CONCRETE		70	7.57	.70	6.14		.73						
	K BRICK		80											
	L BLOCK		90											
TOTAL HARD SURFACED		213.76	42.79		122.76	14.74	33.47							
TOTAL MILEAGE		221.71	45.49		126.50	15.30	34.42							

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

87

NC 701 SM

SYSTEM MUNICIPAL SECONDARY ROAD

COUNTY DIVISION TOTALS

DIVISION No. 8

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL										
			CHATHAM	HOKE	LEE	MONT- GOMERY	MOORE	RAN- DOLPH	RICH- MOND	SCOT- LAND		
NON SURF'D	A PRIMITIVE	00										
	B UNIMPROVED	10	.89					.75		.14		
	C GRADED AND DRAINED	20	.99	.30			.07	.62				
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	8.33			.13		2.18	4.74	1.06	.17	
	E GRAVEL OR STONE —UNTREATED	41	2.97	.81		.10			2.06			
	TOTAL NON HARD SURFACED		13.18	1.11		.28		2.25	8.17	1.06	.31	
	F BITUMINOUS SURFACE	F ₁ TOPSOIL OR SAND-CLAY	51	100.82	4.95	3.48	7.64	4.32	27.16	39.26	6.75	7.26
	TREATED	F ₂ GRAVEL OR STONE	52	22.20	2.46		.62	.30	.80	17.01	1.01	
	G MIXED BITUMINOUS	F ₃ WATERBOUND MACADAM	54	.17					.17			
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G ₁ NONRIGID BASE	60									
	H BITUMINOUS PENETRATION	G ₂ RIGID BASE	61									
	H ₁ NONRIGID BASE	64										
	H ₂ RIGID BASE	62	.26						.26			
	I BITUMINOUS CONCRETE I ₁	63	40.93	4.12	.41	6.99	2.07	4.57	16.21	2.15	4.41	
	SAND ASPHALT —HOT PREMIXED	I ₂ ON P. C. CONCRETE	67	1.28	.80				.33	.15		
		I ₃ ON BITUMINOUS CONCRETE	66	4.12	.94	.13	.03	.97	.18	.09	.86	.92
		I ₄ ON OTHER TYPES THAN I ₂ AND I ₃	65	49.20	3.70	1.84	1.63	5.35	10.31	5.01	15.24	6.12
	J PORTLAND CEMENT CONCRETE	70	2.05	.88					.97	.20		
	K BRICK	80										
	L BLOCK	90										
	TOTAL HARD SURFACED		221.03	17.85	5.86	16.91	13.01	43.02	70.05	26.62	18.71	
	TOTAL MILEAGE		234.21	18.96	5.86	17.19	13.01	45.27	87.22	27.68	19.02	

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

88

NC 701 SM

SYSTEM MUNICIPAL SECONDARY ROAD
COUNTY DIVISION TOTALS
DIVISION No. 5

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL							
			DAVID- SON	DAVIE	FORSYTH	ROWAN	STCKES		
NON SURFD	A PRIMITIVE	00							
	B UNIMPROVED	10	.50		.14	.36			
	C GRADED AND DRAINED	20	1.12	.13	.59	.20	.20		
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	2.69	.81	1.27	.27	.34		
	E GRAVEL OR STONE —UNTREATED	41	.75		.67	.08			
	TOTAL NON HARD SURFACED		5.06	.94	2.67	.91	.54		
	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	42.12	8.94	1.65	15.47	13.14	2.92
		F2 GRAVEL OR STONE	52	20.37	1.92	.86	12.67	4.92	
		F3 WATERBOUND MACADAM	54						
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G1 NONRIGID BASE	60						
	G2 RIGID BASE	61	.47		.26	.21			
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64						
		H2 RIGID BASE	62	.80			.80		
	I BITUMINOUS CONCRETE I1	63	88.65	22.76	49.31	16.28	.30		
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	3.20	.69		2.51		
		I3 ON BITUMINOUS CONCRETE	66	1.76	.75		.65	.36	
		I4 ON OTHER TYPES THAN I2 AND I3	65	6.78	1.36		1.33	4.09	
	J PORTLAND CEMENT CONCRETE	70	15.82	.63		15.09	.10		
	K BRICK	80	.26			.26			
	L BLOCK	90							
TOTAL HARD SURFACED			180.23	37.05	2.51	97.55	39.90	3.22	
TOTAL MILEAGE			185.29	37.99	2.51	100.22	40.81	3.76	

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

89

NC 701 SM

SYSTEM MUNICIPAL SECONDARY ROAD
COUNTY DIVISION TOTALS
DIVISION No. 10

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL						
NON SURF'D	ANSN		CABAR- RUS	MECK- LENBURG	STANLY	UNION		
A PRIMITIVE	00							
B UNIMPROVED	10	.63		.36		.17	.10	
C GRADED AND DRAINED	20	.60		.10	.20		.30	
D SOIL SURFACED —UNTREATED	30	1.86		1.59			.27	
E GRAVEL OR STONE —UNTREATED	41	4.18			3.88	.30		
TOTAL NON HARD SURFACED		7.27		2.05	4.08	.47	.67	
LOW TYPE SURFACES	F BITUMINOUS SURFACE TREATED	F1 TOPSOIL OR SAND-CLAY	51	31.26	11.52	7.27	3.76	5.76
	F2 GRAVEL OR STONE	52	28.84	1.86	1.68	9.09	9.40	6.81
	F3 WATERBOUND MACADAM	54						
	G MIXED BITUMINOUS	G1 NONRIGID BASE	60	.22	.22			
	G2 RIGID BASE	61	.65			.15	.50	
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64					
	H2 RIGID BASE	62						
	I BITUMINOUS CONCRETE I1		63	83.54	4.13	4.50	58.05	4.13
	SAND ASPHALT —HOT PREMIXED	I2 ON P. C. CONCRETE	67	3.78		.25	3.53	
	I3 ON BITUMINOUS CONCRETE	66	.04	.04				
HIGH TYPE SURFACES	I4 ON OTHER TYPES THAN I2 AND I3	65	9.19	1.43	1.69	3.07		3.00
	J PORTLAND CEMENT CONCRETE	70	5.50	1.83	.34	1.85	.74	.74
	K BRICK	80						
	L BLOCK	90						
	TOTAL HARD SURFACED	163.02	21.03	15.73	79.50	20.53	26.23	
TOTAL MILEAGE		170.29	21.03	17.78	83.58	21.00	26.90	

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

90

NC 701 SM

SYSTEM MUNICIPAL SECONDARY ROAD

COUNTY DIVISION TOTALS

DIVISION No. 11

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL										
			ALLE- GHANY	ASHE	AVERY	CALD- WELL	SURRY	WATAUGA	WILKES	YADKIN		
NON SURFD	A PRIMITIVE	00										
	B UNIMPROVED	10	.56				.11	.33	.12			
	C GRADED AND DRAINED	20	3.14		.34	.12	.27		1.43	.90	.08	
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	.56	.10			.13	.11			.22	
	E GRAVEL OR STONE —UNTREATED	41	6.66	.26	.04	3.56	.60	.75	.80	.57	.08	
	TOTAL NON HARD SURFACED		10.92	.35	.38	3.68	1.11	1.19	2.35	1.47	.38	
	F BITUMINOUS SURFACE	F₁ TOPSOIL OR SAND-CLAY	51	10.75	.30		.64	3.13	2.08	1.85		2.75
		F₂ GRAVEL OR STONE	52	25.13	2.11	.82	2.48	3.51	4.50	3.30	2.67	5.74
HIGH TYPE SURFACES	G MIXED BITUMINOUS	G₁ NONRIGID BASE	60									
		G₂ RIGID BASE	61	1.96			.70			.98	.28	
	H BITUMINOUS PENETRATION	H₁ NONRIGID BASE	64									
		H₂ RIGID BASE	62									
	I BITUMINOUS CONCRETE I₁		63	37.14		1.15	4.93	7.31	10.40	5.05	2.89	5.41
	SAND ASPHALT —HOT PREMIXED	I₂ ON P. C. CONCRETE	67									
		I₃ ON BITUMINOUS CONCRETE	66	.07							.07	
		I₄ ON OTHER TYPES THAN I₂ AND I₃	65	.30			7.08	.39	.23	1.60		
	J PORTLAND CEMENT CONCRETE		70	2.74			1.50	.56		.10	.58	
	K BRICK		80									
	L BLOCK		90									
TOTAL HARD SURFACED			87.09	2.41	1.97	8.75	22.53	17.93	11.41	7.61	14.48	
TOTAL MILEAGE			98.01	2.77	2.35	12.43	23.64	19.12	13.76	9.08	14.86	

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

91

NC 701 SM

SYSTEM MUNICIPAL SECONDARY ROAD
COUNTY DIVISION TOTALS
DIVISION No. 12

COMPLETED AS OF JANUARY 1 19 74

TYPE OF ROAD		MILEAGE TOTAL										
			ALEX- ANDER	CATAWBA	CLEVE- LAND	GASTON	I REDELL	LINCOLN				
NON SURFD	A PRIMITIVE	00										
	B UNIMPROVED	10	.72		.27	.45						
	C GRADED AND DRAINED	20	.32		.03		.29					
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	6.50	.05	.28	3.28	2.60	.29				
	E GRAVEL OR STONE —UNTREATED	41	2.15		.31	.96	.52	.36				
	TOTAL NON HARD SURFACED		9.69	.05	.89	4.69	3.41	.65				
	F BITUMINOUS SURFACE TREATED	F₁ TOPSOIL OR SAND-CLAY	51	30.19	.95	4.03	15.86	5.00	3.76	.59		
		F₂ GRAVEL OR STONE	52	30.71	.48	6.07	7.28	12.47	4.06	.35		
		F₃ WATERBOUND MACADAM	54	.40			.40					
	G MIXED BITUMINOUS	G₁ NONRIGID BASE	60									
		G₂ RIGID BASE	61	2.49	.10			.13	2.26			
HIGH TYPE SURFACES	H BITUMINOUS PENETRATION	H₁ NONRIGID BASE	64									
		H₂ RIGID BASE	62									
	I BITUMINOUS CONCRETE I₁		63	101.06	.52	29.57	14.89	40.78	11.06	4.24		
	SAND ASPHALT —HOT PREMIXED	I₂ ON P. C. CONCRETE	67									
		I₃ ON BITUMINOUS CONCRETE	66	.50	.49				.01			
		I₄ ON OTHER TYPES THAN I₂ AND I₃	65	3.21			1.75	1.46				
	J PORTLAND CEMENT CONCRETE		70	2.72		1.57		.75	.34	.06		
	K BRICK		80									
	L BLOCK		90									
	TOTAL HARD SURFACED			171.28	2.54	41.24	40.18	60.59	21.49	5.24		
	TOTAL MILEAGE			180.97	2.59	42.13	44.87	64.00	22.14	5.24		

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

92

NC 701 SM

SYSTEM MUNICIPAL SECONDARY ROAD
COUNTY DIVISION TOTALS
DIVISION No. 13

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL										
			BUN- COMBE	BURKE	MADISON	MCDOW- ELL	MIT- CHELL	RUTHER- FORD	YANCEY			
NON SURFD	A PRIMITIVE	00										
	B UNIMPROVED	10	.23	.20		.03						
	C GRADED AND DRAINED	20	.85	.05	.32			.10	.38			
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	2.67		1.44			.05	1.18			
	E GRAVEL OR STONE —UNTREATED	41	8.29	1.86	.72	.86	.67	.76	3.03	.39		
	TOTAL NON HARD SURFACED		12.04	2.11	2.48	.89	.67	.91	4.59	.39		
	F BITUMINOUS SURFACE	F ₁ TOPSOIL OR SAND-CLAY	51	24.51	.10	11.06		1.14		12.21		
		F ₂ GRAVEL OR STONE	52	30.59	8.15	2.77	5.08	2.55	3.00	8.50	.54	
HIGH TYPE SURFACES	F ₃ WATERBOUND MACADAM	54										
	G MIXED BITUMINOUS	G ₁ NONRIGID BASE	60	.58		.06			.52			
	G ₂ RIGID BASE	61	.22	.22								
	H BITUMINOUS PENETRATION	H ₁ NONRIGID BASE	64									
		H ₂ RIGID BASE	62									
	I BITUMINOUS CONCRETE I ₁	63	69.28	20.31	16.76	5.22	2.89	3.15	17.83	3.12		
	SAND ASPHALT —HOT PREMIXED	I ₂ ON P. C. CONCRETE	67									
		I ₃ ON BITUMINOUS CONCRETE	66	1.38	1.38							
		I ₄ ON OTHER TYPES THAN I ₂ AND I ₃	65	2.69	1.63	.50	.56					
	J PORTLAND CEMENT CONCRETE	70	2.69	1.00	.13	.84	.72					
K BRICK	80											
L BLOCK	90											
TOTAL HARD SURFACED		131.94	32.79	31.28	11.70	7.30	6.15	39.06	3.66			
TOTAL MILEAGE		143.98	34.90	33.76	12.59	7.97	7.06	43.65	4.05			

NORTH CAROLINA DEPARTMENT OF TRANSPORTATION
EXISTING MILEAGE CLASSIFIED BY TYPE OF ROAD

93

NC 701 SM

SYSTEM MUNICIPAL SECONDARY ROAD

COUNTY DIVISION TOTALS

DIVISION No. 14

COMPLETED AS OF JANUARY 1 1974

TYPE OF ROAD		MILEAGE TOTAL	CHERO- KEE	CLAY	GRAHAM	HAYWOOD	HENDER- SON	JACKSON	MACON	POLK	SWAIN	TRANS- YLVANIA		
NON SURFD	A PRIMITIVE	00												
	B UNIMPROVED	10	.19					.15		.04				
	C GRADED AND DRAINED	20	1.26			.13		1.10			.03			
LOW TYPE SURFACES	D SOIL SURFACED —UNTREATED	30	1.61	.22				1.39						
	E GRAVEL OR STONE —UNTREATED	41	10.91	.70		.14	.04	5.55	2.18	1.08	1.00	.22		
	TOTAL NON HARD SURFACED		13.97	.92		.27	.04	8.19	2.18	1.12	1.00	.25		
HIGH TYPE SURFACES	F BITUMINOUS SURFACE	F1 TOPSOIL OR SAND-CLAY	51	3.51	.15	.06	.23		.53	1.41	1.13			
	TREATED	F2 GRAVEL OR STONE	52	22.30	3.67	1.00	.18	2.50	.67	2.74	4.32	1.09	4.13	2.00
		F3 WATERBOUND MACADAM	54											
	G MIXED BITUMINOUS	G1 NONRIGID BASE	60											
	G2 RIGID BASE	61	.30						.30					
	H BITUMINOUS PENETRATION	H1 NONRIGID BASE	64											
	I BITUMINOUS CONCRETE	H2 RIGID BASE	62											
		I1 ON P. C. CONCRETE	63	27.66	2.60	.61	1.43	9.14	2.82	2.10	.80	2.09	2.76	3.31
		I2 ON BITUMINOUS CONCRETE —HOT PREMIXED	67	1.92				.13	.08	.71	.06	.94		
	I3 ON OTHER TYPES THAN I2 AND I3	66	5.24	.83			1.25	2.83		.20	.13			
	65	10.55	1.53	.52			2.71	.47	.54	1.22	2.00		1.56	
	J PORTLAND CEMENT CONCRETE	70	1.89	.40					.06	.30	.49	.64		
	K BRICK	80												
	L BLOCK	90												
	TOTAL HARD SURFACED		73.37	9.18	2.13	1.67	15.96	6.87	6.68	8.61	7.87	7.53	6.87	
TOTAL MILEAGE			87.34	10.10	2.13	1.67	16.23	6.91	14.87	10.79	8.99	8.53	7.12	

JANUARY 1, 1974

STATE SECONDARY HIGHWAY SYSTEM

MUNICIPAL - PAVED MILEAGE BY COUNTIES AND SURFACE WIDTH
NC 702 SM

94

COUNTY	16-UNDER	PAVED		SURFACE	WIDTH	IN	F E E T	44-47	48-OVER	TOTALS
		17-19	20-21	22-23	24-26	27-35	36-43			
ALAMANCE	.07	10.41	22.35	.44	2.23	2.87	2.30	.77	1.35	42.79
ALEXANDER		.82	.44	.66	.19	.25	.13		.05	2.54
ALLEGHANY	.85	1.56								2.41
ANSON	3.97	12.47	1.22	.50		1.29	.88		.70	21.03
ASHE	.48	.84		.65						1.97
AVERY	4.68	2.94	1.13							8.75
BEAUFORT	1.20	2.27	1.64	.74	.11	.78	.07	3.52	2.52	12.85
BERTIE	1.71	4.37	3.75			.72	.43	.20		11.18
BLADEN		4.13	1.22	1.83	2.17	.30	.33		.13	10.11
BRUNSWICK		29.59	9.20	.46	.54	3.01				42.80
BUNCOMBE	9.29	5.74	4.52	.77	6.45	2.88	1.21	.10	1.83	32.79
BURKE	.62	11.66	8.84	.20	8.50	.42	.31	.73		31.28
CABARRUS	2.13	8.51	.67		1.26	1.73	1.18		.25	15.73
CALDWELL	7.12	6.88	4.09	.47	2.41	.37	1.04		.15	22.53
CAMDEN										
CARTERET	4.07	9.86	6.45	.26	3.43	1.13	.79	1.54	.55	28.08
CASWELL										
CATAWBA		10.96	5.37	2.46	9.65	6.59	3.21	1.00	2.00	41.24
CHATHAM	2.18	4.16	5.90	2.12	.60	1.28	1.07	.54		17.85
CHEROKEE	2.65	3.11	2.08	.05	.15	.81	.16		.17	9.18
CHOWAN	.49	2.38	2.02							4.89
CLAY	.35	1.22			.05		.45		.06	2.13
CLEVELAND	1.26	23.24	6.94	.30	2.78	2.08	2.10	1.41	.07	40.18
COLUMBUS	.11	14.62	3.18	.41	.86	1.63	.60	1.34	.17	22.92
CRAVEN	.02	8.12	8.02	.15	1.61	.60	1.06	.17	1.93	21.68

JANUARY 1, 1974

STATE SECONDARY HIGHWAY SYSTEM

MUNICIPAL - PAVED MILEAGE BY COUNTIES AND SURFACE WIDTH
NC 702 SM

95

COUNTY	16-UNDER	PAVED		SURFACE	W I D T H	IN	F E E T	TOTALS		
		17-19	20-21	22-23	24-26	27-35	36-43	44-47	48-OVER	
CUMBERLAND	.17	12.87	4.33	.95	4.08	.62	4.11	.23	6.37	33.73
CURRITUCK		6.10	.64			.36				7.10
DARE										
DAVIDSON	3.58	14.18	2.21	.15	2.43	3.81	5.09	1.33	4.27	37.05
DAVIE	.36	.89	1.26							2.51
DUPLIN		19.42	4.50	1.74	1.09	.62	.87	.56	.30	29.10
DURHAM	1.86	14.35	17.11	1.93	4.50	8.72	3.04	1.11	3.76	56.38
EDGECOMBE	.55	7.02	3.64	.15	1.14	2.97	2.28	2.09	1.27	21.11
FORSYTH	.06	28.16	11.49	6.31	5.65	8.60	12.61	1.94	22.73	97.55
FRANKLIN	.37	2.48	1.41		.26	2.14	.30	.28		7.24
GASTON	.51	14.43	8.08	8.05	11.10	4.96	2.49	.85	10.12	60.59
GATES						.09				.09
GRAHAM	.34	.78	.35	.02			.07	.11		1.67
GRANVILLE	.17	4.15	6.74	.52	.70	.45	.77		.30	13.80
GREENE	.18	2.31	.71		.37	1.29	.49	.34		5.69
GUILFORD	2.23	40.91	27.97	5.44	4.78	12.32	6.82	4.12	18.17	122.76
HALIFAX	.73	5.18	3.30	.20	1.67	.32	1.43		1.58	14.41
HARNETT	.53	7.91	6.83		1.79		.07	.74	1.03	18.90
HAYWOOD	4.96	1.93	.58	1.86	2.91	2.48	.17	.44	.63	15.96
HENDERSON	1.67	.65	1.27		1.12	.78	.50		.88	6.87
HERTFORD	1.66	6.08	.31	.38	.14	2.07	1.42		.64	12.70
HOKE		2.21	1.04			1.49	.25	.87		5.86
HYDE										
IREDELL		7.73	2.03	.96	2.77	4.99	1.92	.44	.65	21.49
JACKSON	4.12	1.81	.32	.07	.36					6.68

JANUARY 1, 1974

STATE SECONDARY HIGHWAY SYSTEM

MUNICIPAL - PAVED MILEAGE BY COUNTIES AND SURFACE WIDTH
NC 702 SM

96

COUNTY	16-UNDER	PAVED		SURFACE	W.I.D.T.H	IN	F E E T			
		17-19	20-21	22-23	24-26	27-35	36-43	44-47	48-OVER	TOTALS
JOHNSTON		12.99	7.42	.53	1.65	3.26	3.02		.15	29.02
JONES	.52	.83	.17		.06					1.58
LEE	.22	5.86	2.39	.24	1.60	1.56	.88	1.21	2.95	16.91
LENOIR	.35	2.50	1.51	.68	1.82	2.61	2.50	2.32	1.68	15.97
LINCOLN		1.15	1.03	.45	.26	1.30		.44	.61	5.24
MACON	4.22	1.66	2.45		.10	.08		.06	.04	8.61
MADISON	7.65	1.48	2.22	.29				.06		11.70
MARTIN	2.11	6.97	.25	.31	.84	.73	.39			11.60
MCDOWELL	.15	4.28	.69	.07	.22	.51	.48		.90	7.30
MECKLENBURG	9.53	22.06	6.44	1.09	5.21	2.55	4.35	9.47	18.80	79.50
MITCHELL	.99	1.41	3.06	.59		.10				6.15
MONTGOMERY	1.16	5.99	1.90	.21	1.57	1.28	.85	.05		13.01
MOORE	1.01	20.79	9.27	1.69	2.03	3.49	2.60	.96	1.18	43.02
NASH	.90	9.54	6.81		1.38	1.36	2.21	.53	1.33	24.06
NEW HANOVER	.56	4.45	1.80	2.65	5.31	1.44	7.66	3.00	2.66	29.53
NORTHAMPTON	2.08	6.90	.81	.50		.60				10.89
ONSLOW	1.42	1.59	1.21	.13	.98	2.42	.48	.37	3.78	12.38
ORANGE		5.49	6.90	.50	.11	1.22	.52			14.74
PAMLICO	3.12	1.74	1.62			.04	.31			6.83
PASQUOTANK	.02	2.01	.16	.56	.15	.28	1.21			4.39
PENDER		12.62	3.80	.82		.47	.59	.10	.76	19.16
PERQUIMANS	.13	1.53	.38		.80	.84	.17			3.85
PERSON	.47	.80	3.14		.68	1.70	.62		.15	7.56
PITT	.62	5.92	6.69	3.29	.94	3.38	2.85	1.28	1.97	26.94
POLK	2.12	3.18	.91		1.48		.13		.05	7.87

JANUARY 1, 1974

STATE SECONDARY HIGHWAY SYSTEM

MUNICIPAL - PAVED MILEAGE BY COUNTIES AND SURFACE WIDTH
NC 702 SM

97

COUNTY	16-UNDER	PAVED		SURFACE	WIDTH	IN	FEET			TOTALS
		17-19	20-21	22-23	24-26	27-35	36-43	44-47	48-OVER	
RANDOLPH	17.72	29.10	21.66	.40	2.41	2.76	2.27	1.08	1.65	79.05
RICHMOND	2.31	12.62	2.34	1.64	.82	4.73	1.61		.55	26.62
ROBESON	1.95	18.13	9.83	1.76	2.52	5.12	3.87	2.97	5.45	51.60
ROCKINGHAM	1.56	7.21	8.00	2.38	4.11	1.45	6.04	.96	1.76	33.47
ROWAN	6.78	12.29	5.27	.36	5.03	6.65	2.37	.09	1.06	39.90
RUTHERFORD	5.51	17.18	11.15	.94	1.60	1.70		.26	.72	39.06
SAMPSON		14.38	5.74	1.08	2.46	.60	5.54	.90	1.27	31.97
SCOTLAND	.48	4.49	6.93	.15	.73	.75	3.12	1.95	.11	18.71
STANLY	3.17	8.74	.20		1.84	2.00	3.52	.50	.56	20.53
STOKES		1.34	1.88							3.22
SURRY	1.99	2.77	3.27	3.26	1.66	.89	2.05	.93	1.11	17.93
SWAIN	5.72	.96		.29	.23	.10	.15	.08		7.53
TRANSYLVANIA	1.73	1.50	2.63		.39	.13		.17	.32	6.87
TYRRELL		.21	.05	.32			.10			.68
UNION	2.60	9.60	4.14	.17	4.40	.65	3.75	.44	.48	26.23
VANCE	1.06	3.68	1.80	.33	1.14	1.70	.80	.19	.76	11.46
WAKE	.11	31.49	24.09	5.16	6.38	5.48	10.98	6.13	14.46	104.28
WARREN	2.36	1.26	.78	.25	.78	1.16	.19			6.78
WASHINGTON	.37	2.24	1.79	1.00	4.73	.46			.45	11.04
WATAUGA	5.20	2.69	1.71	.40	1.41					11.41
WAYNE		11.61	3.48	.41	.57	2.44	1.35	.08	1.61	21.55
WILKES	1.91	2.28	.61	1.72		1.09				7.61
WILSON	.92	7.17	6.68	1.22	3.97	6.64	6.55	.12	.63	33.90
YADKIN	1.76	7.88	2.28		1.11	.98	.07	.40		14.48
YANCEY	1.52	.31	.82		.49	.36			.16	3.66
TOTAL	173.38	736.28	405.31	79.04	167.31	164.11	148.60	64.67	154.80	2093.50