





DOUBLE DIAPHRAGM DETAILS

*4 "S" BARS NOT SHOWN. *4 "S" BARS MAY BE SHIFTED SLIGHTLY TO CLEAR 2 1/2" Ø HOLE.



VOID DRAIN DETAILS

(DIMENSIONS SHOWN ARE TYPICAL FOR EACH VOID)



SECTION X-X
SHOWING PLAN VIEW OF GROUTED RECESS

GROUTED RECESS DETAIL AT
END OF POST-TENSIONED STRANDS
OF EXTERIOR BOX BEAM

DEAD LOAD DEFLECTION AND CAMBER			
	3'-0" x 3'-3"		
	0.6" Ø L.R. STRAND		
	SPAN "A"	SPAN "B"	SPAN "C"
CAMBER (BEAM ALONE IN PLACE)			
DEFLECTION DUE TO CONCRETE WEARING SURFACE			
FINAL CAMBER			

PROJECT NO. _____

_____ COUNTY

STATION: _____

SHEET _ OF _

REVISIONS						SHEET NO.
NO.	BY:	DATE:	NO.	BY:	DATE:	
1			3			TOTAL SHEETS
2			4			

ASSEMBLED BY :		DATE :	
CHECKED BY :		DATE :	
DRAWN BY :	TLA 5/05	REV. 5/1/06	TLA/GM
CHECKED BY :	GM 6/05	REV. 10/1/11	MAA/GM
		REV. 12/17	MAA/THC