

- 1 PLAN PREPARATION**
 - 1-1 Plan Assembly Outline
 - 1-2 Accuracy for Plan Sheets
 - 1-3 Drawing Scales
 - 1-4 Line Symbolology
 - 1-5 Skew Angle Designation
 - 1-6 Trigonometric Functions
 - 1-7 Properties of A Circle
 - 1-8 Horizontal Curve/Tangent Offset
 - 1-9 Vertical Parabolic Curve - Equal Tangent
 - 1-10 Vertical Parabolic Curve - Equal Tangent (Example)

- 2 DESIGN DATA**
 - 2-1 Seismic Zone – LRFD Bridge Design Specifications
 - 2-2 Soil Profile Types
 - 2-3 Design Traffic Lane

- 3 MATERIAL**

- 4 PRELIMINARY DRAWINGS**
 - 4-1 Example Preliminary General Drawing (Sheet 1 of 2)
 - 4-2 Example Preliminary General Drawing (Sheet 2 of 2)
 - 4-3 Construction Limits Sketches for Bridges and Culverts
 - 4-4 Example Construction Limit Sketch
 - 4-5 Example Coast Guard Permit Sketch (Drawing 1)
 - 4-6 Example Coast Guard Permit Sketch (Drawing 2)
 - 4-7 Example Coast Guard Permit Sketch (Drawing 3)
 - 4-8 Railroad Erosion Control Detail

- 5 GENERAL DRAWINGS**
 - 5-1 Example General Drawing (Plan and Section Views)
 - 5-2 Example General Drawing (Foundation Layout Sketch)
 - 5-3 Example General Drawing (Long Chord Layout)
 - 5-4 Example General Drawing (Location Sketch and Bill of Material)
 - 5-5 Example General Drawing (Stream Crossing - Location Sketch)

- 6 SUPERSTRUCTURES**
 - 6-1 Bridge Superstructure Depth
 - 6-2 Slab Design Table (Slab Depth and ‘A’ Bars, Sheet 1 of 2)
 - 6-3 Slab Design Table (Slab Depth and ‘A’ Bars, Sheet 2 of 2)
 - 6-4 Slab Design Table (BBU Depth and ‘B’ Bars, Sheet 1 of 2)
 - 6-5 Slab Design Table (BBU Depth and ‘B’ Bars, Sheet 2 of 2)
 - 6-5a Link Slab Design Tables AASHTO Type II
 - 6-5b Link Slab Design Tables AASHTO Type III
 - 6-5c Link Slab Design Tables AASHTO Type IV
 - 6-5d Link Slab Design Tables 63 MBT
 - 6-5e Link Slab Design Tables 72 MBT
 - 6-6 Suggested Maximum Superstructure Overhangs
 - 6-7 Slab Design Worksheet (Steel Girder)
 - 6-8 Slab Design Worksheet (Prestressed Concrete Girder)

6-9	Skew Limit Guidelines for Precast Concrete Deck Panels
6-10	Vertical Concrete Barrier Rail on Cored Slab
6-11	Vertical Concrete Barrier Rail on Box Beam
6-12	Drain Details (Prestressed Concrete Girders)
6-13	Drain Connector Details (Steel Girders)
6-14	Drain Connector Detail with Scupper (Prestressed Concrete Girders)
6-15	Drain Connector Detail with Scupper (Steel Girders)
6-16	Section Through Sidewalk
6-17	Sidewalk on Cored Slabs
6-18	Sidewalk on Box Beams
6-19	Permanent Concrete Median Strip on Bridge
6-20	Barrier Rail Details (without Wearing Surface)
6-21	Barrier Rail - End of Rail Details (without Wearing Surface)
6-22	42" (1067mm) Barrier Rail Details
6-23	Barrier Rail - End of 42" (1067mm) Rail Details
6-24	Detail for Computing Length of S1 Bar
6-25	Location of Adhesively Anchored Dowels for Barrier Rails
6-26	Example Concrete Barrier Rail Standard
6-27	Concrete Median Barrier Details (for Rigid Pavement)
6-28	Concrete Median Barrier Details (for Rigid Pavement)
6-29	Median Barrier Rail Cover Plate Details
6-30	Median Barrier Rail Cover Plate Details
6-31	Bar Types - Concrete Median Barrier
6-32	End Post for Three Bar Rail
6-33	Parapet and End Post for Two Bar Rail
6-34	Parapet and End Post for One Bar Rail
6-35	Parapet and End Post for One or Two Bar Rail
6-35a	32" Alaska Rail on a Deck Slab
6-35b	42" Oregon Rail on a Deck Slab
6-35c	Curb and End Post for 32" Alaska Rail
6-35d	Curb and End Post for 42" Oregon Rail
6-36	One and Two Bar Metal Rail on Cored Slab Units
6-37	One and Two Bar Metal Rail on Box Beam Units
6-37a	32" Alaska Rail on Cored Slabs and Box Beams
6-37b	42" Oregon Rail on Cored Slabs and Box Beams
6-38	Wisconsin DOT Pouring Sequence (Two and Three Spans)
6-39	Wisconsin DOT Pouring Sequence (Any Number of Spans)
6-40	Pouring Sequence for Continuous for Live Load Deck Slabs
6-41	Optional Pouring Sequence – Prestressed Concrete Superstructure
6-42	Transverse Construction Joint in Deck Slab
6-43	Foam Joint Seals for Concrete and Steel Superstructures
6-44	Intentionally Left Blank
6-45	Typical Foam Joint Seal Details
6-46	Sidewalk with Foam Joint Seal
6-47	Sidewalk with Foam Joint Seal Details
6-48	Sidewalk Cover Plate Details with Foam Joint Seal
6-49	Example Expansion Joint Seal Details Standard (Sheet 1)
6-50	Example Expansion Joint Seal Details Standard (Sheet 2)
6-51	Example Expansion Joint Seal Details Standard (Sheet 3)
6-52	Example Calculations for "Movement and Setting at Joint" Table and Detail of #4 (#13) J1 Bar
6-53	Plan of Expansion Joint Seal at Barrier Rail - Left Side
6-54	Plan of Expansion Joint Seal at Sidewalk - Left Side
6-55	Plan View of Sidewalk Cover Plate for Expansion Joint Seals
6-56	Pavement Marking Alignment Sketch (Example)
6-57	End Bent Joint Details (for Steel Superstructure with Modular Expansion Joint)

- 6-58 Bent Diaphragm Detail (for Steel Superstructure with Modular Expansion Joint)
- 6-59 Sidewalk Cover Plate Details for Modular Expansion Joint Seals
- 6-60 Plan of Modular Expansion Joint Seal at Sidewalk - Left Side
- 6-61 Overlay Type Flow Chart
- 6-62 Construction Elevations Sketch (Bottom of Slab Example)
- 6-63 Construction Elevations Sketch (Approach Slab Example)
- 6-64 Construction Elevations Sketch (Preliminary Header Example)
- 6-65 Intentionally Left Blank
- 6-66 Dimensions, Area, and Design Data for Prestressed Concrete Girders (AASHTO Types II through IV)
- 6-67 Dimensions, Area, and Design Data for Prestressed Concrete Girders (AASHTO Types V and VI, Modified Bulb Tees)
- 6-68 Details for Type II Prestressed Concrete Girder Without Notch
- 6-69 Details for Type III Prestressed Concrete Girder Without Notch
- 6-70 Girder Layout Sheet (Example)
- 6-71 Top of Slab Reinforcement Layout (Continuous for Live Load Deck Slab with Precast Concrete Deck Panels)
- 6-72 Top of Slab Reinforcement Layout (Continuous for Live Load Deck Slab with Metal Stay-in-Place Forms)
- 6-73 Buildup over Prestressed Concrete Girder
- 6-74 Section Through Bent Diaphragm (Prestressed Concrete Girders)
- 6-75 Typical Joint Seal Detail
- 6-75a Top Flange Clip Details (Modified Bulb Tees)
- 6-76 Half-Sections Through Bent Diaphragm
- 6-77 Bent Diaphragm Blockout Detail
- 6-78 Typical Intermediate Diaphragm for Prestressed Concrete Girders (AASHTO Types II through IV)
- 6-79 Typical Intermediate Diaphragm for Prestressed Concrete Girders (AASHTO Types V and VI, Modified Bulb Tees)
- 6-80 Grouted Recess for End of Tie Rod
- 6-81 Cored Slab Properties
- 6-81a Cored Slab Properties
- 6-81b Cored Slab Properties
- 6-82 Cored Slab Typical Section (Example)
- 6-83 Cored Slab Span Layout (Example)
- 6-84 Cored Slab with Barrier Rail Details (Example)
- 6-85 Part Plan End of Cored Slab Unit
- 6-86 Grouted Recess at End of Post-Tensioned Strand for Cored Slabs
- 6-86a Grouted Recess at End of Double Post Tensioned Strands for Cored Slabs
- 6-87 View of Cored Slab Superstructure
- 6-88 Box Beam Properties
- 6-88a Box Beam Properties
- 6-89 Plan View of Box Beam Superstructure Units
- 6-90 Slab and Buildup Dimensions (Steel Girders)
- 6-91 Top Flange Clip Details
- 6-92 Typical Flange and Web Butt Joints
- 6-93 End Bent Joint Details (Steel Girders)
- 6-94 Section Through Bent Diaphragm
- 6-95 Bent Diaphragm for Rolled Beams Through 27 in (690 mm)
- 6-96 Bent Diaphragm for Rolled Beams 30 in (760 mm) Through 33 in (840 mm)
- 6-97 Bent Diaphragm for Rolled Beams 36 in (920 mm)
- 6-98 Bent Diaphragm for Plate Girders Through 48 in (1220 mm)
- 6-99 Bent Crossframe for Plate Girders More Than 48 in (1220 mm) Without Lateral Bracing
- 6-100 Bent Crossframe for Plate Girders More Than 48 in (1220 mm) With Lateral Bracing

6-101	Connector Plate Details
6-102	Intermediate Diaphragm for Rolled Beams Through 27 in (690 mm)
6-103	Intermediate Diaphragm for Rolled Beams 30 in (760 mm) Through 33 in (840 mm)
6-104	Intermediate Diaphragm for Rolled Beams 36 in (920 mm)
6-105	Intermediate Diaphragm for Plate Girders Through 48 in (1220 mm)
6-106	Intermediate Diaphragm for Plate Girders 49 in (1245 mm) Through 60 in (1525 mm)
6-107	Optional Intermediate Crossframe for Plate Girders More Than 60 in (1525 mm) Without Lateral Bracing
6-108	Intermediate Crossframe for Plate Girders More Than 60 in (1525 mm) Without Lateral Bracing
6-109	Intermediate Crossframe for Plate Girders More Than 60 in (1525 mm) With Lateral Bracing
6-110	Typical Lateral Bracing Details
6-111	Typical Lateral Bracing Details at Intermediate Stiffeners
6-112	Stiffener Details
6-113	Weld Termination Details
6-114	Web Stiffener or Connector Plate Weld Detail
6-115	Gusset Plate Details
6-116	Shear Connectors
6-117	Typical Field Splice Details
6-118	Charpy V-Notch Tests for Continuous Plate Girders
6-119	Integral End Bent Details (Steel Superstructure)
6-120	Alternate Integral End Bent Details (Steel Superstructure)
6-120a	Sole Plate Details for Alternate Integral End Bents
6-121	Integral End Bent Details (PCG Superstructure)
6-122	Integral End Bent Details (PCG Superstructure)
6-123	Integral End Bent Details (PCG Superstructure)
6-124	Temperature Setting Detail
6-125	Disc Bearing Design Data
6-126	Disc Bearing Setting Details (Curved Girder Example)
6-127	Intentionally Left Blank
6-128	Intentionally Left Blank
6-129	TFE Bearing Details
6-130	Fixed Bearing Assembly Details
6-131	Surface Finish for Bearing Plates
6-132	Slot Size for Expansion End of Span
6-133	LRFR Flow Chart
6-134	LRFR Load Factors and Prestressed Concrete Stress Limits
6-135	Drip Bead Details
6-136	Example Strip Seal Expansion Joint Details Standard (Sheet 1)
6-137	Example Strip Seal Expansion Joint Details Standard (Sheet 2)
6-138	Example Strip Seal Expansion Joint Details Standard (Sheet 3)
6-139	Example Calculation for "Movement and Setting at Joint" Table for Strip Seal Expansion Joint
6-140	Bottom of Slab Reinforcement Layout
6-141	Plan of Girders at Link Slab
6-142	Section at Link Slab
6-143	Optional Pouring Sequence (Link Slabs)
6-144	Pour Direction
6-145	Pouring Sequence (Link Slabs)
6-146	Legal Loads for Structures Carrying Interstate Traffic
6-147	Legal Loads for Structures Carrying Non-Interstate Traffic

7 SUBSTRUCTURES

- 7-1 Cap Length for Cored Slab & Box Beam Bridges
- 7-2 Reinforcing Steel in Top of Stepped Bent Caps
- 7-3 End Bent #1 Layout (Skew < 90°)
- 7-4 End Bent #2 Layout (Skew < 90°)
- 7-5 End Bent #1 Layout (Skew = 90°)
- 7-6 End Bent #2 Layout (Skew = 90°)
- 7-7 End Bent #1 Layout (Skew > 90°)
- 7-8 End Bent #2 Layout (Skew > 90°)
- 7-9 Sloped End Bent Cap
- 7-10 Chamfering Acute End Bent Corner
- 7-11 Temporary Drainage at End Bent
- 7-12 Backwall Detail
- 7-13 Reinforcing for Turned Back Wing
- 7-13a Reinforcing for Turned Back Wing (4'-0" Deep End Bent Caps)
- 7-14 Suggested Method of Detailing Sloped Wings
- 7-15 Required Length of Wings
- 7-15a Required Length of Wings (4 Foot Deep End Bent Caps)
- 7-16 General Guide for Piles in End Bent Wings
- 7-16a General Guide for Piles in End Bent Wings (4'-0" Deep End Bent Caps)
- 7-17 Blockout in Wing Wall
- 7-18 Blockout in Wing Wall for Cored Slab
- 7-19 Wing Design Table (4'-0" Deep End Bent Caps)
- 7-20 Intentionally Left Blank
- 7-21 Intentionally Left Blank
- 7-22 Intentionally Left Blank
- 7-23 Standard Brace Pile Detail (for End Bents)
- 7-23a Standard Brace Pile Detail (4'-0" Deep End Bent Caps)
- 7-24 Standard Brace Pile Detail (for End Bents with Double Row of Piles)
- 7-24a Standard Brace Pile Detail (4'-0" Deep End Bent Caps with Double Row of Piles)
- 7-25 Pipe Pile in End Bent or Footing Detail
- 7-26 Standard Brace Pile Detail (for Interior Bents)
- 7-27 Standard Brace Pile Detail (for Interior Bents with Double Row of Piles)
- 7-28 End of Cap Detail for Interior Pile Bents
- 7-29 Column Connection Details for Seismic Performance Zone 2
- 7-30 Spiral Reinforcing for Round Columns
- 7-31 Pile Splice Details
- 7-32 Pile Tip Details
- 7-33 Composite Pile Details
- 7-34 Pier Scour Protection (Spread Footings Located in Stream Bed)
- 7-35 Pier Scour Protection (Spread Footings Located in Banks of Streams)
- 7-36 Pier Scour Protection (Pile Footings Located in Stream Bed)
- 7-37 Details for Foundation Piles in Bents
- 7-38 Pay Area of Excavation for Post and Beam End Bents
- 7-39 Intentionally Left Blank
- 7-40 Pier Crash Wall for Railroad Overheads
- 7-41 Median Barrier Rail and Column Connection

8 APPROACH SLAB

- 8-1 Approach Slab Length Flow Chart
- 8-2 Example Approach Slab Standard (Rigid)
- 8-3 Example Approach Slab Standard Details
- 8-4 Example Approach Slab Standard (Flexible)
- 8-5 Foam Joint Seal Details at End Bent for Curbs
- 8-6 Foam Joint Seal Details at End Bent for Sidewalk

- 8-7 Details of Sidewalk On Approach Slab
 - 8-8 Approach Slab Sections (Type I Approach Fill)
 - 8-9 Approach Slab Sections (Integral)
 - 8-10 Approach Slab Sections (Cored Slab)
 - 8-11 Approach Slab Sections (Box Beam)
 - 8-12 Approach Slab Sections (Type III Reinforced Approach Fill)
- 9 REINFORCED CONCRETE BOX CULVERTS**
- 9-1 Culvert Design Worksheet
 - 9-2 Sloped and Tapered Inlet (Example)
 - 9-3 Sloped and Tapered Inlet (Example)
 - 9-4 Cast-in-Place Culvert Example (Location Sketch and Profile)
 - 9-5 Cast-in-Place Culvert Example (Section, End Elevation, and Slab Plans)
 - 9-6 Cast-in-Place Culvert Example (Wing Details)
 - 9-7 Skewed Precast Box Culvert
 - 9-8 Precast Culvert Example (Slab Plans, Section, and End Elevation)
 - 9-9 Precast Culvert Example (Details)
 - 9-10 Precast Culvert Example (Wing Details)
 - 9-11 Details for Computing Culvert Excavation
 - 9-12 Culvert Sill Details
 - 9-13 Turned Back Wing Layout Formulas for Culverts
 - 9-14 Layout for Turned Back Culvert Wings
 - 9-15 Turned Back Culvert Wing
 - 9-16 Guardrail Anchor Assembly Details (Example)
 - 9-17 Guardrail Anchor Assembly Details for Precast Culvert (Example)
 - 9-18 Edge Beams for Culvert Extensions
- 10 REINFORCING STEEL**
- 10-1 Areas, Weights, and Spacing of Bars
 - 10-2 Areas of Standard Bars
 - 10-3 Development Length and Splice Length for Bars in Tension (Class A)
 - 10-4 Development Length and Splice Length for Bars in Tension (Class B)
 - 10-5 Development Length and Splice Length for Bars in Compression
 - 10-6 Splice Length Chart for Superstructures
 - 10-7 General Guide to Substructure Bar Splice and Development Lengths (Interior Bent)
 - 10-8 General Guide to Substructure Bar Splice Lengths (End Bent)
 - 10-9 Bill of Material and Spiral Length Calculation (Example)
 - 10-10 Detail of Reinforcing in Bent Cap
 - 10-11 Standard Bar Details
 - 10-12 Sample Bar Replacement Chart
 - 10-13 Culvert Splice Length
 - 10-14 Standee Bar Detail (Example)
- 11 BRIDGE LAYOUT**
- 11-1 Stream Crossing Details for 1'-0" (300 mm) Minimum Berm (Cored Slab Structure)
 - 11-1a Stream Crossing Details for 1'-0" (300 mm) Minimum Berm (Cored Slab Structure 4'-0" Deep End Bent Caps)
 - 11-2 Stream Crossing Details for 1'-0" (300 mm) Minimum Berm
 - 11-2a Stream Crossing Details for 1'-0" (300 mm) Minimum Berm (4'-0" Deep End Bent Caps)
 - 11-3 Stream Crossing Details for 1'-0" (300 mm) Minimum Berm (Dimensions)
 - 11-3a Stream Crossing Details for 1'-0" (300 mm) Minimum Berm (4'-0" Deep End Bent Caps 1 ½:1 Slope) (Dimensions)

- 11-3b Stream Crossing Details for 1'-0" (300 mm) Minimum Berm
(4'-0" Deep End Bent Caps 2:1 Slope) (Dimensions)
- 11-4 Berm Details
- 11-5 Bridge Length Requirements – Railroad Overheads

12 MISCELLANEOUS ITEMS

- 12-1 Intentionally Left Blank
- 12-2 Intentionally Left Blank
- 12-3 Intentionally Left Blank
- 12-4 Intentionally Left Blank
- 12-5 Intentionally Left Blank
- 12-6 Intentionally Left Blank
- 12-7 Intentionally Left Blank
- 12-8 Intentionally Left Blank
- 12-9 Intentionally Left Blank
- 12-10 Intentionally Left Blank
- 12-11 Intentionally Left Blank
- 12-12 Intentionally Left Blank
- 12-13 Intentionally Left Blank
- 12-14 Intentionally Left Blank
- 12-15 Intentionally Left Blank
- 12-16 Intentionally Left Blank
- 12-17 Intentionally Left Blank
- 12-18 Intentionally Left Blank
- 12-19 Intentionally Left Blank
- 12-20 Intentionally Left Blank
- 12-21 Uses and Field Testing of Adhesive Bonding Systems
- 12-22 Riprap
- 12-22a Riprap (4'-0" Deep End Bent Caps)
- 12-23 Concrete Slope Protection
- 12-23a Concrete Slope Protection (4'-0" Deep End Bent Caps)
- 12-24 Detail of Slope Protection Behind Crashwall
- 12-25 Slope Protection Details Sheet
- 12-25a Slope Pivot Point Location
- 12-26 Bridge Access Facilities Table
- 12-27 Railroad Shoring Requirements
- 12-28 Grouted Recess at Location of Shoring Strut Through Railroad Crashwall
- 12-29 Corrosive Area Map
- 12-30 Determination of Corrosion Protection
- 12-31 Structure Excavation Limits (Reinforced Earth Wall)
- 12-32 Structure Excavation Limits (Permanent Tiedback Wall)
- 12-33 Structure Drainage System Details (Elevation, Bent Details)
- 12-34 Structure Drainage System Details (Part-Elevation at Bent, Insert
Location in Stay-In-Place Forms)
- 12-35 Structure Drainage System Details (Part-Elevation at Scupper,
Part-Section of Pipe Hanger)
- 12-36 Exposure Categories for Sound Barrier Wall
- 12-37 Pile Panel Sound Barrier Wall Design