

PRESERVATION, REHABILITATION & REPAIR

PROJECT SPECIAL PROVISIONS

STRUCTURES AND CULVERTS

(Available via the Structures Management Unit web site)

PROJECT NO. _____ COUNTY _____ BRIDGE NO. _____

PSP No.	Title		Last Revised
1	Overlay Surface Preparation	<i>See Footnote 5</i>	12-18-12
2	Joint Repair	<i>See Footnote 4</i>	12-18-12
3	Latex Modified Concrete		8-9-13
4	Latex Modified Concrete – Very Early Strength		8-9-13
5	Elastomeric Concrete		12-18-12
6	Strip Seals		12-18-12
7	Synthetic Rubber Expansion Joint Seal	<i>See Footnote 6</i>	12-18-12
8	Volumetric Mixer		12-18-12
9	Concrete for Deck Repair		12-18-12
10	Epoxy Resin Injection		12-5-12
11	Epoxy Mortar Repairs		12-5-12
12	Shotcrete Repairs		12-5-12
13	Concrete Repairs		12-5-12
14	Cleaning and Painting Existing Bearing Plates		12-5-12
15	Painting Existing Structure	<i>See Footnote 3</i>	12-5-12
16	Painting Existing Weathering Steel Structure	<i>See Footnote 3</i>	12-5-12
17	Under Structure Work Platform		12-5-12
18	Falsework and Formwork	<i>See Footnote 1</i>	4-5-12
19	Submittal of Working Drawings	<i>See Footnote 1</i>	6-19-15
20	Crane Safety	<i>See Footnote 1</i>	8-15-05
21			
22	Maintenance of Water Traffic		12-5-12
23	Work In, Over or Adjacent to Navigable Waters		12-5-12
24	Securing of Vessels	<i>See Footnote 2</i>	10-12-01
25			
26	Concrete Deck Repair for Epoxy Overlay	<i>See Footnote 7</i>	12-12-13
27	Epoxy Overlay System	<i>See Footnote 8</i>	6-12-14
28	Epoxy Overlay System	<i>See Footnote 9</i>	6-12-14
29			
30			

31

32

33

34

FOOTNOTES

1. Use this Special Provision on all projects.
2. Use “Securing of Vessels” on projects with navigable waterways.
3. When using “Painting Existing Structure” or “Painting Existing Weathering Steel Structure”, also include “Under Structure Work Platform”.
4. When using “Joint Repair”, also include “Volumetric Mixer” and “Concrete for Deck Repair”.
5. When using “Overlay Surface Preparation”, also include “Concrete for Deck Repair”.
6. When using “Synthetic Rubber Expansion Joint Seal”, also include “Elastomeric Concrete”.
7. When using “Epoxy Overlay System”, also include “Concrete Deck Repair for Epoxy Overlay”.
8. Use this Special Provision when $ADT > 5,000$.
9. Use this Special Provision when $ADT \leq 5,000$.