N. C. DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
TRAFFIC ENGINEERING BRANCH
SIGNING DEPARTMENT

SIGN NUMBER: SP05004
TYPE: D
QUANTITY: 1

SIGN WIDTH: 3'-0"
HEIGHT: 1'-6"
TOTAL AREA: 4.5 Sq.Ft.

BORDER TYPE: FLUSH
RECESS: 0"
WIDTH: 0.5"
RADII: 3"

NO. Z BARS:
LENGTH:

BACKG COLOR: Green
COPY COLOR: White

SYMBOL	X	Y	WID	HT

MAT'L: 0.080" (2.0 mm) ALUMINUM

DESIGN BY: BSESSOMS DATE: Jan 07,2005 CHECKED BY:
TEPPL TOPIC: R-14 DIV: STATEWIDE

USE NOTES: 1,4

1. Legend and border shall be direct applied Type III reflective sheeting.
2. Legend and border shall be direct applied non-reflective sheeting.
3. Shields shall be Type III reflective sheeting on 0.032" (0.8mm) aluminum and demountable.
4. Background shall be Type III reflective sheeting.
5. Background shall be Type I reflective sheeting.
6. Center arrow(s) vertically on sign.
7. Bottom panel shall be yellow Type III sheeting. Legend shall be direct applied black non-reflective sheeting. Yellow panel is:

LETTER POSITIONS

Letter spacings are to start of next letter

																										Series/Size Text Length
	R	E	C	Y	C	L	I	N	G																	D4
3.7	3.6	3.2	3.2	4.1	3.4	3.2	1.6	3.6	2.7	3.7																28.7
	C	E	N	T	E	R																				D4
8.4	3.5	3.2	3.4	3.2	3.2	2.7	8.4																			19.2

Spacing Factor is 1 unless specified otherwise

FILENAME: R-14

NORTH CAROLINA D.O.T. SIGN DETAIL

N. C. DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
TRAFFIC ENGINEERING BRANCH
SIGNING DEPARTMENT

SIGN NUMBER: SP05005
TYPE: D
QUANTITY: 1

SIGN WIDTH: 3'-6"
HEIGHT: 2'-6"
TOTAL AREA: 8.8 Sq.Ft.

BORDER TYPE: FLUSH
RECESS: 0"
WIDTH: 0.5"
RADII: 3"

NO. Z BARS:
LENGTH:

BACKG COLOR: Green
COPY COLOR: White

SYMBOL	X	Y	WID	HT
LEFT ARROW	17	4	5	8

MAT'L: 0.080" (2.0 mm) ALUMINUM

DESIGN BY: BSESSOMS
DATE: Jan 07,2005
CHECKED BY:
TEPPL TOPIC: R-14
DIV: STATEWIDE



USE NOTES: 1,4

1. Legend and border shall be direct applied Type III reflective sheeting.
2. Legend and border shall be direct applied non-reflective sheeting.
3. Shields shall be Type III reflective sheeting on 0.032" (0.8mm) aluminum and demountable.
4. Background shall be Type III reflective sheeting.
5. Background shall be Type I reflective sheeting.
6. Center arrow(s) vertically on sign.
7. Bottom panel shall be yellow Type III sheeting. Legend shall be direct applied black non-reflective sheeting. Yellow panel is:

LETTER POSITIONS

Letter spacings are to start of next letter

																										Series/Size Text Length
	R	E	C	Y	C	L	I	N	G																	D4
6.6	3.6	3.2	3.2	4.1	3.4	3.2	1.6	3.6	2.7	6.7																28.7
	C	E	N	T	E	R																				D4
11.4	3.4	3.2	3.4	3.2	3.2	2.7	11.4																			19.2

Spacing Factor is 1 unless specified otherwise

FILENAME: R-14

NORTH CAROLINA D.O.T. SIGN DETAIL

N. C. DEPARTMENT OF TRANSPORTATION
DIVISION OF HIGHWAYS
TRAFFIC ENGINEERING BRANCH
SIGNING DEPARTMENT

SIGN NUMBER: SP05008
TYPE: D
QUANTITY: 1

SIGN WIDTH: 3′-6″
HEIGHT: 2′-6″
TOTAL AREA: 8.8 Sq.Ft.

BORDER TYPE: FLUSH
RECESS: 0″
WIDTH: 0.5″
RADII: 3″

NO. Z BARS:
LENGTH:

BACKG COLOR: Green
COPY COLOR: White

SYMBOL	X	Y	WID	HT
RIGHT ARROW	17	4	5	8

MAT'L: 0.080″ (2.0 mm) ALUMINUM

DESIGN BY: BSESSOMS DATE: Jan 07,2005 CHECKED BY:
TEPPL TOPIC: R-14 DIV: STATEWIDE



USE NOTES: 1,4

1. Legend and border shall be direct applied Type III reflective sheeting.
2. Legend and border shall be direct applied non-reflective sheeting.
3. Shields shall be Type III reflective sheeting on 0.032″ (0.8mm) aluminum and demountable.
4. Background shall be Type III reflective sheeting.
5. Background shall be Type I reflective sheeting.
6. Center arrow(s) vertically on sign.
7. Bottom panel shall be yellow Type III sheeting. Legend shall be direct applied black non-reflective sheeting. Yellow panel is:

LETTER POSITIONS

Letter spacings are to start of next letter

																										Series/Size Text Length
	R	E	C	Y	C	L	I	N	G																	D4
6.6	3.6	3.2	3.2	4.1	3.4	3.2	1.6	3.6	2.7	6.7																28.7
	C	E	N	T	E	R																				D4
11.4	3.4	3.2	3.4	3.2	3.2	2.7	11.4																			19.2

Spacing Factor is 1 unless specified otherwise

FILENAME: R-14

NORTH CAROLINA D.O.T. SIGN DETAIL